



# INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 11 Issue: VII Month of publication: July 2023

DOI: https://doi.org/10.22214/ijraset.2023.55082

www.ijraset.com

Call: © 08813907089 E-mail ID: ijraset@gmail.com



ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538

Volume 11 Issue VII Jul 2023- Available at www.ijraset.com

# Analysis and Design of G+15 Building With Connecting Skywalk in Gorakhpur

#### Rishabh Singh

M.Tech Student, Department of Civil Engineering, Madan Mohan Malviya University of Technology, Gorakhpur, Uttar Pradesh

Abstract: The structural analysis and design of G+15 building with the connection skywalk is done using software StaddPRO V8i. The planning is done in AUTOCAD 2019. The G+15 building with the connection skywalk which connect the two buildings to facilitates the movement of the people inside the building. The plan of the G+15 building will be drawn. The analysis of the speed, quality and construction aspects will be done. The building will be designed as per the IS codes. The various loads acting on the G+15 building will be calculated based on the Indian Standard Code books. It gives a platform to work hand to hand with the people of other department such IT department. The building will be designed keeping the economic aspect in mind with sufficient durability and strength.

#### I. INTRODUCTION

The high rise building concept which is the demand of the future generation. We are moving toward the era where the land is less and the population demand is quite high. To meet the basic demand of each individual human being was residence which can be fulfilled by the making the high rise building. The tall building can fulfill the demand. They save space and accommodate more residents as compared to individual houses. Tall buildings provide a aesthetic and a modern look to the city. Due to much space inside of the building it could fit more than one company in it. Hence saves much space in the city. Another advantage of the tall building is that it can saves more land for agricultural purpose. Hence in

this project we have planed, analysed and designed the G+15 building with the connection skywalk which connect the two buildings to facilitates the movement of the people inside the building. The successful construction of G+15 buildings are based upon clear understanding of the conduct of the structure, relevant analysis theory and methodologies, use of software, and explicit design principles.

#### II. PLANNING

This building was being made in the location of taramandal which is located in the Gorakhpur, Uttar Pradesh. The location coordinates of the site is 26°43′54.6″N 83°22′53.2″E and the altitude is 73.7176827. The total plot area required for this peoject was 9000m2. The total height of the building is 48 m. The building connecting skywalk at the 8th floor of the building which is of 9 m in length. The building project was economical and this project help us to understand the various components of the building and the loads acting on the building and their effects on the building. And to design the structural components like slab, beam, column, foundation of the G+15 building. The plan of the G+15 building will be drawn. The analysis of the speed, quality and construction aspects will be done. The various loads acting on the G+15 building will be calculated based on the Indian Standard Code books. It gave us the opportunity to work with the other department students which help us to gain knowledge.



ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538

Volume 11 Issue VII Jul 2023- Available at www.ijraset.com

#### A. Data Collection

#### TABLE I

Dead Load Value	4.125KN/m	
Live Load Value	5.5KN/m	
Loading Cases	DL, WL, EQL, LL	
External Loads	Wind, Earthquake	
Wind Speed	47 m/s	
Earthquake Zone	III	
Foundation Type	Isolated Footing	

#### B. Building Details

#### TABLE II

Total Length	50m
Total Width	26m
Height of each floor	3m
Total floor height	48m
Total no. of floors	G+15
Length of skywalk	9m
Location of skywalk	8th floor




Fig 1. Shown the top view of the building on AutoCAD




Fig 2. Shown the front view of the building on AutoCAD

#### C. Analysis

Based on the information obtained from many relevant sources, the design was examined in STAAD.Pro. The structure was examined in order to determine its limit and, as a result, a critical value that could be used to build the structure. The structure was tested under self-weight, axial load, shear along the Y , Z axes, and bending along the Y ,Z axes. The results of the investigation are displayed below.

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538

Volume 11 Issue VII Jul 2023- Available at www.ijraset.com




Fig 2. Rendered view

### 1) Bending Moment




Fig. 3. Shows the bending moment in the building.

#### TABLE III

Direction	Maximum	Maximum	Load
of	positive	negative	combination
bending	BM (Kn-	BM (Kn-	(Kn-m)
moment	m)	m)	
moment My	m) 48.419	m) 48.546	1.5(DL+LL)

#### 2) Shear Force




Fig 4. Shows the shear force in the building

#### TABLE IV

Direction	Maximum	Maximum	Load
of shear	positive	negative	combinations
force	SF	SF	(kN)
	(kN)	(kN)	
F <sub>y</sub>	36.869	37.316	1.5( DL+LL)
F <sub>z</sub>	36.869	49.381	1.5( DL+LL)

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538 Volume 11 Issue VII Jul 2023- Available at www.ijraset.com

#### 3) Torsion




Fig 5. Shows the torsional force in the building

#### TABLE V

Direction of	Maximum	Minimum	Load
Torsion	torsion	Torsion	combination
M <sub>x</sub>	23.770	24.644	1.5( DL+LL)

#### D. Design

The design of the components was done based on the data obtained from analysis.

#### 1) Design Of Slab

$$\frac{ly}{lx} = \frac{3}{3} = 1 < 2 \text{ two-way slab}$$
Effective depth of slab = 125 mm
$$D = 150 \text{mm}$$

Self weight (slab) = 
$$0.125 \times 25 = 3.125 \frac{KN}{m^2}$$

Floor finish = 
$$1 \frac{KN}{m^2}$$

$$L.L. = 5.5 \frac{KN}{m^2}$$

Total load = 
$$12.125 \frac{KN}{m^2}$$

Factored load = 
$$12.125 \times 1.5 = 18.187 \frac{KN}{m}$$

seismic zone- zone = 
$$3$$

Response factor 
$$= 3$$

Zone factor = 
$$0.16$$

Importance factor 
$$= 1$$

Factored Moment 
$$(M_{ux}) = \alpha_x \times W_u \times l_x^2$$
  
= 0.0672 ×18.187 ×3<sup>2</sup>

$$= 10.9 \text{ KN-m}$$

Factored Moment 
$$(M_{uy}) = \alpha_x \times W_u \times l_y^2$$

$$= 0.056 \times 18.187 \times 3^2 = 9.166 \text{ kN-m}$$

# Step 2: Check for depth

$$M_{u \text{ limit}} = 0.133 \text{ fck bd}^2$$

$$10.9 \times 10^6 = 0.133 \times 30 \times 1000 \times d^2$$

$$d = 52.26 < 150$$

Depth of 150 mm is adequate

Step 3: Calculation of ast



ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538

Volume 11 Issue VII Jul 2023- Available at www.ijraset.com

$$\frac{M}{bd2} = \frac{10.9 \times 106}{1000 \times 1502} = 0.4 \text{ mm}^2$$

sp16 table 4 pt = 0.344

Ast = 
$$\frac{\text{pt bd}}{100} = \frac{0.344 \times 1000 \times 150}{100} = 516 \text{ mm}2$$

Diameter of bar = 10 mm

Area of bar 
$$=\frac{\Pi}{4} \times 10^2 = 80 \text{ mm} 2$$

Spacing = 
$$\frac{80 \times 1000}{516}$$
 = 155 mm

Use 10 mm diameter bar @ 150 mm c/c

#### LONGER DIRECTION:

$$d = 150 - 10 = 140 \text{ mm}$$

$$\frac{M}{\text{bd}^2} = \frac{9.16 \times 10^6}{1000 \times 140^2} = 0.467$$

from sp16 table 4 pt = 0.342

$$Ast = \frac{0.342 \times 1000 \times 140}{100} = 479 \text{ mm}2$$

spacing = 
$$\frac{80 \times 1000}{480}$$
 = 167 mm

use 10mm diameter bar @160 mm c/c

# 2) Design Of Column (1 TO 8 FLOOR)

$$L = 3 \text{ m}$$

Yield strength = 
$$600 \frac{N}{mm^2}$$

Compressive strength = 
$$40 \frac{N}{mm^2}$$

Dimension of column = 
$$500 \times 500$$

Pu (factored load) = 3000 KN

#### Step 1: Calculation of Minimum Eccentricity

Emin = 
$$\frac{L}{500} + \frac{D}{30} = \frac{3000}{500} + \frac{500}{30} = 22.66 \text{ m}$$

$$Emax = 0.05 \times D = 0.05 \times 500 = 25 \text{ m}$$

Emin < Emax

#### Step 2: Check for short or long column

$$\frac{\text{Lex}}{\text{D}} = \frac{3000}{500} = 6$$

$$\frac{\text{Ley}}{\text{D}} = \frac{3000}{500} = 6$$

$$\frac{\text{Lex}}{\text{D}}$$
 and  $\frac{\text{Ley}}{\text{D}} \le 12$ 

Step 3: Reinforcement calculation

 $Pu = 0.4 \times fck \times Ac + 0.67 fy \times Asc$ 

$$Ac = Ag - Asc$$

$$Pu = 0.4 \times fck \times (Ag - Asc) + 0.67 \times fy \times Asc$$

$$Pu = 0.4 \times fck \times Ag + (0.67 \text{ fy} - 0.4 \text{ fck}) Asc$$

$$Asc = 3715.17 \text{ mm}^2$$

assuming 16 mm diameter bars

Ast = 
$$\frac{\Pi}{4} \times 16^2 = 200 \text{ mm}^2$$

No. of rods = Asc 
$$\times \frac{Asc}{Ast} = \frac{3715.17}{200} = 19$$

∴ Take 20 no. of rods

Asc provided = 
$$20 \times 200 = 4000$$

Step 4: Design of Lateral ties



ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538

Volume 11 Issue VII Jul 2023- Available at www.ijraset.com

- 1. Tie diameter =  $\frac{1}{4}$  × diameter of bar = 4 mm
- $2. \leq 16 \text{ mm}$

Provide 8 mm diameter ties.

Ties spacings: -

Provide minimum of below three conditions.

- (a) Size of column i.e, 500 mm
- (b)  $16 \times \text{longitudinal diameter} = 16 \times 16 = 256 \text{ m}m^2$
- (c) 300 mm



Figure 6: Design of Column (1-4 floor)

### 3) Design Of Column (9 to 16 floor)

$$L = 3 \text{ m}$$

Yield strength = 
$$600 \frac{N}{mm^2}$$

Compressive strength = 
$$40 \frac{N}{mm^2}$$

Dimension of column = 
$$400 \times 400$$

Pu (factored load) = 
$$3000 \text{ kN}$$

Emin = 
$$\frac{L}{500} + \frac{D}{30} = \frac{3000}{500} + \frac{400}{30} = 19.33 \text{ m}$$

$$Emax = 0.05 \times D = 0.05 \times 400 = 20 \text{ m}$$

Emin < Emax

#### Step 2: Check for short or long column

$$\frac{\text{Lex}}{\text{D}} = \frac{3000}{400} = 7.5$$

$$\frac{\text{Ley}}{\text{D}} = \frac{3000}{400} = 7.5$$

$$\frac{\text{Lex}}{\text{D}} \text{ and } \frac{\text{Ley}}{\text{D}} < 12$$

# Step 3: Reinforcement calculation

$$Pu = 0.4 \times fck \times Ac + 0.67 fy \times Asc$$

$$Ac = Ag - Asc$$

$$Pu = 0.4 \times fck (Ag - Asc) + 0.67 \times fy \times Asc$$

$$Pu = 0.4 \times fck \times Ag + (0.67 \text{ fy} - 0.4 \text{ fck}) Asc$$

$$Asc = 1322.47 \text{ mm}2$$

assuming 12 mm diameter bars

Ast 
$$=\frac{\Pi}{4} \times 12^2 = 114 \text{ mm}^2$$

No. of rods = Asc
$$\times \frac{Asc}{Ast} = \frac{1300.4}{114} = 11.6$$

Asc provided = 
$$12 \times 114 = 1368$$

## Step 4: Lateral ties design

1. Tie diameter = 
$$\frac{1}{4}$$
 × diameter of bar = 3 mm

Provide 8 mm diameter tie.

Ties spacings: -



ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538

Volume 11 Issue VII Jul 2023- Available at www.ijraset.com

Provide minimum of three condition.

- (a) Size of column i.e, 400 mm
- (b)  $16 \times longitudinal diameter = 16 \times 12 = 192 \text{ mm}^2$
- (c) 200 mm




Figure 7: Design of Column (5-8 floor)

#### 4) Design Of Beam (1 -8 Floor)

Beam design for 3 m span

Effective length of beam = 3 m

Width of beam b = 500 mm

Grade of concrete M40 = 40  $\frac{N}{\text{mm}^2}$ 

Grade of steel = 
$$600 \frac{N}{\text{mm}^2}$$

Step 1: Cross Sectional Area

Assume span depth ratio as 15

Effective depth d = 
$$\frac{\text{span}}{15}$$
 =  $\frac{3000}{15}$  = 200 mm

Adopt d = 450mm, clear cover as 50 mm

Total depth D = 500 mm

Step 2: Load Calculation

Self weight of beam =  $0.23 \times 0.5 \times 25 = 2.875$  kN m<sup>2</sup>

D.L. = 
$$25.8 \frac{kN}{m^2}$$

Total dead load =  $28.8 \frac{kN}{m^2}$ 

Live load = 
$$12 \frac{kN}{m^2}$$

Total load = 
$$40.8 \frac{kN}{m^2}$$

Factored load =  $1.5 \times 40.8 = 61.2$  kN-m

Ultimate bending moment and shear force

$$Mu = \frac{W1^2}{8} = \frac{61.2 \times 32}{8} = 68.85 \text{ kN-m}$$

$$Vu = \frac{Wl}{2} = \frac{61.2 \times 3}{2} = 96.3 \text{ kN}$$

Step 3: Limiting Moment Resistance

Mu limit = 
$$0.133$$
 fck bd<sup>2</sup>

$$= 0.133 \times 40 \times 500 \times 500^{2}$$

$$= 665 \text{ kN m}$$

Mu < Mu<sub>lim</sub> (section is underreinforced)

Step 4: Main Reinforcement

$$Mu = (0.87 \times fy \times Ast d) \left[1 - \frac{Ast fy}{bd fck}\right]$$

$$68.85 \times 10^6 = 1744000 \text{Ast} - 12.16 \text{ Ast}^2$$

$$Ast = 421 \text{ mm}^2$$

Provide 6 bars of 12mm diameter bar Ast =  $6 \times \frac{\Pi}{4} \times 12^2 = 678.24 \text{ mm}$ 2

Step 5: Shear Reinforcements

$$\tau v = \frac{Vu}{bd} = \frac{96.3 \times 10^3}{500 \times 500} = 0.385$$



ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538

Volume 11 Issue VII Jul 2023- Available at www.ijraset.com

$$pt = \frac{100 \text{ Ast}}{bd} = \frac{100 \times 678.24}{500 \times 500} = 0.271$$

from table 19 of IS 456  $\tau$ c= 0.5612

Since  $\tau c < \tau v$ , shear reinforcement is to to resist the balance shear computed below

 $Vus = Vu - (\tau c \times bd)$ 

Vus =  $96.3 \times 10^3 - (0.56 \times 500 \times 500) = 43.7 \text{ kN}$ 

Using 8 mm dia bar @ 2 legged stirrups

$$Sv = \frac{0.877 Fy \times Asvd}{Vus}$$

Sv = 191

 $Sv \ge 0.75 \times d$ 

 $= 0.75 \times 400 = 300$ 

Sv ≯ 300

Step 6: Check for Deflection

Pt = 0.22, kt = 1.2, Kc = kf = 1

$$(\frac{L}{d})$$
max =  $(\frac{L}{d})$  basic × kt × kc × kf

$$=(\frac{3000}{400}) \times 1.2 \times 1 \times 1 = 9$$

$$(\frac{L}{d})$$
actual= $\frac{3000}{400}$ = 7.5 < 9

Hence deflection control is satisfied.




Figure 10: Design of Beam (1-8 floor)

#### 5) Design Of Beam (9 TO 16 Floor)

Beam design for 3 m span

Effective length of beam = 3 m

Width of beam b = 400 mm

Grade of concrete M40 = 40  $\frac{N}{\text{mm}^2}$ 

Grade of steel =  $600 \frac{N}{\text{mm}^2}$ 

Step 1: Cross Sectional Area

Assume span depth ratio as 15

Effective depth d =  $\frac{\text{span}}{15} = \frac{3000}{15} = 200 \text{ mm}$ 

Adopt d = 450mm, clear cover as 50 mm

Total depth D = 500mm

Step 2: Load Calculation

Self-weight of beam =  $0.23 \times 0.5 \times 25 = 2.875 \text{ kN m}^2$ 

D.L. =  $25.8 \frac{kN}{m^2}$ 

Total dead load =  $28.8 \frac{kN}{m^2}$ 

Live load =  $12 \frac{kN}{m^2}$ 

Total Load =  $40.8 \frac{kN}{m^2}$ 

Factored load calculation =  $1.5 \times 40.8 = 61.2$  KN m

Ultimate bending moment and shear force



ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538

Volume 11 Issue VII Jul 2023- Available at www.ijraset.com

$$Mu = \frac{Wl^2}{8} = \frac{61.2 \times 32}{8} = 68.85 \text{ kN-m}$$

$$Vu = \frac{Wl}{2} = \frac{61.2 \times 3}{2} = 96.3 \text{ kN}$$

Step-3: - Limiting Moment Resistance

Mu limit = 0.133 fck bd<sup>2</sup>

$$= 0.133 \times 40 \times 400 \times 400^2 = 340 \text{ kN m}$$

Mu < Mu lim (underreinforced)

Step 4: Main Reinforcement

$$Mu = (0.87 \times fy \times Ast \times d)[1 - \frac{Ast fy}{bd fck}]$$

$$68.85 \times 10^6 = 1744000 \text{Ast} - 12.16 \text{ Ast}^2$$

 $Ast = 421 \text{ mm}^2$ 

Provide 6 bars of 10mm diameter bar Ast =  $6 \times \frac{\Pi}{4} \times 10^2 = 471 \text{mm}^2$ 

Step5: Shear Reinforcements

$$\tau v = \frac{Vu}{bd} = \frac{96.3 \times 103}{400 \times 400} = 0.601$$

$$pt = \frac{100 \text{ Ast}}{bd} = \frac{100 \times 471}{400 \times 400} = 0.348$$

from table no. 19 of IS 456 the value of  $\tau c = 0.2937$ 

Since  $\tau c < \tau v$ , the balance shear computed as

 $Vus = Vu - (\tau_c \times bd)$ 

$$Vus = 96.3 \times 10^3 - (0.56 \times 400 \times 400) = 67 \text{ kN}$$

Using 8 mm dia bar @ 2 legged stirrups

$$Sv = \frac{0.877Fy \times Asvd}{Vus}$$

Sv = 191

$$Sv > 0.75 \times d$$

$$= 0.75 \times 400 = 300$$

Sv ≯ 300

Step-6: - Check for Deflection

$$Pt = 0.22$$
,  $kt = 1.2$ ,  $Kc = kf = 1$ 

$$(\frac{L}{d})$$
max =  $(\frac{L}{d})$ basic×kt×kc×kf

$$= (\frac{3000}{400}) \times 1.2 \times 1 \times 1 = 9$$

$$(\frac{L}{d})$$
actual =  $\frac{3000}{400}$  = 7.5 < 9

Hence deflection control is satisfied.




Figure 11: Design of Beam (9-16 floor)

6) Design Of Skywalk

Step: 1

$$\frac{ly}{lx} = \frac{9}{6} = 1.5 < 2$$

Hence, Two-way slab

Step 2: Depth of slab



ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538

Volume 11 Issue VII Jul 2023- Available at www.ijraset.com

Depth = 
$$\frac{\text{Span}}{28}$$
 = 214.28  
d  $\approx$ 220 mm

$$F.O.S = 1.5$$

Adapt clear cover of 20 mm and using 10 mm dia. Bar

Total depth is computed as

$$=20+220+5 = 245 \text{ mm}$$

Step 3: Effective span

Effective span = Clear span + Effective depth

$$=6 + 0.220$$

$$=6.22m$$

Step 4: Calculation of load

Self wt. of the slab =  $0.245 \times 25$ 

$$=6.125\frac{kn}{m2}$$

L.L. on slab = 
$$4 \frac{kn}{m^2}$$

Floor finish = 
$$0.6 \frac{kn}{m}$$

Total working load =  $10.725 \frac{kn}{m^2}$ 

Ultimate load = 
$$1.5 \times 10.725$$

$$=16.08 \frac{kn}{m^2}$$

Step 5: Moment and shear force

$$Mx = \propto x \times wl^2$$

$$My = \propto y \times wl^2$$

$$\propto x = 0.0885$$
,  $\propto y = 0.057$ 

$$Mux = 0.0885 \times 16.08 \times 6.220^2 = 55.05 Kn.M$$

$$Muy = 0.059 \times 16.08 \times 6.220^2 = 36.70$$
Kn.M

$$Vux = \frac{Wx \times lx}{2} = 50 \text{ Kn}$$

Step 6: Check for depth

$$Mu_{lim} = 0.138 \times fck \times bd^2$$

$$d = \sqrt{\frac{55.05 \times 106}{0.138 \times 20 \times 1000}} = 141.22 \text{ mm} < 220 \text{ mm}$$

Hence the effective depth is sufficient

$$Ast(min) = 12\%$$

$$= \frac{0.12}{100} \times 1000 \times 245$$

$$= 294 \text{ mm}^2$$

Step 7: Reinforcement

$$Mu = 0.87 \times fy \times Ast \times d \left[1 - \sqrt{\frac{Ast \times 415}{bd \times fck}}\right]$$

$$= 450 \text{ mm}^2$$

Step 8: Spacing

$$S = \frac{1000 \times ast}{Ast}$$

$$= 174 \text{ mm}$$

Adapt 10mm bar @ 180 mm c/c

Use 10 mm bar in the long spam

Effective depth = 220 - 10 = 210 mm

$$Mu = 0.87 \times fy \times Ast \times d \left[1 - \sqrt{\frac{Ast \times 415}{bd \times fck}}\right]$$



ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538

Volume 11 Issue VII Jul 2023- Available at www.ijraset.com

 $Ast=315 \text{ mm}^2$ 

Spacing = 
$$\frac{1000 \times ast}{Ast}$$
  
=  $\frac{1000 \times 0.785 \times 102}{315}$  = 249 mm

Hence, provide 10mm dia. Bar @ 249 mm c/c

Step 9: Check for shear

 $K\tau c > \tau_v (Safe)$ 

Kτc <τ<sub>v</sub> (Unsafe)

$$\tau v = \frac{Vu}{bd} = \frac{50 \times 103}{1000 \times 220} = 0.227$$

$$Pt = \frac{100 \, Ast}{bd} = \frac{100 \times 0.5 \times 450}{1000 \times 220} = 0.102$$

Permissible shear stress in slab is computed

as =  $K\tau c$  for the value of K refer 40.2.1.1 for 245

$$x = 0.08$$

 $\tau c = 0.327$ 

$$K\tau c = 0.402 > \tau_v$$

Hence the slab is safe

Step 10: Check for deflection control

$$(\frac{L}{d})$$
max =  $(\frac{L}{d})$ bacic × kt × kc× kf

kt = 1.4

kc = 1

kf=1

$$(\frac{L}{d})$$
max = 20 × 1.4 = 28

$$(\frac{L}{d})$$
 provided =  $\frac{4150}{220}$  = 18.8<30

Hence the deflection coltrol is satisfied.

Step 11: Torsion reinforcement (corners)

Area of the reinforcement in each layer

$$0.75 \times 415 = 307.5 \text{mm}^2$$

Divide = 
$$\frac{Shoretr span}{5} = \frac{6000}{5} = 1200$$

Spacing = 
$$\frac{100 \text{ ast}}{Ast} = \frac{100 \times 0.785 \times 62}{307.5 \text{ mm2}} = 90$$

Use 6 mm dia bar @ 100 mm c/c

Length of 1200 mm at all 4 corners in four layer.

Step 12: Reinforcement of edge stirrup

Ast = 0.12% of crosssection area

$$\frac{0.12}{100} \times 100 \times 170 = 204 \text{ mm}^2$$

Provide 10 mm dia bar at 300 mm c/c

#### 7) Design Of Footing

Step 1: Footing Size

Loading on columns = 1000 Kn

Weight of the footings and backfill @  $10\% = \frac{10}{100} \times 1000 = 100$ 

Total load = 1000 KN

Area of footing = 
$$\frac{1100}{200}$$
 = 5.5 m<sup>2</sup>

Size of footing = L = B = 
$$\sqrt{5.5}$$
 = 2.3 m

Adopt  $2.4 \times 2.4$  m (square footing)



ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538

Volume 11 Issue VII Jul 2023- Available at www.ijraset.com

$$Q_u = \frac{1000}{(2.4 \times 2.4)} \times 1.5 = 260 \frac{kn}{m2}$$

Step 2: One-way shear

Critical section is at 'd' distance from the column face

Factoral shear  $V_u=0.26\times2400x(1000-d)$ 

$$=162 \times (1000 - d)$$

Assuming reinforcement in the footing

Pt% = 0.25% fy M20 concrete

Permissible shear stress from table no. 19 IS5456 2000

$$\tau c_{=} 0.36 \frac{N}{mm2}$$

One way shear resistance  $Vc=0.36 \times 2400 \times d$ 

$$= 864d$$

$$624(1000-d) = 864d$$

$$d=722 \text{ mm} \approx 725 \text{ mm}$$

Step 3: Two-way shear

Assuming d=722mm

Two way shear at critical section  $\frac{d}{2}$  from face of column.

$$Vu = 0.26 [2400^2 - (400+d)^2]$$

$$= 0.26 [2400^2 - (400 + 725)^2]$$

$$= 1170290 N$$

Two way shear

 $Vc = K_s \times \tau_c [4(400+d)d]$ 

where Ks = 1.0 and 
$$\tau_c = 0.25 = 1.118 \frac{N}{mm^2}$$

$$Vc = 1 \times 1.118[4(400+d)d]$$

$$=1788.8d + 4.722d^{2}$$

$$= d = 349 \text{ mm}$$

Hence, one way shear is critical.

Adapting effective depth 'd' = 725 mm

And overall depth = 800 mm.

Step 4: Reinforcement Designs

Ultimate moment Mu=260×1×0.5=130 KNm

$$\frac{Mu}{bd2} = \frac{130 \times 106}{1000 \times 725^2} = 0.247$$

$$Ast = \frac{Pt d}{1000} = \frac{0.25 \times 1000 \times 725}{1000} = 1813 \text{ mm c/c}$$

Use 20mmØ

Spacing 
$$S = \frac{1000 \times 12.56 \times 202}{1813} = 173 \text{ mm c/c}$$

Use 20 mmØ @170 mm c/c

Step 5: Transfer of force at column face

Ultimate load on the column base =  $1.5 \times 1000 = 1500 \text{ KN}$ 

$$Fbr = 0.45Fck \sqrt{\frac{A1}{A2}}$$

1. Column Face

$$A1 = A2 = 400 \text{mm}^2$$

$$=0.45 \times 20 \times 1 = 9 \text{ N/mm}^2$$

2. At footing face

Fck = 20 N/mm2

A1=2400 mm2



ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538

Volume 11 Issue VII Jul 2023- Available at www.ijraset.com

A2 = 4002

Fbr(footing) =0.45×20×2 =18  $\frac{N}{mm^2}$ 

Hence govern by column face

Fbr = 9 N/mm

Check for stress = fbr =  $\frac{9 \times 400^2}{1000}$  = 14000 Kn < 1500 Kn

Hence Safe



Figure 4.15: Design of foundation

#### III. CONCLUSION

The Planning, analysis and design of G + 15 building is done successfully. The methodology and plan for a G + 15 building is presented in this project. Limit state of method has been used as the method for the design of the building. The successful construction of G+15 buildings are based upon clear understanding of the conduct of the structure, relevant analysis theory and methodologies, use of software. They take longer to build and are generally 25-40% more expensive per square meter than a low-rise building. It will increase the pollution caused during the construction of a building. Hence followed the NBC guide lines during the construction. The design of joints connecting slabs and RC walls is designed constrain.

#### REFERENCES

- [1] B.Gireesh babu,"seismic analysis and design of G+7 Residential building using STAAD.Pro;" international journal of advance research ,ideas and innovations in technologyISSN:2454132X,volume3,issue3,2017.
- [2] Mohit Sharma, Dr. Savita Maru," Dynamic Analysis of Multi-storey Regular Buildings IOSR Journal of Mechanical Engineering and Civil Engineering (IOSR-JMCE). Volume 11, Issue 1 Ver. II (Jan. 2014).
- [3] Prof. S.S. Patil, Miss. S.A. Ghadge, Prof. C.G. Konapure, Prof. Mrs. C.A. Ghadge, "Seismic Analysis of Multi-storey Building" International Journal Of Computational Engineering Research (Ijceronline.Com) Vol. 3 Issue. 3.march 2013.
- [4] Mahesh N. Patil , Yogesh N. Sonawane. "Seismic analysis of multi-storeyed buildings (IJEIT) Volume 4, Issue 9, March 2015.
- [5] Anoop singh, Vikassrivastava, N.N. Harry. "Seismic and design of building structure using STADD.pro "International Journal of Innovative Research in Science, Engineering and Technology, Vol. 5, Issue 7, July 2016.
- [6] Aman, Manjunath Nalwadgi, Vishal T, Gajendra. "Analysis and design of multi-storey building" International Research Journal of Engineering and Technology ,Volume: 03 Issue: 06 | June-2016.
- [7] Girum mindaye, Dr. shaik yajdani. "Seismic Analysis of Multi-storey RC Frame Buildings in many Seismic Zone ",International Journal of Innovative Research in Science,Engineering and Technology. Vol. 5, Issue 9, September 2016.
- [8] E. Pavan Kumar, A. Naresh, M. Nagajyothi ,M. Rajasekhar ,"Earthquake analysis of multi-stored residential building case study", Int. Journal of Engineering Research and Applications . Vol. 4, Issue 11, November 2014.
- [9] Anoj Surwase1, Dr. Sanjay K. Kulkarni 2, Prof. Manoj Deosarkar3 "Seismic Analysis and Comparison of IS 1893 (Part-1) 2002 and 2016 of (G+4) Regular and Irregular Building" International Journal of Innovative Research in Science, Engineering and Technology Vol. 7, Issue 6, June 2018
- [10] Gauri G. Kakpure\*, Dr. A. R. Mundhada "Comparative Study of Static and Dynamic Seismic Analysis of Multistoried RCC Buildings by ETAB Int. Journal of Engineering Research and Application; ISSN: 2248-9622, Vol. 7, Issue 5, (Part -5) May 2017, IJESC, June 2019 23057 http://ijesc.org/





10.22214/IJRASET



45.98



IMPACT FACTOR: 7.129



IMPACT FACTOR: 7.429



# INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call: 08813907089 🕓 (24\*7 Support on Whatsapp)