



# **iJRASET**

International Journal For Research in  
Applied Science and Engineering Technology



---

# **INTERNATIONAL JOURNAL FOR RESEARCH**

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

---

**Volume: 5      Issue: III      Month of publication: March 2017**

**DOI: <http://doi.org/10.22214/ijraset.2017.3025>**

**[www.ijraset.com](http://www.ijraset.com)**

**Call: ☎ 08813907089**

**E-mail ID: [ijraset@gmail.com](mailto:ijraset@gmail.com)**

# **Multi Check-Sign: Integration of Multimodal Verification Using Signature Identification & Android Based Graphical Pattern Analysis**

Kishore Kumar<sup>1</sup>, Ranjith Kumar.V.R<sup>2</sup>, Sashank.G<sup>3</sup>, K. Sathyamoorthy<sup>4</sup>

<sup>1,2,3</sup> Final Year, <sup>4</sup> Associative Professor (M. Tech), Department CSE  
Panimalar Institute of Technology, Chennai, Tamilnadu.

**Abstract:** *In the existing system, internet banking applications have become more and more complex, it is unsecure one. In the proposed system, internet banking when registering the application for the token, a signature or a set of them is scanned and stored in the internal memory of the token. We proposed a new framework for verifying the handwritten signature using conjointly the CT and the feature dissimilarity measure. The verification step is performed using only the feature dissimilarity measure for evaluating signature's resemblance.*

*The goal is, We are implementing Multimodal based user verification system. So we are combining Android based Pattern Authentication System with signature verification. Neural network & Back Propagation Algorithm is used for signature Verification, after successful authentication of signature verification, android based Graphical password is verified. User will be registering with Two Images and with its Pixels. User has to select the same Set of Images and same Pixel Values for Authentication. User is authenticated only if both signature and Android based Graphical Password are matched.*

**Index Terms:** *Wireless Power Transmission, Wireless Sensor Networks (WSNs), Solar Panel.*

## **I. INTRODUCTION**

The growing interest toward identity authentication is these days targeted upon the very best severity level criteria for an entire automation of security systems. Among biometric systems, the written signature verification is one among the foremost wide used since it's recognized as a legal suggests that for individual verification in body and monetary establishments. it's conjointly one among the foremost advanced biometric applications as a result of the verification relies on the analysis of the written activity action. The most quandary is that, on one hand, the activity side of handwriting is characteristically specific to every author and, on the opposite hand, the connexion of machine-driven system lies on its generalized relevance to all or any writers. Moreover, a high similarity between 2 signatures doesn't essentially mean that they need been written by a similar person. In fact, this case will occur once the signature had been skilfully reproduced by another person. Conversely, an occasional similarity between 2 signatures doesn't essentially mean that it comes from 2 totally different writers due to the intra-writer variability. The signature analysis will, therefore, grow to be an especially advanced drawback requiring totally different disciplines to be concerned. Within the rhetorical domain, the acceptableness of writer's handwriting individuality as scientific testimony had been subjected to many ruling in courts few decades ago. A rigorous study provided in explains this scientific validation in courts victimisation some macro and micro-features from a written document. it's been established that 2 writers are often distinguished and thus known through the handwriting with a ninety eight confidence which the arrogance level might be close to 100 percent once considering finer options. Some challenges of the sensible and rhetorical processes of automatic signature verification were unnoticed in previous written Signature Verification Systems till the previous few years like the big variety of users, the restricted variety of reference signatures offered per author and also the dependency of the model on the owner. Thus, a good effort has been undertaken to additional refine HSVS and, nowadays, a high level of accuracy is earned through varied off-line written signature verification systems which may be conducted per 2 verification procedures known as writer-dependent (WD) and writer-independent (WI). The classical WD consists of making a reference model for every author, generated as a results of his/her nonheritable samples, and also the questioned signature of the claimed author is compared to his/her own model throughout the verification stage. The most downside of this approach is that the have to be compelled to generate a model for every new author that isn't appropriate as a result of the big variety of users. The second approach, utilized by rhetorical specialists relies on the classification remodel that permits a multi-class drawback to be reworked into a bi-class one, i.e., real or forgery category. a lot of exactly, feature vectors generated between pairs

## International Journal for Research in Applied Science & Engineering Technology (IJRASET)

of handwriting patterns area unit reworked into the difference vectors to be used for coaching one classifier, then, the classifier is employed to match a questioned handwriting pattern to at least one or a lot of references. The advantage of this approach is to alleviate the difficulties of coming up with a Wisconsin system with a restricted variety of reference handwriting patterns from an oversized variety of users. Usually, building one model are often achieved employing a binary classifier trained on real signatures against counterexamples like forgery or random signatures. Throughout the verification step, a questioned signature is initial reworked by classification procedure, which can be submitted to the binary categorifier that attributes the questioned signature to the accepted or rejected class.

### II. SYSTEM ANALYSIS

In the proposed system, internet banking when registering the application for the token, a signature or a set of them is scanned and stored in the internal memory of the token. We proposed a new framework for verifying the handwritten signature using conjointly the CT and the feature dissimilarity measure. The verification step is performed using only the feature dissimilarity measure for evaluating signature's resemblance.

In the modification process, we are implementing Multimodal based user verification system. So we are combining Android based Pattern Authentication System with signature verification. Neural network & Back Propagation Algorithm is used for signature Verification, after successful authentication of signature verification, android based Graphical password is verified. User will be registering with Two Images and with its Pixels. User has to select the same Set of Images and same Pixel Values for Authentication. User is authenticated only if both signature and Android based Graphical Password are matched.

### III. LITERATURE SURVEY

Offline Handwritten Signature Verification - Literature Review

Luiz G. Hafeman, Robert Saviourin

Luiz S. Oliver, Sun-Oct.2011

The area of Handwritten Signature Verification has been broadly researched in the last decades and still remains as an open research problem. This report focuses on offline signature verification, characterized by the usage of static (scanned) images of signatures, where the objective is to discriminate if a given signature is genuine (produced by the claimed individual), or a forgery (produced by an impostor). We gift an summary of however the matter has been handled by many researchers within the past few decades and therefore the recent advancements within the field.

Multi-feature extraction and selection in writer-independent off-line signature verification

Dominique Rivard · Eric Granger · Robert Sabourin. Sun-Nov.2011

Some of the elemental issues moon-faced within the style of signature verification (SV) systems embody the doubtless sizable amount of input options and users, the restricted range of reference signatures for coaching, the high intra-personal variability among signatures, and therefore the lack of forgeries as counterexamples. During this paper, a replacement approach for feature choice is planned for writer-independent (WI) off-line SV. First, one or additional antecedent techniques square measure used to extract options at completely different scales. Multiple feature extraction will increase the range of knowledge made from signature pictures, permitting to supply signature representations that mitigate intra-personal variability. duality transformation is then applied within the ensuing feature area to permit for Wisconsin classification. This alleviates the challenges of planning off-line SV systems with a restricted range of reference signatures from an oversized range of users. Finally, boosting feature choice is employed to style affordable classifiers that mechanically choose relevant options whereas coaching. victimization this international Wisconsin feature choice approach permits to explore and choose from giant feature sets supported data of a population of users. Experiments performed with real-world SV knowledge comprised of random, simple, and adept forgeries indicate that the planned approach provides a high level of performance once extended shadow code and directional likelihood density perform options square measure extracted at multiple scales. comparison simulation results to those of off-line SV systems found in literature confirms the viability of the new approach, even once few reference signatures square measure offered. Moreover, it provides AN economical framework for planning a large vary of biometric systems from restricted samples with few or no counterexamples, however wherever new coaching samples emerge throughout operations.

Signature Verification Using Morphological Features Based on Artificial Neural Network

## International Journal for Research in Applied Science & Engineering Technology (IJRASET)

Ms. Vibha Pandey Ms. Sanjivani Shantaiya. Sun-Dec.2013

Identification of a selected individual signatures may be a crucial biometric. The signature of someone is a crucial biometric attribute of a person's being which might be used to evidence human identity. But human signatures may be handled as a picture and recognized victimization laptop vision and neural network techniques. With trendy computers, there's got to develop quick algorithms for biometric identification. There square measure varied approaches to biometric identification with lots of scope of analysis. During this paper, off-line biometric identification & verification victimization neural network is projected, wherever the signature is captured and conferred to the user in a picture format. Signatures square measure verified cbn supported parameters extracted from the signature victimization varied image process techniques. This paper presents a projected methodology for offline-signatures. Novel options square measure used for classification of signatures. A Feed Forward Neural Network are going to be used for validity signatures and to work out its accuracy.

Writer-Independent Off-line Signature Verification using Surroundedness Feature

Rajesh Kumar, J D Sharma, Bhabatosh Chanda. Delhi-2012

The paper presents a completely unique set of options supported surroundedness property of a signature (image in binary form) for off-line signature verification. The planned feature set describes the form of a signature in terms of special distribution of black pels around a candidate pixel (on the signature). It conjointly provides a live of texture through the correlation among signature pels within the neighbourhood of that candidate pixel. therefore the planned feature set is exclusive within the sense that it contains each form and texture property in contrast to most of the sooner planned options for off-line signature verification. Since the options square measure planned supported intuitive plan of the matter, analysis of options by varied feature choice techniques has conjointly been sought-after to induce a compact set of options. to look at the effectualness of the planned options, 2 well-liked classifiers particularly, multilayer perceptron and support vector machine square measure enforced and tested on 2 in public accessible info particularly, GPDS300 corpus and CEDAR signature info.

The paper presents a completely unique set of options supported surroundedness property of a signature (image in binary form) for off-line signature verification. The planned feature set describes the form of a signature in terms of spacial distribution of black pels around a candidate pixel (on the signature). It conjointly provides a live of texture through the correlation among signature pels within the neighbourhood of that candidate pixel. therefore the planned feature set is exclusive within the sense that it contains each form and texture property in contrast to most of the sooner planned options for off-line signature verification. Since the options square measure planned supported intuitive plan of the matter, analysis of options by varied feature choice techniques has conjointly been sought-after to induce a compact set of options. to look at the effectualness of the planned options, 2 well-liked classifiers particularly, multilayer perceptron and support vector machine square measure enforced and tested on 2 in public accessible info particularly, GPDS300 corpus and CEDAR signature info.

Offline Signature Verification Using Classifier Combination of HOG and LBP Features

Mustafa Berkay Yilmaz, Berrin Yanikoglu, Caglar Tirkaz Movaghar-Jun.2015

We gift associate degree offline signature verification system supported a signature's native bar graph options. The signature is split into zones mistreatment each the philosopher and co-ordinate systems and 2 totally different bar graph options ar calculated for every zone: bar graph of familiarised gradients (HOG) and bar graph of native binary patterns (LBP). The classification is performed mistreatment Support Vector Machines (SVMs), wherever 2 totally different approaches for coaching ar investigated, specifically international and user-dependent SVMs. User-dependent SVMs, trained severally for every user, learn to differentiate a user's signature from others, whereas one international SVM trained with distinction vectors of question and reference signatures' options of all users, learns a way to weight dissimilarities. the world SVM classifier is trained mistreatment real and forgery signatures of subjects that ar excluded from the check set, whereas user dependent SVMs ar severally trained for every subject mistreatment real and random forgeries. The fusion of all classifiers (global and user-dependent classifiers trained with every feature type), achieves a fifteen.41% equal error rate in ball-hawking forgery check, within the GPDS-160 signature info while not mistreatment any ball-hawking forgeries in coaching.

Automatic Signature Verification: The State of the Art

Donato Impedovo and Giuseppe Pirlo, Member, IEEE Nov.2013

In recent years, in conjunction with the extraordinary diffusion of the web and a growing want for private verification in several daily applications, automatic signature verification is being thought-about with revived interest. This paper presents the state of the

## International Journal for Research in Applied Science & Engineering Technology (IJRASET)

art in automatic signature verification. It addresses the foremost valuable results obtained up to now and highlights the foremost profitable directions of analysis up to now. It includes a comprehensive listing of over three hundred elect references as AN aid for researchers operating within the field.

In recent years, in conjunction with the extraordinary diffusion of the web and a growing want for private verification in several daily applications, automatic signature verification is being thought-about with revived interest. This paper presents the state of the art in automatic signature verification. It addresses the foremost valuable results obtained up to now and highlights the foremost profitable directions of analysis up to now. It includes a comprehensive listing of over three hundred elect references as AN aid for researchers operating within the field.

Face Recognition Based on Curvelet Transform and LS-SVM Nov-2015.

As a contemporary multiresolution analysis methodology, curvelet remodel has improved directional components with property and higher ability to represent sparsely edges and different singularities on curves. to scale back the spatial property of facial image and improve the popularity rate, a face recognition system supported curvelet remodel and Least sq. Support Vector Machine (LS-SVM) has been developed during this paper, that uses curvelet remodel to extract options from facial pictures initial, then uses LS-SVM to classify facial pictures supported options. The projected methodology has been evaluated by effecting experiments on the well-known ORL face info. The results show that the right recognition rate is up to ninety six, and therefore the machine speed is quicker.

### IV. CONCLUSION

We projected during this paper a brand new framework for substantiative the written signature mistreatment together the CT and therefore the feature difference live. The writer-independent conception is combined with one-class verification employing a reduced variety of real references. Moreover, the system doesn't want any strong classifier like SVM or Neural Networks to be trained on dissimilarities. The verification step is performed mistreatment solely the feature difference live for evaluating signature's similitude. a singular Wisconsin call threshold deduced from the soundness parameter is needed to verify signatures severally of datasets. The projected system doesn't ask any easy or hot forgery model and might be developed with a reduced variety of reference signatures. Experimental results have shown the chance of developing a world system that may be deployed in several establishments.

### REFERENCES

- [1] D. Impedovo, G. Pirlo, and R. Plamondon, "Handwritten signature verification: New advancements and open issues," in Proc. 13th Int. Conf. Frontiers Handwriting Recognit., Bari, Italy, Sep. 2012, pp. 367–372.
- [2] S. N. Srihari, S. H. Cha, H. Arora, and S. Lee, "Individuality of handwriting," J. Forensic Sci., vol. 47, no. 4, pp. 1–17, Jul. 2002.
- [3] D. Rivard, E. Granger, and R. Sabourin, "Multi-feature extraction and selection in writer-independent off-line signature verification," Int. J. Document Anal. Recognit., vol. 16, no. 1, pp. 83–103, Mar. 2013.
- [4] D. Bertolini, L. S. Oliveira, E. Justino, and R. Sabourin, "Reducing forgeries in writer-independent off-line signature verification through ensemble of classifiers," Pattern Recognit., vol. 43, no. 1, pp. 387–396, Jan. 2010.
- [5] S. N. Srihari, A. Xu, and M. K. Kalera, "Learning strategies and classification methods for off-line signature verification," in Proc. 9th Int. Workshop Frontiers Handwriting Recognit., Tokyo, Japan, Oct. 2004, pp.
- [6] S.-H. Cha and S. N. Srihari, "Writer identification: Statistical analysis and dichotomizer," in Advances in Pattern Recognition. Berlin, Germany: Springer, 2000, pp. 123–132.
- [7] C. Santos, E. J. R. Justino, F. Bortolozzi, and R. Sabourin, "An offline signature verification method based on the questioned document expert's approach and a neural network classifier," in Proc. 9th Int. Workshop Frontiers Handwriting Recognit., Tokyo, Japan, Oct. 2004, pp. 498–502.
- [8] A. Bensefia, T. Paquet, and L. Heutte, "A writer identification and verification system," Pattern Recognit. Lett., vol. 26, no. 13, pp. 2080–2092, 2005.



10.22214/IJRASET



45.98



IMPACT FACTOR:  
7.129



IMPACT FACTOR:  
7.429



# INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24\*7 Support on Whatsapp)