



# IJRASET

International Journal For Research in  
Applied Science and Engineering Technology



---

# INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

---

**Volume:** 14    **Issue:** IV    **Month of publication:** April 2026

**DOI:** <https://doi.org/10.22214/ijraset.2026.79993>

[www.ijraset.com](http://www.ijraset.com)

Call:  08813907089

E-mail ID: [ijraset@gmail.com](mailto:ijraset@gmail.com)

# 10 Character Geocode

Ashish Sahu<sup>1</sup>, Adhishree Sharma<sup>2</sup>, Aanya Mehar<sup>3</sup>, Vanshika Gupta<sup>4</sup>, Jharna Chopra<sup>5</sup>

<sup>1, 2, 3, 4</sup>Student, Computer Science and Engineering, Shri Shankaracharya Technical Campus

<sup>5</sup>Professor, Computer Science and Engineering, Shri Shankaracharya Technical Campus

**Abstract:** *Accurate location identification remains a critical challenge in regions with unstructured or ambiguous addressing systems, particularly in developing countries. Conventional methods of sharing locations using latitude and longitude coordinates are often difficult for users to remember, communicate, and interpret. Moreover, most existing digital mapping solutions rely heavily on continuous internet connectivity, limiting their effectiveness in remote or low-network environments. This paper proposes a 10-Character Geocode Location Identifier, a novel approach for representing geographic locations in a compact and user-friendly format. The proposed system partitions the Earth's surface into uniform 5×5 meter grids and assigns each grid a unique 10-character alphanumeric code. An efficient encoding algorithm is developed to transform latitude and longitude coordinates into the corresponding geocode, while a decoding mechanism retrieves the original coordinates from the generated code.*

*A key advantage of the system is its fully offline functionality, achieved by performing all computations on the client device using GPS data and an in-built algorithm, without dependence on external servers or network services. The system is implemented as an Android application using Kotlin/Java, along with an optional web-based interface for validation and testing. Experimental evaluation demonstrates that the proposed system achieves location accuracy within a 5×5 meter resolution and executes encoding and decoding operations in under one second. The solution offers a scalable, efficient, and reliable alternative to traditional location-sharing methods, with potential applications in emergency response, navigation, logistics, and disaster management.*

**Keywords:** *Geocode, GPS, Offline Navigation, Location Encoding, Decoding, Emergency Response, Geographic Information System (GIS)*

## I. INTRODUCTION

Accurate and efficient location identification has become an essential requirement in modern applications such as navigation, emergency response, logistics, and location-based services. With the widespread use of smartphones and GPS-enabled devices, geographic coordinates in the form of latitude and longitude are commonly used to represent positions on the Earth's surface. However, these numerical values are often difficult for users to remember, communicate, and interpret, especially in urgent situations.

The challenge becomes more significant in countries like India, where addressing systems are often unstructured, inconsistent, or entirely absent in rural and densely populated urban areas. Narrow lanes, informal settlements, and lack of standardized house numbering frequently lead to confusion in identifying precise locations. As a result, emergency services such as ambulances, fire brigades, and law enforcement agencies may experience delays due to inaccurate or incomplete location information.

Existing digital mapping solutions provide tools for location sharing, but they typically rely on internet connectivity and may involve long URLs or complex coordinate formats. These limitations reduce their effectiveness in remote regions, disaster-affected areas, or environments with poor network coverage. Therefore, there is a need for a simple, reliable, and offline-capable system that can represent locations in a compact and user-friendly manner.

To address these challenges, this paper proposes a 10-Character Geocode Location Identifier, which converts geographic coordinates into a unique and easy-to-share alphanumeric code. The system divides the Earth's surface into small 5×5 meter grids, assigning each grid a distinct 10-character code that precisely represents a specific location. The encoding and decoding processes are designed to operate entirely offline, using only the device's GPS and internal computation, thereby eliminating dependency on external servers or internet services.

The proposed system aims to simplify location sharing, improve accuracy, and enhance accessibility, particularly in emergency and low-connectivity scenarios. By providing a compact representation of geographic positions, the system offers a practical solution for real-world challenges in navigation, public safety, and location-based applications.

## II. LITERATURE REVIEW

- 1) **Conventional Geocoding Approaches:** Traditional geocoding systems convert structured address data into geographic coordinates using mapping databases and interpolation techniques. While effective in well-defined urban areas, their performance is limited in regions with unstructured or incomplete addressing systems, reducing accuracy and reliability.
- 2) **GPS-Based Location Services:** Modern location identification systems utilize GPS technology to provide precise geographic coordinates and real-time location sharing. However, these systems typically depend on internet connectivity and represent locations using lengthy numerical coordinates or URLs, which are not user-friendly for quick communication.
- 3) **Grid-Based Location Encoding Systems:** Location encoding techniques have been developed to represent geographic areas using compact alphanumeric codes, improving ease of communication. Despite this advancement, many existing systems rely on cloud-based processing or external databases, limiting their functionality in offline environments.
- 4) **Research Gap and Motivation:** Existing solutions exhibit limitations such as dependency on structured data, reliance on internet connectivity, and lack of simplicity in communication. These challenges highlight the need for an efficient, offline-capable, and user-friendly geocoding system, which is addressed by the proposed 10-character grid-based location identifier.

## III. TECHNOLOGY TABLE

Table no.3.1) Technology Table

Term	Definition	Usage in Project
Kotlin / Java	Programming languages used for Android application development	Used to develop the application and implement encoding–decoding logic
Android Studio	Integrated Development Environment (IDE) for Android development	Used for designing, coding, and testing the mobile application
GPS	Global Positioning System for obtaining geographic coordinates	Used to capture real-time latitude and longitude of the user
Android Location API	API that provides access to device location services	Used to retrieve and manage GPS data within the application
HTML & JavaScript	Web technologies for building browser-based interfaces	Used to create an optional web interface for testing and demonstration
Encoding Algorithm	Method to convert coordinates into a structured format	Converts latitude and longitude into a 10-character geocode
Decoding Algorithm	Method to retrieve original data from encoded format	Converts the 10-character code back into geographic coordinates
Mapping Platforms	Digital map services for location visualization	Used to display decoded coordinates for navigation (e.g., maps integration)

### A. Existing Method

Existing location identification methods include traditional address systems, GPS coordinates, and digital mapping platforms. While these methods provide location information, they have several limitations that affect usability and efficiency.

Key Limitations:

- Dependence on structured address data (not reliable in all areas)
- GPS coordinates are difficult to remember and communicate
- Map-based systems require internet connectivity
- Not suitable for quick communication in emergency situations

Table no.3.2) Comparison Table

Feature	GPS Coordinates	Existing Map Systems	Proposed 10-Character Geocode System
Format	Numeric latitude–longitude values	Map links or coordinate-based sharing	Compact 10-character alphanumeric code
Ease of Communication	Difficult to remember and convey verbally	Easier than coordinates but still lengthy	Simple, short, and easy to communicate
Internet Dependency	Not required	Mostly required for sharing and navigation	Not required (fully offline functionality)
Accuracy	High precision	High precision	High precision (5×5 meter grid resolution)
Emergency Usability	Hard to communicate in urgent situations	Limited due to network dependency	Highly suitable for quick and clear sharing
Usability in Rural Areas	Moderate effectiveness	Limited in low-network regions	Highly effective in remote and offline areas

#### IV. METHODOLOGY

- 1) Location Acquisition: The system obtains the user’s real-time latitude and longitude using the device’s GPS module, ensuring accurate positioning without internet dependency.
- 2) Grid-Based Mapping: The Earth’s surface is divided into uniform 5×5 meter grids, and each coordinate is mapped to a specific grid cell for precise spatial representation.
- 3) Encoding Process: A custom encoding algorithm converts the mapped grid location into a unique 10-character alphanumeric code, providing a compact and easy-to-share representation of the location.
- 4) Decoding Process: The generated code can be decoded back into latitude and longitude coordinates, allowing accurate retrieval and visualization of the original location.
- 5) Offline Processing and Integration: All computations are performed locally on the device, ensuring complete offline functionality, and the decoded coordinates can be integrated with mapping applications for navigation.

##### A. Implementation

- 1) Application Development: The system is implemented as an Android application using Kotlin/Java in Android Studio, providing a user-friendly interface for generating and decoding location codes.
- 2) GPS Integration: The application integrates the device’s GPS module to capture real-time latitude and longitude coordinates, which serve as the input for the encoding process.
- 3) Encoding and Decoding Modules: A custom algorithm is developed to convert geographic coordinates into a 10-character alphanumeric code (encoding) and to reverse the process to retrieve the original coordinates (decoding).
- 4) Offline Functionality: All computations are performed locally on the device without requiring internet connectivity, ensuring reliable performance in remote or low-network environments.
- 5) Map Integration and Testing: The decoded coordinates are linked with mapping applications to display the exact location. The system is tested under different conditions to verify accuracy, performance, and usability.

##### B. Technologies Used

Frontend: Android UI (Kotlin/Java), HTML, JavaScript

Backend: Encoding–decoding algorithm (Kotlin/Java)

IDE: Android Studio

Technology: GPS (Global Positioning System)

API: Android Location API

### V. RESULTS AND DISCUSSION

The system successfully generates and decodes a unique 10-character geocode for accurate location identification. The generated code is easy to share and improves communication compared to traditional coordinates. The decoded location is correctly displayed on mapping platforms for navigation. The system performs efficiently with fast processing and works effectively in offline conditions. Overall, the application provides a reliable and user-friendly solution for location sharing.

- 1) *Home Page:* The homepage of the application provides a simple interface for generating and decoding the 10-character geocode. It allows users to easily access the core functionalities of the system.




Figure no.5.1)

- 2) *Copying the Code to Get the Location:* The system generates a unique 10-character geocode for the current location, which can be easily copied and shared. This feature simplifies location communication compared to traditional methods.




Figure no.5.2)

- 3) *Location Opened in Google Maps:* The decoded geocode is successfully converted into geographic coordinates and displayed in Google Maps. This enables accurate visualization and navigation to the specified location.




Figure no.5.3)

- 4) *Location Opened in MapMyIndia:* The system also supports integration with MapMyIndia, where the decoded location is visualized for navigation. This demonstrates compatibility with multiple mapping platforms.




Figure no.5.4)

## VI. FUTURE SCOPE

In further future we want to add the following points:

- 1) **AI-Based Error Correction:** Integration of machine learning techniques to predict and correct incomplete or incorrect geocode inputs.
- 2) **Voice-Based Interaction:** Enabling voice input and output for generating and sharing geocodes, making the system more accessible during emergencies.
- 3) **QR Code and NFC Integration:** Allowing users to share location codes through QR codes or NFC for faster and contactless communication.
- 4) **Offline Map Integration:** Incorporating lightweight offline maps to visualize locations without requiring internet connectivity.
- 5) **Cross-Platform Expansion:** Extending the system to other platforms such as iOS and web applications to reach a wider user base.



## VII. CONCLUSION

The proposed 10-Character Geocode Location Identifier system provides a simple, accurate, and efficient method for location identification and sharing. By converting geographic coordinates into a compact alphanumeric code, the system overcomes the limitations of traditional address-based and coordinate-based methods.

The implementation demonstrates that the system can operate completely offline while maintaining high accuracy within a 5×5 meter resolution and fast processing time. This makes it particularly useful in scenarios where internet connectivity is limited or unavailable, such as rural areas and emergency situations.

Overall, the proposed approach offers a reliable and user-friendly solution for precise location identification, with potential applications in navigation, emergency response, and location-based services.

## REFERENCES

- [1] Android Developers Documentation – Location Services, GPS Integration, and Android Permissions. Google Developers, 2024.
- [2] Open Location Code (Plus Codes) Specifications – Concepts for grid-based location encoding systems. Google Open Source Project, 2023.
- [3] GPS Accuracy and Positioning Fundamentals – Global Navigation Satellite Systems and coordinate mapping. U.S. Department of Transportation, 2022.
- [4] Kotlin & Java Programming References – Android application development techniques and best practices. JetBrains & Oracle Documentation, 2023.
- [5] Map Navigation APIs – Google Maps and MapMyIndia guidelines for launching coordinates. Google Maps Platform, MapMyIndia Developer Docs, 2023.
- [6] Research Articles on Emergency Response Optimization – Use of precise geolocation systems in emergency services. IEEE Xplore Digital Library, 2021–2024.



10.22214/IJRASET



45.98



IMPACT FACTOR:  
7.129



IMPACT FACTOR:  
7.429



# INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24\*7 Support on Whatsapp)