iJRASET
International Journal For Research in Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 13 **Issue:** XII **Month of publication:** December 2025

DOI: https://doi.org/10.22214/ijraset.2025.76221

www.ijraset.com

Call: 08813907089 | E-mail ID: ijraset@gmail.com

International Journal for Research in Applied Science & Engineering Technology (IJRASET)
ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 13 Issue XII Dec 2025- Available at www.ijraset.com

3D Imaging in Forensic Odontology: A Review

Dr. Vijila K V[1], Dr. Priya Ramani[2], Sri Vikram R[3], Shrinithi MR[4], Subhiksha D[5]
[1]*Senior lecturer,Department of Oral Medicine and Radiology, Thai Moogambigai Dental College and Hospital, Dr. M.G.R. Educational and Research Institute, Chennai, Tamil Nadu, India*
[2]*Professor and Head of the Department, Department of Oral Medicine and Radiology, Thai Moogambigai Dental College and Hospital, Dr. M.G.R. Educational and Research Institute, Chennai, Tamil Nadu, India*
[3, 4, 5]*Compulsory Rotatory Residential Intern, Thai Moogambigai Dental College and Hospital, Dr. M.G.R. Educational and Research Institute, Chennai, Tamil Nadu, India*

Abstract: ***Forensic odontology integrates dentistry and law to aid in human identification, age estimation, bite mark analysis, and disaster victim identification. The advent of three-dimensional (3D) imaging technologies, including Cone Beam Computed Tomography (CBCT), Micro-CT, Multislice CT (MSCT), magnetic resonance imaging (MRI), 3D surface scanning, and 3D printing, has revolutionized the field by providing high-resolution, volumetric, and interactive visualization of dental and craniofacial structures. These modalities enable precise morphological analyses, accurate antemortem-postmortem comparisons, trauma assessment, and facial reconstruction, while enhancing reproducibility, courtroom admissibility, and non-invasive evidence preservation. Despite challenges such as cost, radiation exposure, and the need for standardized protocols, 3D imaging significantly improves the accuracy, reliability, and legal robustness of forensic investigations. Future directions include integration with artificial intelligence, virtual and augmented reality simulations, expanded use in Disaster Victim Identification (DVI), and the development of global forensic 3D databases, further advancing precision, efficiency, and applicability in complex forensic scenarios.***
Keywords: Forensic Odontology, 3D Imaging, CBCT, Age Estimation, Disaster Victim Identification.

I. INTRODUCTION

Forensic odontology, a specialized discipline at the intersection of dentistry and law, is dedicated to the examination, handling, and presentation of dental evidence for purposes such as personal identification, age estimation, bite mark evaluation, and the investigation of abuse or mass disaster cases.[1] Traditionally, forensic investigations relied on two-dimensional radiographic techniques like intraoral periapical (IOPA) and orthopantomogram (OPG) films, which, despite their utility, were limited by image distortion, superimposition, and incomplete anatomical representation.[1] The advent of advanced three-dimensional (3D) imaging technologies including Cone Beam Computed Tomography (CBCT), intraoral scanners, 3D surface scanning, and digital modelling has revolutionized forensic odontology by enabling high-resolution volumetric visualization, precise spatial reconstruction, and interactive manipulation of dental and craniofacial structures. CBCT provides high-resolution, undistorted 3D visualization of craniofacial and dental anatomy, making it invaluable for postmortem imaging, age estimation, and anatomical reconstruction.[2] 3D intraoral scanners and surface digitizers facilitate the capture of detailed dental arch data, which can be stored digitally for future antemortem/postmortem comparisons especially vital for Disaster Victim Identification (DVI). 3D imaging empowers quantitative morphological analysis and identification, allowing forensic specialists to match unique dental features such as restorations, fractures, or natural variations between individuals. These innovations provide unparalleled accuracy in capturing unique anatomical features, enhance reproducibility through digital dataset storage and global accessibility, and improve visualization with multiplanar reconstructions and quantitative analyses.[3] As a result, 3D imaging has significantly strengthened the authenticity, reliability, and court acceptability of forensic dental evidence, transforming traditional approaches into scientifically robust workflows that are faster, more detailed, and better equipped to handle complex cases involving fragmented or compromised remains.[4] This article gives an overview on 3D imaging in forensic odontology

II. HISTORICAL BACKGROUND OF RADIOGRAPHY IN FORENSIC ODONTOLOGY

Radiography has played a central role in forensic odontology since its inception, serving as a reliable tool for dental identification and investigative work. The discovery of X-rays by Conrad Roentgen in 1895 marked the beginning of forensic radiology, with postmortem applications emerging as early as 1898 to aid in human identification.[5,6] Traditional two-dimensional radiographs, including intraoral and panoramic films, became standard for comparing antemortem and postmortem dental features such as tooth

©IJRASET: All Rights are Reserved

arrangement, restorations, bone morphology, sinus anatomy, and bite marks, with early landmark examples including Paul Revere's identification of Dr. Joseph Warren in 1775 using a dental prosthesis.[5] However, static 2D imaging was limited by distortion, superimposition, and incomplete anatomical detail, prompting the transition to advanced three-dimensional modalities like Cone Beam Computed Tomography (CBCT) and digital surface scanning.[6] These technologies introduced volumetric, undistorted, and interactive visualization with multiplanar reconstruction, virtual manipulation, and quantitative comparison, significantly enhancing accuracy in fragment analysis, dental segmentation, and reconstruction of incomplete remains. Foundational milestones further shaped the field, such as Oscar Amoedo's 1898 treatise on forensic odontology following a Paris disaster, Yoshino's studies on frontal sinus radiographic identification, and landmark legal cases including the Webster-Parkman trial (1849) and People v. Marx (1975), which validated dental evidence in court. The integration of CBCT into forensic practice in the late 20th century established new benchmarks in postmortem imaging and virtual reconstruction, solidifying radiology both 2D and 3D—as a cornerstone of modern forensic identification.[7]

III. CONE-BEAM COMPUTED TOMOGRAPHY (CBCT) IN FORENSIC ODONTOLOGY

Cone-Beam Computed Tomography (CBCT) is a transformative three-dimensional imaging modality that has become indispensable in forensic odontology due to its precision, efficiency, and broad analytical utility.[8] Using a cone-shaped X-ray beam and flat-panel detector, CBCT acquires multiple multiplanar images during a rapid 5–40 second rotation, which are then reconstructed into a volumetric dataset.[9] Compared to conventional CT, it provides high spatial resolution with up to 96% lower radiation exposure, reduced metal artifacts, greater portability, and costs comparable to panoramic radiography, making it both effective and accessible.[10] The digital images, typically stored in DICOM format, can be enhanced for contrast, color, and sharpness and seamlessly integrated with forensic or third-party software for advanced analysis and archiving.[11] In forensic practice, CBCT is highly valuable for dental age estimation through precise evaluation of pulp/tooth ratios, root morphology, and developmental stages; bite mark analysis by enabling accurate three-dimensional visualization and matching of occlusal patterns in assault or abuse cases; skull reconstruction for identification, trauma assessment, and facial approximation from fragmented remains; and documentation of anatomical variations, restorations, and structural anomalies critical for individual identification, sex or ancestry assessment, and post-trauma evaluation.[12] By combining low radiation exposure with versatile forensic applications, CBCT has established itself as the gold standard for postmortem dental identification, age estimation, and complex forensic reconstructions.[13]

IV. MICRO-CT AND MULTISLICE CT (MSCT) IN FORENSIC ODONTOLOGY

Micro-CT is an advanced high-resolution imaging technique capable of visualizing dental microstructures such as enamel, dentin, pulp chambers, and cementum at a microscopic scale with voxel sizes in the micrometer range, making it especially valuable for non-destructive forensic analysis.[14] Its applications include precise dental age estimation through quantification of cementum thickness, root morphology, and enamel-dentin junction characteristics, as well as the assessment of developmental and pathological changes that contribute to individual identification and reconstruction of dental health history. In contrast, Multislice CT (MSCT) provides rapid, volumetric imaging of the entire body along with high-resolution craniofacial scans, allowing comprehensive evaluation of skeletal, dental, and soft tissue structures.[15] It plays a crucial role in Disaster Victim Identification (DVI) by enabling quick postmortem reconstructions and supporting virtual autopsy protocols through non-invasive documentation of forensic evidence. While Micro-CT is best suited for microstructural analysis of teeth at a highly detailed level, MSCT complements modalities like CBCT by offering a broader field of view for whole-body and craniofacial examinations, together enhancing precision, versatility, and reliability in forensic odontology.[16]

V. MAGNETIC RESONANCE IMAGING (MRI) IN FORENSIC ODONTOLOGY

Magnetic Resonance Imaging (MRI) has emerged as a valuable tool in forensic odontology due to its unique capability to visualize soft tissues, which are often inadequately represented by conventional radiographic techniques that focus on hard structures. MRI provides high-contrast, non-invasive, and radiation-free imaging of dental pulp, periodontal ligaments, facial muscles, and surrounding soft tissue, allowing detailed assessment of pulp vitality by depicting vascularity and structural integrity without the need for extraction or sectioning.[17] Contrast-enhanced MRI further enhances visualization of subtle tissue alterations resulting from trauma or pathology. In forensic applications, MRI enables precise evaluation of pulp status postmortem, which is essential for age estimation, and facilitates detailed trauma analysis, including detection of soft tissue injuries, hemorrhages, nerve damage, and muscular trauma, thereby providing critical evidence in cases of assault, abuse, or accidents.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

Advanced techniques such as MR spectroscopy and micro-imaging can aid in determining injury timing and postmortem intervals by analyzing biochemical tissue changes. By offering unparalleled soft tissue detail, MRI complements conventional dental imaging, enhancing forensic investigations through accurate pulp vitality assessment, trauma detection, and comprehensive documentation of soft tissue evidence.[18]

VI. 3D SURFACE SCANNING AND STEREOPHOTOGRAMMETRY IN FORENSIC ODONTOLOGY

3D surface scanning and stereophotogrammetry are advanced, non-contact imaging technologies that provide highly accurate, detailed three-dimensional data of dental and facial structures, playing a pivotal role in modern forensic odontology. In facial reconstruction, these techniques enable precise digital capture of facial surfaces to create 3D models, facilitating virtual reconstruction of a person's appearance from skeletal remains and aiding identification in cases involving decomposed, burned, or mutilated bodies.[19] The methods allow rapid, flexible, and realistic reconstruction, with the ability to generate multiple facial approximations for investigative comparison. In bite mark analysis, 3D scanners accurately replicate bite marks on skin or objects, preserving spatial and depth information often lost in traditional 2D photographs, while digital overlays of suspects' dental casts enable detailed matching of shape, angles, and dimensions, improving objectivity and courtroom reliability.[20] For antemortem-postmortem comparison, 3D digitization of dental records such as casts and intraoral scans allows interactive alignment with postmortem models, enabling high-precision matching of unique dental morphology, restorations, and anatomical variations that are difficult to discern in 2D images. Overall, the integration of 3D surface scanning and stereophotogrammetry enhances forensic investigations by providing reproducible, interactive, and precise analyses essential for facial reconstruction, bite mark evaluation, and accurate antemortem-postmortem comparison.[21]

VII. 3D PRINTING IN FORENSIC ODONTOLOGY

3D printing has emerged as a transformative tool in forensic odontology, enabling the conversion of digital imaging data into precise physical models that replicate anatomical structures with high fidelity.[22] Digital datasets obtained from CBCT, MSCT, and 3D surface scans can be transformed into tangible replicas using additive manufacturing technologies such as stereolithography and fused deposition modeling.[23] These models provide anatomically accurate, three-dimensional representations that allow tactile interaction and visualization beyond what photographs or 2D images can convey. They can be reproduced multiple times from a single dataset, preserving fragile evidence and facilitating distribution among investigative and legal teams.[24] In courtroom settings, 3D printed models serve as powerful demonstrative evidence, helping juries and judges understand injury patterns, dental features, and trauma through tangible, non-threatening representations that enhance expert testimony. For craniofacial reconstruction, printed models of skulls or fragmented remains assist forensic artists and odontologists in approximating soft tissue contours and anatomical landmarks, aiding identification of unknown individuals.[25] Additionally, bite mark analysis benefits from 3D printed replicas of dental impressions, preserving spatial and morphological details to improve accuracy and objectivity in comparisons.[26] While advantages include enhanced three-dimensional visualization, re-evaluation of evidence, and non-invasive preservation of delicate biological data, limitations involve material constraints, cost, the need for precise modeling parameters, and evolving ethical and legal guidelines. Overall, 3D printing bridges digital imaging with physical evidence demonstration, advancing forensic investigation, courtroom communication, and victim identification in contemporary forensic odontology.[27]

VIII. APPLICATIONS OF 3D IMAGING IN FORENSIC ODONTOLOGY

Application	Role of 3D Imaging	Key Benefits
Human Identification	Comparison of antemortem and postmortem dental records using CBCT or surface scans; assessment of unique dental and craniofacial features.	High accuracy, precise matching, improved reliability of identification.
Age Estimation	Analysis of root and pulp volumes, secondary dentin deposition, and third molar development using CBCT.	Non-invasive, reproducible, precise estimation of chronological age in adolescents and adults.
Sex Determination	Morphometric analysis of dimorphic features in mandible and skull (e.g., ramus, gonial angle, cranial landmarks).	Higher accuracy in distinguishing male and female skeletal remains.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

Application	Role of 3D Imaging	Key Benefits
Bite Mark Analysis	3D scanning of bite marks and digital superimposition with dental casts.	Preserves depth and surface texture, reduces distortion, objective and robust forensic documentation.
Trauma and Injury Analysis	CBCT and MSCT for fractures, gunshot wounds, and maxillofacial injuries.	Comprehensive visualization, pattern analysis, evidence preservation, aids medico-legal interpretation.
Disaster Victim Identification (DVI)	Rapid postmortem dental and skeletal examination using CBCT and whole-body CT.	Non-invasive, reduces handling of fragile remains, expedites antemortem-postmortem comparison, supports virtual autopsy.
Facial Reconstruction	3D surface scanning and printing for reconstruction from skeletal remains.	Detailed, realistic facial models; improves recognition, forensic analysis, and court presentations.

IX. ADVANTAGES AND LIMITATIONS OF 3D IMAGING IN FORENSIC ODONTOLOGY

3D imaging has significantly enhanced forensic odontology by providing high precision and reproducibility, capturing millions of data points for accurate measurements and consistent results that minimize human error in documentation and analysis.[28] It enables non-invasive recording of crime scenes, skeletal remains, and dental evidence, preserving original materials intact while allowing detailed digital archiving for re-examination. Interactive 3D models facilitate better visualization of complex evidence such as wounds, skeletal structures, and dental features, while digital storage ensures permanence and easy sharing among investigative and legal teams.[29] Moreover, 3D reconstructions and printed models improve courtroom communication by providing juries and judges with tangible, comprehensible representations of forensic evidence, enhancing the persuasiveness and clarity of expert testimony. Despite these advantages, challenges remain, including the high cost and limited accessibility of advanced 3D imaging technologies, concerns regarding cumulative radiation exposure in repeated or pediatric cases, and the absence of universally accepted standards for data acquisition, processing, and interpretation, which can affect legal credibility. Additionally, legal and ethical considerations regarding evidence admissibility, privacy, consent, and data security must be carefully addressed. While 3D imaging offers unparalleled benefits in precision, visualization, and evidentiary value, its effective and responsible use in forensic practice requires careful management of technological, safety, procedural, and legal factors.[30]

X. CONCLUSION


The future of 3D imaging in forensic odontology is poised to be transformed by the integration of artificial intelligence (AI) and machine learning, which can automate analysis, improve pattern recognition, and enhance the speed and accuracy of identification, age estimation, and bite mark comparisons. Virtual and augmented reality technologies offer new avenues for immersive forensic case simulations, allowing investigators, students, and legal professionals to interact with digital reconstructions in a realistic, controlled environment. The broader application of 3D imaging in Disaster Victim Identification (DVI) protocols can streamline postmortem examinations, reduce handling of fragile remains, and accelerate the reconciliation of antemortem and postmortem data. Additionally, the development of global forensic 3D imaging databases would facilitate standardized data sharing, cross-institutional collaboration, and the creation of reference models to support research, training, and legal investigations. Together, these innovations promise to enhance precision, reproducibility, and the legal robustness of forensic odontology while expanding its applicability in complex and large-scale investigative scenarios.

REFERENCES

[1] Kahana T, Hiss J. Forensic radiology. Br J Radiol. 1999;72:129–33. doi: 10.1259/bjr.72.854.10365061.
[2] Mohammed F, Fairozekhan AT, Bhat S, et al. Forensic Odontology. [Updated 2023 Aug 14]. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2025 Jan-. Available from: https://www.ncbi.nlm.nih.gov/books/NBK540984/
[3] Prajapati G, Sarode SC, Sarode GS, Shelke P, Awan KH, Patil S. Role of forensic odontology in the identification of victims of major mass disasters across the world: A systematic review. PLoS One. 2018;13(6):e0199791.
[4] Johnson A. Forensic odontology: A paradigm shift in the Indian context. J Forensic Dent Sci. 2018;10(3):117–117.
[5] Ali HJ, Choudhari M, Hande A. Scope and relevance of forensic odontology in India – a review. J Indian Acad Forensic Med. 2022;44(3):1–3.

[6] Manigandan T, Sumathy C, Elumalai M, Sathasivasubramanian S, Kannan A. Forensic radiology in dentistry. J Pharm Bioallied Sci. 2015 Apr;7(Suppl 1):S260-4. doi: 10.4103/0975-7406.155944. PMID: 26015728; PMCID: PMC4439688.
[7] Viner MD, Robson J. Post-mortem forensic dental radiography – a review of current techniques and future developments. J Forensic Radiol Imaging. 2017;8:22-37.
[8] Role of 3D cone beam computed tomography imaging in forensic dentistry: a review of literature. Indian J Forensic Odontol. 2018;11(2):27-32. doi:10.21088/ijfo.0974.505X.11218.5.
[9] Vijayashree V, Manigandan T, Ramraghav R. Application of CBCT in forensic odontology. TPM. 2025;32(S5):675. Available from: https://www.tpmap.org/
[10] Venkatesh E, Elluru SV. Cone beam computed tomography: basics and applications in dentistry. J Istanb Univ Fac Dent. 2017 Dec 2;51(3 Suppl 1):S102-S121. doi: 10.17096/jiufd.00289. PMID: 29354314; PMCID: PMC5750833.
[11] Sarment DP, Christensen AM. The use of cone beam computed tomography in forensic radiology. J Forensic Radiol Imaging. 2014;2(4):173-81.
[12] Issrani R, Prabhu N, Sghaireen MG, Ganji KK, Alqahtani AMA, ALJamaan TS, Alanazi AM, Alanazi SH, Alam MK, Munisekhar MS. Cone-Beam Computed Tomography: A New Tool on the Horizon for Forensic Dentistry. Int J Environ Res Public Health. 2022 Apr 28;19(9):5352. doi: 10.3390/ijerph19095352. PMID: 35564747; PMCID: PMC9104190.
[13] Patel S, Gupta R, Pawar AM, Dhoble P, Kaur M, Raj V. Endodontics and forensic personal identification. Eur Endod J. 2020;3(4):271-6.
[14] Thurzo A, Jančovičová V, Hain M, Thurzo M, Novák B, Kosnáčová H, Lehotská V, Varga I, Kováč P, Moravanský N. Human Remains Identification Using Micro-CT, Chemometric and AI Methods in Forensic Experimental Reconstruction of Dental Patterns after Concentrated Sulphuric Acid Significant Impact. Molecules. 2022 Jun 23;27(13):4035. doi: 10.3390/molecules27134035. PMID: 35807281; PMCID: PMC9268125.
[15] Assari, A. , Al Bukairi, M. and Al Saif, R. (2024) Micro-Computed Tomography Applications in Dentistry. Open Journal of Stomatology, **14**, 32-41. doi: 10.4236/ojst.2024.141003.
[16] Zainuddin MZ, Mohamad NS, Su Keng T, Mohd Yusof MYP. The applications of MicroCT in studying age-related tooth morphological change and dental age estimation: A scoping review. J Forensic Sci. 2023 Nov;68(6):2048-2056. doi: 10.1111/1556-4029.15352. Epub 2023 Aug 2. PMID: 37529884.
[17] Rai, S., Misra, D., Misra, A., Kalita, P., & Krishna, A. (2022). Forensic outlook of Maxillofacial Radiology – An inevitable tool revisited. UNIVERSITYJOURNALOF DENTALSCIENCES, 8(3). 104-108
[18] Zhang M. Forensic imaging: a powerful tool in modern forensic investigation. Forensic Sci Res. 2022 Mar 7;7(3):385-392. doi: 10.1080/20961790.2021.2008705. PMID: 36353311; PMCID: PMC9639533.
[19] Babshet M, R S. 3D-modeling: the third eye of forensic odontologists. Int J Sci Res. 2020;9(4). doi:10.36106/INTERNATIONALJOURNALOFSCIENTIFICRESEARCH.
[20] Jani, G., Lavin, W. S., Ludhwani, S., & Johnson, A. (2020). An Overview of Three Dimensional (3D) Technologies in Forensic Odontology. Journal of Forensic Dental Sciences, 12(1), 56–65. https://doi.org/10.18311/jfds/12/1/2020.4
[21] Navic P, Inthasan C, Chaimongkhol T, Mahakkanukrauh P. Facial reconstruction using 3-D computerized method: A scoping review of methods, current status, and future developments. Leg Med (Tokyo). 2023;62:102239.
[22] Chaudhary, R. K., Doggalli, N., Chandrakant, H., & Patil, K. (2018). Current and evolving applications of three-dimensional printing in forensic odontology: A review. 3(2), 59. https://doi.org/10.4103/IJFO.IJFO_28_18
[23] Kurniawan A, Alias A, Yusof MYPM, Marya A. Optimization of forensic identification through 3-dimensional imaging analysis of labial tooth surface using open-source software. Imaging Sci Dent. 2024 Mar;54(1):63-69. doi: 10.5624/isd.20230218. Epub 2024 Feb 22. PMID: 38571779; PMCID: PMC10985530.
[24] Perkins H, Chiam TL, Forrest A, Higgins D. 3D dental images in forensic odontology: A scoping review of superimposition approaches utilizing 3D imaging. Forensic Imaging. 2025;40:200622.
[25] Ishwarkumar-Govender S, Nalla S. 3D technologies in dental arcade forensic research – A scoping review. Transl Res Anat. 2024;36:100313
[26] Evans, Sam & Jones, Carl & Plassmann, Peter. (2010). 3D Imaging in Forensic Odontology. Journal of Visual Communication in Medicine. 33. 63-8. 10.3109/17453054.2010.481780.
[27] Patil PS. 3-D Printing in Forensic Odontology. Int J Dent Med Sci Res. 2023;5(5):62–6
[28] Jani, G., Lavin, W. S., Ludhwani, S., & Johnson, A. (2021). An Overview of Three Dimensional (3D) Technologies in Forensic Odontology. Journal of Forensic Dental Sciences, 12(1), 18–27. https://doi.org/10.18311/JFDS/12/1/2020.4
[29] Eliášová, H., & Dostálová, T. (2017). 3D Multislice and Cone-beam Computed Tomography Systems for Dental Identification. Prague Medical Report, 118(1), 14–25. https://doi.org/10.14712/23362936.2017.2
[30] Abduo, J., & Bennamoun, M. (2013). Three-dimensional image registration as a tool for forensic odontology: a preliminary investigation. American Journal of Forensic Medicine and Pathology, 34(3), 260–266. https://doi.org/10.1097/PAF.0B013E31829F6A29

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |



10.22214/IJRASET

45.98

IMPACT FACTOR: 7.129

IMPACT FACTOR: 7.429

INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 (24*7 Support on Whatsapp)