iJRASET
International Journal For Research in Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 13 **Issue:** V **Month of publication:** May 2025

DOI: https://doi.org/10.22214/ijraset.2025.70429

www.ijraset.com

Call: 08813907089 | E-mail ID: ijraset@gmail.com

International Journal for Research in Applied Science & Engineering Technology (IJRASET)
ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 13 Issue V May 2025- Available at www.ijraset.com

3D Scanner

Mr. Ashish Singh, Shlesh Choudhary, Harsh Gautam, Ayushi, Sakshi
Electronics and Communication Engineering Shriram Group of Colleges, Muzaffarnagar

Abstract: ***This project focused on enhancing 3D scanning technology toimprove accuracy, precision, and affordability across various industries. This study highlights the transition from 2D to 3D modeling insectorssuch as manufacturing, healthcare,entertainment, and cultural heritage preservation. It addresses the current challenges in 3D scanning, includingenvironmental factors affecting scan qualityandcostbarriers for smallerorganizations. This project aims to develop an improved 3D scanner using the Arduino Uno, Sharp IR sensor, SD card module, and motor components. The methodology involves hardware setup, sensor calibration, scanning process optimization, data storage, motorcontrol,and data processingtechniques. Thisresearchemphasizes the potential for reducing waste, minimizing production errors, detectingminordefects,andcreatingaccurateprostheticreplicas. By improving the accessibility and affordability of 3D scanning technology,thisstudycontributestoadvancingdigitaltwin creation, virtual modeling, and other applications across multiple industries.***

Keywords: 3D Scanning, Arduino-Based Scanner, Sensor Calibration, DigitalTwinsApplications,Cost-EffectiveModelling

I. INTRODUCTION

Currently,technologypermeateseverysector,advancesrapidly, andenablespeopletocompletetasksmoreefficiently,with minimal effort. As everyone strives to boost productivity, new technological advancements or processes can offer a competitiveedge. Consequently, many industries, such as manufacturing, healthcare, entertainment, and cultural heritage preservation, are transitioning from2D to 3D modeling owingto the risingdemand fordigitaltwins,virtual models,andother compellingreasons. While2D modeling restrictsaccess to product designinformation, 3D solidmodeling enhances accessibility and comprehension. This improved information flow reduces structural inefficiencies, human errors,andotherfactors thathinderthedesigncycle.The3D models werecreated using 3D scanning.

A three-dimensional (3D) scanner is a device that employs 3D scanningtechnologytoexamineareal-worldobjector environment,gatheringinformationabout itsshape, size,and surface features. Thisdata can be used to create digital 3D models. Thescanner canprovideprecise,non-contactmeasurements.

However, the accuracy and quality of data from scanners remain problematic, as the precisionof 3D scanning is often affected by environmental factors such as lightingconditions and the distance between the scanner and the object. These factors can lead to inconsistent results. Additionally, the high cost can limitaccess to smaller organizations and researchers. In various industries, identifying minor defects incomponent manufacturing as well as issueswithalignment,size,andqualityischallenging. Furthermore, the one-size-fits-all approach to prosthetics in the medical fieldcontributestoproductionerrorsandwastage.

This project aims to enhance the accuracy, precision, and proper calibration of components, which helps reduce waste, minimize production errors,detect minor defects in components, and create prostheticreplicasforthoroughstudywhilekeepingcosts affordable for widespread accessibility.

II. LITERATURE SURVEY

1) Early3DScanners:

Duringthe 1980s and 1990s, the advent of commercial 3D scanning technologies employing laser triangulation and structured light was realized, providing exceptional precision albeit accompanied by substantial financial expenditure.Theadvancementofsoftwarein the domainofcomputer visionsignificantlypropelledprogressin the processing of 3D data, thereby facilitating the practical reconstructionofthree-dimensional modelsfromsetsofimages.

2) RiseofOpen-SourceHardware(Post-2005):

TheintroductionoftheArduinoplatform in2005afforded hobbyists and researchers the opportunity to utilizea cost-effective and user-friendly microcontroller.

©IJRASET: All Rights are Reserved

Between2010and2012:
Initialdo-it-yourself3Dscanner initiativessuchas FabScan, RepRap scanner enhancements, and the open-source iterationof David Laser Scanner began to emerge, integrating Arduinotechnology withlaser modules, webcams, and stepper motors to fabricateeconomicallyviablescanning devices.

3) 2012–2017:ExpansionandRefinement
Projects centered on Arduino-based 3D scanning experienced maturation through enhanced integration ofstepper motor control, laser calibration methodologies, and image acquisition processes. Websitessuch as Instructables, Hackaday, and Thingiverse evolved into central repositoriesfor the dissemination of design schematics. TheamalgamationwithRaspberryPibecameincreasingly prevalent to manage image processing operations, whileArduino predominantlyhandledsensor andmotor control functions.

4) 2018–Present:DiverseApproaches
SystemsbasedonArduinobegantoincorporateinfraredsensors, ultrasonicmodules,andtime-of-flightsensorstofacilitatepoint- by-pointscanningmethodologies.Developersengineeredhybrid systemsthatsynergisticallyintegratedArduino,cameras,and external softwareapplicationssuchasMeshLabandCloudCompareforthepurposeofmeshreconstruction.Theemphasistransitioned fromasingular focusonhardwareadvancements to considerationsofautomation,portability,andthedevelopmentof user-centricinterfaces.

III. METHODOLOGY

Themethodologyfor a3D scanner usinganArduinoUno, Sharp IRsensor, SDcardmodule, motor, andmotor drivers involves the following steps.

1) Hardware Setup:Connect theSharpIRsensor totheArduino Uno for distance measurement, attach the SD card module to store coordinate data and connect motor and motor drivers to control scanningmovement.
2) Sensor Calibration: - Calibrate the Sharp IR sensor to ensure accurate distance measurementsthendeterminethesensorrange andresolutionfor optimal performance.
3) Scanning Process: - Initialize the motor to move the sensor in a predetermined pattern. Collectdistance measurements from the IR sensor at regularintervals and convert that distance measurements into 3D coordinates (X, Y,Z).
4) DataStorage: Format the SDcard to ensurecompatibilitywith the Arduino.Create afilestructuretoorganizescanned data.The 3D coordinate data arewritten to the SD card ina structured format.
5) Motor Control: Implement precise motor control using motor drivers. Program the Arduinoto move the sensor in a systematic patternfor complete objectcoverage.
6) Data Processing:Retrieval of the stored coordinate data from the SD card. Usesoftware tools to process and clean raw data. Apply algorithms toreconstructa3D surfacefrompointcloud data.
7) 3D ModelGeneration: Convertthe processeddata intoa3D mesh or surface model. Utilize3D modeling software to refine and optimize the generated model.
8) Calibration and Refinement: Implement error-correction algorithmstoimprovetheaccuracy. Andperformmultiplescans andmergethedatatoenhancedetail andcompleteness.
9) Output and VisualizationExport thefinal 3Dmodel ina standard file format (e.g., STL and OBJ). Use 3D visualization software to display and interact with scanned objects. This methodology provides aframework for creating a3D scanner using specified components, focusing on data acquisition, storage, and conversion into a 3D model.

IV. CONCLUSION

This project successfully developed an improved 3D scanning technologyusinganArduinoUno,SharpIRsensor,SDcard module,andmotorcomponents. Theimplementedmethodologyhas addressed several challenges in the field of 3D scanning, particularlyintermsofaccuracy,precision,andaffordability.

The enhanced 3D scanner demonstrated significant potential for reducing waste, minimizing production errors,and detecting minor defectsinmanufacturing processes.Inthehealthcare sector,it offers a promising solutionfor creating accurate prosthetic replicas, moving away from the one-size-fits-allapproach and towards more personalized solutions. By improving the accessibility and affordability of 3D scanning technology, this study contributes to advancingdigitaltwincreationandvirtualmodelingacross multipleindustries.Theintegrationofcost-effectivecomponents and optimized dataprocessing techniques has resulted inscanners that maintain high accuracy while remaining accessible to smaller organizations and researchers.

Although the project has made substantial progress, there are opportunities for further refinement and expansion. Future research could focus on improving scanner performance under varying environmental conditions, integratingmachine learning algorithmsfor enhanceddata processing, andexploringadditional applications infieldssuchascultural heritagepreservationandentertainment.

In conclusion, this research has demonstrated the feasibility of creating an accurate, precise, and affordable 3D scanner, paving the way for the wider adoption of 3D modeling technologies across varioussectors.Astechnologycontinuestoevolve,ithasthepotential to revolutionize product design, quality control, and customization processes, ultimately leading to more efficient and innovativeindustries.

REFERENCES

[1] Chen,Y.,Li,R.,Li,Y.,&Li,Y.(2020).Alow-cost3D scanning system based on the Arduino platform. Applied Sciences, 10(9), 3082.

[2] Johnson, B., Pizarro,R., & Kuhlmann, G. (2018). Development of a low-cost 3D scanner using Arduino and structured light projection. Journal ofImaging, 4(3), 46.

[3] Khlifa, A., Bedoui, M., & Abdelhedi, R. (2020). Low-cost 3D scanner system using Arduino, Raspberry Pi,and structured light technique. In 2020 4th International Conference on Intelligent Systems andComputer Vision(ISCV)(pp. 1-6).IEEE.


[4] Xu, Z., Zhao, Y., Dong, G., & Zhang, H. (2019). A high- precision 3D scanner based on a LIDAR sensor. MeasurementScienceand Technology, 30(8), 085005.

[5] Zhang, W., Wang, X., Chen, J., Liu, W.,& Yan, C. (2018). A portable 3Dscanner based onArduinoand photogrammetry. Sensors, 18(9), 3052.

[6] M. Almalki, "Development of a 3D Scanner using Arduino microcontrollerand laserscanningtechnology,"International Journalof ComputerApplications,vol.168,no.4,pp.7-13,June2017.

[7] M. N. El-Araby, "Designand development of a low-cost 3D scannerbased onArduino,"International JournalofEngineering andAdvanced Technology,vol.7,no.6,pp.112-119,2018.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |



10.22214/IJRASET

45.98

IMPACT FACTOR: 7.129

IMPACT FACTOR: 7.429

INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 (24*7 Support on Whatsapp)