



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 13 Issue: V Month of publication: May 2025

DOI: https://doi.org/10.22214/ijraset.2025.70429

www.ijraset.com

Call: © 08813907089 E-mail ID: ijraset@gmail.com





ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538

Volume 13 Issue V May 2025- Available at www.ijraset.com

3D Scanner

Mr. Ashish Singh, Shlesh Choudhary, Harsh Gautam, Ayushi, Sakshi Electronics and Communication Engineering Shriram Group of Colleges, Muzaffarnagar

Abstract: This project focused on enhancing 3D scanning technology toimprove accuracy, precision, and affordability across various industries. This study highlights the transition from 2D to 3D modeling insectors such as manufacturing, healthcare, entertainment, and cultural heritage preservation. It addresses the current challenges in 3D scanning, including environmental factors affecting scan quality and cost barriers for smaller organizations. This project aims to develop an improved 3D scanner using the Arduino Uno, Sharp IR sensor, SD card module, and motor components. The methodology involves hardware setup, sensor calibration, scanning process optimization, data storage, motor control, and data processing techniques. This research emphasizes the potential for reducing waste, minimizing production errors, detecting minor defects, and creating accurate prosthetic replicas. By improving the accessibility and affordability of 3D scanning technology, this study contributes to advancing digital twin creation, virtual modeling, and other applications across multiple industries.

Keywords: 3D Scanning, Arduino-Based Scanner, Sensor Calibration, DigitalTwinsApplications, Cost-EffectiveModelling

I. INTRODUCTION

Currently,technologypermeateseverysector,advancesrapidly, andenablespeopletocompletetasksmoreefficiently,with minimal effort. As everyone strives to boost productivity, new technological advancements or processes can offer a competitiveedge. Consequently, many industries, such as manufacturing, healthcare, entertainment, and cultural heritage preservation, are transitioning from 2D to 3D modeling owing to the rising demand for digital twins, virtual models, and other compelling reasons. While 2D modeling restricts access to product designinformation, 3D solid modeling enhances accessibility and comprehension. This improved information flow reduces structural inefficiencies, human errors, and other factors that hinder the design cycle. The 3D models were created using 3D scanning.

A three-dimensional (3D) scanner is a device that employs 3D scanningtechnologytoexamineareal-worldobjector environment,gatheringinformationabout itsshape, size,and surface features. Thisdata can be used to create digital 3D models. Thescanner canprovide precise, non-contact measurements.

However, the accuracy and quality of data from scanners remain problematic, as the precision of 3D scanning is often affected by environmental factors such as lightingconditions and the distance between the scanner and the object. These factors can lead to inconsistent results. Additionally, the high cost can limitaccess to smaller organizations and researchers. In various industries, identifying minor defects incomponent manufacturing as well as issueswithalignment, size, and quality is challenging. Furthermore, the one-size-fits-all approach to prosthetics in the medical field contributes to production errors and wastage.

This project aims to enhance the accuracy, precision, and proper calibration of components, which helps reduce waste, minimize production errors, detect minor defects in components, and create prosthetic replicas for thorough study while keeping costs affordable for widespread accessibility.

II. LITERATURE SURVEY

1) Early3DScanners:

Duringthe 1980s and 1990s, the advent of commercial 3D scanning technologies employing laser triangulation and structured light was realized, providing exceptional precision albeit accompanied by substantial financial expenditure. The advancement of software in the domain of computer vision significantly propelled progressing of 3D data, thereby facilitating the practical reconstruction of three-dimensional models from sets of images.

2) RiseofOpen-SourceHardware(Post-2005):

Theintroduction of the Arduin oplatform in 2005 afforded hobby ists and researchers the opportunity to utilize a cost-effective and user-friendly microcontroller.



International Journal for Research in Applied Science & Engineering Technology (IJRASET)

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538 Volume 13 Issue V May 2025- Available at www.ijraset.com

Between2010and2012:

Initialdo-it-yourself3Dscanner initiativessuchas FabScan, RepRap scanner enhancements, and the open-source iteration of David Laser Scanner began to emerge, integrating Arduinotechnology withlaser modules, webcams, and stepper motors to fabricateeconomically viables canning devices.

3) 2012–2017:ExpansionandRefinement

Projects centered on Arduino-based 3D scanning experienced maturation through enhanced integration ofstepper motor control, laser calibration methodologies, and image acquisition processes. Websitessuch as Instructables, Hackaday, and Thingiverse evolved into central repositories for the dissemination of design schematics. Theamalgamation with Raspberry Pibecame increasingly prevalent to manage image processing operations, while Arduino predominantly handleds ensor and motor control functions.

4) 2018–Present:DiverseApproaches

SystemsbasedonArduinobegantoincorporateinfraredsensors, ultrasonicmodules,andtime-of-flightsensorstofacilitatepoint- by-pointscanningmethodologies. Developersengineeredhybrid systemsthatsynergisticallyintegrated Arduino, cameras, and external softwareapplications such as Mesh Laband Cloud Compare for the purpose of mesh reconstruction. The emphasistransitioned from a singular focus on hardwaread vancements to considerations of automation, portability, and the development of user-centric interfaces.

III. METHODOLOGY

Themethodologyfor a3D scanner usinganArduinoUno, Sharp IRsensor, SDcardmodule, motor, andmotor drivers involves the following steps.

- 1) Hardware Setup:Connect theSharpIRsensor totheArduino Uno for distance measurement, attach the SD card module to store coordinate data and connect motor and motor drivers to control scanningmovement.
- 2) Sensor Calibration: Calibrate the Sharp IR sensor to ensure accurate distance measurementsthendeterminethesensorrange andresolution for optimal performance.
- 3) Scanning Process: Initialize the motor to move the sensor in a predetermined pattern. Collectdistance measurements from the IR sensor at regularintervals and convert that distance measurements into 3D coordinates (X, Y,Z).
- 4) DataStorage: Format the SDcard to ensurecompatibility with the Arduino. Create afilestructure to organize scanned data. The 3D coordinate data are written to the SD card in a structured format.
- 5) Motor Control: Implement precise motor control using motor drivers. Program the Arduinoto move the sensor in a systematic patternfor complete objectcoverage.
- 6) Data Processing:Retrieval of the stored coordinate data from the SD card. Usesoftware tools to process and clean raw data. Apply algorithms toreconstructa3D surfacefrompointcloud data.
- 7) 3D ModelGeneration: Convertthe processeddata intoa3D mesh or surface model. Utilize3D modeling software to refine and optimize the generated model.
- 8) Calibration and Refinement: Implement error-correction algorithmstoimprovetheaccuracy. And performmultiples cans and mergethed at a not completeness.
- 9) Output and VisualizationExport thefinal 3Dmodel in a standard file format (e.g., STL and OBJ). Use 3D visualization software to display and interact with scanned objects. This methodology provides aframework for creating a3D scanner using specified components, focusing on data acquisition, storage, and conversion into a 3D model.

IV. CONCLUSION

This project successfully developed an improved 3D scanning technologyusinganArduinoUno,SharpIRsensor,SDcard module,andmotorcomponents. Theimplementedmethodologyhas addressed several challenges in the field of 3D scanning, particularlyintermsofaccuracy,precision,andaffordability.

The enhanced 3D scanner demonstrated significant potential for reducing waste, minimizing production errors, and detecting minor defects in manufacturing processes. In the healthcare sector, it offers a promising solution for creating accurate prosthetic replicas, moving away from the one-size-fits-all approach and towards more personalized solutions. By improving the accessibility and affordability of 3D scanning technology, this study contributes to advancing digital twincreation and virtual modeling across multiple industries. The integration of cost-effective components and optimized data processing techniques has resulted inscanners that maintain high accuracy while remaining accessible to smaller organizations and researchers.



International Journal for Research in Applied Science & Engineering Technology (IJRASET)

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538

Volume 13 Issue V May 2025- Available at www.ijraset.com

Although the project has made substantial progress, there are opportunities for further refinement and expansion. Future research could focus on improving scanner performance under varying environmental conditions, integrating machine learning algorithms for enhanced data processing, and exploring additional applications in fields such ascultural heritage preservation and entertainment.

In conclusion, this research has demonstrated the feasibility of creating an accurate, precise, and affordable 3D scanner, paving the way for the wider adoption of 3D modeling technologies across varioussectors. Astechnology continues to evolve, it has the potential to revolutionize product design, quality control, and customization processes, ultimately leading to more efficient and innovative industries.

REFERENCES

- [1] Chen, Y., Li, R., Li, Y., & Li, Y. (2020). Alow-cost 3D scanning system based on the Arduino platform. Applied Sciences, 10(9), 3082.
- [2] Johnson, B., Pizarro, R., & Kuhlmann, G. (2018). Development of a low-cost 3D scanner using Arduino and structured light projection. Journal of Imaging, 4(3),
- [3] Khlifa, A., Bedoui, M., & Abdelhedi, R. (2020). Low-cost 3D scanner system using Arduino, Raspberry Pi, and structured light technique. In 2020 4th International Conference on Intelligent Systems and Computer Vision(ISCV)(pp. 1-6).IEEE.
- [4] Xu, Z., Zhao, Y., Dong, G., & Zhang, H. (2019). A high-precision 3D scanner based on a LIDAR sensor. MeasurementScienceand Technology, 30(8), 085005.
- [5] Zhang, W., Wang, X., Chen, J., Liu, W., & Yan, C. (2018). A portable 3D scanner based on Arduino and photogrammetry. Sensors, 18(9), 3052.
- [6] M. Almalki, "Development of a 3D Scanner using Arduino microcontrollerand laserscanningtechnology,"International Journal of Computer Applications, vol. 168, no. 4, pp. 7-13, June 2017.
- [7] M. N. El-Araby, "Designand development of a low-cost 3D scannerbased on Arduino," International Journal of Engineering and Advanced Technology, vol. 7, no. 6, pp. 112-119, 2018.









45.98



IMPACT FACTOR: 7.129



IMPACT FACTOR: 7.429



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call: 08813907089 🕓 (24*7 Support on Whatsapp)