



iJRASET

International Journal For Research in
Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 13 Issue: I Month of publication: January 2025

DOI: <https://doi.org/10.22214/ijraset.2025.66782>

www.ijraset.com

Call:  08813907089

E-mail ID: ijraset@gmail.com

5G Network Optimization using Machine Learning

Md. A. Khudhus¹, Panuganti Naveen², Dr. M. Humera Khanam³, Dr. D. Vivekanandha Reddy⁴

^{1, 2, 3, 4}Department of Computer Science and Engineering, Sri Venkateswara University College of Engineering, Tirupati, A.P

Abstract: *In the era of 5G technology, predicting coverage areas is crucial for optimizing network performance and ensuring reliable connectivity. This study presents a comprehensive analysis of various machine learning algorithms for predicting 5G coverage based on the RF Signal Data. The target column, Band Width, is used to gauge prediction accuracy across different models. Traditional methods such as Logistic Regression, K-Nearest Neighbors (KNN), Naive Bayes, Random Forest, Support Vector Machine (SVM), XG Boost, Light GBM, AdaBoost, Bayesian Network Classifier models are compared with advanced techniques such as Stacking and Voting Classifiers, as well as Convolutional Neural Networks (CNN). The objective is to identify dominant feature parameters that significantly influence 5G coverage prediction. By implementing a diverse array of models, this research aims to benchmark the performance and accuracy of these algorithms. The comparative analysis highlights the strengths and limitations of each approach, providing valuable insights for network engineers and researchers. The findings suggest that ensemble methods, particularly Stacking and Voting Classifiers, along with CNN, offer superior prediction accuracy and robustness, thereby serving as promising tools for enhancing 5G network planning and deployment.*

Keywords: *5G Coverage Prediction, Machine Learning, RF Signal Data, Stacking Classifier, Voting Classifier, Convolutional Neural Network (CNN), Feature Parameters, Prediction Accuracy, Network Optimization, Ensemble Methods.*

I. INTRODUCTION

The advent of 5G technology promises revolutionary advancements in wireless communications, offering unprecedented speed, reliability, and connectivity. As global deployment of 5G networks accelerates, optimizing their coverage becomes paramount to ensure seamless connectivity across diverse geographical and urban landscapes. Effective prediction of 5G coverage efficacy is essential for strategic network planning and efficient resource allocation. This study addresses the critical challenge of predicting 5G coverage using a comprehensive dataset encompassing 27 key parameters gathered from diverse locations [1]. By leveraging advanced machine learning techniques such as Stacking Classifier, Voting Classifier, and Convolutional Neural Networks (CNN), we aim to discern the pivotal factors influencing coverage performance [2]. Key parameters including Frequency, Signal Strength, Modulation, and Bandwidth are scrutinized for their impact on coverage prediction accuracy. Ensemble methods like Stacking and Voting Classifiers are employed to harness the collective strengths of multiple models, thereby enhancing predictive accuracy and robustness. Additionally, the application of CNNs allows us to explore spatial correlations within the dataset, potentially uncovering nuanced insights into coverage variability across different environmental conditions [3],[4]. With a dataset comprising 164,160 observations, this research delves into identifying dominant feature contributions and evaluating model performance metrics rigorously. The findings not only elucidate the pivotal parameters influencing 5G coverage but also contribute to refining predictive models essential for optimizing deployment strategies [5]. Ultimately, this study seeks to bolster the efficacy of 5G network planning and management, thereby advancing the frontier of wireless communication technologies. The motivation for this study stems from the need to enhance 5G network performance through accurate coverage prediction [6]. As 5G technology becomes ubiquitous, ensuring reliable and optimized connectivity is paramount. Traditional machine learning models offer varying levels of accuracy, and there is potential to improve prediction performance using advanced methods. [7] By exploring and comparing a range of machine learning algorithms, this research aims to identify the most effective techniques, thereby contributing to more efficient and reliable 5G network planning and deployment, ultimately benefiting both service providers and end-users. With the rapid deployment of 5G technology, accurately predicting coverage areas is critical for ensuring optimal network performance and user satisfaction [8]. Current methods for coverage prediction vary widely in their accuracy and computational efficiency. Traditional machine learning models such as Logistic Regression, K-Nearest Neighbors, and Random Forest have been employed, but the emergence of advanced techniques like Stacking and Voting Classifiers, as well as Convolutional Neural Networks (CNN), offers potential for improved prediction accuracy [9]. This study seeks to evaluate and compare these diverse machine learning approaches to identify the most effective model for 5G coverage prediction. The primary objective of this research is to conduct a comparative analysis of various machine learning algorithms, including both traditional and advanced techniques, for optimizing 5G network. [10]

By leveraging the RF Signal Data with Band Width as the target variable, the study aims to benchmark the performance of models such as Logistic Regression, KNN, Naive Bayes, Random Forest, SVM, XGBoost, LightGBM, AdaBoost, Bayesian Network Classifier, Stacking, Voting Classifiers, and CNN. The goal is to identify the most accurate and computationally efficient model for practical deployment in 5G network optimization. This research encompasses a thorough evaluation of multiple machine learning algorithms for 5G coverage prediction using RF Signal Data. The scope includes preprocessing the dataset, training and validating models, and conducting performance comparisons based on accuracy, computational efficiency, and robustness. The study focuses on both traditional models and advanced techniques like ensemble methods and CNNs. The findings will provide valuable insights into the most effective algorithms for 5G coverage prediction, aiding network engineers in optimizing 5G network planning and deployment strategies.

II. EXISTING SYSTEM

The existing system for 5G Network Optimization employs various machine learning algorithms including Logistic Regression, K-Nearest Neighbors (KNN), Naive Bayes, Random Forest, Support Vector Machine (SVM), XGBoost, LightGBM, AdaBoost. These algorithms are utilized to analyze and predict 5G coverage based on a range of feature parameters. Each algorithm offers unique advantages in terms of accuracy and computational efficiency, providing a comprehensive framework for identifying dominant features and predicting coverage areas in the rapidly evolving 5G network landscape.

A. Logistic Regression

For predicting 5G coverage, Logistic Regression is a simple yet effective technique for determining key feature parameters and evaluating prediction accuracy. As a statistical model, Logistic Regression estimates the likelihood of a binary outcome, such as whether a specific area will have sufficient 5G coverage based on various input features. It models the relationship between the dependent variable and one or more independent variables using a logistic function. This approach is effective in analyzing how different factors, such as signal strength, network traffic, and geographic features, impact coverage results. Logistic Regression offers valuable insights into the importance of each feature through its coefficients, facilitating the identification of the most influential parameters. Its clarity and capability to manage large datasets make it a useful tool for enhancing feature selection and accuracy in forecasting 5G network coverage.

B. K-Nearest Neighbors(KNN)

In 5G coverage prediction, K-Nearest Neighbors (KNN) is a flexible method for determining important feature parameters and improving prediction accuracy. KNN is a non-parametric, instance-based learning technique that classifies data points by examining their proximity to neighboring points within the feature space. In the context of 5G coverage, KNN assesses the similarity between locations or network conditions by analyzing the nearest neighbors and their coverage outcomes. This approach helps identify key features, such as signal strength and user density, by examining how closely related data points influence coverage predictions. KNN's straightforward nature and capability to manage complex, high-dimensional data make it valuable for feature selection and prediction. Despite needing careful adjustment of neighbor count and distance metrics, KNN offers insights into local network coverage patterns, enhancing the accuracy of 5G coverage forecasts.

C. Naïve Bayes

In 5G coverage prediction, Naive Bayes is a probabilistic classifier that effectively identifies key feature parameters and enhances prediction accuracy. Utilizing Bayes' theorem, Naive Bayes operates under the assumption that features are independent of each other, which simplifies the classification of network conditions and coverage outcomes. By calculating the probability of sufficient coverage based on various factors—such as signal strength, user density, and geographic attributes—Naive Bayes estimates the likelihood of adequate coverage in different areas. Although it assumes feature independence, Naive Bayes performs reliably in practice, especially with large datasets and intricate feature interactions. It reveals which features are most significant by analyzing conditional probabilities, helping to pinpoint crucial parameters affecting coverage predictions. Its efficiency and ability to scale make Naive Bayes a valuable tool for improving the precision of 5G coverage forecasts.

D. Random Forest

In 5G coverage prediction, Random Forests present a powerful technique for identifying important feature parameters and improving prediction accuracy. As an ensemble learning method, Random Forests aggregate multiple decision trees to enhance model performance and stability.

Each tree in the forest assesses various data aspects, such as signal strength, user density, and geographic characteristics, to make predictions. By combining the outcomes of these individual trees, Random Forests can capture complex interactions between features and minimize overfitting. This ensemble method effectively determines which features are most influential for predicting 5G coverage. Moreover, Random Forests offer insights into feature importance, helping identify key parameters that significantly affect coverage predictions. Their capability to process large datasets and manage high-dimensional data makes them a valuable tool for refining 5G coverage forecasts and boosting overall prediction accuracy.

E. Support Vector Machine (SVM)

In 5G coverage prediction, Support Vector Machines (SVMs) are highly effective for identifying crucial feature parameters and enhancing prediction accuracy. SVMs are supervised learning models designed to find the optimal hyperplane that separates different data classes with the maximum margin. This technique is especially useful in high-dimensional spaces, such as those found in 5G network data, where factors like signal strength, user density, and geographical features interact in complex ways. By using kernel functions to map data into higher-dimensional spaces, SVMs can capture intricate patterns and relationships that simpler models may overlook. This ability allows SVMs to precisely identify important features that affect coverage predictions. Additionally, SVMs are robust against outliers and noise, further improving their predictive accuracy. Therefore, SVMs play a crucial role in refining feature selection and achieving precise 5G coverage forecasts.

F. XG Boost

In 5G coverage prediction, XGBoost (Extreme Gradient Boosting) provides an effective and efficient method for pinpointing key feature parameters and improving prediction accuracy. XGBoost is an ensemble learning technique that constructs multiple decision trees in a sequence, with each new tree aimed at correcting the errors of its predecessors. This iterative boosting approach enhances model performance by concentrating on the most relevant features, such as signal strength, user density, and geographical information. XGBoost employs advanced algorithms, including regularization techniques, to prevent overfitting and manage model complexity, making it highly effective for large datasets and intricate feature interactions. By evaluating feature importance and adjusting weights according to prediction errors, XGBoost identifies the most influential parameters for coverage predictions. Its high precision, robustness, and scalability make it a valuable tool for optimizing 5G coverage forecasts and ensuring accurate and dependable predictions.

G. Light GBM

In 5G coverage prediction, LightGBM (Light Gradient Boosting Machine) is a sophisticated technique that excels at identifying key feature parameters and enhancing prediction accuracy. LightGBM is a gradient boosting framework that constructs decision trees in a leaf-wise fashion, enabling it to efficiently process large datasets and complex feature interactions. Unlike traditional methods, LightGBM improves the training process through techniques such as histogram-based splitting, which minimizes computation time and memory usage. This makes it effective at managing features like signal strength, user density, and geographic information. LightGBM offers important insights into feature significance by assessing the influence of each parameter on coverage predictions. Its capability to handle high-dimensional data and prevent overfitting through regularization ensures it is a powerful tool for refining feature selection and achieving accurate 5G coverage forecasts.

H. AdaBoost

In the area of 5G coverage prediction, AdaBoost (Adaptive Boosting) is a powerful technique for pinpointing essential feature parameters and improving prediction accuracy. AdaBoost is an ensemble learning method that merges several weak learners, usually decision trees, to form a strong predictive model. It enhances performance by iteratively adjusting the weights of misclassified data points, thus placing greater emphasis on harder-to-predict cases.

This iterative adjustment helps integrate features like signal strength, user density, and geographical information for more precise predictions. By concentrating on the more difficult examples, AdaBoost identifies the most significant features influencing coverage predictions. Its adaptability and error reduction through weighted voting ensure accurate and dependable coverage forecasts. AdaBoost's ability to enhance model accuracy while managing feature importance makes it an effective tool for analyzing 5G network coverage.

TABLE 1
PERFORMANCE EVALUATION OF EXISTING SYSTEM

Algorithm	Accuracy	Precision	Recall	F1-Score
Logistic Regression	0.1909	0.09	0.11	0.08
KNN	0.788	0.56	0.66	0.54
Naïve Bayes	0.256	0.36	0.42	0.34
Random Forest	0.982	0.98	0.98	0.98
SVM	0.484	0.54	0.5	0.46
XGBoost	0.232	0.31	0.35	0.3
LightGBM	0.186	0.24	0.28	0.26
AdaBoost	0.152	0.26	0.24	0.2

III.PROPOSED SYSTEM

The proposed system leverages advanced machine learning techniques, including Stacking and Voting Classifiers, as well as Convolutional Neural Networks (CNN), to enhance the prediction accuracy of 5G coverage areas. By integrating these methods, the system aims to combine the strengths of individual models, resulting in a more robust and accurate prediction framework. This approach involves pre-processing the RF Signal Data, training the models on this data, and validating their performance. The comparative analysis will identify the optimal model or ensemble of models for practical application in 5G network optimization, ensuring efficient and reliable coverage prediction that helps in optimizing the 5G network.

A. Stacking Classifier

In 5G coverage prediction, the Stacking Classifier is a powerful method for pinpointing key feature parameters and improving prediction accuracy. Stacking, or stacked generalization, combines several base models to enhance overall predictive performance. This technique involves training different machine learning algorithms, such as decision trees, SVMs, and neural networks, on the same dataset to capture various aspects of the data, including signal strength, user density, and geographic features. The predictions from these base models are then used as input for a meta-model, which learns to make final predictions based on the outputs of the base models. This ensemble approach takes advantage of the diverse strengths of the individual models, resulting in a more accurate and robust prediction system. By integrating insights from multiple models, a Stacking Classifier can more effectively identify significant parameters and improve the accuracy of 5G coverage forecasts.

Concept Diagram of Stacking




Fig. 1 Stacking Classifier

B. Voting Classifier

In 5G coverage prediction, the Voting Classifier is an effective method for pinpointing key feature parameters and boosting prediction accuracy. This ensemble learning technique integrates the predictions from multiple individual classifiers to produce a final outcome. These classifiers, which might include decision trees, SVMs, and logistic regression, each analyze features like signal strength, user density, and geographic data independently. The Voting Classifier combines their predictions through majority voting for classification tasks or averaging for regression tasks. By leveraging the diverse capabilities of these models, the Voting Classifier enhances robustness and accuracy, mitigating the risk of overfitting and improving generalization. This method aids in accurately identifying significant features and offers a more reliable prediction of 5G coverage, making it a valuable tool for precise forecasting in intricate network scenarios.




Fig. 2 Voting Classifier

C. Convolution Neural Networks(CNN)

For predicting 5G coverage, Convolutional Neural Networks (CNNs) provide a robust method for identifying key feature parameters and improving prediction accuracy. Although CNNs are commonly used in image processing, they can be adapted to analyze spatial patterns in network data. Through the use of convolutional layers, CNNs can automatically extract hierarchical features from input data, such as geographical information or signal strength maps. These features are essential for deciphering complex patterns and relationships in 5G network coverage. CNNs excel at capturing both local and global dependencies, enhancing the model's accuracy in coverage predictions. Their capability to manage large datasets and discern complex patterns makes them particularly effective for optimizing feature selection and prediction performance. Consequently, CNNs play a crucial role in refining the precision of 5G coverage forecasts through their advanced feature extraction abilities.




Fig. 3 Convolution Neural Network

TABLE 2
Performance Evaluation of Proposed Models

Algorithm	Accuracy	Precision	Recall	F1-Score
Stacking Classifier	0.1663	0.1648	0.1663	0.1174
Voting Classifier	1.00	1.00	1.00	1.00
CNN	0.75	0.856	0.874	0.896

IV.RESULTS

A. *Home Page:* Home Page of the Project



Fig. 4 Home Page

B. *Registration Page:* User need register with his/her credentials



Fig. 5 Registration Page

C. *User Login:* User can login with valid credentials.




Fig. 6 User Login

D. *Upload Dataset:* Data set will be upload here.





Fig. 7 Dataset Upload

The screenshot shows a web application interface. At the top left is a logo with the text "5G" in green with motion lines. At the top right is a hamburger menu icon. The main heading is "PREPROCESSING" in white on a red background. Below this, a status message says "Data Preprocessed and 4 Splits Successfully". There is a form with the label "Enter Split Size:" and a text input field containing "Test (20%) Size". Below the input field is a blue button labeled "3. Split".

A screenshot of the Google Colab web interface. At the top left is a green '5G' logo. At the top right is a hamburger menu icon. A prominent red horizontal bar spans the width of the interface, containing the text 'MODEL TRAINING' in white, bold, uppercase letters. Below this bar, the text 'Accuracy for VotingClassifier is 100.0%' is displayed. Further down, the text 'Choose your Algorithm' is shown in bold. At the bottom, there is a search bar with the placeholder text 'Search with keywords like...' and a blue 'Submit' button.



PREDICTION

Your 5G network is Good

Modulation	Modem Type	Modulation	Modem Type	Power Modem	Power Modem	WiFi Strength
4G-LTE	Qualcomm	4G-LTE	Qualcomm	4G-LTE	4G-LTE	WiFi Strength
5G-LTE	Qualcomm	5G-LTE	Qualcomm	5G-LTE	5G-LTE	WiFi Strength
5G-LTE	Qualcomm	5G-LTE	Qualcomm	5G-LTE	5G-LTE	WiFi Strength

5G-LTE

2162

- [6] Y. H. Santana, R. M. Alonso, G. G. Nieto, L. Martens, W. Joseph, and D. Plets, "Indoor genetic algorithm-based 5G network planning using a machine learning model for path loss estimation," *Appl. Sci.*, vol. 12, no. 8, p. 3923, Apr. 2022, doi: 10.3390/app12083923.
- [7] 2018ITUKaleidoscope Machine Learning for a 5G Future (ITU K), IEEE Staff, Piscataway, NJ, USA, 2018.
- [8] M. F. A. Fauzi, R. Nordin, N. F. Abdullah, and H. A. H. Alobaidy, "Mobile network coverage prediction based on supervised machine learning algorithms," *IEEE Access*, vol. 10, pp. 55782–55793, 2022, doi: 10.1109/ACCESS.2022.3176619.
- [9] M. F. A. Fauzi, R. Nordin, N. F. Abdullah, H. A. H. Alobaidy, and M. Behjati, "Machine learning-based online coverage estimator (MLOE): Advancing mobile network planning and optimization," *IEEE Access*, vol. 11, pp. 3096–3109, 2023, doi: 10.1109/ACCESS.2023.3234566.
- [10] H. Chiroma, A. Y. Gital, N. Rana, S. M. Abdulhamid, A. N. Muhammad, A. Y. Umar, and A. Abubakar, "Nature inspired meta-heuristic algorithms for deep learning: Recent progress and novel perspective," in *Advances in Computer Vision*, K. Arai and S. Kapoor, Eds. Cham, Switzerland: Springer, 2020, pp. 59–70.
- [11] Y. LeCun, Y. Bengio, and G. Hinton, "Deep learning," *Nature*, vol. 521, no. 7553, pp. 436–444, May 2015, doi: 10.1038/nature14539.
- [12] Y. Du, L. Ren, X. Liu, and Z. Wu, "Machine learning method intervention: Determine proper screening tests for vestibular disorders," *Auris Nasus Larynx*, vol. 49, no. 4, pp. 564–570, Aug. 2022, doi: 10.1016/j.anl.2021.10.003.
- [13] C. Zhang, H. Zhang, D. Yuan, and M. Zhang, "Citywide cellular traffic prediction based on densely connected convolutional neural networks," *IEEE Commun. Lett.*, vol. 22, no. 8, pp. 1656–1659, Aug. 2018, doi: 10.1109/LCOMM.2018.2841832.
- [14] C. Luo, J. Ji, Q. Wang, X. Chen, and P. Li, "Channel state information prediction for 5G wireless communications: A deep learning approach," *IEEE Trans. Netw. Sci. Eng.*, vol. 7, no. 1, pp. 227–236, Jan./Mar. 2020, doi: 10.1109/TNSE.2018.2848960.
- [15] S. Joseph, R. Misra, and S. Katti, "Towards self-driving radios: Physical layer control using deep reinforcement learning," in *Proc. HotMobile*, 2019, pp. 69–74, doi: 10.1145/3301293.3302374.
- [16] I. F. Zamzami, "Deep learning models applied to prediction of 5G technology adoption," *Appl. Sci.*, vol. 13, no. 1, p. 119, Dec. 2022, doi: 10.3390/app13010119.
- [17] M. Chen, M. Chateauvert, and J. Ethier, "Extending machine learning based RF coverage predictions to 3D," in *Proc. IEEE Int. Symp. Antennas Propag. USNC-URSI Radio Sci. Meeting (AP-S/URSI)*, Jul. 2022, pp. 205–206, doi: 10.1109/ap-s/usnc-ursi47032.2022.9887000.
- [18] W. U. Mondal, P. D. Mankar, G. Das, V. Aggarwal, and S. V. Ukkusuri, "Deep learning-based coverage and rate manifold estimation in cellular networks," *IEEE Trans. Cognit. Commun. Netw.*, vol. 8, no. 4, pp. 1706–1715, Dec. 2022, doi: 10.1109/TCCN.2022.3201508.
- [19] T. Ngenjaroendee, W. Phakphisut, T. Wijitpornchai, P. Areepayoonkij, and T. Jaruvitayakovit, "Deep learning-based reference signal received power prediction for LTE communication system," in *Proc. 37th Int. Tech. Conf. Circuits/Syst., Comput. Commun. (ITC-CSCC)*, Jul. 2022, pp. 888–891, doi: 10.1109/ITC-CSCC55581.2022.9895098.
- [20] J. Nagar, S. K. Chaturvedi, S. Soh, and A. Singh, "A machine learning approach to predict the k-coverage probability of wireless multihop networks considering boundary and shadowing effects," *Expert Syst. Appl.*, vol. 226, Sep. 2023, Art. no. 120160, doi: 10.1016/j.eswa.2023.120160.
- [21] H. E. Hammouti, M. Ghogho, and S. A. Raza Zaidi, "A machine learning approach to predicting coverage in random wireless networks," in *Proc. IEEE Globecom Workshops (GC Wkshps)*, Dec. 2018, pp. 1–6, doi: 10.1109/GLOCOMW.2018.8644199.
- [22] R. He, Y. Gong, W. Bai, Y. Li, and X. Wang, "Random forests based path loss prediction in mobile communication systems," in *Proc. IEEE 6th Int. Conf. Comput. Commun. (ICCC)*, Dec. 2020, pp. 1246–1250, doi: 10.1109/ICCC51575.2020.9344905.
- [23] Y. Zhang, J. Wen, G. Yang, Z. He, and J. Wang, "Path loss prediction based on machine learning: Principle, method, and data expansion," *Appl. Sci.*, vol. 9, no. 9, p. 1908, May 2019, doi: 10.3390/app9091908.
- [24] M. Sousa, A. Alves, P. Vieira, M. P. Queluz, and A. Rodrigues, "Analysis and optimization of 5G coverage predictions using a beamforming antenna model and real drive test measurements," *IEEE Access*, vol. 9, pp. 101787–101808, 2021, doi: 10.1109/ACCESS.2021.3097633.
- [25] N. Moraitis, L. Tsipi, and D. Vouyioukas, "Machine learning-based methods for path loss prediction in urban environment for LTE networks," in *Proc. 16th Int. Conf. Wireless Mobile Comput., Netw. Commun. (WiMob)*, Oct. 2020, pp. 1–6, doi: 10.1109/WiMob50308.2020.9253369.
- [26] A. Gupta, K. Ghanshala, and R. C. Joshi, "Machine learning classifier approach with Gaussian process, ensemble boosted trees, SVM, and linear regression for 5G signal coverage mapping," *Int. J. Interact. Multimedia Artif. Intell.*, vol. 6, no. 6, p. 156, 2021, doi: 10.9781/ijimai.2021.03.004.
- [27] A. Volokita and B. Hereha, "Comparative analysis of machine learning algorithms for cardiovascular diseases prediction systems," *Tech. Sci. Technol.*, vol. 4, no. 30, pp. 130–139, 2022.
- [28] R. J. M. Cabauatan and B. D. Gerardo, "Predicting classification of telecommunication subscribers based on polytomous logistic regression usage model," in *Proc. 9th Int. Conf. Mach. Learn. Comput. New York, NY, USA*, Feb. 2017, pp. 258–267, doi: 10.1145/3055635.3056615.
- [29] S. Bharadwaj, B. S. Anil, A. Pahargarh, A. Pahargarh, P. S. Gowra, and S. Kumar, "Customer churn prediction in mobile networks using logistic regression and multilayer Perceptron (MLP)," in *Proc. 2nd Int. Conf. Green Comput. Internet Things (ICGCIoT)*, Aug. 2018, pp. 436–438, doi: 10.1109/ICGCIoT.2018.8752982.
- [30] S. A. R. Zaidi, "Nearest neighbour methods and their applications in design of 5G & beyond wireless networks," *ICT Exp.*, vol. 7, no. 4, pp. 414–420, Dec. 2021, doi: 10.1016/j.icte.2021.01.003.



10.22214/IJRASET



45.98



IMPACT FACTOR:
7.129



IMPACT FACTOR:
7.429



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24*7 Support on Whatsapp)