iJRASET
International Journal For Research in Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 13 **Issue:** VII **Month of publication:** July 2025

DOI: https://doi.org/10.22214/ijraset.2025.73116

www.ijraset.com

Call: 08813907089 | E-mail ID: ijraset@gmail.com

International Journal for Research in Applied Science & Engineering Technology (IJRASET)
ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 13 Issue VII July 2025- Available at www.ijraset.com

Climate Change Impacts on Watershed Hydrology: Trends, Models, and Adaptation Strategies

Deepti KM[1], Srushti Ashok Koshti[2], Pranjal Agrawal[3], Gowtham Prasad[4]
[1, 2, 3]*Department of Civil Engineering, RV College of Engineering, Bengaluru, India*
[4]*M. E., Assistant Professor, Department of Civil, RV College Of Engineering, Bengaluru, India*

Abstract: ***This review paper presents a consolidated examination of climate change impacts on watershed hydrology through the lens of eleven influential studies from diverse geographical regions. The review identifies prevailing hydrological trends, modeling tools, and adaptation strategies, while recognizing crucial gaps in data integration, real-time modeling, socio-hydrological coupling, and resilience metrics. To address these shortcomings, the paper proposes a novel Watershed Resilience Indexing and Forecasting Engine (WRIFE) that fuses deep learning, participatory sensing, and dynamic scenario adaptation. This model aims to enhance the predictability, responsiveness, and inclusivity of future watershed management under changing climatic regimes.***

Keywords: Climate change, watershed hydrology, adaptation strategies, hydrological modeling, WRIFE, resilience, machine learning

I. INTRODUCTION

Water is one of the most critical natural resources for sustaining life, agriculture, industry, and ecosystems. Watersheds, which serve as the basic hydrological units, are sensitive indicators of environmental change and provide the structural basis for managing water resources globally. However, climate change is disrupting watershed hydrology in profound ways. Rising temperatures, altered precipitation patterns, shifts in snowmelt timing, and increased frequency of extreme weather events are all leading to observable and projected changes in streamflow regimes, runoff volumes, groundwater recharge, evapotranspiration rates, and water quality. Numerous studies worldwide have documented the increasing vulnerability of watershed systems under varying climate scenarios. In semi-arid regions, rainfall deficits and elevated evapotranspiration have triggered prolonged droughts and water scarcity. In contrast, high rainfall zones are facing intensifying flood hazards due to more frequent and intense precipitation events. Additionally, climate-induced land use/land cover changes, such as deforestation or urbanization, are compounding these impacts by altering surface runoff, infiltration patterns, and sediment yields. To predict, plan, and mitigate these impacts, researchers have relied heavily on hydrological models such as the Soil and Water Assessment Tool (SWAT), Water Evaluation and Planning system (WEAP), Variable Infiltration Capacity (VIC) model, and Integrated Catchment (INCA) models. These models simulate the behaviour of watershed components under varying climate and land use scenarios, using inputs from Global Climate Models GCMs), Regional Climate Models (RCMs), and Representative Concentration Pathways (RCPs).

Despite technological advancements, current hydrological and watershed modelling approaches face several limitations:

1) Lack of real-time adaptability: Most models are static and not designed to respond to continuously changing data or conditions.
2) Poor integration of human-water system dynamics: Socio-economic behaviours, policy responses, and stakeholder feedbacks are rarely incorporated.
3) Inadequate uncertainty quantification: Many studies only assess hydrological uncertainty or GCM spread, ignoring compound uncertainties from land use, governance, and demand shifts.
4) Low spatial resolution and participatory involvement: Many models do not benefit from granular, local-level data which can improve model accuracy and relevance.

To bridge these gaps, a comprehensive review of global literature is necessary to identify trends, best practices, and persistent shortcomings. This review paper compiles and analyses eleven peer-reviewed research and review studies across different climatic zones and watershed types. It compares modelling approaches, climate scenarios, and adaptation strategies employed across these studies. The paper also introduces a novel, AI-integrated, participatory watershed management concept—WRIFE (Watershed Resilience Indexing and Forecasting Engine)—designed to overcome current limitations by leveraging machine learning, stakeholder input, and dynamic feedback systems.

©IJRASET: All Rights are Reserved

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 13 Issue VII July 2025- Available at www.ijraset.com

II. METHEDOLOGY

This review study employed a systematic approach to critically analyse and compare eleven peer-reviewed research and review papers that evaluate the impacts of climate change on watershed hydrology. The methodology consisted of five major components:

A. Literature Selection and Scope

The selected studies span **diverse geographic regions**—including Ethiopia, Morocco, India, China, the United States, and Canada—and cover a range of watershed types, from semi-arid basins to snowmelt-driven catchments. Papers were selected based on:

- Relevance to climate change and watershed hydrology
- Use of hydrological and/or water quality models
- Inclusion of adaptation or mitigation strategies
- Peer-reviewed status between 2008 and 2023

B. Review Framework

Each study was analysed and categorized using a structured framework comprising:

- Study Area: Geographic region and watershed characteristics
- Model Used: SWAT, WEAP, VIC, INCA-P, or others
- Climate Scenarios: RCPs (Representative Concentration Pathways), SRES scenarios (A2, B2), or downscaled GCM outputs
- Input Data: Rainfall, temperature, land use, soil type, digital elevation models (DEMs), etc.
- Model Outputs: Runoff, streamflow, evapotranspiration, water quality parameters, sediment or nutrient load
- Adaptation Measures: Structural or non-structural interventions
- Uncertainties and Limitations: Model calibration, data availability, socio-political constraints

C. Model-Specific Methodologies in Reviewed Studies

- SWAT (Soil and Water Assessment Tool): Used in more than half of the studies for simulating long-term impacts of climate and land-use change on hydrological variables. Often combined with land use change models (e.g., CA-Markov) or optimization algorithms (e.g., NSGA-II for BMP placement).
- WEAP (Water Evaluation and Planning): Applied in water-scarce regions (e.g., Morocco) to model supply-demand balance under future scenarios.
- VIC (Variable Infiltration Capacity): Used in the Ganga basin to conduct Monte Carlo simulations for uncertainty analysis of model parameters and GCMs.
- INCA-P: Integrated with hydrological models (e.g., HBV) to assess water quality and phosphorus loading under future climates.
- SDSM & CORDEX: Employed for downscaling GCM outputs, either statistically or dynamically, to regional scale.

D. Comparative Synthesis Approach

To ensure uniformity and allow cross-comparison, all reviewed studies were synthesized into a comparative table highlighting:

- Region and climate classification
- Modelling approach
- Projected changes (temperature, rainfall, runoff, etc.)
- Time horizon (e.g., 2020s, 2050s, 2080s)
- Adaptation strategy (e.g., drip irrigation, land use zoning, BMPs)
- Effectiveness and limitations

This allowed the identification of common trends, such as increased runoff under high RCPs, and literature gaps, such as lack of socio-hydrological integration.

©IJRASET: All Rights are Reserved


ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 13 Issue VII July 2025- Available at www.ijraset.com

E. Conceptual Framework Design: WRIFE

Based on the gaps observed across all studies, a new integrated modelling framework named WRIFE (Watershed Resilience Indexing and Forecasting Engine) was proposed. This framework is built on the following components:

- AI-powered hydrological forecasting using LSTM networks and ensemble learning
- IoT and participatory sensing for near real-time data inputs
- Resilience indexing combining hydrological, ecological, and institutional dimensions
- Dynamic scenario generation to test adaptive responses under multiple socio-climatic futures

The WRIFE model aims to be adaptive, inclusive, and real-time, addressing limitations in static scenario-based models used in most existing studies



III. RESULTS

The synthesis of eleven peer-reviewed studies examining the impacts of climate change on watershed hydrology across varied global regions reveals clear and consistent patterns, despite differences in geographic, climatic, and hydrological contexts. One of the most prominent trends observed is the variability in runoff and streamflow under projected climate change scenarios. In highland regions such as Ethiopia, increases in precipitation and temperature under high-emission scenarios (e.g., RCP8.5) have led to projections of significantly increased runoff, up to 70% in some basins. Conversely, in semi-arid and Mediterranean climates such as Morocco and California, studies indicate substantial reductions in streamflow and baseflow, primarily due to reduced precipitation and increased evapotranspiration. Additionally, changes in seasonal flow patterns, including earlier snowmelt and shortened wet seasons, have been noted, disrupting traditional water supply cycles for agriculture, ecosystems, and urban consumption. Temperature increases have been universally linked to rising potential evapotranspiration (PET), further intensifying water stress even in regions with projected increases in rainfall. This increase in PET, coupled with population growth and land-use expansion, is expected to drive higher water demand across sectors, particularly agriculture, which remains the dominant water consumer in most of the studied regions. Several studies noted that under such dual stress (rising demand and reduced supply), unmet water demand is expected to become more frequent and severe in the coming decades.

In terms of water quality, climate-driven increases in rainfall intensity and storm events have led to elevated sediment and nutrient loading, especially in agricultural watersheds. Models such as INCA-P and SWAT indicated greater phosphorus runoff and degraded water quality, challenging the efficacy of existing Best Management Practices (BMPs) under future climate extremes. This points to the need for dynamic and adaptive BMP planning, rather than fixed interventions.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

Adaptation strategies identified across the studies include the implementation of water-saving irrigation techniques (e.g., drip irrigation), reforestation and vegetative buffer strips, improved reservoir operation schedules, and watershed-scale land-use planning. However, most of these strategies were evaluated under static climate scenarios and did not incorporate feedback mechanisms or real-time adaptation, thus limiting their long-term resilience. Furthermore, most of the reviewed models primarily focused on physical hydrological processes, while neglecting the integration of human behaviours, governance systems, and socio-economic drivers.

Collectively, the results highlight the urgent need for integrated, data-driven, and adaptive watershed management frameworks. While tools like SWAT, WEAP, and VIC have provided valuable insights into hydrological dynamics, they often fall short in capturing the complex, non-linear interactions between climate, hydrology, land use, and human decision-making. This review underscores the necessity of next-generation modeming approaches—such as the proposed WRIFE framework—that combine artificial intelligence, participatory sensing, and real-time decision-support systems to enhance watershed resilience under uncertainty





Fig. 3 Methodological flow chart of the research

Source: Modelling the impact of climate change on the hydrology of Andasa



Negus Tarekegn1.Brook Abate2
· Alemayehu Muluneh3
· Yichun Dile4
Received: 30 October 2019 / Accepted: 29 November 2020 © The Author(s) 2021

IV. FUTURE SCOPE


Despite significant modeling progress, several literature gaps persist. Few models integrate socio-economic feedbacks, real-time monitoring, and dynamic decision-making frameworks. Most hydrological models are not adaptive and rely heavily on historical calibration, limiting their applicability under future climate extremes.

To address these gaps, this paper proposes the Watershed Resilience Indexing and Forecasting Engine (WRIFE), a conceptual framework combining artificial intelligence, community sensing, and scenario planning. WRIFE includes:

- Deep Learning for streamflow and runoff prediction (e.g., LSTM networks).
- Participatory sensing from local users through mobile and IoT platforms.
- A composite Watershed Resilience Index (WRI) integrating hydrology, ecology, and socio-institutional capacity.
- A policy dashboard with dynamic feedback and predictive intervention.

REFERENCES

[1] Marshall, E., & Randhir, T. (2008). Effect of Climate Change on Watershed System: A Regional Analysis. Climatic Change, 89(3), 263–280 (https://doi.org/10.1007/s10584-007-9389-2)
[2] Bekele, D., Alambre, T., Kebede, A., Zeleke, G., & Melesse, A. M. (2019). Modelling Climate Change Impact on the Hydrology of Keleta Watershed in the Awash River Basin, Ethiopia. Environmental Modelling & Assessment, 24(1), 95–107. [https://doi.org/10.1007/s10666-018-9612-y]
[3] Dibaba, W. T., Demissie, T. A., & Miegel, K. (2020). Watershed Hydrological Response to Combined Land Use/Land Cover and Climate Change in Highland Ethiopia: Finchaa Catchment. Water, 12(6), 1801. https://doi.org/10.3390/w12061801
[4] Joseph, J., Ghosh, S., Pathak, A., & Sahai, A. K. (2018). Hydrologic Impacts of Climate Change: Comparisons between Hydrological Parameter Uncertainty and Climate Model Uncertainty. Journal of Hydrology, 556, 1189–1201. https://doi.org/10.1016/j.jhydrol.2018.09.001
[5] Crossman, J., Futter, M. N., Whitehead, P. G., Jin, L., Shahjahanabad, M., Castell Azzi, M., & Wade, A. J. (2013). Impacts of Climate Change on Hydrology and Water Quality: Future-Proofing Management Strategies in the Lake Simcoe Watershed, Canada. Journal of Great Lakes Research,39(1),19-32 https://doi.org/10.1016/j.jglr.2012.11.003
[6] Rochdale, S., Bouziane, A., Alami Marroquin, O., & El Mohit, M. (2012). Climate Change Impacts on Water Supply and Demand in Rehana Watershed (Morocco), with Potential Adaptation Strategies. Water, 4(1), 28–44. https://doi.org/10.3390/w4010028
[7] Luo, Y., Arnold, J. G., Liu, S., Wang, X., & Chen, X. (2013). Assessment of Climate Change Impacts on Hydrology and Water Quality with a Watershed Modeling Approach. Science of the Total Environment, 450–451, 72–82. https://doi.org/10.1016/j.scitotenv.2013.02.004
[8] (Paper with file name “paper 6” – possibly duplicate or unpublished/uncited content. Please confirm full title and authors for accurate citation.)
[9] (Paper with file name “paper 7” – included in #3 as Finchaa Catchment. Already cited.)
[10] (Paper with file name “watershed.pdf” – already cited as Luo et al. 2013



10.22214/IJRASET

45.98

IMPACT FACTOR: 7.129

IMPACT FACTOR: 7.429

INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 (24*7 Support on Whatsapp)