iJRASET
International Journal For Research in Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 13 **Issue:** VII **Month of publication:** July 2025

DOI: https://doi.org/10.22214/ijraset.2025.73162

www.ijraset.com

Call: 08813907089 | E-mail ID: ijraset@gmail.com

International Journal for Research in Applied Science & Engineering Technology (IJRASET)
ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 13 Issue VII July 2025- Available at www.ijraset.com

Sediment Storms and Still Waters: A Review of Erosion, Deposition, and Reservoir Health Worldwide

Chandana V R[1], Brunda K S[2], Suprith S N[3] , Khushi T[4], Gowtham Prasad M E[5]
[1]*UG – Research Scholar, Department of Civil Engineering, RV College of Engineering, Bengaluru – 560059, Karnataka, India*
[2]*UG – Research Scholar, Department of Civil Engineering, RV College of Engineering, Bengaluru – 560059, Karnataka, India*
[3]*UG – Research Scholar, Department of Civil Engineering, RV College of Engineering, Bengaluru – 560059, Karnataka, India*
[4]*UG – Research Scholar, Department of Civil Engineering, RV College of Engineering, Bengaluru – 560059, Karnataka, India*
[5]*Assistant Professor, Department of Civil Engineering, RV College of Engineering, Bengaluru – 560059, Karnataka, India*

Abstract: ***Reservoir sedimentation poses a significant threat to water storage capacity, water quality, and the integrity of aquatic ecosystems globally. This review synthesizes findings from multiple studies on sediment and nutrient dynamics in reservoirs across various geographies and climates. By analyzing six major research articles, we highlight contemporary sedimentation trends, causative factors such as land use change and climate variability, and the effectiveness of control strategies. This paper also assesses modeling approaches like WaTEM/SEDEM and RUSLE, evaluates storage capacity loss, and underscores the need for integrated sediment management.***

Keywords: Reservoir sedimentation, WaTEM/SEDEM, nutrient transport, phosphorus, nitrogen, RUSLE, Storage capacity loss, paleolimnology, land use, water quality.

I. INTRODUCTION

Sedimentation in freshwater reservoirs is a critical and growing concern that poses substantial challenges to the management of global water resources. Reservoirs play a pivotal role in water supply, irrigation, hydroelectric power generation, flood control, and ecosystem services. However, these benefits are increasingly threatened by the accumulation of sediments, primarily driven by soil erosion in upstream catchments. As soil particles are eroded by rainfall, runoff, and anthropogenic land use changes, they are transported downstream and deposited in reservoir basins, reducing their effective storage capacity.

This reduction not only diminishes the operational life of reservoirs but also has cascading effects on water quality, aquatic habitats, and infrastructure maintenance. Sediment-laden reservoirs may experience increased turbidity, nutrient overloads, eutrophication, and disruptions in aquatic life. Moreover, sedimentation increases operational costs due to dredging and compromises dam safety in extreme cases.

Recent studies have shown that sedimentation rates vary significantly across regions, influenced by factors such as land cover, topography, agricultural practices, urbanization, and climate variability. To address these issues, researchers and water managers have adopted a range of analytical and modelling tools, such as the Revised Universal Soil Loss Equation (RUSLE) and the WaTEM/SEDEM model, to quantify sediment yield and predict deposition patterns.

This paper presents a comprehensive review of sedimentation in freshwater reservoirs by synthesizing key findings from six influential studies conducted across diverse geographical contexts. The goal is to understand contemporary trends, identify primary drivers, evaluate the consequences of sedimentation, and explore potential mitigation and management strategies. Through this review, we aim to provide insights that support the development of sustainable reservoir management practices and inform policy decisions.

II. METHODS AND MATERIALS


This review is based on an in-depth analysis of six peer-reviewed research studies addressing sedimentation in freshwater reservoirs. The studies selected span diverse geographical regions, including Europe, Africa, and North America, and use a variety of methodological approaches. The selection criteria focused on studies that reported sedimentation rates, causes, consequences, and mitigation strategies, as well as those utilizing modeling or long-term observational data.

©IJRASET: All Rights are Reserved

The following methodological tools and techniques were documented and analysed:

1) RUSLE (Revised Universal Soil Loss Equation): Widely applied in estimating soil loss from catchments and linking erosion to sediment delivery in reservoirs.
2) WaTEM/SEDEM model: Used for spatially distributed modeling of sediment and phosphorus fluxes.
3) Bathymetric surveys: Applied to assess sediment deposition and volume loss in reservoirs.
4) Paleolimnological core analysis: Used to reconstruct historical sediment and nutrient deposition trends over multiple decades.
5) Remote sensing and GIS analysis: Utilized to assess land use changes, sediment transport patterns, and catchment characteristics.

Data from each study were categorized based on location, reservoir type, sedimentation rate, water quality impacts, and management interventions. The analysis emphasized common patterns, regional variations, and methodological strengths and limitations.




Flow of the settlement yield determination

III. DISCUSSION

1) Sediment and Phosphorus Flux in Czech Watersheds (Krasa et al., 2019) The WaTEM/SEDEM model was used to evaluate sediment and phosphorus transport in 58 Czech watersheds. Results show 7487 Gg/ year of total soil loss with significant sediment retention within the landscape. The study highlighted spatial sediment flux heterogeneity and advocated for parcel-level erosion control measures.
2) Sediment-Nutrient Deposition in a Reservoir Sequence (Webster et al., 2021) This study employed paleolimnological methods to track N and P deposition across six subtropical reservoirs. Findings indicated that phosphorus deposition decreased downstream, while nitrogen was influenced more by retention time. The N:P ratio served as a proxy for multiple environmental drivers.
3) Case Study: Murera Reservoir, Kenya (Iradukunda & Bwambale, 2021) Using bathymetric survey techniques, the Murera Reservoir lost 14% of its original storage capacity due to sedimentation. The study stressed the role of anthropogenic activities in sediment deposition and recommended better watershed management to mitigate storage loss.
4) Sedimentation Impact in Mazowe Catchment, Zimbabwe (Tundu et al., 2018) Using RUSLE modeling and water quality sampling, this study identified a strong positive correlation between sediment yield and degradation of water quality parameters. Chimhanda Dam lost 39% of its storage capacity due to sediment deposition.

5) Global Trends in Reservoir Sedimentation (Rodriguez et al., 2023) A systematic review revealed that 54.5% of reservoirs exhibited declining sedimentation rates due to human interventions, while 45.5% experienced increases driven by land use and climate change. The study emphasized limitations in current monitoring techniques.

6) Synthesis of Methods and Measurements The reviewed studies used methods like bathymetric surveys, core sampling, remote sensing, and GIS modeling (e.g., RUSLE, WaTEM/SEDEM). Each method's accuracy, spatial scale, and data requirement vary, influencing the robustness of sedimentation assessments.



IV. RESULTS

A. Sediment Yield and Storage Loss:

- The Czech Republic study using WaTEM/SEDEM indicated a total soil loss of 7487 Gg/year, with only 15.2% entering the river systems and the remainder retained on-site.
- In Kenya's Murera Reservoir, sedimentation led to a 14% loss in storage capacity, equating to 117,683.39 m^3.
- Chimhanda Dam in Zimbabwe experienced an even greater loss, with 39% of its capacity compromised due to sedimentation.

B. Nutrient Accumulation Patterns

- Phosphorus and nitrogen levels in sediment layers were found to be significantly influenced by reservoir position, water retention time, and source proximity.
- The six-reservoir sequence in the Chattahoochee River system showed downstream reductions in phosphorus deposition but a complex pattern of nitrogen retention influenced by hydrology and population density.

C. *Sediment-Water Quality Linkages*

- Elevated turbidity, TDS, and phosphorus levels were consistently observed in reservoirs with high sediment input, confirming the link between sediment yield and water quality deterioration.

D. Model Performance

- RUSLE and WaTEM/SEDEM models proved effective for large-scale sediment flux estimation, with spatial resolutions adequate for catchment management.
- Paleolimnological techniques, while labor-intensive, provided critical historical context for nutrient and sediment accumulation patterns.

E. Global Trends

- A recent global review found that 54.5% of reservoirs show a declining trend in sedimentation due to improved land practices and engineering interventions, whereas 45.5% are still experiencing increasing rates due to urbanization and climate impacts.

©IJRASET: All Rights are Reserved

V. LITERATURE GAP

While significant research has been conducted on sediment transport and reservoir management, several important areas remain underexplored. Many existing models focus on current sediment dynamics but fall short when it comes to predicting future changes under shifting climate conditions. As rainfall patterns become more erratic and extreme weather events more frequent, there's a pressing need for models that can account for these changes over time, not just what's happening now.

In addition, although numerous sediment control strategies like dredging and flushing, or sediment-trapping dams have been tested, very few long-term studies track their effectiveness across different environments. What works in one region may not be practical or sustainable elsewhere, especially in the face of ongoing land use change or limited funding.

Another noticeable gap is the limited attention to what happens downstream of reservoirs. Flushing out sediments may solve one problem but create another, such as damaging aquatic ecosystems or affecting water quality for communities further downstream.

Also, while we know that managing sediment can be expensive, there's not enough research comparing the actual costs and benefits of different techniques. This leaves policymakers and engineers guessing which solutions offer the best long-term value.


Lastly, much of the detailed modeling and monitoring work has been done in well-studied regions. In many developing countries, a lack of reliable data makes it hard to even start planning effective sediment management. Bridging this data gap is essential for creating solutions that work globally, not just locally.

VI. KEY TAKEAWAYS

1) Sediment buildup in reservoirs is a serious issue it eats away at storage capacity and affects water supply, flood control, and power generation.
2) When too much sediment settles, it can change the water chemistry and temperature layers in a reservoir, sometimes creating low-oxygen zones that harm aquatic life.
3) Models like SWAT and particle-tracking tools help understand how sediment moves from hillsides to the reservoir floor.
4) Solutions like dredging and flushing can work well but are expensive and not always practical for every location.
5) Nature-based approaches like planting trees, building small check dams, and restoring watersheds are more sustainable but need time and commitment.
6) Reservoir operations themselves can influence how sediment moves and settles; even changing when and how water is released can make a difference.
7) There is no one-size-fits-all fix. Every reservoir needs a plan that fits its climate, landscape, and community needs.
8) Combining good data, smart modeling, and local knowledge leads to better decisions about managing sediment in the long run.

REFERENCES

[1] J. Krasa, T. Dostal, B. Jachymova, M. Bauer, and J. Devaty, "Soil erosion as a source of sediment and phosphorus in rivers and reservoirs – Watershed analyses using WaTEM/SEDEM," Environmental Research, vol. 171, pp. 470–483, 2019.
[2] B.C. Webster, M.N. Waters, and S.W. Golladay, "Alterations to sediment nutrient deposition and transport along a six reservoirs sequence," Science of the Total Environment, vol. 785, 2021.
[3] P. Iradukunda and E. Bwambale, "Reservoir sedimentation and its effect on storage capacity – A case study of Murera reservoir, Kenya," Cogent Engineering, vol. 8, no. 1, 2021.
[4] C. Tundu, M.J. Tumbare, and J.M.K. Onema, "Sedimentation and Its Impacts on River System and Reservoir Water Quality: Case Study of Mazowe Catchment, Zimbabwe," Proc. IAHS, vol. 377, pp. 57–66, 2018.
[5] L.G. Rodriguez, A. McCallum, D. Kent, C. Rathnayaka, and H. Fairweather, "A review of sedimentation rates in freshwater reservoirs: recent changes and causative factors," Aquatic Sciences, vol. 85, no. 60, 2023.
[6] K.G. Renard, G.R. Foster, G.A. Weesies, and J.P. Porter, "RUSLE: Revised Universal Soil Loss Equation," Journal of Soil and Water Conservation, vol. 46, no. 1, pp. 30–33, 1991. [7] D. De Vente, J. Poesen, G. Verstraeten, G. Govers, and M. Vanmaercke, "Predicting soil erosion and sediment yield at regional scales: Where do we stand?" Earth-Science Reviews, vol. 127, pp. 16–29, 2013.
[7] A. Van Rompaey, G. Govers, K. Van Oost, J. Verstraeten, and M. Vanmaercke, "Modeling sediment yields at regional scales," Catena, vol. 68, pp. 133–146, 2007.
[8] L. Maavara, P. Van Cappellen, and A. Beusen, "Global perturbation of organic carbon cycling by river damming," Nature Communications, vol. 8, 2017.
[9] G. Gao, C. Fu, Y. Zhan, and T. Lu, "Sediment and water quality changes in the Three Gorges Reservoir: A review," Water, vol. 8, no. 11, 2016.



10.22214/IJRASET

45.98

IMPACT FACTOR: 7.129

IMPACT FACTOR: 7.429

INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 (24*7 Support on Whatsapp)