iJRASET
International Journal For Research in Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 13 **Issue:** XII **Month of publication:** December 2025

DOI: https://doi.org/10.22214/ijraset.2025.76552

www.ijraset.com

Call: 08813907089 | E-mail ID: ijraset@gmail.com

International Journal for Research in Applied Science & Engineering Technology (IJRASET)
ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 13 Issue XII Dec 2025- Available at www.ijraset.com

A Comprehensive Review on Robotic Arm Design, Control, and Applications Across Multiple Domain

Simpy Kumary[1], Vikas Kumar Shukla[2]
Department of Mechanical Engineering, OIST, Bhopal

Abstract: ***Robotic arms have evolved rapidly over the past decade, integrating advanced control algorithms, lightweight materials, and artificial intelligence to perform diverse tasks across industries. This review paper provides a comprehensive overview of robotic arm development, including design structures, kinematic modeling, control methodologies, and multi-domain applications. By synthesizing findings from recent studies, this paper highlights innovations such as compliant joints, twin actuation systems, hybrid control mechanisms, and modular collaborative designs. Applications in industrial automation, medical surgery, space exploration, and precision agriculture are critically analyzed. Finally, challenges and research directions are discussed to promote further development in efficiency, adaptability, and intelligence of robotic arms.***
Keywords: Robotic, Robot arm, Ansys, Robot arm design, Arm design for multiple material.

I. INTRODUCTION

Robotic arms represent one of the most significant innovations in automation, designed to mimic human limb functions for various complex operations. Over the years, their design has expanded beyond industrial manipulation to applications in medical, agricultural, and extraterrestrial environments. The fundamental aim of robotic arm research is to achieve higher dexterity, stiffness, and control accuracy while maintaining lightweight and energy-efficient structures. Researchers have proposed numerous design architectures, such as snake-arm robots for confined spaces [1], dual-arm collaborative robots [2], and compliant manipulators for safe human-robot interaction [3]. This paper reviews multiple studies covering mechanical design, control systems, and application diversity of robotic arms.

II. DESIGN AND KINEMATIC MODELING OF ROBOTIC ARMS

Robotic arm design typically balances between flexibility, stiffness, and load-carrying capacity. Snake-arm robots, for instance, use compliant joints and twin actuation systems to achieve high bending capability while maintaining cable tension across various configurations [1]. A kinematic model simplifies motion analysis and ensures accurate control. Finite Element Analysis (FEA) is often applied to verify stiffness and dynamic stability. In space and underwater environments, robotic designs incorporate multiple degrees of freedom (DoF) and lightweight composite materials to enhance stability and mobility [4].

Table 1
Summary Of Robotic Arm Designs And Applications

Type of Robotic Arm	Key Features	Application Domain	Reference
Snake-Arm Robot	Compliant joints, twin actuation, FEA validation	Medical & Industrial	[1]
Dual-Arm Collaborative Robot	Synchronous control, vision-based planning	Industrial Automation	[2]
Ship Hull Cleaning Robot (ARMROV)	Dynamic stability via Newton-Euler modeling	Marine Maintenance	[3]
Assistive Robotic Arm	Human-robot cooperation, intuitive control	Power Line Maintenance	[4]
Kiwifruit Pollination Arm	Lightweight 5R mechanism, MATLAB-SolidWorks design	Agriculture	[5]
Space Debris Capture Arm	Shock-absorbing system, multi-damper gripper	Space Operations	[6]
Hybrid EEG–EMG Control Arm	Brain-computer interface, multi-command control	Rehabilitation	[7]

©IJRASET: All Rights are Reserved

III. CONTROL STRATEGIES AND OPTIMIZATION

Control systems in robotic arms have evolved to ensure precision, adaptability, and stability under uncertain conditions. Sliding Mode Controllers (SMC) are widely used for robust control; however, chattering issues arise due to high switching frequency. Advanced hierarchical controllers integrating differential flatness and PWM-based smoothing have successfully mitigated these effects [8]. In space robotics, Particle Swarm Optimization (PSO) algorithms and compliant control models enhance coordinated trajectory planning [9]. In agricultural and assistive robotics, embedded systems combined with feedback sensors optimize smooth joint actuation and synchronization.

IV. APPLICATIONS OF ROBOTIC ARMS

Robotic arms have demonstrated versatility across numerous fields. Their applications can be categorized into four primary domains as follows:

A. Industrial and Assistive Robotics

In industrial sectors, robotic arms perform assembly, polishing, and maintenance tasks with improved stiffness and stability. Dual-arm robots have replaced serial configurations to enhance positional accuracy. Assistive robotic arms, designed for electric power supply work, enable single operators to perform tasks that typically require two workers [10].

B. Medical and Surgical Robotics

Medical robotic systems, such as the Transoral Robotic Thyroidectomy (TORT), integrate multiple arms for precise surgical operations. The additional axillary arm enhances counter-traction and specimen handling, although it increases surgical cost and potential scarring [11]. Snake-arm robots are also increasingly used in minimally invasive surgeries for reaching confined anatomical regions.

C. Space Robotics

In space exploration, robotic arms are crucial for debris removal, satellite maintenance, and assembly operations. Dual-arm and multi-arm cooperative systems employ compliant control to minimize base disturbance and achieve synchronized manipulation [12]. Optimized shock-absorbing mechanisms and dynamic control models ensure structural integrity during capture of high-momentum debris [13].

D. Agricultural and Environmental Robotics

In precision agriculture, robotic arms are utilized for seeding, pollination, and harvesting. Lightweight designs reduce inertia and energy consumption, while vision and AI-based control enable autonomous operation. Pollination robots designed via MATLAB-SolidWorks simulations achieved 85% efficiency, reducing labor dependency [14].

V. DISCUSSION AND COMPARATIVE ANALYSIS

From the reviewed literature, several trends emerge: (1) the transition from rigid to compliant and hybrid designs, (2) integration of AI and sensor feedback for adaptive control, and (3) modular multi-arm systems for collaborative operations. The combination of mechanical optimization and intelligent control significantly improves performance in dynamic and uncertain environments. However, challenges remain in real-time response accuracy, lightweight actuator development, and energy-efficient mobility across domains.

VI. FUTURE SCOPE

Future research on robotic arms should focus on data-driven modeling, deep learning integration for motion prediction, and multi-modal sensor fusion. The adoption of digital twin technology for predictive maintenance and real-time operation is expected to revolutionize design evaluation. Lightweight materials, modular components, and adaptive stiffness mechanisms will further enhance performance in space and medical robotics.

VII. CONCLUSION


This review consolidates developments in robotic arm design, control, and applications across multiple domains. The integration of compliant mechanisms, hierarchical control, and advanced simulations has transformed robotic arms from rigid manipulators into intelligent, flexible systems. Continued interdisciplinary research will drive innovation, making robotic arms indispensable in future industrial, medical, and extraterrestrial environments.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

REFERENCES

[1] Xin Donga, Mark Rafflesa, Salvador Cobos Guzmana, Dragos Axintea, James Kell . Design and analysis of a family of snake arm robots connected by compliant joints Mechanism and Machine Theory Volume 77, July 2014, Pages 73-91
[2] Saber Hachicha,, Chiheb Zaouia, Habib Dallagi, Samir Nejim, Aref Maalej. Innovative design of an underwater cleaning robot with a two arm manipulator for hull cleaning . Ocean Engineering Volume 181, 1 June 2019, Pages 303-313
[3] K.V.R. Swathi a , ∗, G.V. Nagesh Kumar b Design of intelligent controller for reduction of chattering phenomenon in robotic arm: A rapid prototyping , Computers and Electrical Engineering 74 (2019) 4 83–4 97
[4] K. Rahul, Hifjur Raheman∗, Vikas Paradkar. Design and development of a 5R 2DOF parallel robot arm for handling paper pot seedlings in a vegetable transplanter, Computers and Electronics in Agriculture Volume 166, November 2019, 105014Hoon Yub Kim a,*, Dawon Park a, Antonio A.T. Bertelli b,1 , The pros and cons of additional axillary arm for transoral robotic thyroidectomy. https://doi.org/10.1016/j.wjorl.2020.01.010
[5] Jens Buhla et.al , Dual-arm Collaborative robot system for the smart factories of the future Procedia Manufacturing 38 (2019) 333–340
[6] Vera I. Mayorova * , Georgy A. Shcheglov, Mihail V. Stognii, Analysis of the space debris objects nozzle capture dynamic processed by a telescopic robotic arm , Acta Astronautica Volume 187, October 2021, Pages 259-270
[7] Paul Coffey, Paul Coffey , Nick Smith Adrian Davis-Johnston , Barry Lennox , Philip A. Martin , Gerben Kijne , Bob Bowen, Robotic arm material characterisation using LIBS and Raman in a nuclear hot cell decommissioning environment. Journal of Hazardous Materials Volume 412, 15 June 2021, 125193
[8] Shihao Ni , Weidong Chen , Hehua Ju , Ti Chen, Coordinated trajectory planning of a dual-arm space robot with multiple avoidance constraints , Acta Astronautica Volume 195, June 2022, Pages 379-391
[9] Kai Li a a , Yujia Huo a , Yinan Liu a , Yinggang Shi a , b , c , Zhi He a , Yongjie Cui Design of a lightweight robotic arm for kiwifruit pollination , Computers and Electronics in Agriculture 198 (2022) 107114
[10] Cheng a a , Duanling Li a , * , Gongjing Yu b , Zhonghai Zhang b , Shuyue Yu, Robotic arm control system based on brain-muscle mixed signals Liwei Biomedical Signal Processing and Control Volume 77, August 2022, 103754
[11] Jianqing Peng a , b , c , Haoxuan Wu a , Chi Zhang a , Qihan Chen a , Deshan Meng d , ∗, Xueqian Wang, Modeling, Cooperative Planning and Compliant Control of Multi-arm Space Continuous Robot for Target Manipulation, Applied Mathematical Modelling Volume 121, September 2023, Pages 690-713

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |



10.22214/IJRASET

45.98

IMPACT FACTOR: 7.129

IMPACT FACTOR: 7.429

INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 (24*7 Support on Whatsapp)