iJRASET
International Journal For Research in Applied Science and Engineering Technology

INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 14 **Issue:** II **Month of publication:** February 2026

DOI: https://doi.org/10.22214/ijraset.2026.77308

www.ijraset.com

Call: 08813907089 | E-mail ID: ijraset@gmail.com

International Journal for Research in Applied Science & Engineering Technology (IJRASET)
ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 14 Issue II Feb 2026- Available at www.ijraset.com

A Hybrid AI Model for Early Detection of Diseases from Medical Imaging Data

P T Prithivirajan[1], A Stephalin Aksha[2], S Subaash[3]
[1]*Assistant Professor, Jai Shriram Engineering College*
[2, 3]*Computer science and engineering, Jai Shriram Engineering College*

Abstract: ***The proposed project aims to develop a Smart AI System for the early detection of diseases using medical imaging data such as X-rays, CT scans, and MRIs. Leveraging the power of deep learning and convolutional neural networks (CNNs), the system is trained to identify patterns and anomalies indicative of diseases like cancer, pneumonia, and neurological disorders. The model is integrated into a user-friendly interface that enables real-time image analysis, improving diagnostic accuracy and reducing the workload on medical professionals. The system also provides automated reporting and alerts for high-risk cases, supporting timely and effective medical intervention. This intelligent diagnostic assistant is designed to enhance healthcare delivery, especially in remote and underserved areas. This intelligent diagnostic tool aims to reduce diagnostic errors, shorten evaluation time, and assist radiologists and physicians by serving as a second opinion. Moreover, the system can be deployed in telemedicine applications, making it especially beneficial in rural or under-resourced healthcare settings where access to medical experts is limited. Overall, the proposed solution offers a cost-effective, scalable, and reliable approach to improving diagnostic workflows in modern healthcare systems.***

Keywords: Artificial Intelligence, Medical Imaging, Disease Detection, Deep Learning, CNN, Early Diagnosis, Healthcare AI, Image Classification, Automated Reporting, Telemedicine.

I. INTRODUCTION

In recent years, the integration of Artificial Intelligence (AI) in healthcare has opened new frontiers for disease diagnosis, particularly through the analysis of medical imaging. Medical images such as X-rays, computed tomography (CT) scans, and magnetic resonance imaging (MRI) play a vital role in detecting and monitoring a wide range of diseases.

However, the manual interpretation of these images is time-consuming, subject to human error, and often limited by the availability of experienced radiologists— especially in remote or under-resourced regions. To address these challenges, this project proposes a Smart AI System designed to assist in the early detection of diseases using advanced image analysis techniques. By leveraging deep learning, specifically Convolutional Neural Networks (CNNs), the system is capable of identifying subtle abnormalities within medical images with high accuracy and speed. This intelligent diagnostic tool not only enhances the reliability and efficiency of the diagnostic process but also supports clinical decision- making by providing automated reports and visual markers. The system is envisioned to be a scalable and cost-effective solution that can significantly improve healthcare accessibility and patient outcomes.

II. LITERATURE SURVEY

1) Deep Learning in Medical Imaging: A study by Litjens et al. (2017) provides a comprehensive overview of deep learning applications in medical image analysis. The research highlights the use of Convolutional Neural Networks (CNNs) in tasks like tumor detection, organ segmentation, and disease classification, demonstrating significant improvements in performance over traditional machine learning methods

2) AI for Lung Disease Detection: Rajpurkar et al. (2017) developed CheXNet, a 121-layer CNN trained on chest X-rays to detect pneumonia. The system achieved performance comparable to that of expert radiologists, proving that deep learning can be effectively applied to real-world clinical settings

3) Brain Tumor Classification: In another study, Deepak and Ameer (2019) used transfer learning techniques with CNNs to classify brain tumors from MRI scans.Their model achieved about 94% of the accuracy in the proposed system.

4) AI in Breast Cancer Detection: Google Health's 2020 research demonstrated how an AI system could outperform radiologists in detecting breast cancer in mammograms. The study involved training on a large dataset and incorporating ensemble methods for robust prediction.

©IJRASET: All Rights are Reserved

5) Comparative Analysis of Models: Researchers have also performed comparative studies of different deep learning architectures like VGG, ResNet, and Inception on medical imaging datasets. These studies found that deeper networks such as ResNet50 and DenseNet121 often deliver higher accuracy in detecting and classifying diseases
6) Challenges and Opportunities: Although AI in medical imaging shows great promise, several studies (e.g., Topol, 2019) also point out challenges such as data privacy, model interpretability, and the need for clinically validated datasets. These issues need to be addressed for successful deployment in healthcare environments.

III. PROBLEM STATEMENT

Early and accurate diagnosis of diseases is critical for effective treatment and improved patient outcomes. However, the manual interpretation of medical imaging —such as X-rays, CT scans, and MRIs—is time- consuming, requires specialized expertise, and is prone to human error. In many regions, especially rural and underdeveloped areas, there is a shortage of trained radiologists, which leads to delayed or missed diagnoses. Moreover, the increasing volume of medical imaging data overwhelms healthcare systems, further contributing to diagnostic bottlenecks.

IV. DESIGN METHODOLOGY

The development of the Smart AI System for the early detection of diseases using medical imaging involves a structured process, from data collection and preprocessing to model deployment. The methodology is broken down into the following key steps from cleaning the data to post deployment features of the data.

A. *Data Collection*

1) Image Acquisition: The first step involves collecting a diverse dataset of medical images (X-rays, CT scans, MRIs) that cover a range of diseases like lung cancer, pneumonia, brain tumors, and breast cancer.
2) Dataset Sources: Publicly available datasets such as the ChestX-ray14, NIH Chest X-ray Dataset, or Brain MRI Images are utilized. If possible, collaboration with healthcare institutions will be sought for acquiring real- world data.
3) Data Annotation: Each image must be labeled by expert radiologists to indicate the presence or absence of disease, and to highlight regions of interest (ROI), which will be used as ground truth for training the AI model.

B. *Data Preprocessing*

1) Image Normalization: Standardization of image sizes, resolution, and intensity values to ensure uniform input to the neural network.
2) Data Augmentation: To increase the dataset's diversity and reduce overfitting, augmentation techniques like rotation, flipping, zooming, and contrast adjustment will be applied to the medical images.
3) Image Segmentation: In some cases, segmentation algorithms (e.g., U-Net) may be applied to isolate regions of interest in the images for more accurate detection and classification.

C. *Model Selection and Development*

1) Model Architecture: A Convolutional Neural Network (CNN) will be chosen as the core deep learning architecture due to its strong performance in image classification tasks. The architecture could be a custom CNN or a pre-trained network like ResNet, VGG16, or InceptionNet, which will be fine-tuned for the medical imaging task.
2) Transfer Learning: Pre-trained models will be employed to leverage prior knowledge learned from large-scale image datasets, thus reducing training time and improving accuracy when applied to medical imaging tasks for easy classification and recognition of the images.
3) Model Customization: Depending on the dataset and disease type, the final model may include specialized layers (e.g., attention mechanisms) or use ensemble methods for better prediction accuracy.

D. *Model Training*

1) Training the Model: The network will be trained on the preprocessed and annotated dataset. A training- validation split will be maintained to monitor the model's performance on unseen data.
2) Hyperparameter Tuning: Various hyperparameters (learning rate, batch size, optimizer choice) will be tuned using techniques like grid search or random search to maximize model performance.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

3) Evaluation Metrics: Metrics such as accuracy, precision, recall, F1-score, and Area Under the Receiver Operating Characteristic Curve (AUC-ROC) will be used to evaluate model performance.

E. Model Evaluation and Validation

1) Cross-Validation: K-fold cross-validation will be performed to ensure the model generalizes well across different subsets of data.
2) Confusion Matrix: A confusion matrix will be analyzed to check the number of false positives, false negatives, true positives, and true negatives for performance metrics.
3) External Validation: The model will be validated using external datasets, ensuring it can accurately predict diseases across various types of medical imaging and different demographics.

F. Deployment and User Interface Design

1) Model Integration: Once the model achieves satisfactory performance, it will be integrated into a web-based application or a desktop software for real-time use by healthcare professionals.
2) User Interface: A simple, intuitive user interface will be developed, allowing medical professionals to upload images and receive diagnostic results. The system will also provide visualized regions of interest (ROIs) for easier interpretation of results.
3) Automated Reporting: The system will automatically generate diagnostic reports based on the image analysis, highlighting any detected anomalies along with a confidence.

G. Post Deployment Monitoring & Feedback Loop

1) Continous Learning: Once the model achieves satisfactory performance, it will be integrated into a web-based application or a desktop software for real- time use by healthcare professionals.
2) Monitoring: A simple, intuitive user interface will be developed, allowing medical professionals to upload images and receive diagnostic results. The system will also provide visualized regions of interest (ROIs) for easier interpretation of results.
3) Automated Learning: The system will automatically generate diagnostic reports based on the image analysis, highlighting any detected anomalies along with a confidence.

V. TOOLS AND TECHNOLOGIES USED

1) Programming Languages: Python, TensorFlow, Keras, PyTorch
2) Libraries: OpenCV, NumPy, SciPy, Matplotlib
3) Cloud Services: AWS, Google Cloud for large-scale data processing and deployment
4) Healthcare Platforms: Integration with DICOM (Digital Imaging and Communications in Medicine) standards for handling medical imaging data.
5) Datasets & Storage: Public datasets, Mongo DB/Postgre SQL,Firewall/AWS S3
6) Deployment & Interfaces: Django/Flask,Streamlit/Gradio,Android (Kotlin/Java)
7) Hardware & Computing: GPUs (NVIDIA CUDA),Google Colab ,Kaggle Notebooks,Rasperry Pi,NVIDIA Jetson Nano

This methodology ensures a systematic approach to developing an AI-powered system that can be seamlessly integrated into clinical workflows to aid in the early detection of diseases through medical imaging-

The block diagram of the proposed system is shown in the figure 1 and figure 2



Figure 1. Block Diagram 1



Figure 2.Block Diagram 2

VI. EXISTING SYSTEM VS. PROPOSED SYSTEM

Below is a comparison between current (manual or semi-automated) diagnostic workflows and the envisioned Smart AI System for early disease detection

1) Automation & Speed: Traditional workflows rely on manual image reading, leading to delays. The AI system processes images in real time, dramatically reducing turnaround.
2) Consistency & Accuracy: Human interpretation can vary by experience and workload. Our CNN-based model provides consistent predictions, backed by performance metrics (precision, recall, AUC-ROC).
3) Accessibility & Scalability: Where radiologists are scarce, diagnoses are delayed or unavailable. A cloud-ready AI platform can be accessed globally via a simple user interface, enabling telemedicine in limited enabled stations.
4) Reporting & Decision Support: Manual report generation is time-intensive and non-standardized. The proposed system auto-generates detailed, standardized reports—including visual ROI markers and confidence scores—supporting faster, more informed clinical decisions.
5) Continuous Improvement: Existing systems lack structured feedback loops for model enhancement. The proposed design incorporates clinician feedback to retrain and refine the AI over time, ensuring adaptability to new disease presentations and imaging modalities

A. *Proposed Smart AI System*

1) Automated Disease Detection Using Deep Learning

- Uses CNN-based models to analyze X-rays, CT, and MRI scans.
- Offers real-time predictions with high accuracy (≥ 93%).
- Capable of highlighting regions of interest (ROI) to aid diagnosis.

2) Scalable and Accessible

- Can be deployed via web/mobile interface for remote or rural use.
- Reduces dependency on on-site specialists.

3) Cost and Time Efficiency

- Significantly lowers diagnosis time and long-term operational costs.
- Ideal for high-volume screening and early-stage disease detection.

This comparative analysis highlights how the Smart AI System transforms conventional diagnostic pathways into a faster, more reliable, and widely accessible solution for early disease detection.

VII. RESULTS AND DISCUSSION

1) *Model Performance Metrics*

After training and validating our CNN-based system on a combined dataset of chest X-rays, CT scans, and MRIs, we obtained the following average performance across four target diseases:

- Interpretation: All classes achieved high AUC-ROC (>0.95), indicating excellent discrimination. The slight variance in recall and precision reflects class imbalance and inherent image complexity.

2) Confusion Matrix & Error Analysis

A combined confusion matrix (across all classes) revealed:

- False Negatives (FN): 4.5% of disease cases were missed. These often corresponded to subtle or early-stage lesions.
- False Positives (FP):3.8% of healthy images were incorrectly flagged. Many FPs arose from imaging artifacts or overlap with benign anatomical structures

3) Visual Output (ROI)

The model not only classifies images but also highlights the Region of Interest (ROI) using techniques like Grad-CAM, helping radiologists focus on abnormal areas.

- ROI visualization was reported helpful in 84% of the evaluated cases.
- These visual outputs increase interpretability and trust in AI-assisted results.

4) Comparative Analysis

- Against Manual Review: Radiologist benchmarks averaged ~88–90% accuracy across the same datasets, demonstrating that our AI system offers a 3–5% absolute improvement in diagnostic performance.
- Against Published AI Models: Our system's results are on par with state-of-the-art architectures (e.g., CheXNet for pneumonia at 93.7% accuracy) while covering multiple disease types in a single unified framework.

5) Clinical Implications

- Speed: Average inference time per image is ~0.8 seconds on a mid-level GPU, enabling real-time analysis in a clinical workflow.
- Decision Support: Confidence scores (mean 0.92) help triage cases for radiologist review—high-confidence positives can be fast-tracked, while lower-confidence cases prompt manual review.
- Accessibility: A web-based interface was tested with remote clinicians, who reported that automated ROI highlighting substantially reduced interpretation time by ~30%.

6) Inference Speed

- Average prediction time per image: <1 second (on GPU).
- Suitable for real-time screening in clinical settings

7) Limitations

- Data Diversity: While public datasets cover major disease types, rarer conditions (e.g., certain neurological disorders) are underrepresented, limiting generalizability.
- Image Modalities: The current model handles 2D slices; 3D volumetric data (full CT/MRI stacks) could further improve detection accuracy for certain tumors.
- Regulatory Validation: Clinical deployment requires rigorous prospective trials and regulatory approval (e.g., FDA, CE marking).

8) Future Work

- Multi-Modal Fusion: Incorporate patient metadata (age, symptoms, lab results) alongside imaging for better contextualized predictions.
- 3D CNNs & Attention Mechanisms: Employ volumetric networks with attention layers to capture fine-grained features in 3D scans.
- Continuous Learning Pipeline: Deploy an active-learning framework where the system flags uncertain cases and uses radiologist corrections to continuously retrain the model.

A. Summary

The proposed Smart AI System demonstrates robust, real-time performance in early disease detection across multiple imaging modalities, outperforming manual review and matching state-of-the-art single-disease AI models.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

While challenges remain around data diversity and regulatory validation, the results underscore the system's potential to enhance diagnostic workflows, reduce turnaround times, and expand access to quality radiology in underserved regions

B. Challenges Faced

1) Data Collection and Quality

Limited Access to High-Quality Annotated Datasets: Medical imaging datasets with expert-labeled ground truths are scarce or expensive

2) Model Generalization

Overfitting to Training Data: The model might perform well on known data but poorly on unseen clinical images.

3) Interpretability

Black-Box Nature of Deep Learning Models: Clinicians require transparency in how predictions are made, but CNNs typically offer limited interperobility.

VIII. CONCLUSION

The development of the Smart AI System for Early Detection of Diseases Using Medical Imaging demonstrates a transformative approach to modern diagnostic workflows. By harnessing deep learning— particularly convolutional neural networks—and integrating them into an end-to-end platform, the system achieves rapid, automated analysis of X-rays, CT scans, and MRIs with performance metrics (AUC-ROC > 0.95, overall accuracy ~93.8%) that rival or exceed those of expert radiologists. Its real-time inference capability and automated ROI highlighting substantially reduce interpretation time and support clinicians with standardized, confidence-scored reports.

Beyond improving diagnostic accuracy and speed, the platform's scalable, cloud-based architecture and telemedicine interface extend access to quality radiology services in underserved regions. While challenges remain —such as expanding data diversity, incorporating 3D volumetric analysis, and securing regulatory approvals— the proposed system lays a solid foundation for continuous learning and future enhancements.

Ultimately, this Smart AI System holds the potential to democratize early disease detection, reduce healthcare disparities, and empower medical professionals with reliable decision-support tools.

REFERENCES

[1] Wang, X., Peng, Y., Lu, L., Lu, Z., Bagheri, M., & Summers, R. M. (2017). ChestX-ray8: Hospital-scale Chest X-ray Database and Benchmarks on Weakly-Supervised Classification and Localization of Common Thorax Diseases. Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition (CVPR). https://arxiv.org/abs/1705.02315

[2] Rajpurkar, P., Irvin, J., Zhu, K., Yang, B., Mehta, H., Duan, T., ... & Ng, A. Y. (2017). CheXNet: Radiologist-Level Pneumonia Detection on Chest X-Rays with Deep Learning. Stanford ML Group. https://arxiv.org/abs/1711.05225

[3] Litjens, G., Kooi, T., Bejnordi, B. E., Setio, A. A., Ciompi, F., Ghafoorian, M., ... & van der Laak, J. A. (2017). A Survey on Deep Learning in Medical Image Analysis. Medical Image Analysis, 42, 60–88. https://doi.org/10.1016/j.media.2017.07.005

[4] Esteva, A., Kuprel, B., Novoa, R. A., Ko, J., Swetter, S. M., Blau, H. M., & Thrun, S. (2017). Dermatologist-level classification of skin cancer with deep neural networks. Nature, 542(7639), 115–118.

[5] Zhou, B., Khosla, A., Lapedriza, A., Oliva, A., & Torralba, A. (2016). Learning Deep Features for Discriminative Localization. IEEE CVPR, pp. 2921–2929. https://doi.org/10.1109/CVPR.2016.319

[6] Tang, Y. X., Tang, Y. B., Peng, Y., Yan, K., Bagheri, M., Reddick, T. J., & Summers, R. M. (2019). Automated Abnormality Classification of Chest Radiographs Using Deep Convolutional Neural Networks. npj Digital Medicine, 3, 70. https://doi.org/10.1038/s41746-020-0273-z

[7] Shin, H. C., Roth, H. R., Gao, M., Lu, L., Xu, Z., Nogues, I., ... & Summers, R. M. (2016). Deep Convolutional Neural Networks for Computer- Aided Detection: CNN Architectures, Dataset Characteristics and Transfer Learning. IEEE Transactions on Medical Imaging, 35(5), 1285– 1298. https://doi.org/10.1109/TMI.2016.2528162

[8] Kaggle. (2020). Chest X-Ray Images (Pneumonia) [Dataset]. https://www.kaggle.com/datasets/paultimothymooney/c hest-xray-pneumonia

[9] Kermany, D. S., Zhang, K., & Goldbaum, M. (2018). Labeled Optical Coherence Tomography (OCT) and Chest X-Ray Images for Classification. Mendeley Data, V2. https://data.mendeley.com /datasets/rscbjbr9sj/2

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |



10.22214/IJRASET

45.98

IMPACT FACTOR: 7.129

IMPACT FACTOR: 7.429

INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 (24*7 Support on Whatsapp)