



IJRASET

International Journal For Research in
Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 14 **Issue:** IV **Month of publication:** April 2026

DOI: <https://doi.org/10.22214/ijraset.2026.79389>

www.ijraset.com

Call:  08813907089

E-mail ID: ijraset@gmail.com

A Personalized Motivational Chatbot Using NLP and LSTM for Mental Health Support

P.Bharath Kumar Reddy¹, V. Hari Charan², M.Sai Dinesh Reddy³, T.Narasimha Sravyesh Guptha⁴

^{1, 2, 3, 4}UG Scholar, Department of CSE, CMR UNIVERSITY, Bangalore, Karnataka-562149, India

Abstract: *Academic competitiveness, societal expectations, and lifestyle changes have contributed to rising mental health issues among young people. Due to financial constraints, social stigma, and a shortage of qualified professionals, delays in seeking psychiatric assistance are frequent. In this work, intent-driven conversation modeling is used to build and assess a tailored motivating chatbot. The system interprets user input using Natural Language Processing (NLP) techniques and classifies emotional intent using a Long Short-Term Memory (LSTM) neural architecture. The chatbot selects contextually relevant motivating answers from a structured knowledge base based on the projected category. Implemented in Python with TensorFlow and a Streamlit-based interface, the system exhibits responsive real-time interaction and consistent intent identification.*

Keywords: *Mental Health Chatbot, Natural Language Processing, LSTM, Recurrent Neural Networks, Personalized Motivation*

I. INTRODUCTION

Students are becoming more concerned about their mental well-being. Academic pressure, social comparison, job insecurity, and technological exposure all contribute to higher levels of stress and anxiety. Such psychological stress can impair focus, productivity, relationships, and mental stability if it persists over time.

Although professional counselling services remain essential for clinical care, many individuals do not seek timely assistance. Support delivery is frequently delayed by lack of institutional resources, financial limitations, and fear of being judged. Consequently, alternative mechanisms that provide immediate, low-barrier engagement are being explored.

Artificial intelligence systems that can converse have become promising resources for initial emotional assistance. These systems comprehend user communications in ways that go beyond simple keyword matching thanks to modern language processing techniques. Sequence-based neural models—especially those that maintain contextual dependencies over time steps—enable better comprehension of user intent inside dialogue.

A motivational chatbot that recognizes emotional categories from textual input and provides supportive, intent-aligned answers is presented in this study. The method is intended to give people with modest emotional difficulties easily accessible, real-time reinforcement rather than to replace therapy. The suggested method seeks to provide scalable digital support in educational and youth-focused settings by fusing systematic intent categorization with a simplified conversational interface.

II. RELATED WORK

Digital conversational bots are being investigated more and more as helpful mental health resources. Rule-based conversation architectures dominated earlier systems, in which prewritten scripts dictated system replies. These systems were straightforward to construct but lacked flexibility for understanding nuanced human emotion.

Woebot, created to give structured Cognitive Behavioral Therapy (CBT) interventions through brief chat exchanges, is one noteworthy example. Clinical assessments suggest that organized chatbot-led CBT sessions may help reduce anxiety and sadness in some user groups [1]. Wysa incorporates evidence-based therapeutic concepts including CBT, mindfulness, and dialectical behavior therapy techniques, though its conversational flexibility remains limited by preprogrammed therapy processes rather than dynamic contextual reasoning [2].

Replika prioritizes emotional companionship over organized treatment, utilizing deep learning models to replicate sympathetic connection [3]. Technically speaking, LSTM networks have proven highly capable of processing temporally dependent text input, with significant usage in dialogue systems, intent detection, and sentiment modelling [4].

Despite advances in AI-assisted mental health, scalable customization, quick intent adaptation, and accessibility for student groups remain obstacles. In order to fill these deficiencies, the current study uses an intent-driven LSTM classification framework in conjunction with a condensed NLP preparation method to provide immediate motivating responses.

III. PROPOSED SYSTEM

The suggested system seeks to offer users individualized emotional and motivational assistance through an intelligent chatbot driven by NLP and LSTM-based RNN. Real-time user input analysis, emotional intent detection, and context-aware motivational response generation are core features.

A. System Overview

Four main components make up the overall architecture: (1) data collection and pre-processing, (2) intent classification using an LSTM model, (3) response generation, and (4) a user interface. When a user inputs a message, NLP techniques pre-process the input before sending it to a trained LSTM model for intent prediction. An appropriate motivating answer is then extracted from a predetermined dataset.

B. NLP Module

The NLP module prepares unprocessed user input for model inference through tokenization, special character removal, text normalization, and lowercase conversion. A tokenizer trained on the dataset vocabulary transforms processed text into numeric sequences, standardizing user input for accurate LSTM intent classification.

C. LSTM Intent Classification

An LSTM-based RNN model classifies user input into predetermined intent categories. The model architecture consists of an embedding layer representing words as dense vectors, followed by multiple LSTM layers capturing contextual relationships within input sequences. Dropout and layer normalization improve training stability. A final softmax dense layer predicts probability distribution across intent classes.

D. Response Generation

Following intent prediction, the system searches the answer dataset for a response matching the indicated intent. A random selection from multiple templates associated with the anticipated intent prevents repetitive responses while maintaining semantic relevance. The response generation mechanism prioritizes encouraging, empathetic, and supportive language.

E. System Architecture

Figure 1 illustrates the complete architecture, showing five main layers: user interaction, pre-processing, intent classification, response generation, and presentation.




Figure 1 Architecture of the Proposed Personalized Motivational Chatbot System

F. User Interface

The Streamlit framework provides a lightweight web-based interaction environment supporting text message entry, emoji mood selection, chat history viewing, and conversation resets. Quick-access prompts for frequently requested mental health topics enhance usability and accessibility. Figure 2 shows the Streamlit-based chatbot interface.



Figure 2 User Interface of the Chatbot Developed Using Streamlit

IV. METHODOLOGY

A. Dataset Collection and Preparation

A structured intent-based dataset intended for motivational and mental health discussions forms the foundation of the system. Predefined intents, patterns, and replies make up the dataset, with each intent corresponding to an emotional or conversational category such as greetings, stress, melancholy, depression, and motivational support. Motivating content was sourced from psychology-based literature, while conversational data came from publicly accessible mental health discourse databases.

B. NLP-Based Text Pre-processing

Text data was pre-processed using NLP techniques before training to guarantee consistency and enhance model performance. Pre-processing steps include: (1) text conversion to lowercase, (2) elimination of non-alphabetic letters and punctuation, (3) tokenization to separate words from sentences, and (4) removal of superfluous whitespace. These procedures reduce noise in the sample, helping the model concentrate on significant language patterns.

C. Feature Extraction and Model Training

Words are transformed into integer indices according to their frequency using a tokenizer. Each sentence is subsequently converted into an integer sequence and padded to a predetermined length. Label encoding transforms categorical intent labels into numerical form. The LSTM model is then trained using categorical cross-entropy loss and the Adam optimizer.

D. Workflow Summary

The complete processing pipeline follows: (1) user input received → (2) NLP preprocessing → (3) tokenization and padding → (4) LSTM-based intent prediction → (5) response selection → (6) real-time display to user. Figure 2 illustrates the detailed workflow of the proposed chatbot system.




Figure 3 Workflow of the Proposed Chatbot System

V. IMPLEMENTATION

A. LSTM Model Architecture

The LSTM-based intent classification module forms the core intelligence of the system. Figure 4 shows the model architecture consisting of an embedding layer, multiple stacked LSTM layers, layer normalization, and a Softmax-activated thick output layer. An intents.json file with predefined intents, patterns, and inspiring responses is used to train the model. Intent tags are transformed into numerical form via label encoding prior to training. Early stopping is applied to avoid overfitting and enhance generalization performance.




Figure 4 LSTM-Based Intent Classification Model Architecture

B. Implementation Details

Python is used throughout the system, with TensorFlow/Keras for model building and Streamlit for interface deployment. The trained model and tokenizer are serialized for efficient reuse during inference. Because the system operates in real time, users receive emotional assistance immediately. The modular component separation facilitates future enhancements including mood tracking, language assistance, and advanced therapeutic procedures.

VI. RESULTS AND DISCUSSION

A. Training Performance

To avoid overfitting, the LSTM model was trained over several epochs with early stopping. Effective learning and convergence were demonstrated by steady improvement in training accuracy and decrease in loss. Table I summarizes the training configuration parameters.

Table 1 LSTM Model Training Parameters

| Parameter | Value |
|-------------------------|---------------------------|
| Optimizer | Adam |
| Loss Function | Categorical Cross-Entropy |
| Batch Size | 8 |
| Maximum Epochs | 100 |
| Early Stopping Patience | 3 |
| Activation Function | Softmax |
| Evaluation Metric | Accuracy |

B. Model Architecture Summary

The complete model architecture and parameter count are shown in Table II below.

Table 2 LSTM Model Architecture Summary

| Layer Type | Output Shape | Parameters |
|---------------------|-----------------|--------------------|
| Embedding Layer | (None, 38, 300) | 624,000 |
| LSTM Layer 1 | (None, 38, 64) | 42,240 |
| Layer Normalization | (None, 38, 64) | 128 |
| LSTM Layer 2 | (None, 38, 64) | 33,024 |
| Layer Normalization | (None, 38, 64) | 128 |
| LSTM Layer 3 | (None, 64) | 33,024 |
| Dense Layer | (None, 256) | 16,640 |
| Output Layer | (None, N) | Depends on intents |

C. Response Generation Evaluation

The chatbot produces answers by anticipating user input and matching it to pre-written motivating messages. Table III provides sample intent predictions and chatbot responses demonstrating emotionally appropriate, encouraging outputs.

Table 3 Sample User Inputs and Chatbot Responses

| User Input | Predicted Intent | Chatbot Response |
|---------------------------------------|------------------|--|
| "I feel very sad today" | Sadness | "I'm sorry you're feeling this way. You're not alone." |
| "How can I improve my mental health?" | Help | "Small daily habits like exercise and mindfulness can help." |
| "I feel anxious about exams" | Anxiety | "Take deep breaths and break your tasks into small steps." |

D. User Interface Analysis

The Streamlit-based interface ensures accessibility and ease of use. Features such as chat refresh, emoji-based mood selection, and rapid access to frequently asked questions increase user engagement.

E. Discussion

Experimental findings validate the efficacy of LSTM-based neural networks for intent classification in conversational mental health applications. The chatbot comprehends user context and provides relevant motivating replies by combining NLP preprocessing with sequential modelling. Response diversity is limited by dataset size, but future advancements in emotion intensity detection and generative language models might further increase customisation.

VII. CONCLUSION AND FUTURE WORK

This study presented a customized motivational chatbot combining LSTM-based intent classification with NLP preprocessing to provide real-time emotional support. The technology demonstrates feasibility of lightweight neural conversational bots for mental health assistance. The chatbot provides quick, accessible support for people experiencing brief stress or emotional difficulties, serving as a complement to—not a replacement for—therapeutic intervention.

Future enhancements may include: (1) mood trend monitoring over time, (2) multilingual assistance, (3) integration of transformer-based language models, (4) sentiment intensity scoring, and (5) real-time crisis detection mechanisms. These improvements would transform the system into a more comprehensive digital mental health aid with enhanced customization, safety, and conversational quality.

REFERENCES

[1] K. K. Fitzpatrick, A. Darcy, and M. Vierhile, "Using a Fully Automated Conversational Agent (Woebot) to Deliver Cognitive Behavior Therapy to Young Adults with Symptoms of Depression and Anxiety," JMIR Mental Health, vol. 4, no. 2, pp. 1–10, June 2017.



- [2] B. Inkster, V. Sarda, and V. Subramanian, "An Empathy-Driven, Conversational Artificial Intelligence Agent (Wysa) for Digital Mental Well-Being: Real-World Data Evaluation," *JMIR mHealth and uHealth*, vol. 6, no. 11, pp. 1–10, Nov. 2018.
- [3] E. J. van Dis et al., "Chatbots for the Prevention and Treatment of Mental Health Disorders: Systematic Review," *J. Med. Internet Res.*, vol. 22, no. 4, pp. 1–15, Apr. 2020.
- [4] "Long Short-Term Memory," S. Hochreiter and J. Schmidhuber, *Neural Computation*, vol. 9, no. 8, pp. 1735–1780, Nov. 1997.
- [5] T. Mikolov, K. Chen, G. Corrado, and J. Dean, "Efficient Estimation of Word Representations in Vector Space," in *Proc. Int. Conf. Learning Representations (ICLR)*, Scottsdale, AZ, 2013, pp. 1–12.
- [6] I. Goodfellow, Y. Bengio, and A. Courville, *Deep Learning*. Cambridge, MA: MIT Press, 2016.
- [7] D. Jurafsky and J. H. Martin, *Speech and Language Processing*, 3rd ed. Upper Saddle River, NJ: Pearson, 2023.
- [8] D. Ramachandran, R. Bargh, and J. Shamma, "Is It Possible for Conversational Agents to Enhance Mental Health? Examining AI-Powered Chatbots," in *IEEE International Conference Proceedingsf. Healthcare Informatics*, pp. 1–8, 2018.
- [9] K. K. Fitzpatrick, D. Fireman, and G. B. Reddy, "Artificial Intelligence and Mental Health: Opportunities and Challenges," *World Psychiatry*, vol. 18, no. 2, pp. 131–139, June 2019.
- [10] M. Abd-Alrazaq et al., "Effectiveness and Safety of Using Chatbots to Improve Mental Health: Systematic Review and Meta-Analysis," *J. Med. Internet Res.*, vol. 22, no. 7, pp. 1–17, July 2020.



10.22214/IJRASET



45.98



IMPACT FACTOR:
7.129



IMPACT FACTOR:
7.429



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24*7 Support on Whatsapp)