



IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 12 Issue: VII Month of publication: July 2024 DOI: https://doi.org/10.22214/ijraset.2024.63592

www.ijraset.com

Call: 🕥 08813907089 🔰 E-mail ID: ijraset@gmail.com

A Preliminary Survey of Airborne Fungal Spores of Vittaleshwar Temples at Sironcha (M.S.)

Sandip H. Shende

Department of Botany, Dr. C. V. Raman Science College, Sironcha, Dist. Gadchiroli, (M.S)

Abstract: Fungal spores constitute the major portion of bio pollutant. Temple is religious place where people from various places gather to get their wishes fulfil. So it was decided to study the indoor aeromycoflora of few temples of Sironcha. Rotorod sampler was used for collection of airborne fungal spores .Sampler was run daily between 10:00 a.m. to 11:00 a.m. from June to December (2022). During investigation period total 12 types of fungal spores recorded viz. Aspergillus, Alternaria, Bispora, Cercospora, Chaetomium, Cladosporium, Fusarium, Curvularia, Helminthosporium, Nigrospospora, Penicilium and Torula. Among these Cladosporium and Aspergillus, were dominant. Dark, damp and moisture condition, presence of biogenic material and droppings of many birds help the fungus grow. These fungi are allergenic to the human beings. Therefore, the area of temple should be cleaned regularly. This information will be significant to allergy patients. Keywords: fungal spore, temple, sampler allergy.

> **INTRODUCTION** I.

Temple is religious place where people gathered and prey for fulfil their wish. Sironcha is town in gadchiroli district of Maharashtra state. It is at the border of Maharashtra and telangana state. Vithaleshwar temple is the old temple about 400 years old. Many devotees from telengana and Maharashtra come to vithleshwar temple for many religious programme like kalyanam, ekadashi, pushkar mela etc.


During festive season, temples also offer lot of edible items to the devotees and very often the remaining of the food item are not disposed properly. They attract not only fungi but also other pathogens (Nayak, 2015). So it was decide to study the aeromycoflora of vitthaleshwar temple of sironcha.

II. **MATERIAL AND METHOD**

Rotorod sample was used for present investigation. The study was carried out for six months from June 2022 to December 2022. Rotorod sampler was run daily for one to two hours. Sampler was kept inside the vitthaleshwar temple. Total 180 slides were repair. Along with this daily meteorological data was also recorded. Fungal spores were identified by using standard literature and reference slides

III. **OBSERVATION**

During investigation period total 12 types of fungal spores recorded viz. Aspergillus, Alternaria, Bispora, Cercospora, Chaetomium, Cladosporium, Fusarium, Curvularia, Helminthosporium, Nigrospospora, Penicilium and Torula. Among these Cladosporium and Aspergillus, were dominant.



VITHALESHWAR TEMPLE



International Journal for Research in Applied Science & Engineering Technology (IJRASET) ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538 Volume 12 Issue VII July 2024- Available at www.ijraset.com



FUNGAL SPORES

v.



curvularia

laptosporangiate sp




Fusarium

Helminthosporium



International Journal for Research in Applied Science & Engineering Technology (IJRASET) ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538 Volume 12 Issue VII July 2024- Available at www.ijraset.com





cladosporium

insect body parts

VI. RESULT AND DISCUSSION

In the present investigation total 12 types of fungal spores were recorded. Among these *Nigrospora* was dominant fallowed by *Cladosporium* and *Aspergillus*. Along with these fungal spores, insect body parts and trichomes also recorded.

Nayak (2015) studied the aeromycoflora of few temples at Pondicherry and recorded 12 types of fungal spores, out of which *Cladosporium* was dominant followed by *Aspergillus* and *Penicilium*. Shende and Kalkar (2013) also recorded *Alternaria* and *Aspergilus as* dominant fungal spores in the air of Nagpur.

Prasad et.al. (2015) recorded thirteen fungal spores while studying outdoor aeromycoflora of Sai temple, Amapara, Raipur. Out of these *Cladospoium* spores wee dominant followed by *Aspergillus*. Chelak and Sharma(2012), observed *Cladospoium* and *Aspergillus* Spores dominant while studing aeromycoflora of Chandragirihill top, chattisgarh

Shende (2017) studied the aeromycoflora of vegetable market of sironcha and found *Aspergillus* as dominant fungal spores.Kumar and Shende (2022) recorded *Curvularia, Cladosporium, Aspergillus Alternaria,* as dominant fungal spores in the air of Gondpipri city.

Moist condition is favourable for fungal growth. In temple the condition is damp and if we did not wash temple regularly the fungal spores grow on fruit and flower which are used by devotee to worship god. These airborne fungal spores will affect the health of devotee by causing allergy.

These airborne mycoflora cause many diseases in human beings. Indoor condition of the temple is moist and damp which favours the growth of fungal spores. Dark moist condition, food material, droppings of birds and monkey help the growth of fungus. These are all only the possible factors which could have contribute the presence of fungal spores.

VII. CONCLUSION

Premises of temple should be regularly wiped out to keep it dry. Strict discipline should be imposed on the visitors and devotes regarding use of edible and their disposal, so that fungal growth can be minimise and avoid allergic disease.

REFERENCES

 Kumar, S., Sharma, S. Kumar, M., P.K. and Sharma, N. (2013) Seasonal variation of fungal propagules in the market environment of Haripur Uttar Pradesh, India. International j. microbial Resource Technol. ISSN 2278-3822.PP 1-5.



International Journal for Research in Applied Science & Engineering Technology (IJRASET)

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538

Volume 12 Issue VII July 2024- Available at www.ijraset.com

- [2] Shende, S. H., and Kalkar, S. A. (2013). A comparative study of pollen and fungal spores in the air of two different sites of Nagpur. Indian stream research journal. ISSN 2230-7852 pp.50-53.
- [3] Prasad Harishankar, Tiwari ,P. Ekka Mary K. (2015). Study of outdoor Aeromycofloraof environ mental science, Toxicology and Food Technology ISSN : 2319-2402 Volume I pp.8-13
 Sai temple. Amapara. Raipur District(C.G.), india Journal of
- [4] Bijaya kumar Nayak (2015). A preliminary study of airborne fungal spores in few temples of Pondicherry. International Journal of pharm Tech research. Vol.8 (6), pp 300-30.
- [5] E.P.chelak and k. Sharma.(2012). Aeromycological study of chandragiri hill top, chattisgarh.international multidisciplinary research journal, 2(11) pp15-16.
- [6] Sanjay kumar and Sandip shende. (2022) Airborne Fungal Diversity of Residential Area of Gondpipari Region of Chandrapur district. International Journal of Innovative Research in Science, Engineering and Technology (IJIRSET) e-ISSN: 2319-8753, p-ISSN: 2347-6710| www.ijirset.com ||Volume 11, Issue 11, November 2022.
- [7] Sandip Shende (2017). aeromycological survey of vegetable market at sironcha.international Multilingual research Journal.special issue ISSN2394-5303 . PP 63-65











45.98



IMPACT FACTOR: 7.129







INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 🕓 (24*7 Support on Whatsapp)