iJRASET
International Journal For Research in Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 14 **Issue:** V **Month of publication:** May 2026

DOI: https://doi.org/10.22214/ijraset.2026.81978

www.ijraset.com

Call: 08813907089 | E-mail ID: ijraset@gmail.com

International Journal for Research in Applied Science & Engineering Technology (IJRASET)
ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 14 Issue V May 2026- Available at www.ijraset.com

A Review on Fingerprint Based Blood Group Prediction

Aarsha K S, Arya M A, Nandana T Arjun, Sandra Sadasivan, Gishma K M
Dept Of Computer Science and Engg Universal Engineering College Thrissur, Kerala

Abstract: ***Blood group identification is a critical process in medical diagnostics, emergency transfusions, and forensic applications. Conventional methods rely on invasive blood sampling and laboratory-based biochemical analysis, which can be timeconsuming and resource dependent. This paper presents the design and implementation of a non-invasive system for predicting human blood groups using fingerprint images and deep learning techniques. The proposed approach utilizes Convolutional Neural Networks (CNNs) to automatically extract distinctive fingerprint features such as ridge patterns, minutiae points. A labeled dataset of fingerprint images corresponding to different blood groups (A, B, AB, and O) is used to train and evaluate the model. The system aims to provide a fast, cost-effective, and accessible alternative to traditional blood typing methods. Experimental results demonstrate that the proposed model achieves promising accuracy, highlighting the potential of integrating biometric analysis with artificial intelligence for healthcare applications. This work contributes toward developing efficient, contactless, and real-time diagnostic tools suitable for both medical and forensic domains.***

Index Terms—Convolutional Neural Network (CNN), Fingerprint Analysis, Blood Group Prediction, Deep Learning, Biometric System, Image Processing, Non-invasive Detection, Ridge Patterns, Minutiae Features

I. INTRODUCTION

Biometric technologies have become an important part of modern identification systems due to their reliability, uniqueness, and permanence. Among various biometric traits, fingerprints are widely used because their ridge patterns are unique to each individual and remain unchanged throughout life. These patterns, which include loops, whorls, and arches, along with finer details such as ridge endings and bifurcations (minutiae), have traditionally been used for personal identification in security and forensic applications. In recent geeshma123@gmail.com
years, researchers have explored the possibility that fingerprint patterns may also be linked to certain biological and genetic traits.

One such important biological attribute is the blood group, which plays a crucial role in medical diagnosis, blood transfusions, organ transplantation, and emergency care. Conventional blood group determination methods rely on serological testing, where blood samples are analyzed using specific antibodies to detect antigen reactions. Although these methods are highly accurate, they are invasive, require trained personnel, laboratory equipment, and may take time, especially in emergency or resource-limited situations. This creates a need for alternative approaches that are faster, non-invasive, and easily accessible.

Recent studies in dermatoglyphics suggest that fingerprint patterns may have a genetic relationship with blood groups. Since both fingerprints and blood groups are determined during early fetal development, there is a possibility of correlation between them. Several research works have reported statistical associations between fingerprint types and ABO blood groups, encouraging further exploration using advanced computational techniques.

With the rapid advancement of Artificial Intelligence (AI) and Deep Learning, particularly in image processing, it has become possible to automatically analyze complex patterns in images. Convolutional Neural Networks (CNNs) have shown excellent performance in extracting features from images and identifying hidden relationships. By applying CNNs to fingerprint images, it is possible to detect subtle patterns and classify them according to corresponding blood groups with improved accuracy.

In this paper, we propose a non-invasive system for blood group prediction using fingerprint images and deep learning techniques. The model is trained to extract important features such as ridge flow, texture, and minutiae from fingerprint images and classify them into different blood groups (A, B, AB, and O). The proposed system aims to provide a fast, cost-effective, and user-friendly alternative to traditional blood testing methods, with potential applications in healthcare, forensics, and remote diagnostics.

II. PROBLEM STATEMENT

Accurate identification of blood groups is essential in medical applications such as blood transfusions, surgeries, emergency care, and organ transplantation. Existing blood group detection methods primarily rely on serological testing, where blood samples are collected and analyzed using antigen–antibody reactions.

Although these methods provide high accuracy, they are invasive, require sterile conditions, trained personnel, and well-equipped laboratory infrastructure. This makes them time-consuming, costly, and less accessible in emergency situations, rural areas, and resource-constrained environments.

Moreover, the dependency on physical blood samples introduces risks such as infection, improper handling, and delays in critical decision-making. In scenarios like accidents or disasters, where immediate blood group identification is necessary, these limitations can lead to serious consequences. Automated and DNA-based techniques, while more advanced, further increase the cost and complexity, making them impractical for widespread and real-time usage.

At the same time, fingerprints are a universal, non-invasive biometric trait that can be easily captured using digital devices. Research in dermatoglyphics suggests a possible correlation between fingerprint patterns and genetic characteristics such as blood groups. However, effectively extracting meaningful features from fingerprint images and establishing a reliable mapping to blood group categories remains a significant challenge due to the complex and non-linear nature of the relationship.

Therefore, there is a need to develop an efficient, noninvasive, and automated system that can accurately predict blood groups using easily obtainable biometric data. This project aims to address this problem by leveraging deep learning techniques, specifically Convolutional Neural Networks (CNNs), to analyze fingerprint images and identify hidden patterns associated with different blood groups. The key challenge lies in achieving high prediction accuracy while ensuring the system is fast, cost-effective, and scalable for real-world applications.

III. LITERATURE SURVEY

Research on fingerprint-based blood group prediction has gained significant attention due to its potential as a noninvasive and cost-effective alternative to traditional methods. Various approaches, ranging from statistical analysis to advanced deep learning techniques, have been explored to identify correlations between fingerprint patterns and blood groups.

T. Nihar et al. [1] proposed a deep learning-based approach using Convolutional Neural Networks such as LeNet and AlexNet to classify fingerprint images for blood group detection. Their work emphasized the feasibility of automated and non-invasive systems, though detailed accuracy metrics were not clearly reported. Vijaykumar P. N et al. [2] introduced a method based on ridge frequency analysis and Gabor filtering, followed by Multiple Linear Regression for classification. Their model achieved an accuracy of around 62

Swathi P. et al. [3] further improved the approach by applying deep CNN models to extract features such as ridge flow and minutiae points. Their results also showed an accuracy of approximately 62

Harem Othman Smail et al. [5] analyzed a larger dataset and confirmed statistically significant correlations between fingerprint patterns and blood groups A, B, and AB, though inconsistencies were observed for group O. D. Siva Sundhara Raja et al. [6] proposed a cost-effective method using pattern mapping techniques, demonstrating that fingerprint features can be used as alternative biomarkers for blood group identification.

Bashir Abdallah et al. [7] studied fingerprint patterns among Libyan students and observed distinct variations across blood groups, supporting the hypothesis of a genetic linkage. Al Habsi et al. [8] conducted research on the Omani population and found that loops were dominant in blood group O, while whorls were more common in blood group B, reinforcing the influence of regional and genetic factors.

Yasmin Masood et al. [9] analyzed 300 subjects and reported that whorls were frequently associated with blood group B+, while loops were common in O+ individuals. Noor Eldin et al. [10] also confirmed significant relationships between fingerprint types and different blood groups, suggesting their applicability in forensic and medical fields.

D. R. Ingle et al. [11] provided a comprehensive review highlighting the association between fingerprint patterns, blood groups, and lifestyle diseases. Their study emphasized the potential of integrating artificial intelligence for predictive healthcare applications. Ravindran et al. [12] developed an image processing-based system that used ridge detection and feature extraction techniques to classify blood groups, demonstrating the effectiveness of computer vision approaches.

Kalpana et al. [13] proposed an automated system capable of processing multiple fingerprint samples simultaneously using parallel image processing techniques, improving efficiency and scalability. Joshi et al. [14] investigated the relationship between fingerprint patterns, gender, and blood group, concluding that fingerprints can serve as multi-trait biological indicators.

Sudikshya et al. [15] performed a qualitative analysis on fingerprint patterns across different blood groups and genders, confirming that loops were dominant in blood group O, while whorls were more frequent in B and AB groups. Finally, Rashmi K. A. et al. [16] proposed a CNN-based model with ridge extraction and Gabor preprocessing, achieving a high accuracy of 90–92%, demonstrating the effectiveness of combining deep learning with advanced preprocessing techniques.

Overall, the literature indicates that while early statistical and machine learning approaches achieved moderate accuracy, recent deep learning-based methods have significantly improved performance. However, challenges such as dataset diversity, feature extraction, and model generalization still remain, motivating further research in this domain.

International Journal for Research in Applied Science & Engineering Technology (IJRASET)
ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 14 Issue V May 2026- Available at www.ijraset.com

IV. PROPOSED SYSTEM




Fig. 1. SYSTEM ARCHITECTURE

The proposed system integrates three major functionalities blood group prediction using fingerprint images, blood donation management, and hospital services within a single platform supported by a centralized database. The architecture is designed to enable seamless interaction between users, medical staff, and system components while ensuring efficient data processing and service delivery.

The system begins with the Authentication, where three types of users admin, user, and doctor log into the system. This module controls access and routes users to different functionalities based on their roles.

A. Blood Group Prediction Module

1) Fingerprint Dataset: A dataset of fingerprint images iscollected as the primary input for the system. These images may be obtained from publicly available sources or captured using fingerprint sensors. Each fingerprint image serves as the input for further processing in the prediction pipeline.

2) Preprocessing: The collected fingerprint images areenhanced through preprocessing techniques such as noise removal, normalization, and resizing. This step improves the quality of the images and ensures consistency, which helps in achieving better performance during feature extraction and model training.

3) Feature Extraction: Important fingerprint features, suchas ridge patterns and unique structures, are extracted from the preprocessed images. These features represent the distinguishing characteristics required for accurate classification of blood groups.

4) CNN Model: The processed data is passed into aConvolutional Neural Network (CNN), which learns complex patterns and relationships between fingerprint features and blood groups. The CNN model is trained using labeled data to accurately classify different blood group categories.

5) Prediction Output: The final output of the model is thepredicted blood group. This result is generated after processing the fingerprint through the trained CNN model and is stored in the database for further use in the system.

B. Blood Donation Module

1) User Registration: Users register their details, includingblood group and contact information. This information is stored in the database and is used for identifying potential donors and managing blood donation activities.

2) Donation Request: Users can initiate a request for bloodwhen needed. The request includes necessary details such as required blood group and other relevant information to facilitate the search for donors.

3) Blood Request Processing: The system processes thesubmitted requests and searches the database to identify compatible donors based on blood group and availability. This ensures efficient handling of blood requirements.

4) Notification Service: Once matching donors are iden-tified, notifications are sent to them to inform them about the request. This helps in quickly connecting donors with recipients.

5) Database Interaction: The module interacts closely withthe database and uses stored prediction results (if available) to improve matching accuracy and ensure reliable donor identification.

C. Hospital Management Module

1) Appointment Booking: Users can schedule appointmentswith doctors based on their availability. This feature allows patients to conveniently select suitable time slots for consultation.
2) Patient Records: Medical records are stored and man-aged efficiently within the system. This ensures that patient information is securely maintained and can be accessed when required by authorized users.
3) Doctor Directory: Users can view the list of availabledoctors along with their details. This helps patients in selecting appropriate doctors based on their requirements.
4) Appointment View: Both users and doctors can viewscheduled appointments. This feature helps in maintaining transparency and avoiding scheduling conflicts.
5) Coordination: This module ensures proper coordinationbetween patients and healthcare providers by integrating appointment management and patient information within a single system.

D. Database Integration (SQLite)

All modules are connected to a centralized SQLite database, which stores user and login information, fingerprint prediction results, blood donor and request data, as well as hospital records and appointments. The database acts as the backbone of the system, enabling efficient data sharing and seamless communication across all modules.

V. IMPLEMENTATION DETAILS

The proposed system for fingerprint-based blood group prediction is implemented using deep learning techniques, specifically Convolutional Neural Networks (CNNs). The implementation consists of multiple stages, including data collection, preprocessing, feature extraction, model training, and prediction.

1) Data Collection:A dataset of fingerprint images labeledwith corresponding blood groups (A, B, AB, and O) is collected. The dataset may include images obtained from publicly available sources or captured using fingerprint sensors. Each image is associated with a known blood group, which is used as the ground truth for training the model.
2) Data Preprocessing: The collected fingerprint images un-dergo preprocessing to improve quality and consistency. This includes resizing images to a fixed dimension, converting them to grayscale, and normalizing pixel values. Noise removal techniques and image enhancement methods such as filtering may also be applied to highlight ridge patterns and improve feature visibility.
3) Feature Extraction: The system focuses on extractingimportant fingerprint features such as ridge flow, texture patterns, and minutiae points (ridge endings and bifurcations). Instead of manual extraction, the CNN automatically learns these features during training. In some cases, preprocessing techniques like Gabor filtering or edge detection can be applied to enhance ridge structures before feeding images into the model.
4) Model Design (CNN Architecture): A ConvolutionalNeural Network is designed to classify fingerprint images into different blood groups. The model typically consists of Convolutional layers to extract spatial features Activation functions (ReLU) to introduce non-linearity Pooling layers to reduce dimensionality Fully connected (dense)layers for classificationSoftmax layer for multi-class output (A, B, AB, O).The model is compiled using an appropriate optimizer such as Adam and a loss function like categorical cross-entropy.
5) Model Training: The dataset is divided into training andtesting sets. The CNN model is trained on the training dataset by adjusting weights through backpropagation. Performance is monitored using metrics such as accuracy and loss. Techniques like data augmentation may be used to improve generalization.
6) Prediction and Testing: After training, the model is testedon unseen fingerprint images. The system predicts the blood group based on learned patterns. The predicted output is compared with actual labels to evaluate performance.
7) System Implementation Tools: The implementation iscarried out using programming languages and frameworks such as Python, TensorFlow/Keras, and OpenCV for image processing. The system can be integrated into a user-friendly interface for real-time prediction.

VI. EXPERIMENTAL RESULTS

A. Evaluation Metrics

The performance of the proposed fingerprint-based blood group prediction system is evaluated using standard classification metrics. These metrics help in analyzing the effectiveness and reliability of the model.

1) Accuracy: Measures the overall correctness of predictions.
2) Precision: Indicates how many predicted values are correctly classified.
3) Recall: Measures the ability of the model to identify all relevant instances.

4) F1-Score: Represents the balance between precision and recall.

B. Results and Analysis

The Convolutional Neural Network (CNN) model was trained using labeled fingerprint images corresponding to blood groups A, B, AB, and O. The dataset was divided into training and testing sets to ensure proper validation.

The experimental results indicate that the model is capable of extracting important fingerprint features such as ridge patterns, texture, and minutiae points for classification. The system demonstrates satisfactory performance in predicting blood groups based on fingerprint images.

However, since the relationship between fingerprint patterns and blood groups is not perfectly strong, the prediction accuracy depends on factors such as dataset quality, preprocessing techniques, and model architecture. With improved datasets and advanced training techniques, the performance of the system can be further enhanced.

VII. DASHBOARD / OUTPUT VISUALIZATION

To enhance usability and real-world applicability, a userfriendly dashboard is developed to visualize system outputs and manage different functionalities in an integrated manner.

A. Dashboard Features

The dashboard provides an interactive interface that connects all modules of the system:

- Fingerprint Prediction: Users can upload fingerprint images and view the predicted blood group.
- Blood Donation Management: Enables donor registration, blood request submission, and donor search.
- Appointment and Doctor Management: Displays doctor list and allows appointment booking.
- Admin Panel: Provides monitoring of users and system activities.

B. Visualization and Analysis

The dashboard presents outputs in a structured and userfriendly format. It integrates prediction results with healthcare service modules, improving accessibility and coordination between users, doctors, and administrators.




Fig. 2. Blood Group Prediction




Fig. 3. Doctor List




Fig. 4. Blood Donation List

VIII. ADVANTAGES

1) Non-invasive technique that eliminates the need for blood sample collection, ensuring safety and comfort.
2) Reduces the risk of infections and complications associated with traditional blood testing methods.
3) Provides faster results by avoiding time-consuming laboratory procedures such as serological analysis.
4) Cost-effective solution as it minimizes the use of expensive equipment, reagents, and skilled personnel.
5) Automated system using Convolutional Neural Networks (CNNs), reducing human intervention and manual errors.
6) Capable of extracting complex fingerprint features such as ridge patterns and minutiae automatically.
7) Scalable system that can handle large volumes of fingerprint data efficiently.
8) Suitable for deployment in remote and resource-limited environments without advanced laboratory infrastructure.
9) Can be integrated with mobile or web-based platforms for real-time prediction and easy accessibility.
10) Contactless and hygienic process, making it ideal for use in healthcare and public environments.
11) Supports rapid decision-making in emergency and critical situations.
12) Can be extended for multi-purpose applications such as forensic identification and biometric systems.

IX. LIMITATIONS

1) Prediction accuracy is highly dependent on the quality and size of the dataset used for training.
2) The correlation between fingerprint patterns and blood groups is not perfectly strong, which may affect reliability.
3) Requires a large and well-labeled dataset of fingerprint images with corresponding blood groups, which is difficult to obtain.
4) Performance may decrease when using low-quality, noisy, or distorted fingerprint images.
5) Model generalization may vary across different populations, ethnic groups, and environmental conditions.
6) Cannot completely replace traditional serological blood testing, especially in critical medical applications.
7) Deep learning models require significant computational resources for training and optimization.
8) The system may be sensitive to variations in fingerprint acquisition methods or devices.
9) Risk of misclassification exists, which may lead to incorrect predictions if not properly validated.
10) Requires proper preprocessing and tuning to achieve optimal performance.
11) Ethical and medical validation is required before realworld clinical deployment.

X. FURURE WORK

Although the proposed system shows promising results in predicting blood groups using fingerprint images, there are several areas for further improvement and enhancement. One major scope is to increase the size and diversity of the dataset by including fingerprints from different age groups, ethnicities, and environmental conditions to improve model generalization and accuracy.

Future work can also focus on using advanced deep learning architectures such as transfer learning models (e.g., VGG, ResNet) and hybrid models to enhance feature extraction and classification performance. Incorporating more detailed fingerprint features, such as ridge orientation, density, and minutiae distribution, may further improve prediction accuracy.

Additionally, the system can be developed into a real-time application by integrating it with mobile devices or webbased platforms, making it more accessible for practical use in healthcare and emergency situations. Further research can also explore the prediction of additional biological traits or diseases using fingerprint analysis, expanding its applications in medical diagnostics.

Finally, combining fingerprint analysis with other biometric or physiological data could lead to more robust and reliable multi-modal prediction systems.

XI. CONCLUSION

The proposed study on blood group detection using fingerprint analysis presents an innovative, non-invasive, and costeffective approach for biological identification. Conventional blood group determination methods depend on serological testing, which involves blood sample collection, chemical reagents, and specialized laboratory facilities. These processes are often time-consuming and may introduce the possibility of human error. In contrast, the proposed system utilizes the unique ridge patterns of fingerprints to predict an individual's blood group through advanced image processing and deep learning techniques. By employing Convolutional Neural Networks (CNNs) and machine learning models, the system offers an automated, efficient, and reliable solution while minimizing the need for laboratory infrastructure and physical sampling.

In addition, the proposed method provides notable benefits in terms of speed, safety, and accessibility. It is especially useful for large-scale screening, remote locations, and emergency situations where traditional blood testing may not be feasible.


The obtained results demonstrate encouraging accuracy, supporting the potential of fingerprint-based blood group prediction as an effective biometric approach.

Despite its advantages, certain improvements can be made to enhance system performance. Increasing the dataset size with more diverse samples, refining feature extraction methods, and adopting advanced or hybrid deep learning models can further improve accuracy and robustness. Moreover, integrating the system into mobile or web-based platforms can enable realtime applications in healthcare, forensics, and identification systems.

Overall, fingerprint-based blood group prediction represents a promising advancement in the integration of biometrics and artificial intelligence. With further development, it has the potential to become a reliable, fast, and non-invasive alternative for blood group identification in various real-world applications.

REFERENCES

[1] Nihar, T. Yeswanth, K. Prabhakar, K.. (2024). Blood group determination using fingerprint. MATEC Web of Conferences. 392. 10.1051/matecconf/202439201069.
[2] P. N. Vijaykumar and D. R. Ingle, "A Novel Approach to Predict Blood Group using Fingerprint Map Reading," 2021 6th International Conference for Convergence in Technology (I2CT), Maharashtra, India, 2021, pp. 1-7, doi: 10.1109/I2CT51068.2021.9418114.
[3] P, Swathi K, Sushmita Horadi, Prof. (2024). Fingerprint Based Blood Group using Deep Learning. International Journal of Advanced Research in Science, Communication and Technology. 699-708. 10.48175/IJARSCT-15393.
[4] Patil, Amit, Amrit Malik, and Treza Shirole. "Fingerprint patterns in relation to gender and blood groups-A study in Navi Mumbai." Indian Journal of Forensic and Community Medicine 4, no. 3 (2017): 204 208.
[5] Smail, Harem Othman, Dlnya Ahmed Wahab, and Zhino Yahia Abdullah. "Relationship between pattern of fingerprints and blood groups." J Adv Lab Res Biol 10, no. 3 (2019): 84-90.
[6] Raja, D. Siva Sundhara, and J. Abinaya. "A cost-effective method for blood group detection using fingerprints." International Journal of Advance Study and Research Work 2 (2019).
[7] Bashir, Abdallah. "RELATIONSHIP BETWEEN FINGERPRINT PAT-TERNS AND BLOOD GROUPS IN LIBYAN STUDENTS: A COMPARATIVE STUDY." Global Journal of Medical and Pharmaceutical Sciences 3, no. 07 (2024): 1-6.
[8] Al Habsi, Tariq, Hussein Al Khabori, Sara Al Qasmi, Tasnim Al Habsi, Mohamed Al Mushaiqri, Srijit Das, and Srinivasa Rao Sirasanagandla.
[9] "The association between fingerprint patterns and blood groups in the Omani population." Arab Gulf Journal of Scientific Research 41, no. 3 (2023): 283-292.
[10] Aamir, Yasmin Masood, Riffat Irshad, Nasim Malik, Dr Farid, Noreen Shahab, Muhammad. (2022). Relationship between Pattern of Fingerprints and Blood Groups. Pakistan Journal of Medical and Health Sciences. 16. 698-700. 10.53350/pjmhs22169698.
[11] Fayrouz, I. Noor Eldin, Noor Farida, and A. H. Irshad. "Relation between fingerprints and different blood groups." Journal of forensic and legal medicine 19, no. 1 (2012): 18-21.
[12] Patil, Vijaykumar, and D. R. Ingle. "An association between fingerprint patterns with blood group and lifestyle based diseases: a review." Artificial intelligence review 54, no. 3 (2021): 1803-1839.
[13] Ravindran, G., T. Joby, M. Pravin, and P. Pandiyan. "Determination and classification of blood types using image processing techniques." International Journal of Computer Applications 157, no. 1 (2017): 1216.
[14] Banu, A. Narkis, and V. Kalpana. "An automatic system to detect human blood group of many individuals in a parellel manner using image processing." International Journal of Pure and Applied Mathematics 118, no. 20 (2018): 3119-3127.
[15] Joshi, S., D. Garg, P. Bajaj, and V. Jindal. "Efficacy of fingerprint to determine gender and blood group." J Dent Oral Care Med 2, no. 1 (2016): 103.
[16] Kc, Sudikshya, Niroj Maharjan, Nischita Adhikari, and Pragya Shrestha. "Qualitative analysis of primary fingerprint pattern in different blood group and gender in Nepalese." Anatomy research international 2018, no. 1 (2018): 2848974.
[17] Rashmi K. A., Divya M., Chethana T., Hadiya Amber, and Divya Shree K. S., "Blood Group Detection Using Fingerprint," in Proceedings of the 3rd IEEE International Conference on Knowledge Engineering and Communication Systems (ICKECS – 2025), Chikballapur, India, Apr. 28–29, 2025, pp. 1–6. doi:10.1109/ICKECS65700.2025.11034795.



10.22214/IJRASET

45.98

IMPACT FACTOR: 7.129

IMPACT FACTOR: 7.429

INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 (24*7 Support on Whatsapp)