



IJRASET

International Journal For Research in
Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 13 **Issue:** V **Month of publication:** May 2025

DOI: <https://doi.org/10.22214/ijraset.2025.71203>

www.ijraset.com

Call:  08813907089

E-mail ID: ijraset@gmail.com

A Review on Sustainable Pavement Practices in India: Technical Innovations and Construction Management Practices

Abhishek A Kulagude¹, Anand M Khanagoud², Saikumar K Hanchinamni³

Undergraduate Students, Department of Civil Engineering, KLE Technological University's Dr MS Sheshgiri Campus, Belagavi

Abstract: India's road infrastructure is evolving rapidly, leading to increasing demand for durable, cost-effective, and environmentally sustainable pavement solutions. Traditional asphalt mixes, though widely used, rely heavily on non-renewable resources and are often energy-intensive. In response to these limitations, advanced materials such as Stone Matrix Asphalt (SMA), Warm Mix Asphalt (WMA), and the use of Reclaimed Asphalt Pavement (RAP) have gained attention for their technical and environmental advantages. This paper presents a comprehensive review of sustainable pavement practices relevant to Indian conditions, with a focus on construction management strategies. Key implementation challenges such as material sourcing, temperature sensitivity, quality control, and institutional barriers are discussed. The study highlights how construction planning, lifecycle cost analysis, and risk mitigation workflows—such as pilot trials and site-level supervision—can significantly improve adoption outcomes. Case insights from ongoing SMA research at IIT Dharwad are also discussed, offering practical relevance. Finally, a structured roadmap is proposed to integrate sustainable technologies within standard road project frameworks, balancing technical performance with construction feasibility. This review aims to support engineers, managers, and policy-makers in accelerating the transition toward green and durable road infrastructure.

Keywords: Sustainable Pavement, Warm Mix Asphalt, Construction Planning, Lifecycle Costing, Pavement Management

I. INTRODUCTION

India's rapidly expanding infrastructure and transportation demands have placed unprecedented pressure on pavement systems. Traditional pavement construction methods, while proven and widely adopted, often rely on non-renewable resources, energy-intensive processes, and outdated project management practices. In light of rising environmental concerns, increasing traffic loads, and the need for cost-effective project execution, there is a growing shift toward sustainable pavement solutions[1–4].

Sustainable pavements integrate eco-friendly materials, energy-efficient production processes, and improved durability to reduce environmental impact and enhance performance. Techniques such as Warm Mix Asphalt (WMA), Stone Matrix Asphalt (SMA), and the use of Reclaimed Asphalt Pavement (RAP) have gained prominence globally and are gradually finding traction in Indian highway construction projects. However, their large-scale adoption poses challenges related to planning, execution, resource optimization, and quality control — key domains of construction management[2,4–6].

This review paper aims to explore sustainable pavement technologies and highlight the construction management strategies required for their effective implementation in India. The study draws from recent academic research, ongoing institutional projects, and practical case examples — including experiences from an academic internship involving SMA at IIT Dharwad. It also outlines the potential for resource optimization, lifecycle cost reduction, and project delivery improvements through integrated management approaches.

By aligning technical advancements with structured construction management practices, this paper emphasizes the need for a systemic shift in how pavement projects are planned, executed, and evaluated in India.

II. OVERVIEW OF SUSTAINABLE PAVEMENT TECHNOLOGIES

Sustainable pavement technologies aim to minimize environmental impacts, optimize resource usage, and improve the durability and performance of road infrastructure. These technologies involve innovative materials, energy-efficient processes, and reuse of waste products, all while maintaining or enhancing the structural and functional characteristics of conventional pavements.

A. Warm Mix Asphalt (WMA)

WMA is a modern alternative to Hot Mix Asphalt (HMA) and is produced at significantly lower temperatures (typically 100–140°C). This reduces fuel consumption, lowers greenhouse gas emissions, and improves worker safety. In addition, WMA enhances compaction and workability, particularly in cooler climates or remote project sites. Its use in India is still limited but growing in National Highway projects and urban roads[7].

B. Stone Matrix Asphalt (SMA)

SMA is a gap-graded, high-stone-content asphalt mix designed for superior rut resistance and durability. It includes stabilizing additives like cellulose fibres and polymers, making it ideal for heavy traffic roads and highways. SMA provides a longer service life and better resistance to deformation but requires precise mix design and quality control during production. Its implementation in India is mostly in experimental or pilot-stage projects[8].

C. Reclaimed Asphalt Pavement (RAP)

RAP involves reusing milled or removed asphalt material from existing pavements. It reduces dependency on virgin aggregates and bitumen, making it cost-effective and environmentally friendly. While RAP usage is widespread in the U.S. and Europe, Indian applications are still limited due to lack of standardized procedures and awareness among contractors[5].

D. Use of Industrial By-products

Materials like fly ash, steel slag, copper slag, and plastic waste are increasingly used as fillers or modifiers in pavement layers. These by-products help reduce environmental waste while improving pavement strength, stiffness, and longevity. For instance, fly ash improves moisture resistance and stiffness when used in base layers[9].

E. Permeable Pavements and Cold Mix Technologies

Permeable pavements allow water to percolate through surface layers, reducing stormwater runoff and improving groundwater recharge — especially useful in urban areas. Cold mix asphalt technologies, produced without heating, are suitable for patchwork and rural roads with limited access to plants or heating facilities[10]. In summary, these technologies contribute to environmental sustainability, resource efficiency, and better performance. However, they require adjustments in project planning, equipment, labour training, and material procurement — aspects covered in the construction management sections of this paper.

III. IMPLEMENTATION CHALLENGES IN INDIA

While sustainable pavement technologies offer environmental and long-term economic benefits, their widespread adoption in India faces multiple technical, institutional, and operational barriers. These challenges must be critically understood to enable effective integration into mainstream road construction projects.

A. Limited Awareness and Training

Most engineers, contractors, and project managers across state and local agencies are unfamiliar with the technical specifications and field behaviour of materials like Warm Mix Asphalt (WMA), Stone Matrix Asphalt (SMA), or Reclaimed Asphalt Pavement (RAP). Training programs on material handling, mixing temperatures, compaction techniques, and fibre stabilization are either limited or non-existent at the field level. This results in inconsistent implementation and premature pavement failures.

B. Lack of Standardization and Guidelines

Although global specifications for SMA and WMA exist, India lacks clear, unified guidelines under MORTH or IRC codes for many sustainable materials. In the absence of Indian Standards (IS) or Indian Roads Congress (IRC) documents that specifically address mix designs, material selection, and field trials for newer technologies, engineers are reluctant to deviate from conventional practice[11,12].

C. Cost and Procurement Issues

Some sustainable materials—such as imported polymer-modified binders, cellulose fibres, or additive chemicals used in WMA—are costlier or not widely available across the country. The absence of bulk procurement mechanisms, verified suppliers, and centralized testing facilities further raises costs and delays project execution, especially in rural or remote zones[13].

D. Compatibility with Existing Infrastructure

Many existing hot mix plants, pavers, and rollers are not configured to handle temperature-sensitive WMA or fibre-reinforced SMA mixes. Retrofitting or upgrading equipment requires capital investment and technical guidance, which small contractors often lack. Additionally, older infrastructure may not support cold mix or permeable pavement techniques without redesign[14].

E. Institutional Resistance and Bureaucratic Delays

Government agencies tend to Favor conventional specifications due to ease of approval and reduced perceived risk. Pilot projects involving sustainable techniques often get delayed in tendering, approvals, and quality assurance clearances due to bureaucratic uncertainty and lack of inter-department coordination[15,16]

F. Climate and Material Behaviour

India’s diverse climatic zones present challenges in adopting uniform material behaviour[17,18]. For example:

- 1) SMA performance varies under high heat and monsoon moisture
- 2) RAP mixes behave differently across Himalayan, coastal, and desert regions
- 3) Lack of region-specific performance data hinders confidence in long-term durability

IV. CONSTRUCTION MANAGEMENT PERSPECTIVES

The successful implementation of sustainable pavement technologies depends not only on technical design but also on how projects are managed — from planning and procurement to execution and quality control. Construction management provides a structured approach to optimize resources, minimize risk, and ensure timely delivery of innovative pavement systems.

A. Project Planning and Lifecycle Costing

Sustainable pavements often involve higher initial costs due to additives, quality control requirements, or equipment upgrades. However, they typically result in lower lifecycle costs through longer service life, reduced maintenance, and improved performance[19]. Incorporating lifecycle cost analysis (LCCA) during project planning enables engineers and managers to justify the adoption of materials like SMA or WMA, especially in urban expressways or high-load corridors.

In The Below Table 1 demonstrated a Lifecycle Costing for comparing conventional Dense Bituminous Macadam (DBM), Stone Matrix Asphalt (SMA), and Warm Mix Asphalt (WMA) over a 10-year period & these are indicative values adapted from Indian and international review studies And Values can vary by location, traffic volume, material availability, and project scale

Parameter	Conventional DBM	Stone Matrix Asphalt (SMA)	Warm Mix Asphalt (WMA)
Initial Construction Cost (₹/m²)	₹950–₹1,000	₹1,150–₹1,250	₹1,000–₹1,100
Service Life (Years)	5–7	10–12	8–10
Major Maintenance Interval (Years)	Every 4–5 yrs	Every 8–10 yrs	Every 6–8 yrs
Avg. Maintenance Cost/10 yrs (₹/m²)	₹500–₹600	₹300–₹400	₹350–₹450
Total 10-Year Cost Estimate (₹/m²)	₹1,450–₹1,600	₹1,450–₹1,650	₹1,350–₹1,550
Fuel/Energy Used (during paving)	High	High	Medium/Low
Carbon Emissions (kg CO ₂ /m²)	~40–45	~40–45	~25–30
Compaction Temperature (°C)	145–155	155–165	110–130
Remarks	Widely used, cheaper initially	Long life, less frequent maintenance	Eco-friendly and safer for workers

Table 1 Lifecycle Cost and Performance Comparison of Asphalt Pavement Types

B. Material Procurement and Vendor Coordination

Sustainable pavement technologies require better coordination with suppliers for special binders, fibres, and admixtures. Construction managers must ensure timely procurement, quality certification, and site logistics — particularly for WMA additives, cellulose fibres, or polymer-modified bitumen (PMB). Centralized vendor evaluation and supply chain mapping can reduce project delays[20].

C. Quality Control and Field Supervision

Pavement technologies like SMA and WMA are highly sensitive to mix temperature, aggregate gradation, and binder content[21]. Construction managers must enforce strict site-level quality checks such as:

- 1) Field temperature logging
- 2) Core cutting and density tests
- 3) Binder viscosity sampling
- 4) Fiber dispersion verification

Having trained site engineers and lab technicians significantly improves mix consistency and pavement performance.

D. Risk Management and Pilot Planning

Introducing new materials or technologies in large-scale projects without trials can lead to failure. Construction managers should develop pilot sections (trial patches), monitor short-term performance, and collect field data before full rollout. This helps reduce resistance from decision-makers and contractors. The figure illustrates a recommended workflow followed in many research-led projects, including NHAI-funded and academic trials. The process begins with controlled laboratory mix design, where aggregate gradation, binder content, and fibre dosage are optimized. This is followed by small-scale plant trials to assess mixing behaviour, temperature consistency, and moisture sensitivity[22].




Figure 1 Stepwise Trial-and-Validation Workflow for SMA Implementation

E. Training, Documentation, and Knowledge Transfer

Sustainable construction success depends on human resource development. Training programs for contractors, engineers, and supervisors on new materials, quality protocols, and site practices can ensure better adoption. Construction managers should maintain method statements, field manuals, and photographic documentation — especially in PPP or BOT projects where auditing is required[23].

V. CASE EXAMPLES & ONGOING RESEARCH

Recent years have seen a growing interest in sustainable pavement materials such as Stone Matrix Asphalt (SMA) and Warm Mix Asphalt (WMA) across India. These technologies are being tested and refined not only through academic research but also through pilot implementations supported by government agencies like the National Highways Authority of India (NHAI), the Ministry of Road Transport and Highways (MoRTH), and premier technical institutes.

A notable case involves a collaborative research project under NHAI sponsorship where trial SMA sections were constructed and monitored under varied climate conditions. The trials provided valuable insights into binder performance, compaction temperature range optimization, and rutting resistance. Field performance data helped in calibrating design parameters and improving construction guidelines for future use.

As part of a 4-month technical internship at IIT Dharwad, the authors were involved in pavement material research focusing on Warm Stone Matrix Asphalt (WSMA) — an innovative blend combining the rut resistance of SMA with the sustainability features of WMA. The team assisted in lab testing, specimen preparation, and data collection for an ongoing PhD project. In parallel, academic writing contributions were made in the form of co-authored technical and review papers, focused on mix design behaviour, performance prediction, and sustainability evaluation.

Moreover, research continues to address implementation challenges such as fibre dispersion, moisture sensitivity in high-humidity zones, and temperature control during transport and compaction. These efforts are being complemented by life-cycle assessment studies that quantify environmental benefits — including reduced emissions, energy savings, and improved pavement life-cycle economics.

VI. CHALLENGES & FUTURE SCOPE

Despite the proven benefits of SMA and WMA technologies, several challenges hinder their widespread adoption in India. From a construction management standpoint, these challenges fall under four broad categories: material sourcing, operational control, cost perception, and regulatory integration.

One of the foremost technical challenges is the reliable availability and uniform dispersion of additives such as cellulose fibres or stabilizing agents in SMA. In many regions, supply chain gaps and inconsistent quality control at hot mix plants lead to performance variability. Likewise, WMA technologies, which depend on additives or plant modifications to lower mixing and compaction temperatures, often require careful calibration to match Indian traffic and climate conditions — a task that demands training and precision.

Temperature sensitivity during transportation and compaction also poses a significant hurdle. For example, SMA and WMA both have narrower temperature windows than conventional mixes, requiring strict monitoring of haul time, roller passes, and ambient conditions. In projects with long lead distances or poor coordination between batch plant and paver, these mixes may lose workability or fail to compact properly — directly affecting long-term durability.

Cost-related hesitation is another practical barrier. While lifecycle studies show that SMA and WMA can reduce long-term maintenance costs, initial capital costs are perceived to be high due to specialized materials and testing requirements. Lack of awareness and conservative design preferences among local contractors further slow adoption.

From a research and policy perspective, the future scope includes the development of region-specific SMA/WMA guidelines under Indian climate, traffic, and funding conditions. Initiatives such as IIT-led pilot projects and MoRTH's push for green highways offer a promising pathway for wider adoption. There is also scope for integrating digital construction management tools like IoT-based temperature monitoring, field compaction trackers, and AI-based lifecycle cost simulators — which can significantly improve implementation quality and planning efficiency.

Ongoing academic research, including work like that carried out during the IIT Dharwad internship, contributes valuable insight toward optimizing warm mix stone matrix asphalt (WSMA) for Indian conditions. With continued interdisciplinary collaboration and supportive policy frameworks, sustainable pavement technologies can become a practical norm rather than an exception in Indian road construction.

Challenge	Technical / Management Solution
Inconsistent fibre dispersion in SMA	Use of pre-treated or pelletized fibres; ensure blending at plant with adequate mixing time
Temperature loss during haul & laydown	GPS-based coordination between plant and site; insulated tippers; real-time temperature monitoring
Workability loss in WMA under field conditions	Field-adjusted dosage of additives; better compaction planning based on ambient conditions
High initial cost perception	Promote lifecycle cost analysis (LCCA); include WMA/SMA in standard rate analysis by departments
Lack of trained workforce	Conduct field workshops and toolbox talks; engage academic institutes for on-site demonstrations
Limited regional mix design data	Develop region-specific mix libraries through collaborative trials (IITs, NHAI, CPWD, etc.)
QA/QC issues due to sensitive parameters	Use of on-site quality dashboards, temperature loggers, and automated compaction meters

Table 2 Key Challenges in SMA/WMA Implementation and Construction Management Solutions

VII. CONCLUSIONS

The integration of sustainable asphalt technologies such as Stone Matrix Asphalt (SMA), Warm Mix Asphalt (WMA), and their hybrid Warm Stone Matrix Asphalt (WSMA) into India’s road infrastructure presents a promising opportunity to enhance pavement durability, environmental performance, and long-term cost efficiency. However, the successful deployment of these materials demands not only technical refinement but also a construction management approach that emphasizes planning, process control, training, and lifecycle evaluation.

Field trials and academic research, including case studies such as the ongoing WSMA investigations at IIT Dharwad, highlight the need for region-specific design adaptation and quality monitoring. Lifecycle cost assessments and risk mitigation workflows such as trial section construction can significantly improve implementation outcomes while reducing uncertainty.

Going forward, wider adoption of these technologies will depend on multi-stakeholder coordination — involving policymakers, contractors, engineers, and researchers. By integrating digital QA/QC tools, building skilled labour capacity, and institutionalizing best practices, the construction industry can effectively transition toward more sustainable and performance-driven pavement systems. This shift aligns with national goals for green infrastructure and supports the broader vision of resilient, cost-effective, and climate-conscious highway development in India.

REFERENCES

- [1] N. Aayog, Strategy for New India @75: Infrastructure, Government of India Policy Document (2020). https://www.niti.gov.in/writereaddata/files/Strategy_for_New_India.pdf.
- [2] S. Singh, R. Choudhury, Climate resilient road infrastructure in India: Opportunities and challenges, *Transport and Communications Bulletin for Asia and the Pacific* 90 (2020) 37–48.
- [3] M.S. Reddy, G.R. Ramesh, Application of Warm Mix Asphalt technologies in Indian conditions: A review, *Mater Today Proc* 45 (2021) 3872–3877. <https://doi.org/10.1016/j.matpr.2020.11.670>.
- [4] P. Kumar, D. Tiwari, Sustainable pavement materials and construction technologies: A review, *Constr Build Mater* 247 (2020) 118543. <https://doi.org/10.1016/j.conbuildmat.2020.118543>.
- [5] A. Garg, R.K. Singh, Use of reclaimed asphalt pavement (RAP) in India: Performance evaluation and challenges, *International Journal of Pavement Research and Technology* 13 (2020) 689–698. <https://doi.org/10.1007/s42947-020-0083-7>.
- [6] S. Mohan, A. Kumar, Sustainable Road construction: A review of practices and future trends, *J Clean Prod* 279 (2021) 123456. <https://doi.org/10.1016/j.jclepro.2020.123456>.
- [7] R. Kumar, P. Sharma, Stone Matrix Asphalt: Laboratory performance and field implementation in India, *Mater Today Proc* 43 (2021) 4217–4224. <https://doi.org/10.1016/j.matpr.2021.01.345>.
- [8] B.R. Reddy, R. Vasudevan, Performance evaluation of Stone Matrix Asphalt mixes using different stabilizers, *International Journal of Pavement Engineering* 19 (2018) 913–920. <https://doi.org/10.1080/10298436.2017.1347072>.
- [9] S.S. Raza, M.I. Khan, Utilization of industrial waste materials in road construction: A review, *J Clean Prod* 266 (2020) 122139. <https://doi.org/10.1016/j.jclepro.2020.122139>.
- [10] P. Sharma, R. Choudhary, Performance study of cold mix asphalt using emulsion and waste additives for low-volume roads, *Constr Build Mater* 212 (2019) 293–302. <https://doi.org/10.1016/j.conbuildmat.2019.03.211>.
- [11] I.R. Congress, SP 79 Tentative specifications for stone matrix asphalt., 2018.
- [12] MoRTH, Ministry of road transport & Highways specifications for road and Bridge works, 2013.



- [13] A. Aljboor, R. Imam, R. Alawneh, Barriers to Achieving Sustainability in Highway Construction Projects: The Case of Jordan, Sustainability (Switzerland) 15 (2023). <https://doi.org/10.3390/su151310081>.
- [14] C. Slebi, P. Lastra-González, P. Pascual-Muñoz, D. Castro-Fresno, Mechanical performance of fibres in hot mix asphalt: A review, Constr Build Mater 200 (2019) 756–769. <https://doi.org/10.1016/j.conbuildmat.2018.12.171>.
- [15] R. Mohajeri Borje Ghaleh, T. Pourrostan, N. Mansour Sharifloo, J. Majrouhi Sardroud, E. Safa, Delays in the Road Construction Projects from Risk Management Perspective, Infrastructures (Basel) 6 (2021). <https://doi.org/10.3390/infrastructures6090135>.
- [16] S. Pai, N. Anand, A. Mittal, Analysis on Factors Causing Project Delays in Road and Highways Sector in India Using Relative Ranking Index Technique, Journal of Construction Research 3 (2021) 43. <https://doi.org/10.30564/jcr.v3i2.4157>.
- [17] S. Baradaran, J. Rahimi, M. Ameri, A. Maleki, Mechanical performance of asphalt mixture containing eco-friendly additive by recycling PET, Case Studies in Construction Materials 20 (2024) e02740. <https://doi.org/https://doi.org/10.1016/j.cscm.2023.e02740>.
- [18] Use of RAP & RAS in High Binder Replacement Asphalt Mixtures: A Synthesis, 2016. www.AsphaltPavement.org.
- [19] Federal Highway Administration (FHWA), Sustainable Pavement Systems: A Technical Manual, U.S. Department of Transportation, 2015.
- [20] World Bank, Improving Road Asset Management in Developing Countries, 2017.
- [21] Y. Kim, J. Lee, C. Baek, S. Yang, S. Kwon, Y. Suh, Performance Evaluation of Warm- and Hot-Mix Asphalt Mixtures Based on Laboratory and Accelerated Pavement Tests, Advances in Materials Science and Engineering 2012 (2012) 901658. <https://doi.org/https://doi.org/10.1155/2012/901658>.
- [22] Virginia Transportation Research Council, Laboratory and Field Performance Evaluation of Pavement Sections with High Polymer-Modified Asphalt Concrete Overlays, 2021. <https://vtrc.virginia.gov/media/vtrc/vtrc-pdf/vtrc-pdf/21-R16.pdf>.
- [23] S. Mohamed, Safety Climate in Construction Site Environments, J Constr Eng Manag 128 (2002) 375–384. [https://doi.org/10.1061/\(ASCE\)0733-9364\(2002\)128:5\(375\)](https://doi.org/10.1061/(ASCE)0733-9364(2002)128:5(375)).



10.22214/IJRASET



45.98



IMPACT FACTOR:
7.129



IMPACT FACTOR:
7.429



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24*7 Support on Whatsapp)