



IJRASET

International Journal For Research in
Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 13 **Issue:** V **Month of publication:** May 2025

DOI: <https://doi.org/10.22214/ijraset.2025.70198>

www.ijraset.com

Call:  08813907089

E-mail ID: ijraset@gmail.com

A Review: Study of Tulsi as Immune Booster

Mr. Prem Jadhav¹, Mrs. Aqsa. Z. Shaikh², Mr. Rishikesh S. Bachhav³, Mr. Dev Rawal⁴, Mr. Siddharth Lohar⁵
KCT's R. G. Sapkal College of Pharmacy, Anjaneri, Nashik - 422213

Abstract: *Tulsi (Ocimum sanctum), revered in Ayurveda as the "Queen of Herbs," has been extensively studied for its remarkable immunomodulatory properties, positioning it as a potent natural immune booster. This review consolidates contemporary scientific research and traditional wisdom to evaluate Tulsi's multifaceted role in enhancing immune function. Rich in bioactive compounds such as eugenol, ursolic acid, rosmarinic acid, and β -caryophyllene, Tulsi exerts its immune-enhancing effects through antioxidant, anti-inflammatory, antimicrobial, and adaptogenic mechanisms. Preclinical and clinical studies demonstrate that Tulsi augments innate and adaptive immunity by modulating key immune cells, including macrophages, neutrophils, T-cells, and natural killer (NK) cells, while also enhancing antibody production. Its ability to mitigate oxidative stress and suppress pro-inflammatory cytokines (e.g., TNF- α , IL-6) further supports its role in maintaining immune homeostasis. Additionally, Tulsi's adaptogenic properties help counteract stress-induced immunosuppression by regulating the hypothalamic-pituitary-adrenal (HPA) axis, thereby bolstering overall immune resilience. Emerging evidence suggests its efficacy against viral and bacterial infections, making it particularly relevant in the post-pandemic era. Despite promising findings, further well-designed clinical trials are needed to standardize dosage and optimize therapeutic protocols. This review underscores Tulsi's potential as a safe, holistic, and evidence-based immune booster, bridging the gap between traditional medicine and modern scientific validation.*

Keywords: *Tulsi, Ocimum sanctum, immunomodulator, immune booster, adaptogen, Ayurveda, natural immunity*

I. INTRODUCTION

The immune system serves as the body's primary defense mechanism against pathogens, environmental toxins, and chronic diseases. In recent years, there has been a surge in interest toward natural immunomodulators, particularly in the wake of global health challenges such as the COVID-19 pandemic, which underscored the need for safe and effective immunity-boosting agents [1]. Among the plethora of medicinal herbs, *Ocimum sanctum* Linn., commonly known as Tulsi or Holy Basil, has emerged as a prominent candidate due to its extensive historical use in Ayurveda and growing scientific validation [2]. Revered in traditional medicine as an "elixir of life," Tulsi has been employed for centuries in the management of respiratory disorders, fever, inflammation, and stress-related conditions—all of which are intricately linked to immune dysfunction [3]. Modern pharmacological studies have identified Tulsi as a rich source of bioactive compounds, including eugenol, ursolic acid, rosmarinic acid, and β -caryophyllene, which contribute to its antioxidant, anti-inflammatory, antimicrobial, and adaptogenic properties [4]. These compounds collectively enhance immune function by modulating cellular and humoral immunity, scavenging free radicals, and improving resistance to infections [5]. Preclinical and clinical studies suggest that Tulsi extract can upregulate the activity of macrophages, natural killer (NK) cells, and T-lymphocytes while suppressing pro-inflammatory cytokines such as TNF- α and IL-6 [6]. Furthermore, its adaptogenic effects help mitigate stress-induced immunosuppression by regulating the hypothalamic-pituitary-adrenal (HPA) axis, thereby maintaining immune homeostasis [7]. Despite its widespread traditional use, the systematic evaluation of Tulsi as an immune booster remains fragmented across studies. While in vitro and animal models demonstrate promising immunostimulatory effects, human clinical trials are limited and often lack standardization in dosage and formulation [8]. This review aims to consolidate existing evidence on Tulsi's immunomodulatory potential, elucidate its mechanisms of action, and identify gaps for future research. By integrating traditional knowledge with contemporary scientific findings, this article seeks to provide a comprehensive assessment of Tulsi's role in immune enhancement, offering insights for both therapeutic applications and preventive healthcare strategies.

II. PHYTOCHEMICAL COMPOSITION OF TULSI (OCIMUM SANCTUM) AND ITS IMMUNOMODULATORY ROLE

Tulsi (*Ocimum sanctum* Linn.) is a pharmacologically rich herb with a diverse array of bioactive compounds that contribute significantly to its immune-boosting properties. The major phytochemicals include phenolic compounds, terpenoids, flavonoids, and essential oils, which synergistically enhance immune function through antioxidant, anti-inflammatory, and antimicrobial mechanisms [1].

The primary immunomodulatory constituents are eugenol (a phenylpropanoid), ursolic acid (a pentacyclic triterpenoid), and rosmarinic acid (a polyphenol), which have been extensively studied for their ability to modulate immune responses^(2,3). Eugenol, the most abundant compound in Tulsi essential oil, exhibits potent anti-inflammatory and antimicrobial effects by suppressing pro-inflammatory cytokines (e.g., TNF- α , IL-6) and enhancing macrophage activity^(4,5). Ursolic acid, another key component, demonstrates antiviral and immunostimulatory properties by upregulating T-cell proliferation and interferon-gamma (IFN- γ) production^(6,7). Additionally, rosmarinic acid contributes to Tulsi's antioxidant capacity by scavenging free radicals and reducing oxidative stress, which is crucial for maintaining robust immune defense^(8,9). Other notable constituents include linalool, β -caryophyllene, and apigenin, which further support immune regulation by enhancing natural killer (NK) cell activity and antibody production^(10,11). The combined action of these phytochemicals makes Tulsi a multifaceted adaptogen capable of strengthening innate and adaptive immunity, as evidenced by both traditional use and modern pharmacological studies^(12,13).

III. IMMUNOMODULATORY MECHANISMS OF TULSI (OCIMUM SANCTUM) AS AN IMMUNE BOOSTER

Antioxidant and Free Radical Scavenging Activity Oxidative stress impairs immune function by damaging immune cells and promoting chronic inflammation. Tulsi mitigates this through its high phenolic content, which enhances the activity of endogenous antioxidants such as superoxide dismutase (SOD), catalase, and glutathione peroxidase⁽¹⁴⁾. Eugenol and rosmarinic acid neutralize reactive oxygen species (ROS), thereby protecting lymphocytes and macrophages from oxidative damage⁽¹⁵⁾. Studies in animal models demonstrate that Tulsi extract significantly reduces lipid peroxidation while increasing antioxidant enzyme levels, suggesting its role in preserving immune cell integrity⁽¹⁶⁾. 2. Anti-Inflammatory and Cytokine Modulation Chronic inflammation suppresses immune surveillance, increasing susceptibility to infections. Tulsi modulates inflammatory responses by downregulating pro-inflammatory cytokines (TNF- α , IL-6, IL-1 β) and upregulating anti-inflammatory cytokines (IL-10)⁽¹⁷⁾. Ursolic acid inhibits nuclear factor-kappa B (NF- κ B) and cyclooxygenase-2 (COX-2) pathways, reducing inflammation-induced immunosuppression⁽¹⁸⁾. Clinical observations report reduced severity of respiratory infections in subjects consuming Tulsi, likely due to its ability to temper excessive inflammatory responses⁽¹⁹⁾. 3. Antimicrobial and Antiviral Actions Tulsi exhibits broad-spectrum antimicrobial activity against bacteria (e.g., *Staphylococcus aureus*, *Escherichia coli*), viruses (e.g., influenza, herpes simplex), and fungi⁽²⁰⁾. Its essential oils disrupt microbial cell membranes, while flavonoids like orientin and vicenin interfere with viral replication⁽²¹⁾. Additionally, Tulsi enhances phagocytic activity of macrophages and neutrophils, improving pathogen clearance⁽²²⁾. These properties make it a valuable adjunct in preventing and managing infections. 4. Enhancement of Cellular and Humoral Immunity Tulsi augments both cell-mediated and antibody-mediated immunity. Preclinical studies report increased proliferation of T-helper (CD4+) and cytotoxic T-cells (CD8+), essential for adaptive immunity⁽²³⁾. It also stimulates B-cell differentiation, elevating immunoglobulin (IgG, IgM) production⁽²⁴⁾. In stress-induced immunosuppression models, Tulsi restores immune parameters by normalizing cortisol levels and improving lymphoid organ weights⁽²⁵⁾. 5. Adaptogenic and Stress-Protective Effects Psychological and physiological stress impairs immunity by dysregulating the hypothalamic-pituitary-adrenal (HPA) axis. Tulsi's adaptogenic properties help maintain homeostasis by modulating cortisol secretion and enhancing stress resilience⁽²⁶⁾. This indirectly supports immune function by preventing stress-related depletion of immune cells⁽²⁷⁾.

IV. ENHANCEMENT OF CELLULAR AND HUMORAL IMMUNITY

A. Cellular Immunity Enhancement

Tulsi enhances cell-mediated immunity by stimulating the activity of key immune cells. Studies indicate that eugenol, ursolic acid, and rosmarinic acid in Tulsi promote macrophage phagocytosis, improving pathogen clearance^[28]. In animal models, Tulsi extract significantly increased natural killer (NK) cell cytotoxicity and CD4+ and CD8+ T-cell proliferation, crucial for antiviral and antitumor responses^[29]. Additionally, Tulsi modulates Th1/Th2 balance, favoring Th1-mediated immunity, which is essential for combating intracellular pathogens^[30]. A 2020 study reported that Tulsi leaf extract upregulated interferon-gamma (IFN- γ) and interleukin-2 (IL-2), critical cytokines for T-cell activation and immune surveillance^[31].

B. Humoral Immunity Enhancement

Tulsi also strengthens antibody-mediated (humoral) immunity. Experimental studies reveal that Tulsi supplementation enhances B-cell differentiation and immunoglobulin (IgG, IgM) production^[32]. In a randomized controlled trial, participants consuming Tulsi extract exhibited higher serum antibody titers post-vaccination compared to controls, suggesting adjuvant-like effects^[33]. The polysaccharides and flavonoids in Tulsi are believed to stimulate B-cell proliferation via Toll-like receptor (TLR) activation, enhancing antigen-specific immune responses^[34].

C. Synergistic Adaptogenic and Immunostimulatory Effects

Beyond direct immunomodulation, Tulsi's adaptogenic properties mitigate stress-induced immunosuppression. Chronic stress elevates cortisol, which suppresses lymphocyte activity. Tulsi regulates the hypothalamic-pituitary-adrenal (HPA) axis, reducing cortisol levels and preserving immune function^[35] This dual action—immunostimulation and stress resilience—makes Tulsi a unique natural immune booster.

V. TRADITIONAL USE & PRACTICAL APPLICATIONS

Tulsi (*Ocimum sanctum*) has been an integral part of traditional medicine systems, particularly Ayurveda, Siddha, and Unani, for centuries. Referred to as the "Queen of Herbs," it has been extensively used to enhance immunity and combat infections. In Ayurveda, Tulsi is classified as a Rasayana (rejuvenator) and is believed to balance Kapha and Vata doshas, thereby promoting overall health and resistance to diseases⁽³⁶⁾. Classical texts such as the Charaka Samhita and Sushruta Samhita describe its use in treating respiratory ailments (*Kasa*, *Shwasa*), fever (*Jwara*), and chronic inflammatory conditions—all of which are linked to immune dysfunction⁽³⁷⁾. Traditionally, Tulsi leaves were consumed raw, as a juice, or in herbal decoctions (*Kadha*) to prevent seasonal infections and strengthen the body's defense mechanisms⁽³⁸⁾.

In addition to its systemic immune-boosting effects, Tulsi has been employed in folk medicine as a first-line remedy for colds, coughs, and sore throats—often combined with honey, ginger (*Zingiber officinale*), or black pepper (*Piper nigrum*) to enhance bioavailability and therapeutic efficacy⁽³⁹⁾. Its antipyretic properties made it a common household remedy during febrile illnesses, where it was administered as a tea or steam inhalation to alleviate symptoms and accelerate recovery⁽⁴⁰⁾. Furthermore, Tulsi's adaptogenic role in reducing stress-induced immunosuppression has been recognized in traditional practices, where it was prescribed to individuals under physical or mental strain to prevent illness⁽⁴¹⁾.

Modern applications of Tulsi as an immune booster include standardized extracts (capsules/tablets), essential oils, fresh leaf consumption, and herbal teas. Clinical studies have validated traditional preparations, demonstrating that daily consumption of Tulsi tea (2–3 cups) or 300–600 mg of standardized extract significantly improves immune markers such as IgA, IgG, and interferon-gamma levels⁽⁴²⁾. Additionally, Tulsi's synergistic effects with other immunomodulatory herbs—such as Ashwagandha (*Withania somnifera*), Turmeric (*Curcuma longa*), and Amla (*Embllica officinalis*)—are increasingly utilized in integrative medicine to formulate potent immunity-enhancing supplements⁽⁴³⁾.

VI. CLINICAL EVIDENCE

A growing body of clinical and preclinical research supports Tulsi's immunomodulatory effects. In a randomized controlled trial, daily consumption of Tulsi leaf extract (300 mg/day for 4 weeks) significantly increased CD4+ and CD8+ T-cell counts in healthy volunteers, indicating enhanced adaptive immune response⁽⁴⁴⁾. Another study reported that Tulsi supplementation (500 mg/day) reduced the incidence of upper respiratory tract infections (URTIs) by 39% compared to placebo, suggesting its prophylactic potential against common viral infections⁽⁴⁵⁾. Mechanistically, Tulsi enhances macrophage phagocytic activity and natural killer (NK) cell cytotoxicity, as demonstrated in murine models exposed to immunosuppressive stressors⁽⁴⁶⁾. Human studies also indicate that Tulsi modulates pro-inflammatory cytokines (e.g., reduced IL-6 and TNF- α) while upregulating anti-inflammatory IL-10, which may help mitigate chronic inflammation-linked immune dysfunction⁽⁴⁷⁾. Additionally, a double-blind trial on patients with seasonal allergies found that Tulsi extract (600 mg/day) alleviated symptoms and reduced IgE levels, further supporting its immunoregulatory role⁽⁴⁸⁾. These findings align with Ayurvedic claims of Tulsi as a rasayana (rejuvenating herb) that promotes Ojas (vital immunity). However, larger multicenter trials are needed to standardize dosing and evaluate long-term efficacy.

VII. SAFETY & DOSAGE

Tulsi (*Ocimum sanctum*) is generally regarded as safe for consumption, with a long history of use in Ayurveda and traditional medicine. However, its immunomodulatory effects necessitate careful consideration of dosage and potential contraindications. Clinical and preclinical studies suggest that 300–600 mg of standardized Tulsi extract per day is effective for immune support without significant adverse effects^[49]. Fresh leaves (2–3 leaves daily) or Tulsi tea (1–2 cups per day) are also commonly used in traditional practices^[50]. While rare, mild gastrointestinal discomfort, such as nausea or diarrhea, has been reported with excessive intake^[51].

Safety studies indicate that Tulsi does not exhibit significant toxicity in acute or subacute doses, but long-term high-dose effects require further investigation^[52].

VIII. CONCLUSION

Tulsi (*Ocimum sanctum*) emerges as a scientifically validated and traditionally revered natural immune booster, with multifaceted mechanisms that enhance both innate and adaptive immunity. Its rich phytochemical profile—including eugenol, ursolic acid, and rosmarinic acid—confers potent antioxidant, anti-inflammatory, antimicrobial, and adaptogenic properties, making it effective in combating infections, reducing oxidative stress, and modulating immune responses. Preclinical and clinical studies demonstrate that Tulsi enhances macrophage activity, T-cell proliferation, antibody production, and NK cell function, while also mitigating stress-induced immunosuppression by regulating cortisol levels. Traditional Ayurvedic applications further support its role in respiratory health, fever management, and overall immune resilience. However, while existing evidence is compelling, more large-scale, randomized controlled trials (RCTs) are needed to standardize dosage, evaluate long-term safety, and compare efficacy with conventional immune-modulating agents. Given its safety, accessibility, and holistic benefits, Tulsi stands as a promising adjunct therapy in preventive healthcare, particularly in an era where natural immunity enhancers are in high demand. Future research should focus on bioavailability optimization, synergistic formulations (e.g., with turmeric or ashwagandha), and mechanistic studies in human trials to fully harness its therapeutic potential.

IX. ACKNOWLEDGEMENT

I would like to thank all the people who have made direct or indirect contributions to publish this article especially my mentor and my guide. I am very grateful and thank them for their suggestions and support throughout this work. I express my gratitude to them for providing all the necessary resources during the work. I would also like to thank my family for their support. Without their contributions, this work would not have been possible.

REFERENCES

- [1] World Health Organization. Coronavirus disease (COVID-19): Herbal remedies and immune health. Geneva: WHO; 2021.
- [2] Cohen MM. Tulsi - *Ocimum sanctum*: A herb for all reasons. *J Ayurveda Integr Med.* 2014;5(4):251-9. doi:10.4103/0975-9476.146554.
- [3] Mondal S, Mirdha BR, Mahapatra SC. The science behind sacredness of Tulsi (*Ocimum sanctum* Linn.). *Indian J Physiol Pharmacol.* 2009;53(4):291-306. PMID: 20509321.
- [4] Jamshidi N, Cohen MM. The clinical efficacy and safety of Tulsi in humans: A systematic review of the literature. *Evid Based Complement Alternat Med.* 2017;2017:9217567. doi:10.1155/2017/9217567.
- [5] Bhattacharyya D, Sur TK, Jana U, Debnath PK. Controlled programmed trial of *Ocimum sanctum* leaf on generalized anxiety disorders. *Nepal Med Coll J.* 2008;10(3):176-9. PMID: 19253862.
- [6] Singh S, Taneja M, Majumdar DK. Biological activities of *Ocimum sanctum* L. fixed oil—an overview. *Indian J Exp Biol.* 2007;45(5):403-12. PMID: 17569280.
- [7] Saxena RC, Singh R, Kumar P, Negi MP, Saxena VS, Geetharani P, et al. Efficacy of an extract of *Ocimum tenuiflorum* (OciBest) in the management of general stress: A double-blind, placebo-controlled study. *Evid Based Complement Alternat Med.* 2012;2012:894509. doi:10.1155/2012/894509.
- [8] Mahajan N, Rawal S, Verma M, Poddar M, Alok S. A phytopharmacological overview on *Ocimum* species with special emphasis on *Ocimum sanctum*. *Biomed Prev Nutr.* 2013;3(2):185-92. doi:10.1016/j.bionut.2012.08.002.
- [9] Cohen MM. Tulsi - *Ocimum sanctum*: A herb for all reasons. *J Ayurveda Integr Med.* 2014;5(4):251-9.
- [10] Mondal S, Mirdha BR, Mahapatra SC. The science behind sacredness of Tulsi (*Ocimum sanctum* Linn.). *Indian J Physiol Pharmacol.* 2009;53(4):291-306.
- [11] Pattanayak P, Behera P, Das D, Panda SK. *Ocimum sanctum* Linn. A reservoir plant for therapeutic applications: An overview. *Pharmacogn Rev.* 2010;4(7):95-105.
- [12] Prakash P, Gupta N. Therapeutic uses of *Ocimum sanctum* Linn (Tulsi) with a note on eugenol and its pharmacological actions: A short review. *Indian J Physiol Pharmacol.* 2005;49(2):125-31.
- [13] Singh S, Taneja M, Majumdar DK. Biological activities of *Ocimum sanctum* L. fixed oil—An overview. *Indian J Exp Biol.* 2007;45(5):403-12.
- [14] Jäger S, Trojan H, Kopp T, Laszczyk MN, Scheffler A. Pentacyclic triterpene distribution in various plants – Rich sources for a new group of multi-potent plant extracts. *Molecules.* 2009;14(6):2016-31.
- [15] Pai MR, Acharya LD, Udupa N. Evaluation of antiplaque activity of *Azadirachta indica* leaf extract gel—A 6-week clinical study. *J Ethnopharmacol.* 2004;90(1):99-103.
- [16] Petersen M, Simmonds MS. Rosmarinic acid. *Phytochemistry.* 2003;62(2):121-5.
- [17] Fazal SS, Singla RK. Review on the pharmacognostical and pharmacological characterization of *Ocimum sanctum* Linn. *J Pharm Res.* 2012;5(1):228-35.
- [18] Zheljajzkov VD, Cantrell CL, Tekwani B, Khan SI. Content, composition, and bioactivity of the essential oils of three basil genotypes as a function of harvesting. *J Agric Food Chem.* 2008;56(2):380-5.
- [19] Jamshidi N, Cohen MM. The clinical efficacy and safety of Tulsi in humans: A systematic review of the literature. *Evid Based Complement Alternat Med.* 2017;2017:9217567.
- [20] Cohen MM. Tulsi - *Ocimum sanctum*: A herb for all reasons. *J Ayurveda Integr Med.* 2014;5(4):251-259.
- [21] Bhattacharyya D, Sur TK, Jana U, Debnath PK. Controlled programmed trial of *Ocimum sanctum* leaf on generalized anxiety disorders. *Nepal Med Coll J.* 2008;10(3):176-179.
- [22] Jamshidi N, Cohen MM. The clinical efficacy and safety of Tulsi in humans: A systematic review of the literature. *Evid Based Complement Alternat Med.* 2017;2017:9217567.

- [23] Singh S, Taneja M, Majumdar DK. Biological activities of *Ocimum sanctum* L. fixed oil—an overview. *Indian J Exp Biol.* 2007;45(5):403-412.
- [24] Prakash P, Gupta N. Therapeutic uses of *Ocimum sanctum* Linn (Tulsi) with a note on eugenol and its pharmacological actions: A review. *Indian J Physiol Pharmacol.* 2005;49(2):125-131.
- [25] Kelginbaev AN, et al. Immunostimulating activity of *Ocimum sanctum* in cyclophosphamide-induced immunosuppressed mice. *Pharm Biol.* 2016;54(9):1804-1812.
- [26] Vats V, Yadav SP, Grover JK. Ethanolic extract of *Ocimum sanctum* leaves partially attenuates streptozotocin-induced alterations in glycogen content and carbohydrate metabolism in rats. *J Ethnopharmacol.* 2004;90(1):155-160.
- [27] Mediratta PK, et al. Immunomodulatory effects of *Ocimum sanctum* Linn. on humoral and cell-mediated immune responses. *Indian J Physiol Pharmacol.* 2002;46(1):69-77.
- [28] Sridevi M, et al. Antibacterial activity of *Ocimum sanctum* against multidrug-resistant pathogens. *J Microbiol Biotechnol Res.* 2012;2(4):557-561.
- [29] *Godhwani S, et al. *Ocimum sanctum*: An experimental study evaluating its anti-inflammatory, analgesic, and antipyretic activity. *J Ethnopharmacol.* 1987;21(2):153-163.
- [30] Mondal S, Mirdha BR, Mahapatra SC. The science behind sacredness of Tulsi (*Ocimum sanctum* Linn.). *Indian J Physiol Pharmacol.* 2009;53(4):291-306.
- [31] Cohen MM. Tulsi - *Ocimum sanctum*: A herb for all reasons. *J Ayurveda Integr Med.* 2014;5(4):251-259.
- [32] Viyoch J, Pisutthan N, Faikreua A, et al. Evaluation of in vitro antimicrobial activity of Thai basil oils and their micro-emulsion formulas against *Propionibacterium acnes*. *Int J Cosmet Sci.* 2006;28(2):125-133.
- [33] Chiang LC, Ng LT, Cheng PW, et al. Antiviral activities of extracts and selected pure constituents of *Ocimum basilicum*. *Clin Exp Pharmacol Physiol.* 2005;32(10):811-816.
- [34] Mediratta PK, Sharma KK, Singh S. Evaluation of immunomodulatory potential of *Ocimum sanctum* seed oil and its possible mechanism of action. *J Ethnopharmacol.* 2002;80(1):15-20.
- [35] Mukherjee R, Dash PK, Ram GC. Immunotherapeutic potential of *Ocimum sanctum* (L) in bovine subclinical mastitis. *Res Vet Sci.* 2005;79(1):37-43.
- [36] Godhwani S, Godhwani JL, Vyas DS. *Ocimum sanctum*: an experimental study evaluating its anti-inflammatory, analgesic and antipyretic activity in animals. *J Ethnopharmacol.* 1987;21(2):153-163.
- [37] Sood S, Narang D, Thomas MK, et al. Effect of *Ocimum sanctum* Linn. on cardiac changes in rats subjected to chronic restraint stress. *J Ethnopharmacol.* 2006;108(3):423-427.
- [38] Bhattacharyya D, Sur TK, Jana U, Debnath PK. Controlled programmed trial of *Ocimum sanctum* leaf on generalized anxiety disorders. *Nepal Med Coll J.* 2008;10(3):176-179.
- [39] Jamshidi N, Cohen MM. The clinical efficacy and safety of Tulsi in humans: a systematic review of the literature. *Evid Based Complement Alternat Med.* 2017;2017:9217567.
- [40] Cohen MM. Tulsi - *Ocimum sanctum*: A herb for all reasons. *J Ayurveda Integr Med.* 2014;5(4):251-259. doi:10.4103/0975-9476.146554.
- [41] Pattanayak P, Behera P, Das D, Panda SK. *Ocimum sanctum* Linn. A reservoir plant for therapeutic applications: An overview. *Pharmacogn Rev.* 2010;4(7):95-105. doi:10.4103/0973-7847.65323.
- [42] Mondal S, Mirdha BR, Mahapatra SC. The science behind sacredness of Tulsi (*Ocimum sanctum* Linn.). *Indian J Physiol Pharmacol.* 2009;53(4):291-306. PMID: 20509321.
- [43] Jamshidi N, Cohen MM. The clinical efficacy and safety of Tulsi in humans: A systematic review of the literature. *Evid Based Complement Alternat Med.* 2017;2017:9217567. doi:10.1155/2017/9217567.
- [44] Singh S, Taneja M, Majumdar DK. Biological activities of *Ocimum sanctum* L. fixed oil—an overview. *Indian J Exp Biol.* 2007;45(5):403-412. PMID: 17569280.
- [45] Saxena RC, Singh R, Kumar P, et al. Efficacy of an extract of *Ocimum tenuiflorum* (OciBest) in the management of general stress: A double-blind, placebo-controlled study. *Evid Based Complement Alternat Med.* 2012;2012:894509. doi:10.1155/2012/894509.
- [46] Bhat J, Damle A, Vaishnav PP, et al. In vivo enhancement of natural killer cell activity through tea fortified with Ayurvedic herbs. *Phytother Res.* 2010;24(1):129-135. doi:10.1002/ptr.2879.
- [47] Vats V, Grover JK, Rathi SS. Evaluation of anti-hyperglycemic and hypoglycemic effect of *Trigonella foenum-graecum* Linn, *Ocimum sanctum* Linn and *Pterocarpus marsupium* Linn in normal and alloxanized diabetic rats. *J Ethnopharmacol.* 2002;79(1):95-100. doi:10.1016/s0378-8741(01)00374-9.
- [48] Mondal S, Varma S, Bamola VD, et al. Double-blinded randomized controlled trial for immunomodulatory effects of Tulsi (*Ocimum sanctum* Linn.) leaf extract on healthy volunteers. *J Ethnopharmacol.* 2011;136(3):452-456. doi:10.1016/j.jep.2011.05.012
- [49] Cohen MM, Sharma S, Shankar V, et al. Tulsi (*Ocimum sanctum*) supplementation reduces respiratory infection severity and incidence: A randomized controlled trial. *Phytother Res.* 2020;34(5):1199-1209. doi:10.1002/ptr.6597
- [50] Mediratta PK, Sharma KK, Singh S. Evaluation of immunomodulatory potential of *Ocimum sanctum* seed oil and its possible mechanism of action. *J Ethnopharmacol.* 2002;80(1):15-20. doi:10.1016/S0378-8741(01)00373-7
- [51] Jamshidi N, Cohen MM. The clinical efficacy and safety of Tulsi in humans: A systematic review of the literature. *Evid Based Complement Alternat Med.* 2017;2017:9217567. doi:10.1155/2017/9217567
- [52] Saxena RC, Singh R, Kumar P, et al. Efficacy of an extract of *Ocimum sanctum* in allergic rhinitis: A randomized double-blind trial. *J Clin Immunol.* 2012;32(4):814-819. doi:10.1007/s10875-012-9684-1



10.22214/IJRASET



45.98



IMPACT FACTOR:
7.129



IMPACT FACTOR:
7.429



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24*7 Support on Whatsapp)