iJRASET
International Journal For Research in Applied Science and Engineering Technology

INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 14 **Issue:** IV **Month of publication:** April 2026

DOI: https://doi.org/10.22214/ijraset.2026.81190

www.ijraset.com

Call: 08813907089 | E-mail ID: ijraset@gmail.com

International Journal for Research in Applied Science & Engineering Technology (IJRASET)
ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 14 Issue IV Apr 2026- Available at www.ijraset.com

A Smart City Approach to Dynamic Traffic Management Using Real-Time AI Vision Systems

Shivendra Tiwari, Shubham Kumar, Er. Shubham Kumar
Stud. of Computer Science & Engineering Shri Ramswaroop Memorial College Of Engineering & Management Lucknow, India

Abstract: ***Traffic congestion is a major issue in modern cities, resulting in long delays, unnecessary fuel consumption, and increased pollution. Commuters are irritated by conventional traffic signal systems since they are unable to adapt to the stream of traffic in real time due to their established schedules. Increasing urban mobility is increasingly requiring a more flexible, intelligent traffic control system that can make decisions in real time. In order to increase the effectiveness and smoothness of municipal traffic flow, a cutting-edge instrument known as Traffic Optimization was developed. The core of this system is Density-Based Traffic Management (DBTMS), which dynamically adjusts traffic signals using Internet of Things sensors, CCTV cameras, and machine learning algorithms. Unlike prior systems that follow predetermined schedules, Traffic Tuner automatically adjusts signal durations and monitors real-time traffic conditions to alleviate congestion and enhance overall traffic flow.***

Keywords: IoT, machine learning, smart cities, dynamic traffic control, evacuation prioritizing, and predictive traffic analysis.

I. INTRODUCTION

The In the framework of smart cities, this chapter explores how artificial intelligence (AI) and real-time traffic monitoring relate to smart city frameworks. exploring the core components of real-time traffic systems, the discussion focuses on the pressing need for prompt, data-driven decisions in urban transportation. It looks at how AI, specifically machine learning and computer vision techniques, can be used to increase traffic analysis speed and accuracy. In order to ensure comprehensive data collection, the usage of Internet of Things (IoT) sensors is essential. In this chapter, the mutually advantageous relationship between AI and IoT is negotiated with an emphasis on communication protocols that create seamless integration. The investigation is deepened by real-world case studies that learn from cities that are skilled at using AI for dynamic traffic monitoring. Real-time surveillance poses ethical and practical problems, such as privacy concerns and technical difficulties. As it looks to the future of AI and IoT in traffic management, the chapter gives predictions about innovative tactics and state-of-the-art technologies. This chapter essentially acts as a succinct but thorough manual, describing the revolutionary possibilities of artificial intelligence in real-time traffic monitoring for the long-term development of smart cities.[1].



Figure 1. Traffic Congestion on Intersection
(taken from Freepik)

Modern urban areas have increased traffic, increased fuel consumption, and higher pollution levels due to constant and time-based traffic signaling. By learning from the current situation, AI-ACTS provides a data-driven, flexible alternative that increases commuter safety and traffic efficiency[6].

:

©IJRASET: All Rights are Reserved

Prior to deployment, AI-ACTS models were tested and benchmarked using modeling frameworks like SUMO and VISSIM. In order to find best practices and improve their learning models for practical uses, they allow academics to test various algorithms in controlled,circumstances[11].

Signals timings are frequently preset in a conventional traffic system using past trends, which leads to inefficiency during unforeseen traffic shifts. AI-ACTS revolutionizes this process by integrating deep learning, computer vision, and sensor fusion technologies to continuously monitor and respond to shifting traffic conditions. As the sensory foundation for adaptive signal regulation, systems that employ inductive loop sensors and YOLO-based visual detection have demonstrated increased accuracy in vehicle identification and density estimation[8].

Lastly, worries regarding confidentiality of information, ethical regulation, and sustainability over the long term have surfaced as AI-ACTS systems spread throughout the world. In order to guarantee adherence to urban governance requirements, edge-based processing and anonymization frameworks have been established, given that ongoing video monitoring and data collecting give rise to valid privacy concerns[15].

Both external and roadside environmental elements contribute to the highly dynamic and chaotic nature of the road traffic environment. The human element, which is mostly disregarded in the current research, influences the traffic situation in addition to infrastructure-related elements like traffic signals, road infrastructure, and other road networks. Timing the green light and tracing the object that makes an incorrect turn using real-time visual information for traffic monitoring are still challenging tasks for the standard traffic management system.The proposed system determines traffic clearance at the signal by using a neural network for single image processing and the You Only Look Once v3 (YOLOv3) model. To identify objects from video frames, apply the YOLOv3 technique. Within a suggested framework, each vehicle's movement is then tracked using the central object tracking technique. Based on their trajectories, we put algorithms into place to detect cars moving in the wrong way. By improving accurate object recognition, real-time vehicle monitoring, and traffic violation detection, this integrated strategy improves road safety measures overall. [3]

A The development and deployment of a computer vision-based smart traffic signal system that optimizes traffic control is described in this study. The system uses a pretrained YOLO model and Python's OpenCV package to detect vehicles and lanes in real time. This enables traffic signals to be dynamically modified based on current traffic conditions. Automated traffic barriers, emergency vehicle allocation, and multi-lane vehicle counting are crucial components that streamline traffic flow and reduce the need for human involvement. The system's optimization algorithm efficiently regulates lane availability based on traffic data, reducing road congestion.[4]

AI technologies employed in system creation are utilized to assess traffic in smart cities. AI-TMS ensures that vehicles move dependably in the Smart City Road Environment and reduces unwanted vehicle halts.[5]

II. LITERATURE SURVEY

The goal of an analysis of the literature on AI-Based Adaptive Traffic Control Systems (ACTS) is to understand how traffic management has evolved from fixed-cycle systems to intelligent, data-driven, and learning-based control frameworks. Gathering data on current technological status, identifying ongoing problemssuch as sensor reliability, sim-to-real transfer, and multi-intersection coordination, and proposing potential innovations that integrate machine learning (ML), computer vision (CV), and reinforcement learning (RL) are the aims in order to improve urban traffic flow.

In paper [6], the authors presented a comprehensive survey on deep reinforcement learning (DRL) methods applied to traffic signal control, analyzing diverse algorithmic frameworks such as DQN, actor–critic, and policy-gradient models. Their findings emphasized the significance of reward shaping, state representation, and simulation fidelity in achieving scalable and stable control.In paper [7], Using sequential n-step updates, a Q-learning-based adaptive control technique was shown to speed up converge in intricate urban networks; the results showed better average delay decrease than fixed-time baselines.In paper [8], Researchers implemented a YOLO-based real-time vehicle detection system and integrated sensor outputs into signal timing techniques to count and categorize vehicles at crosses. The suggested system showed the promise of computer vision in traffic control and achieved incredible precision in high-trafficconditions. In paper [9],researched a deep reinforcement learning design that has been enhanced using focus approaches to make it more adaptable to changing demands and sensor noise. It was concluded that model durability and dynamic compensation scaling were essential for real-world application.In paper [10],a multi-purpose deep reinforcement learning model was developed to simultaneously optimize safety, queue duration, and time metrics. The authors discovered that using Pareto-optimal training improved both the efficiency and equity of signal cycle allocation.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

In paper [11],Noaeen et al. conducted a comprehensive assessment of over 150 articles on RL-based traffic signal management, classifying the works by supervision level (individual, connected, and linked), simulator type, and learning framework. Their investigation revealed persistent shortcomings in cross-intersection cooperation, homogeneous datasets, and deep policy comprehension.In paper [12],provided a logical logical viewpoint by combining the use of model predictive control (MPC) with reinforcement learning techniques. It covered how explanation and liberty could be reconciled using mixed frameworks that mix data-driven flexibility with safety and constraint fulfilling guarantees.In paper [13], Wei et al. offered RL-based advancements utilizing traffic-state structures and award feedback cycles after identifying conventional control methods like automatic, active, and fixed- time signal systems. The authors emphasized the importance of simulating realism (e.g., SUMO, VISSIM) while testing new algorithms.In paper [14], Michailidis et al. explored the most recent advancements in sensor integration (video + IoT), distributed computation, and fairness-conscious optimization in reinforcement learning for urban junctions. They found that YOLO-based observation combined with critic-actor control led to less computation lag and easier traffic transitions.

In paper [15],Ballis et al.evaluated various reinforcement learning methods on an actual testing facility in Nicosia, Cyprus, showing that reactive individuals can support adaptability as well as sustainability by juggling several objectives, such as delay elimination and lowering emissions.In paper [16], the authors founded gathering in the world, the Kumbh Mela, poses a health risk due to poor cleanliness and a dense throng. Safety relies on identifying risk factors and taking preventative measures.

Together, these pieces show how traffic management has changed from time-dependent and fixed principles to perception-guided, adaptive self-learning systems. Research suggests that more developments in multi-agent collaboration, edge processing for latency lowering, and confidential video analytics are necessary to allow a stable deployment in future smart cities, despite the fact that AI-based control significantly increases coordination efficiency.

III. TRAFFIC MANAGEMENT ARCHITECTURE

Information-driven, autonomous, and self-learning machines are quickly displacing traditional, rule-based signal control, according to research on AI-Based Adaptive Traffic Control Systems (AI-ACTS)[6].



Figure 2. Traffic Management
(taken from Bstelecom)

Recent studies have demonstrated how adaptive driving frameworks, when paired with advanced technologies for sensing like edge computing and vision-based detection (YOLO), enable real-time decision-making and adaptability to shifting traffic flow patterns[8][9].Additionally, research shows that by reducing pollutants and maximizing fuel efficiency, these solutions not only improve operational effectiveness but also help achieve environmental goals. This review breaks down the existing research into six major themes for easier understanding: Perception & Sensing, State Representation & Traffic Modeling, Reinforcement Learning & Adaptive Control, Multi-Intersection / Multi-Agent Coordination, Simulation & Benchmarking, and Deployment, Ethics & Governance. These core features establish the conceptual and practical foundations of AI-ACTS and jointly demonstrate how technology innovation is revolutionizing modern smart traffic management[11][15].

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |



Figure 3. Overview of crowd management with centralized control

1) *Sensing and Perception (Video + Conventional Sensors)*: Recent advances in perception systems have made it possible for AI-ACTS to recognize and comprehend traffic problems in real time. Vision-based methods, such as YOLO alternatives, are widely utilized for vehicle identification and categorization because they offer comprehensive spatial andchronological traffic insights[8].Similarly, by combined deep learning techniques with reinforcement learning frameworks to produce a perceptual model that is more precise and adaptable. In order for hybrid systems to operate reliably in low light or inclement weather, traditional sensors like motion detectors and inductive loops are still required[9].
2) *State Representation & Traffic Modeling*:The way data is represented of traffic states has a major impact on the rate of generalization and learning performance of reinforcement learning models.Most frameworks rely on either consolidated statistical states, such as flow, utilization, or queue length, or complex visual inputs derived from camera data. Aggregated statistics enable quicker learning with less computational effort, but they lack spatial dimension, whereas image-based states provide superior contextual information at the cost of increased latency and processing needs. By integrating aggregated data with compressed visual qualities, hybrid representations have recently emerged as a more balanced approach[11].
3) *Reinforcement Learning & Adaptive Control*:Reinforcement learning (RL) has become the standard approach for adaptive traffic control due to its ability to continuously engage with dynamic environments to enhance traffic signal timing. provided a comprehensive examination of how RL-based controllers outperform traditional fixed-time systems by lowering average delay and fuel consumption. demonstrated asynchronous Q-learning methods that improved training convergence for complex crossings and concurrently maximized emissions, throughput, and latency using multiple objectives RlTo preserve comprehension and safety in practical situations, hybrid approaches that combine reinforcement learning (RL) with probabilistic safety layers or Model Predictive Control (MPC) have been established[6][12].

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

4) *Multi-Intersection & Multi-Agent Coordination*:Individual-intersection control has been extensively researched, but coordination over several junctions remains challenging. While centralized systems offer global optimization but are operationally demanding, distributed distributed agent reinforcement learning (MARL) enables scalability through regional autonomy.emphasized that inter-agent interaction and collaboration are crucial to optimizing corridor-level efficiency. However, MARL poses challenges like interaction delays, irregular learning dynamics, and credit assignment across.agents[14].
5) *Simulation, Benchmarking & Evaluation Protocols*:AI-ACTS algorithms need to be created and tested in simulation environments before to deployment. Well-known technologies such as SUMO, VISSIM, and CityFlow are commonly used for training and evaluation. However, the research identifies significant differences in standard data sets, traffic scenarios, and performance measures, making direct comparisons difficult.RL-based signal controllers in a real network and found that sensor interference and unpredictable driver actions often led to poor model performance. New research emphasizes the need for free data sets that include real sensor noise and a variety of environmental variables, as well as standardized benchmarking structures in order to bridge the simulation-to-reality gap[11][13].
6) *Deployment, Ethics & Governance*:The final theme focuses on the practical application of large-scale AI-powered traffic systems and their ethical implications. Research highlights the significant expenses related to infrastructure, bandwidth requirements, and maintenance challenges associated with implementing real-time vision-based systems. The introduction of advanced edge processing and anonymization techniques is a result of the significant privacy and data protection concerns raised by ongoing video tracking. Deployment procedures sometimes include backup mechanisms and support continuous rollouts to ensure reliability in the case of a system failure. Ethical and governance frameworks are still in their infancy, with minimal focus on the sustainability over time, accountability, and social acceptability of robotic decision-making in public infrastructure[8][11].

IV. ANALYSIS

The Artificial Intelligence-Based Adaptive Traffic Control System (AI-ACTS) is one of the most potential smart-city solutions for reducing congestion in urban areas. For consumers, local companies, and city officials, AI-ACTS presents both important possibilities and difficult issues. When used effectively, AI-ACTS can increase main corridor throughput, decrease average journey times, lower pollutants and consumption of fuel, and improve rescue vehicle response. These advantages can be converted into measurable savings for the public sector, infrastructure, and business[6][10].For shipping companies and shops, smooth traffic flows mean quicker trips and more reliable schedules; for city government organizations, they mean lower maintenance costs and enhanced compliance to air quality standards[11].Compressed neural models on embedding GPUs (such the NVIDIA Jetson and Google Coral) are used in recent smart edge advancements to give low-latency real-time interpretation. These techniques balance security with performance since only data is transmitted and private video data remains locally. Blockchain-integrated technologies that now ensure tracking and tamper-proof storage of sensor data and control options have boosted openness regarding smart city infrastructures[16][17].There is still a significant gap in norm standardization. reproducible is challenging since different research use different datasets (CityFlow, PeMS, and bespoke CCTV feeds), assessment standards (average levels of delay, queue length, throughput, and CO_2 emissions), and baseline data[15][18].

Finally, maintenance and cost have an impact on activation choices. Although public budgets and purchasing cycles often stall implementation, the high beginning costs of cameras, compute (GPUs/edge devices), and network can eventually be offset by energy savings, less delays, and improved emergency response. Successful pilots often have backup mechanisms (standard controllers) and staged rollouts, starting with high-impact routes and gradually growing as models demonstrate resiliency in the field[15].

The realistic execution of AI-ACTS necessitates principles-based design of algorithm (safe/hybrid RL), standard evaluation, secure deployment, efficient cost planning, and precise engineering choices (perception precision vs. latency). In summary, AI-ACTS offers measurable technical and financial benefits.

V. MAJOR FINDING

Numerous technological, theoretical, and practical constraints still exist in the research literature and pilot implementations of AI-based adaptive traffic control, despite the field's quick advancement:

1) *Lack of Data and Standardization*:Few uniform datasets are available for real-world traffic films with annotations for weather, lighting, and multiple flow features. It is challenging to compare studies accurately and consistently due to a lack of relevant benchmarks and inconsistent measurements (throughput, delay, or queue length)[19][28].

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

2) *Expense and Connectivity Limitations*: Resilient edge technology, high-bandwidth connections, and ongoing maintenance are necessary for the deployment of real-time observation networks. Merging is made more difficult in developing cities by financial limitations and diverse legacy infrastructure[20].
3) *Data privacy and cybersecurity*: Real-time analysis of videos exposes systems to security risks and data thefts. Few models leverage encryption, learning federation, or blockchain-based data traceability to overcome these problems[21].
4) *Ethics, Clarity, and Security*: AI-ACTS decisions directly affect human safety. However, most RL controllers operate as poorly interpretable, transparent systems. Explainable AI (XAI) and formal safety guarantees are lacking, which raises regulatory concerns and slows local approval[22][23].

Theupcoming approaches highlight interesting research paths and practical advances for next-generation AI-ACTS, building on these gaps that have been identified.

a) *Practical Pilot Research and Policy Assistance:*Governments should support long-term initiatives that combine AI-ACTS, ecologically friendly buildings, and metro digital replicas in order to evaluate cost-benefit outcomes. Policy structures that encourage public-private collaboration and requirements for interoperability will speed up widespread adoption[24].
b) *Sustainable and Energy-Conscious Management*:By Efficiency, fuel efficiency, and decrease in pollution can all be balanced by include environmental considerations in motivational functions. AI-ACTS connects to edge devices powered by clean energy resources and electric vehicle (EV) connectivity to coordinate traffic control with worldwide net-zero objectives[25].
c) *Benchmark frameworks and unifying traffic databases:* Studies should collaborate on inter-city open databases that incorporate multiple sensors (e.g., LiDAR, radar, and video) and a range of meteorological conditions. A standard framework would enable reproducible algorithm evaluation and policy interchange between fields, similar much to CityFlow-Bench2.0[26].
d) *Blockchain, IoT, and AI Ecosystem:*Future smart cities can merge AI-ACTS with blockchain-driven transaction layers, IoT sensors, and vehicle-to-infrastructure (V2I) connectivity. Distributed traffic fee management, safe interdisciplinary communication, and reliable event reporting are made feasible by this convergence[27].

VI. CONCLUSION

Dynamic Traffic Control Systems represent a significant advancement in efficient and ecological urban mobility. AI-ACTS combines multi-agent interaction, reinforcement learning, and sensory technologies to enhance real-time responsiveness, reduce congestion, and maximize energy efficiency. The reviewed literature demonstrates how continuing advancements in cloud-edge integration, hybrid RL models, and legal frameworks are bridging the gaps caused by enduring technology problems including scalability, data protection, and sim-to-real transfer. Later deployments will increasingly rely on explainable AI, established benchmarks, and policy-driven deployment to ensure safety, transparency, and ongoing social acceptance. Thus, a crucial element of the upcoming generation of intelligent modes of transportation is AI-ACTS.

REFERENCES

[1] Mohanty.A.Mohapatra,A.G., & Mohanty, S. K. (2025). Real-time traffic monitoring with AI in smart cities. In Internet of Vehicles and Computer Vision Solutions for Smart City Transformations (pp. 135-165). Cham: Springer Nature Switzerland.
[2] David, S., & Roy, N. (2016). Public health perspectives from the biggest human mass gathering on earth: Kumbh Mela, India. International Journal of Infectious Diseases, 47, 42-45.
[3] Khan, H., & Thakur, J. S. (2025). Smart traffic control: machine learning for dynamic road traffic management in urban environments. Multimedia Tools and Applications, 84(12), 10321-10345.
[4] Salman, M. M., Akil, M. M., Islam, S., Siddiky, M. N. A., Rahman, M. E., & Ahsan, M. S. (2024, November). Enhancing Urban Traffic Management with Real-Time Computer Vision and AI: A Smart Traffic Signal System. In 2024 IEEE International Conference on Signal Processing, Information, Communication and Systems (SPICSCON) (pp. 1-6). IEEE.
[5] Ponnusamy, S., Chourasia, H., Rathod, S. B., & Patil, D. (2024). Ai-driven traffic management systems: Reducing congestion and improving safety in smart cities. In Smart cities (pp. 96-121).
[6] Z. Zhao, Z. Wang, and C. Chen, “A survey on deep reinforcement learning approaches for traffic signal control,” Journal of Traffic and Transportation Engineering, vol. 11, no. 3, pp. 345–362.
[7] W. Genders and S. Razavi, “Asynchronous n-step Q-learning adaptive traffic signal control,” Journal of Intelligent Transportation Systems, vol. 23, no. 4, (pp. 319–331).
[8] S. Kunekar, V. Mehta, and A. Suryawanshi, “Adaptive Traffic Control System Using YOLO,” International Research Journal of Engineering and Technology (IRJET), vol. 10, no. 5, pp. 227–233.
[9] Y. Cai, Y. Chen, and X. Liu, “Adaptive urban traffic signal control based on enhanced deep reinforcement learning,” Sensors, vol. 24, no. 12, p. 3921.
[10] Y. Zhao, J. Zhang, and X. Ma, “Adaptive traffic signal safety and efficiency improvement by multi-objective deep reinforcement learning,” arXiv preprint arXiv:2408.00814.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

[11] M. Noaeen, A. Naik, L. Goodman, J. Crebo, T. Abrar, Z. S. Hossein Abad, A. L. C. Bazzan, and B. Far, "Reinforcement learning in urban network traffic signal control: A systematic literature review," Expert Systems with Applications, vol. 207, p. 116830.
[12] X. Wang, S. Sanner, and B. Abdulhai, "A Critical Review of Traffic Signal Control and a Novel Unified View of Reinforcement Learning and Model Predictive Control Approaches for Adaptive Traffic Signal Control," arXiv preprint arXiv:2211.14426.
[13] H. Wei, G. Zheng, V. Gayah, and Z. Li, "A Survey on Traffic Signal Control Methods," arXiv preprint arXiv:1904.08117, 2019.
[14] P. Michailidis, I. Michailidis, C. R. Lazaridis, and E. Kosmatopoulos, "Traffic Signal Control via Reinforcement Learning: A Review on Applications and Innovations," Infrastructures, vol. 10, no. 5, p. 114.
[15] H. Ballis et al., "Evaluation of Reinforcement Learning Traffic Signalling Strategies for Alternative Objectives: Implementation in the Network of Nicosia, Cyprus," Transport and Telecommunication Journal, vol. 21, no. 4, pp. 295–302.
[16] L. Hu et al., "Edge AI for Real-Time Adaptive Traffic Signal Control," IEEE Trans. Intell. Transp. Syst., vol. 25, no. 2, pp. 2857–2871.
[17] R. Nanduri et al., "Blockchain-Assisted Intelligent Transportation Systems for Secure Traffic Data Management," Future Gener. Comput. Syst., vol. 151, pp. 764–776.
[18] J. Li and W. Zhang, "Evaluation Metrics for Intelligent Traffic Control Systems: A Systematic Review," IEEE Access, vol. 11, pp. 134702–134715.
[19] S. Zhang et al., "Traffic Data Standardization and Benchmark Challenges in AI Signal Control," Transp. Res. Part C, vol. 156, p. 104365.
[20] H. Rahman et al., "Cost Analysis and Infrastructure Barriers in Smart Traffic Deployments," Sustainable Cities Soc., vol. 96, p. 104785.
[21] T. Li et al., "Blockchain-Enhanced Privacy in Edge-Based Traffic Monitoring," Comput. Commun., vol. 212, pp. 50–62.
[22] C. Sun and D. Wu, "Explainable Reinforcement Learning for Safety-Critical Applications," Pattern Recognit., vol. 152, p. 110311.
[23] A. Roy et al., "Trustworthy and Transparent AI in Intelligent Transport Systems," AI Ethics, vol. 5, pp. 167–181.
[24] J. Huang et al., "Policy Frameworks and Pilot Evaluations for AI-Based Urban Traffic Control," Transp. Policy, vol. 144, pp. 67–80.
[25] M. Costa et al., "Energy-Aware Reward Design in Reinforcement Learning Traffic Systems," Renew. Energy, vol. 210, pp. 634–646.
[26] H. Zhao et al., "Cross-City Dataset Development for Traffic Signal Optimization," Data Intell. J., vol. 5, no. 3, pp. 211–226.
[27] E. Nanduri et al., "Federated Blockchain Learning for Intelligent Transport Systems," IEEE Trans. Blockchain, vol. 4, no. 1, pp. 45–59.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |



10.22214/IJRASET

45.98

IMPACT FACTOR: 7.129

IMPACT FACTOR: 7.429

INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 (24*7 Support on Whatsapp)