



# IJRASET

International Journal For Research in  
Applied Science and Engineering Technology



---

# INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

---

**Volume:** 13    **Issue:** V    **Month of publication:** May 2025

**DOI:** <https://doi.org/10.22214/ijraset.2025.70530>

[www.ijraset.com](http://www.ijraset.com)

Call:  08813907089

E-mail ID: [ijraset@gmail.com](mailto:ijraset@gmail.com)

# A Study to Assess the Effectiveness of Structured Teaching Programme on Knowledge Regarding Adjustment Problems Among First Year B.Sc. Nursing students of SCPM College Of Nursing at Gonda, Uttar Pradesh

Mrs.Nidhi Pandey<sup>1</sup>, Ms. Blessy Mathew<sup>2</sup>

<sup>1</sup>Nursingtutor, <sup>2</sup>Associate Professor, College Of Nursing, Llm Medical College, Meerut

## I. INTRODUCTION

Adolescence might be broadly considered to stretch between the ages of 16 and 18. Adolescence is widely recognized as a period of social, religious, political, and vocational adjustments as well as a period of striving for increasing emotional and financial independence from parents.

Adjustment starts from the childhood. Adjustment is not a simple term like adaptation or accommodation. It actually a behavioural process by which humans and other animals maintain an equilibrium among their various needs or between their needs and the obstacles of their environments. Adjustment is a continuous process, not fixed or static state, in fact adjustment is defined as the continuous process of satisfying one's desires, and it involves many aspect of behavior. Adjustment covers four specific areas which are the academic adjustment, social adjustment, personal-emotional adjustment, as well as attachment and commitment towards educational along with institutional goals

## II. OBJECTIVES OF THE STUDY

- 1) To assess the pre-test knowledge regarding adjustment problems among first year B.Sc. Nursing students in selected nursing colleges at Gonda, Uttar Pradesh.
  - 2) To assess the post-test knowledge regarding adjustment problems among first year B.Sc. Nursing students in selected nursing colleges at Gonda, Uttar Pradesh.
  - 3) To evaluate the effectiveness of structured teaching programme on knowledge regarding adjustment problems among first year B.Sc. Nursing students.
  - 4) To assess the significant association between pre and post-test knowledge score regarding adjustment problems among the nursing students with selected demographical variables.
- a) *Methods:* The conceptual framework was done based on general system theory by modifying by Ludwig Von Bertalanffy, 1968. This study was done to assess the Effectiveness Of Structured Teaching Programme On Knowledge Regarding Adjustment Problems Among First Year B.Sc. Nursing Students Of SCPM College Of Nursing At Gonda, Uttar Pradesh..

In order to accomplish the objectives of the study, a one group pretest and posttest research design was selected was selected. In this study, the sample consists of 50 B.Sc. nursing first year students who fulfilled the inclusion criteria for the study. The non-probability convenient sampling technique was used for this study. A structured socio demographic data, and knowledge questionnaire regarding adjustment problems were used on the basis of the objectives of the study. The instrument selected in a research should be as far as possible the vehicle that would best obtain data for drawing conclusions, which were pertinent to the study. The tools are prepared in two sections. The collected data was tabulated according to various parameters and the complete analysis was done with descriptive and inferential statistics.

- b) *Results:* In pretest 27 (54%) had inadequate knowledge, 23 (46%) had moderate knowledge and none of them had adequate knowledge. In posttest 32 (64%) had adequate knowledge, 18 (36%) had moderate knowledge and none of them had inadequate knowledge. It seems that structured teaching program was effective.

Paired ‘t’ value was calculated to analyze the effectiveness between pretest and posttest scores of knowledge level of students. The paired “t” value was 19.16, which is high when compared to table value 2.001. It seems that the structured teaching program was also effective in improving the knowledge level among students. To determine the association between the knowledge post test scores with selected socio- demographic variables.

Chi-square was calculated to find out the association between the post test scores of students with their selected demographic variables regarding structured teaching program on adjustment problems. It reveals that there was a significant association (P<0.05) found between post test scores of knowledge level when compared to other demographic variables such as religion, occupational status of mother, marital status of the parent, relationship with their children, how problematic students should be helped, source of information. Interpretation & Conclusion: The findings of the study suggest that the students of B.Sc. Nursing First year students have different level of knowledge regarding adjustment problems. There is a need for awareness program to reduce the incidence of adjustment problems among the B.Sc. Nursing First year students. This study revealed the various associated factors influencing the raise of adjustment problems among B.Sc. Nursing First year students.

### III. OPERATIONAL DEFINITIONS

- 1) Assess: It refers to the process of measuring the level of knowledge among first year B.Sc. Nursing students regarding adjustment problems which is obtained through closed ended questionnaire
- 2) Effectiveness: It refers to significant gain in knowledge regarding adjustment problems among first year B.Sc. Nursing students post test score as measured by statistical analysis.
- 3) Structured teaching programme: It refers to a systematically organized teaching plan to provide information to among first year B.Sc. Nursing students regarding adjustment problems. It includes knowledge on existing adjustment problems, prevalence and factors influencing it.
- 4) Knowledge: It refers to correct written response among first year B.Sc. Nursing students to the questionnaire regarding adjustment problems.
- 5) Adjustment Problem: In this study it refers that the difficulty to adjust with the new environment people or situation among first year B.Sc. Nursing students of selected nursing colleges at Gonda, Uttar Pradesh.
- 6) Nursing students: The nursing students who joined the profession of providing care for the sick and infirm in selected nursing colleges at Gonda, Uttar Pradesh.

### IV. HYPOTHESIS

- 1)  $H_1$ : There will be significant difference between pre and post-test knowledge score regarding adjustment problems among the nursing students with selected demographical variables.
- 2)  $H_2$ : There will be significant association between pre-test score knowledge regarding adjustment problems among the nursing students with selected demographical variables.


RESEARCH APPROACH-Quantitative evaluative research approach

RESEARCH DESIGN-one group pre and post-test pre-experimental Research design

Group	Pre-test	Intervention	Post-test
First year Nursing Students at selected Nursing colleges at Gonda.	Assessing knowledge regarding Adjustment problems of first year BSc nursing students.  O1	Structured teaching programme.  X	Assessing knowledge regarding Adjustment problems of first year BSc nursing students.  O2

### V. SETTING OF THE STUDY

This study was conducted in a Nursing College, Gonda.



### VI. POPULATION

Population in the present study were first year nursing students of SPCM college of Nursing, Gonda

**VII. SAMPLE AND SAMPLING TECHNIQUE**

The sample for the study comprised of 50 nursing students. Purposive sampling technique was used to draw the sample which is the type of Non-probability sampling technique

**VIII. CRITERIA FOR SELECTION OF SAMPLE**

*A. Inclusion criterion:-*

- 1) Students who are studying in SPCM College of Nursing, Gonda.
- 2) Students who are willing to participate in the study.

*B. Exclusion Criterion:-*

- 1) Students who are not available at the time of data collection.
- 2) Students who are not feeling well at the time of data collection

A structured knowledge questionnaire will be used by the investigator to assess the knowledge regarding adjustment problems. The tool is organized in three parts.

Part I: sociodemographic data

Part II: structured knowledge questionnaire related to knowledge of first year nursing students regarding adjustment problems.

Part –I: age in years, gender, religion, residing area, type of the family, education of the father, occupation of the father, education of the mother, occupation of the mother, family monthly income, source of previous knowledge about adjustment problems.

Part II: structured knowledge questionnaire consisted of 35 items on knowledge regarding adjustment problems. It consists of 3 aspects;

Knowledge question each correct answer was given a score of ‘1’ and wrong answer a score of ‘0’. Maximum score is 35 and minimum score is 0

**IX. METHOD OF DATA ANALYSIS**

The data was analyzed in terms of the study. The plan for data analysis is as follows;

*1) Descriptive statistics:*

- Frequency and percentage distribution are used to analyze demographic variables of first year bsc nursing students on knowledge regarding adjustment problems among first year bsc nursing students.
- Mean, mean percentage and standard deviation are used to assess the level of knowledge of first year bsc nursing students regarding adjustment problems among first year bsc nursing students.

*2) Inferential statistics:*

- Paired ‘t’ test value was calculated to assess the effectiveness of structured teaching programme.
- Chi square test was used to find association between pre test knowledge score and demographic variables

➤ Section A: Description of Samples According to Their Demographic Variables

TABLE-1

Frequency and Percentage distribution of demographic variables among the BSc nursing I year students.

S.NO	DEMOGRAPHIC VARIABLES	FREQUENCY	PERCENTAGE (%)
1.	Age in years:		
	a) 16 to 18	13	26%
	b) 19 to 20	17	34%
	c) 22 to 25	20	40%
2.	Gender		
	a. Male	17	34%
	b. Female	33	66%
3.	Do you stay in hostel?		

	a)Yes	20	40%
	b)No	30	60%
4.	Religion:		
	a)Hindu	36	72%
	b)Muslim	13	26%
	c)Christian	01	2%
	d)others	00	00
5.	Educationalstatusofthe father.		
	a)Illiterate	04	8%
	b)S.S.L.C	13	26%
	c)Higher secondary	07	14%
	d)Degree	09	18%
	e)Illiterate	17	34%
6.	Educationofthemothor		
	a)Illiterate	03	06%
	b)S.S.L.C	07	14%
	c)Higher secondary	14	28%
	d)Degree	14	28%
	e)Illiterate	10	20%
7.	Occupationofthe father:		
	a)Unemployed	13	26%
	b)Self-employee	24	48%
	c)Dailywages	06	12%
	d)Private	04	08%
	e)government	03	06%
8.	Occupationofthemothor		
	a)Homemaker	05	10%
	b)Self-employee	28	56%
	c)Dailywages	06	12%
	d)Private	06	12%
	e)Government	05	10%
9.	Incomeofthe family permonth(in rs):		
	a)Below 5000	07	14%
	b)5001-10000	14	28%
	c)10001– 20000	16	32%
	d)Above 20000	13	26%
10.	Residentialarea		
	a.Rural	28	56%
	b.Semi-Urban	22	44%
	c.Urban	0	0%

11.	of information about adjustment Problems		
	a. Health person	06	12%
	b. Friends/ relatives	29	58%
	c. Massmedia	08	16%
	d. No information	07	14%

TABLE:2 Frequency and percentage distribution of pre and post test scores on adjustment problems among students.

S.NO	LEVEL OF KNOWLEDGE	SCORE	PRETEST		POSTTEST	
			FREQUENCY	PERCENTAGE	FREQUENCY	PERCENTAGE
1	Inadequate	0-10	27	54%	0	0%
2	Moderate	11-20	23	46%	18	36%
3	Adequate	21-30	0	0%	32	64%

Table-2 shows that during pretest 27 (54%) had inadequate knowledge, 23 (46%) had moderate knowledge and none of them had adequate knowledge. during post test 32 (64%) had adequate knowledge, 18 (36%) had moderate knowledge and none of them had inadequate knowledge.




Figure 3- Bar diagram showing frequency and distribution of pretest and post test score

Table 4. Paired "t" value of pretest and posttest scores of level of knowledge among parents.

S.No	Level of knowledge	Paired "t" value	Table value	Level of significant
1.	Adjustment disorder	19.16	2.001	P < 0.05 Significance

Df=49 Table value=2.001                      P < 0.05 Significance

Table 5- Area wise comparison of mean, standard deviation, and mean percentage of pretest and Posttest scores on level of knowledge among students.

S.no	Level of knowledge	Max score	Level of knowledge among students.						Difference in mean percentage %
			Pretest			Post test			
			Mean	SD	Mean %	Mean	SD	Mean %	
1.	Adjustment disorder	30	10	3.68	6.66%	19.92	3.77	39.84%	33.18%

(Table 5-) shows Comparison of mean, SD and mean percentage of pre-test and posttest scores reveal that in pretest mean score was (6.66%), whereas in post-test mean and mean percentage was 39.18% (3.918). It seems that the pre-test was lower than post-test which showing structured teaching program is effective in adjustment problems.

Section D: Association between demographic variables and level of knowledge among students.

Table 6 Chi square value of association between post test scores of knowledge level among students with their selected demographic variables

S.NO	Demographic variables	Df	Table value	Chi square value	Level of significance
1.	Age of the children (In years)	2	2.05	2.68	P < 0.05 Significant
2.	Gender of the children	1	1.41	0.465	P < 0.05 Significant
3.	Gender of the parent	1	1.41	2.11	P < 0.05 Significant
4.	Religion	2	2.05	0.5959	P > 0.05 Not Significant

5.	Educational status of the father	3	3.84	4.796	P<0.05 Significant
6.	Educational status of the mother	3	3.84	4.3515	P<0.05 Significant
7.	Occupationofthe father	3	3.84	4.3265	P<0.05 Significant
8.	Occupationofthemother	3	3.84	2.389	P>0.05 Not Significant
9.	Income of the per month family	3	3.84	4.973	P<0.05 Significant
10.	Residentialarea	2	2.05	3.084	P<0.05 Significant
15.	Sourceofinformation	3	3.84	1.152	P>0.05 Not Significant

Df=2 Tablevalue=2.001 P <0.05SignificanceP> 0.05Notsignificance

➤ Section 1: Frequency and percentage distribution based on the sociodemographic variables.

Regarding the age: Distribution of sample according to age majority of the students belongs to 20 – 25 years i.e. 20 (40%), and 16 – 18 years were 13 (26%)

Regarding the gender Distribution of samples, according to their gender majority of students belongs to female 33 (66%) and males were 17 (34%)

Regarding the stay in hostel Distribution of samples, according to stay in hostel majority of the students were not staying in the hostel i.e. 30 (60%) and staying in hostel were 20 (40%).

Regarding the religion Distribution of samples, according to their religion were Hindu 36 (72%), Christian 13 (26%) and Muslim 1 (2%).

Regarding the educational status of father Distribution of samples, according to the educational status of the father were distributed more in degree 17 (34%) and least in no formal education 4 (8%).

Regarding the educational status of mother Distribution of samples, according to the educational status of the mother were distributed more in secondary and higher secondary education 14 (28%) and least in no formal education 3 (6%).

Regarding the occupational status of father Distribution of samples, according to the occupational status of the father were distributed more in private employee 24 (48%) and least in unemployed 3 (6%).

Regarding the occupational status of mother Distribution of samples, according to the occupational status of the mother were distributed more in private employee 24 (48%) and least in unemployed and coolie worker 5 (10%).

Regarding the economic status Distribution of samples, according to their economic status parents were distributed more in 10,000-15,000/month 16 (32%) and least in less than 6000 were 7 (14%).

Regarding the source of information Distribution of sample according to source of information regarding adjustment problems majority were friends 29 (58%) and health professionals were 06 (12%).

➤ Section 2: To assess the knowledge of students on adjustment problem.

During pre-test 27 (54%) had inadequate knowledge, 23 (46%) had moderate knowledge and none of them had adequate knowledge. during post-test 32 (64%) had adequate knowledge, 18 (36%) had moderate knowledge and none of them had inadequate knowledge.

➤ Section 3: To assess the effectiveness of structured teaching program on adjustment problem.

Paired "t" value was calculated to analyze the effectiveness between pre and post scores of knowledge level of students. The paired "t" value was 19.16, which is high when compared to table value 2.001. It seems that the structured teaching program was also effective in improve the knowledge level among students.

- Section 4: To find association between post-test knowledge scores and their selected demographic variables.

Chi-square was calculated to find out the association between the post test scores of students with their selected demographic variables regarding structured teaching program on adjustment problems. It reveals that there was a significant association ( $P < 0.05$ ) found between the post test scores of adjustment problem and demographic variables like age of the children, gender of the children, gender of the parents, educational status of father and mother, occupational status of father, family income per month, residential area. There was no significant association ( $p > 0.05$ ) found between post test scores of knowledge level when compared to other demographic variables such as religion, occupational status of mother, marital status of the parent, relationship with their children, how problematic students should be helped, source of information.

❖ Nursing Practice:

- ✓ The nurse's key role is to educate the parents in early identification and reporting appropriately to the health professionals.
- ✓ The knowledge of adjustment disorder and its management would help the parents to handle the situation carefully and prevent the problem.
- ✓ Research strongly supports structured teaching program regarding adjustment problems as an effective tool to gain adequate knowledge about it.

❖ Nursing Education:

- ✓ Nursing educators should educate the nursing professional to update their knowledge regarding adjustment disorder and its management.
- ✓ In-service education to update their knowledge and skills in various healthcare settings should be given.

❖ Nursing Administration:

- ✓ Nursing administrator can review the adjustment disorder and its management for parents of middle school children.
- ✓ The administrator should support the staff to conduct a program on management of adjustment disorder in school.

❖ Nursing Research:

- ✓ The study will be useful for further reference.
- ✓ The results of the study help the parents to identify the adjustment problems and its management.
- ✓ Encourage the nurses for conducting research in various aspects regarding Adjustment disorder.

## X. RECOMMENDATIONS

The study of adjustment is a very wide field of research by keeping in view the experience of thorough and systematic research. The following suggestions are presented for further study: This study can also be undertaken for the students and teachers.

- 1) A study of the adjustment problems of college and university students can be conducted.
- 2) A study of the adjustment problems may be conducted on maladjusted students.
- 3) This study can also be undertaken for the adjustment of professional and non-professional students.
- 4) A comparative study can be conducted on adjustment problems of teachers and students.
- 5) A comparative study can be conducted on adjustment problems of boys and girls of different ages.

## BIBLIOGRAPHY

- [1] Jain, K. and Keerti Parmar (2012): Parental counselling as an instrument for reducing insecurity among adolescents. Journal of community guidance and Research. Vol. 29 no.3. Nov.2012.
- [2] Benbassat, N. Priel, B. (2011): Parenting and adolescent adjustment: The role of parental reflective function. Pp
- [3] Clarke-Stewart, A., & Friedman, S. (2005). Child Development: Infancy through Adolescence. John Wiley & Sons, Inc. USA.
- [4] Arati. And C. Ratnaprabha (2004): Influence of family environment on emotional competence of adolescence. Journal of community Guidance and Research. Centres for disease control. (2005): Youth Risk behaviour survey.
- [5] Chakrabati, Srilekha, Biswas, D., Chattopadhyay, P.K. & Saha, S. (1998) Family size and emotional adjustment in children. Social Science International Interdisciplinary Readings (1998) 14 (1&2), 11-18.



- [6] Chaudhary, B.K., Sinha, S.P. Sinha, R.B.N. & Kirti (1995) Impact of home environment on adjustment patterns of students. Indian Journal of Psychological Issues, 1995, 3(1), 20-23.
- [7] Commons, Mandy and DeMello, Lesley R. (2000) The effect of parental divorce and remarriage and the experience of familial conflict on young adult offspring adjustment. Journal of Research and Applications in Clinical Psychology, 2000, III (i & ii), 11-18.
- [8] Darley, J.M., Gluckberg, S., & Kinchella, R.A. (2001). Psychology, 4th edition New Jersey: Prentice Hall, Inc. USA.
- [9] Gallatin, J.E. (1999), Adolescence and Individuality, A Conceptual Approach to Adolescent Psychology.
- [10] Harper & Row Publishers. New York.



10.22214/IJRASET



45.98



IMPACT FACTOR:  
7.129



IMPACT FACTOR:  
7.429



# INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24\*7 Support on Whatsapp)