iJRASET
International Journal For Research in Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 14 **Issue:** IV **Month of publication:** April 2026

DOI: https://doi.org/10.22214/ijraset.2026.79673

www.ijraset.com

Call: 08813907089 | E-mail ID: ijraset@gmail.com

International Journal for Research in Applied Science & Engineering Technology (IJRASET)
ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 14 Issue IV Apr 2026- Available at www.ijraset.com

Agri Growth: An AI-Powered Organic Farming Assistant for Soil Analysis, Crop Recommendation, and Market Intelligence

Mrs.M. Suguna[1], Kilugu Mahesh Reddy, Pilli Venkata Venu, Somagutta Pavankumar Reddy
Department of Artificial Intelligence and Data Science, Dhanalakshmi Srinivasan University, Tamil Nadu, India

Abstract: ***Agriculture remains a fundamental sector supporting the global economy and food security. Despite technological progress,farmerscontinuetoface significantchallengessuchasdecliningsoilfertility, impropercropselection,insufficient access to agricultural expertise, and fluctuating market prices. These challenges often result in reduced crop productivity and economic instability for farmers. To address these issues, this research proposes Agri Growth, an intelligent farming assistant designed to integrate artificial intelligence with modern digital technologies to support sustainable agricultural practices.The Agri Growth platformprovidesfarmerswithacomprehensivedecision-supportsystemthatincludessoilnutrientanalysis,croprecommendation, marketintelligence,andexpertagriculturalguidance.Thesystem analysessoilparametersincludingNitrogen(N), Phosphorus (P), Potassium (K), and pH values using machine learning algorithms to recommend suitable crops and fertilizers. Additionally, the platform integrates real-time agricultural market price information to help farmers determine optimal selling strategies. An AI-powered chatbot is incorporated to provide farmers with instant answers to agricultural queries and best farming practices.The system is developed using Fast API for backend processing, React for the frontend interface, and machine learning models implemented using Python libraries such as Scikit-Learn and Pandas. Experimental evaluation demonstrates that the system caneffectivelyprovideaccuratecroprecommendationsandimprovedecision-makingcapabilitiesforfarmers.Theproposedsystem contributes to the advancement of smart agriculture technologies and supports the transition toward sustainable organic farming practices.***

Keywords: Smart Agriculture, Artificial Intelligence, Soil Analysis,CropRecommendation,OrganicFarming,AgriculturalMarket Intelligence

I. INTRODUCTION

Agriculture remains one of the most essential sectors supporting global food production and economic stability. In many developing countries, a significant portion of the populationdependsonagriculturefortheirlivelihood.Despite technological progress in various industries, agricultural practices still face numerous challenges related to inefficient market access, lack of data-driven decision support, and limitedadoptionofdigitaltechnologies.Farmersoftenrelyon traditional methods for evaluating crop quality and determining market prices, which can lead to inaccurate assessments and poor economic outcomes.

One of the major challenges faced by farmers is the lack of real-time market price visibility for vegetables and agricultural products. Vegetable markets are highly dynamic, and prices fluctuate frequently based on supply, demand, transportation,andseasonalvariations.Farmersoftenselltheir produce withoutaccessto accuratemarketdata,whichresults in reduced profits and inefficient distribution of agricultural goods.

Another significant issue in agriculture is manual crop quality assessment. Traditionally, crop quality is evaluated visually by farmers or traders, which introduces subjectivity and inconsistency in the evaluation process. This manual inspection process is often time-consuming and prone to human error. With the advancement of computer vision and artificial intelligence technologies, automated crop quality assessment systems have emerged as promising solutions for improving agricultural decision-making.

Recent research has demonstrated the effectiveness of **deep learning techniques, particularly Convolutional Neural Networks (CNNs)**, in image classification tasks. These techniques can analyze visual features such as colour distribution, texture patterns, and structural characteristics of crops to determine quality levels and detect potential defects. In addition to deep learning models, basic image processing techniques can also be applied to extract important visual features that assist in classification tasks.

Along with crop quality analysis, farmers also require **accessible agricultural knowledge and guidance** related to cultivation practices, pest control, irrigation, and organic farming methods.

©IJRASET: All Rights are Reserved

However, access to agricultural experts is often limited in rural regions. Intelligent chatbot systems powered by artificial intelligence can provide farmers with instant guidance and improve knowledge accessibility.

To address these challenges, this research proposes Veg Market–SmartAgriculture&CropIntelligencePlatform, aweb-basedsystemdesignedtoassistfarmersinmakingbetter agriculturaldecisions.Theproposedplatformintegrates several key functionalities including vegetable market price monitoring, AI-based crop quality assessment using image analysis techniques, and an AI-powered cultivation assistant that provides agricultural guidance.

The system is implemented using modern web development frameworks and modular system architecture. The frontend interface isdevelopedusing Next.jsandReacttechnologies, while the backend services are implemented using Node.js- based APIs. The crop quality assessment module utilizes a combination of image processing techniques and convolutional neural network models to analyze crop images and classify quality levels.

Themajorcontributionsofthisworkinclude:

- Developmentofaweb-basedsmartagricultureplatformfor farmers
- IntegrationofAI-basedcropqualityassessmentusingimage analysis
- Implementationofavegetablemarketintelligencedashboard
- Designofascalableand modularsystem architecturefor agricultural applications

The proposed Veg Market platform aims to bridge the gap between farmers and digital agricultural technologies by providing a unified platform that supports smarter farming decisions and improved market awareness.

II. LITERATURESURVEY

Theapplicationofartificialintelligenceandcomputervision integration with a market intelligence system or farmer guidance platform.

Another study by Zhang et al. introduced a smart agriculture platformthatintegratedcropmonitoringwithIoTsensorsand machine learning algorithms. While their system provided real-timeagriculturaldatamonitoring,itdidnotincludevisual crop quality assessment or market intelligence features.

Recentresearchhasalsoexploredagriculturalchatbotsystems that provide farming guidance using natural language processing. These systems enable farmers to access agricultural knowledge through conversational interfaces. However, many existing chatbot systems operate independently and are not integrated into broader agricultural platforms.

From the literature review, it is evident that most existing agricultural technologies focus on individual functionalities such as crop classification, disease detection, or agricultural advisory systems. Very few platforms integrate crop quality analysis, market intelligence, and farmer assistance within a unified system.

Toaddresstheselimitations,theproposedVegMarket–Smart Agriculture & Crop Intelligence Platform integrates crop qualityassessment using image classification techniqueswith real-time vegetable market price monitoring and an AI-poweredcultivationassistant.Theintegrationofthesemodules creates a comprehensive agricultural decision support system designedtoassistfarmersinimprovingcropmanagementand market decision-making.

in agriculture has gained significant attention in recent years. Several research studies have explored automated crop monitoring, quality assessment, and agricultural decision support systems. These technologies aim to improve agricultural productivity and reduce dependency on manual inspection processes.

Esteva et al. demonstrated that deep convolutional neural networks can achieve high accuracy in image classification tasks, showing the potential of deep learning in agricultural image analysis and plant disease detection. Their work highlighted the effectiveness of CNN architectures in extracting complex visual features from images.

Mohantyetal.investigatedtheuseofdeeplearningtechniques for plant disease detection using leaf images. Their study utilized convolutional neural networks to classify plant diseases with high accuracy, demonstrating that computer vision can significantly improve agricultural monitoring systems.

Pawara et al. proposed an automated fruit and vegetable qualityassessmentsystemusingimageprocessingtechniques. Their approach extracted visual features such as colour, texture, and shape to classify the freshness of agricultural products. However, the system relied primarily on traditional image processing methods, which limited classification accuracy for complex datasets.

Rahman et al. developed a deep learning-based vegetable classification system capable of distinguishing between fresh and rotten vegetables using convolutional neural networks. Their model achieved high classification accuracy but lacked

TABLEI–COMPARISONOFRELATEDWORKS

Author/ Year	Method Used	Application	Limitation
Estevaet al. (2017)	DeepCNN	Image classification	No agriculture-specific platform
Pawaraet al. (2018)	Image processing	Fruitfreshness detection	Limited accuracy
Rahman et al. (2020)	Deep learning	Freshvsrotten classification	No market intelligence
Zhanget al. (2021)	IoT +ML	Smart agriculture monitoring	No crop quality analysis
Proposed System	CNN + Web platform	Crop quality + market intelligence + AI assistant	Integrated platform

III. PROPOSEDSYSTEM AND METHODOLOGY

The proposed system, Veg Market – Smart Agriculture & Crop Intelligence Platform, is designed as an intelligent agricultural decision support system that integrates soil analysis, machine learning–based crop recommendation, and real-timevegetablemarketintelligence.Thesystemcombines rule-based agricultural knowledge with machine learning techniquestoassistfarmersinmakinginformeddecisionsregarding crop selection, soil management, and market planning.

The architecture of the proposed system consists of four primary modules: the Soil Analysis Module, Machine Learning Crop Recommendation Module, Market Intelligence Module, and API-based Backend Service. These modules work together to analyze soil parameters, predict suitable crops using machine learning algorithms, and provide information about nearby agricultural markets and commodity prices.

The operational workflow of the system follows a structured sequence: user input is first processed by the soil analysis module, after which the machine learning model predicts suitable crops based on soil and environmental parameters. The market intelligence module then retrieves nearby market price data, and the system generates recommendations including soil health insights, fertilizer suggestions, and crop recommendations. This integrated approach enables the systemto providefarmers with actionableagriculturalinsights.

A. Soil Analysis Module

Thesoilanalysismoduleevaluatessoilparametersinorderto determine soil fertility and identify potential nutrient deficiencies that may affect crop productivity. Soil health playsacrucialroleinagricultural yield, andaccurateanalysis of soil characteristics helps farmers apply appropriate fertilizers and select suitable crops.

Thesystemanalysesseveralkeysoilparameters,includingsoil pHlevel,nitrogencontent,phosphoruscontent,potassium content, soil moisture, and organic carbon concentration. Theseparameterscollectivelyrepresenttheoverallhealthand fertility of the soil.

Thesoilparametervectorcanberepresentedas: S = (pH, N, P, K, M, OC)

where pH represents soil acidity or alkalinity, N represents nitrogen concentration, P represents phosphorus concentration, K represents potassium concentration, M represents soil moisture, and OC represents organic carbon content.

Each parameter is evaluated according to agricultural soil standardsand classified into three categories: Low,Medium, or High. This classification helps determine whether the soil contains sufficient nutrients to support crop growth.

Based on these classifications, the system calculates a soil health score using a weighted penalty mechanism. If certain nutrients fall below optimal levels, the soil health score is reducedaccordingly.Thefinalsoilhealthscorerangesfrom0 to **100**, where higher scores indicate better soil quality.

Thesoilconditioniscategorizedintothreelevels:

- GoodSoil(score≥80)
- ModerateSoil(50≤score<80)
- PoorSoil(score<50)




Fig.1:SoilAnalysisModule

This evaluation enables farmers to identify soil deficiencies andobtainappropriatefertilizer recommendationsto improve soil fertility.

A. MachineLearningCropRecommendationModule

The crop recommendation module utilizes a **Random Forest machine learning model** to predict suitable crops based on soilandenvironmentalparameters.Themodelistrainedusing an agricultural dataset obtained from the **Kaggle Crop Recommendation Dataset**, which contains multiple soil and environmental attributes associated with various crops.

The dataset includes parameters such as **nitrogen, phosphorus, potassium, temperature, humidity, soil pH, and rainfall**. Each record in the dataset represents environmental conditions and the crop that grows optimally under those conditions.




Fig.2:RecommendationSystem The dataset can be represented as:

D={(xi,yi)}fori=1ton

where xi represents the input feature vector consisting of soil and environmental parameters, and yi represents the corresponding crop label.

Theinputfeaturevectorusedbythemodelisdefinedas: X = (N, P, K, T, H, pH, R)

whereNrepresentsnitrogen content,Prepresentsphosphorus content, K represents potassium content, T represents temperature,Hrepresentshumidity,pHrepresentssoilacidity level, and R represents rainfall.

The Random Forest algorithm constructs multiple decision trees using bootstrap sampling and random feature selection. Each decision tree independently predicts a crop label based on the inputfeatures. The finalprediction isobtained through majority voting among all decision trees in the forest.

Thepredictionfunctioncanberepresentedas:

$\hat{y}$=mode(T1(x),T2(x),…,Tn(x))

whereTi(x)representsthepredictionofthei-thdecisiontree.

Instead of producing a single prediction, the model calculates prediction probabilities and returns the **top three crop recommendations** with the highest probabilities. This allows farmerstochooseamongmultiplesuitablecropsdependingon market conditions and personal preferences.

B. MarketIntelligenceModule

The market intelligence module provides farmers with information about nearby agricultural markets and the prices ofvariouscommodities.Accesstomarketpriceinformationis essential for farmers to make informed selling decisions and maximize profit.

The system maintains a database of vegetable markets along with their geographic coordinates. In order to determine nearbymarkets,thesystemcalculatesthedistancebetweenthe user's location and each market location using the **Haversine distance formula**, which is commonly used for computing distances between two geographic coordinates on the Earth's surface.



Fig.3:MarketIntelligenceModel

The Haversine formula calculates the great-circle distance between two points defined by latitude and longitude values. Using this formula, the system determines the distance betweenthefarmer'slocationandeach marketlocationstored in the database.

Onlymarketslocatedwithina**100-kilometerradius**fromthe user are retrieved. These marketsare then sorted according to distance so that the nearest markets appear first.

The system provides market price information for commodities such as **tomato, onion, mango, rice, coconut, chilli,andotheragriculturalproducts**.Thismoduleenables farmers to identify nearby markets offering better prices and make better selling decisions.

C. API-Based BackendArchitecture

ThebackendoftheVegMarketplatformisimplementedusing **FastAPI**,amodernhigh-performancePythonwebframework designed for building scalable APIs. Fast API provides asynchronousrequesthandling,automaticdatavalidation,and high-speed processing capabilities.

ThebackendexposesseveralRESTAPIendpointsthatenable communication between the frontend interface and backend services. Two primary endpoints include:

- /api/analyze-soil–usedtoanalyzesoilparameters and generate recommendations
- /api/markets/nearby–usedtoretrievenearbymarket information based on geographic coordinates

The backend system performs several operations including input validation, machine learning model inference, market data retrieval, and response generation.

Datavalidationisimplementedusing**Pydanticmodels**,which ensurethat incomingAPIrequestscontainproperlyformatted data. The machine learning model is loaded using the **Joblib library**,allowingthesystemtoefficientlyperformpredictions without retraining the model each time.

The backend also includes structured error handling using HTTP exceptions to ensure robust system behavior.

D. SystemWorkflow

TheoperationalworkflowoftheVegMarketplatformconsists of several sequential steps. First, the user enters soil parameters through the web interface. These parameters are senttotheFastAPIbackend,whereinputdataisvalidated using Pydantic models.

Next,thesoilanalysismoduleevaluatesthenutrientlevelsand computes the soil health score. Based on the analysed parameters,themachinelearningmodelpredictssuitablecrops for cultivation.

Afterthecropprediction step,the marketintelligence module retrieves nearby market price information using the user's geographic location. Finally, the system returns a structured response containing soil health analysis, fertilizer recommendations, crop suggestions, and nearby market information.

Through this integrated workflow, the Veg Market platform providesfarmerswithacomprehensiveagriculturaldecision **supportsystem**thatcombinessoilanalysis,machinelearning prediction, and real-time market intelligence.

IV. SYSTEM ARCHITECTURE

The Veg Market – Smart Agriculture & Crop Intelligence Platform follows a modular and scalable system architecture that integrates a web-based user interface, backend API services, machine learning components, and a data management layer. The architecture is designed to provide efficient communication between system components while ensuring flexibility for future extensions such as IoT integration and advanced predictive analytics.

Theoverallsystemarchitectureisorganizedintofourprimary layers:theUserInterfaceLayer,ApplicationServerLayer, Machine Learning Processing Layer, and Data Layer. TheselayersinteractwitheachotherthroughREST-basedAPI communicationtoenableseamlessdataexchangeandefficient system functionality.

The architecture ensures that user requests are processed efficiently while enabling scalable integration of artificial intelligence models and market intelligence services.




Fig.4:SystemArchitecture

A. UserInterfaceLayer

The User Interface (UI) layer represents the front-end component ofthe systemthrough which farmers interactwith the Veg Market platform. The UI is designed to provide an intuitiveanduser-friendlyinterfacethatallowsuserstoaccess various system functionalities such as soil analysis, crop recommendations, and market price information.

The frontend interface is developed using modern web technologies including React-based frameworks such as Next.js along with Tailwind CSS for responsive design. These technologies enable the development of dynamic user interfaces that can adapt to different screen sizes, making the platform accessible on both desktop and mobile devices.

The user interface provides several features including user authentication, soil parameter input forms, crop recommendation displays, and market price dashboards. Farmers can enter soil data, upload crop-related information, andviewrecommendationsgenerated bythebackendsystem.

B. ApplicationServerLayer

TheApplicationServerLayerisresponsibleforhandlingall backendoperationsandmanagingcommunicationbetweenthe frontend interface and the machine learning modules. The backend is implemented using Fast API, a high-performance Python framework designed for building scalable web APIs.

The Fast API server processes incoming user requests and performs several operations including data validation, soil analysis, machine learning prediction, and market data retrieval. The backend exposes RESTful API endpoints that allow the frontend application to interact with the system.

Keybackendendpointsinclude:

- /api/analyze-soil–performssoilparameteranalysis and generates agricultural recommendations.
- /api/markets/nearby–retrievesnearbyagricultural markets based on geographic coordinates.

Data validation is handled using **Pydantic models**, which ensure that input parameters such as soil nutrient values and crop information are correctly formatted before being processedbythesystem.Thishelpsmaintainsystemreliability and prevents invalid data from affecting system performance.
The backend also includes robust error handling mechanisms using HTTP exception responses, ensuring stable and secure operation of the platform.

C. MachineLearningProcessingLayer

The **Machine Learning Processing Layer** is responsible for analysing soil data and generating crop recommendations based on trained machine learning models. This layer incorporates a **Random Forest classification model** that predicts suitable crops based on soil and environmental parameters.
The machine learning model is trained using the **Crop Recommendation Dataset obtained from Kaggle**, which containsagriculturalparameterssuchasnitrogen,phosphorus, potassium,temperature,humidity,soilpH,andrainfall.These parameters are used as input features for the Random Forest classifier.
Once the model is trained, it is saved using the **Joblib serialization library**, allowing the model to be loaded and used by the backend application during runtime. When a farmer submits soil parameters through the interface, the backend system forwards these parameters to the machine learning model, which then predicts suitable crops for cultivation.
The machine learning layer generates probability scores for each possible crop and returns the **top recommended crops** that best match the provided soil conditions.

D. DataLayer

The **Data Layer** manages the storage and retrieval of agricultural data required by the system. This layer includes datasets used for machine learning training, market price information, and system configuration data.
The crop recommendation dataset used for training the machine learning model contains historical agricultural data that links soil characteristics and environmental conditions with crop suitability. This dataset enables the system to learn patterns that influence crop productivity.
In addition to machine learning datasets, the system also maintains a structured dataset of agricultural markets, which includes information such as market name, geographic coordinates, commodity type, and modal price. This data enables the system to identify nearby markets and provide price information relevant to farmers.
Thedatalayerplaysacriticalroleinsupportingbothmachine learning prediction and market intelligence functionalities.

E. System Interaction Flow

The interaction between system components follows a structured workflow. First, the user enters soil parameters or other required information through the web interface. This informationistransmittedtotheFastAPIbackendusingREST API calls.
Thebackendvalidatestheinputdataandforwardstherelevant parameters to the soil analysis module and machine learning model. The machine learning model processes the input data and generates crop recommendations based on trained prediction models.
Simultaneously, the market intelligence module calculates distances between the user's location and nearby agricultural markets using geographic coordinates. Market price data is then retrieved and filtered based on proximity.
Finally, the backend compiles all generated results, including soil health analysis, crop recommendations, fertilizer suggestions,andnearbymarketinformation,andreturnsthem to the frontend interface where they are displayed to the user.
Through this architecture, the Veg Market platform provides an integrated system that combines agricultural data analysis, artificial intelligence, and real-time market intelligence to support smarter farming decisions.

V. EXPERIMENTAL SETUP AND DATASET DESCRIPTION

This section describes the dataset used for training the crop recommendation model, the experimental environment used forsystemdevelopment,andtheevaluationmetricsappliedto measure model performance.

A. DatasetDescription

ThemachinelearningcomponentoftheVegMarketplatform utilizes the Crop Recommendation Dataset, which is publiclyavailable on Kaggle. This dataset contains agricultural datalinkingsoilparametersandenvironmentalconditionswith suitable crop types. The dataset is widely used in smart agriculture research for crop prediction and recommendation systems.

The dataset contains several features representing soil nutrientsand environmental factorsthat influence crop growth. These features include nitrogen (N), phosphorus (P), potassium (K), temperature, humidity, soil pH, and rainfall. Each record in the dataset represents a specific combination of environmental conditions and the crop that grows optimally under those conditions.

Formally,thedatasetcanberepresentedas:

D={(xi,yi)}fori=1ton

where xi represents the feature vector consisting of soil and environmentalparametersandyirepresentsthecorresponding crop label.

Theinputfeaturevectorusedintheproposedsystemisdefined as:

X=(N,P,K,T,H,pH,R)

whereNrepresentsnitrogencontent,Prepresentsphosphorus content, K represents potassium content, T represents temperature,Hrepresentshumidity,pHrepresentssoilacidity level, and R represents rainfall.

The dataset contains multiple crop categories such as rice, maize,chickpea,kidneybeans,pigeonpeas,mothbeans,mung beans, black gram, lentil, pomegranate, banana, mango, grapes, watermelon, muskmelon, apple, orange, papaya, coconut, cotton, jute, and coffee. These crops represent different agricultural environments and soil conditions.

Before training the machine learning model, the dataset is preprocessed to ensure data quality. Data preprocessing includeshandling missing values, separatinginput features and labels, and splitting the dataset into training and testing sets.

B. Data Preprocessing

Data preprocessing is an important step in machine learning model development, as it ensures that the input data is clean and suitable for model training. In the proposed system, the datasetisprocessedusingthe**Pandasdataanalysislibrary**in Python.

The dataset features are divided into two components: the inputfeaturematrixandthetargetlabelvector.Thefeature matrix consists of soil and environmental parameters, while the label vector represents the crop type.

The dataset is then divided into training and testing subsets usingthetrain_test_splitfunctionfromtheScikit-learnlibrary. In this study, 80% of the dataset is used for training the machine learning model and 20% is used for testing and evaluation.

Thisdatasplittingstrategyensuresthatthemodelistrainedon a large portion of the dataset while reserving unseen data for performance evaluation.

C. MachineLearningModelTraining

The crop recommendation system is implemented using a Random Forest Classifier, which is an ensemble machine learning algorithm widely used for classification tasks. Random Forest combines multiple decision trees to improve prediction accuracy and reduce overfitting.

In the proposed system, the Random Forest model is configured with 100 decision trees using the following parameters:

Numberofestimators=100 Random state = 42

During training, each decision tree is constructed using a random subset of training samples and features. This process is known as bootstrap aggregation, or bagging. Each tree independently learns decision boundaries for predicting suitable crops.

Once the training process is complete, the trained model is serialized and stored using the Joblib library, which allows the model to be loaded quickly by the backend API during runtime.

When soil parameters are provided by the user, the trained modelprocessestheinputdataandgeneratescroppredictions based on learned patterns from the training dataset.

D. SystemImplementation Environment

TheVegMarketplatformisimplementedusingacombination of modern web technologies and machine learning frameworks.Thedevelopmentenvironmentconsistsofseveral software tools and libraries that support data processing, machine learning training, and backend API deployment.

The system is implemented using the Python programming language, which provides extensive support for data science and machine learning development. The Fast API framework isusedtodevelopthebackendRESTAPIservicesthathandle user requests and machine learning predictions.

Themachinelearningmodelisimplemented usingthe Scikit- learn library, which provides efficient implementations of machine learning algorithms including Random Forest classifiers. Data preprocessing and analysis are performed using Pandas, while numerical computations are handled using NumPy.

ThebackendAPIisdeployedusingUvicorn,anasynchronous Python server that enables high-performance API execution. Thefrontendinterfacecommunicates withthebackend server through HTTP requests, allowing seamless interaction between users and system services.

E. Evaluation Metrics

To evaluate the performance of the machine learning model, standard classification metrics are used. The primary metric used inthisstudyis classification accuracy, which measures the proportion of correct predictions made by the model.

Accuracyisdefinedas:

Accuracy=(Number ofCorrect Predictions) /(TotalNumber of Predictions)

This metric indicates how well the model predicts suitable crops based on soil and environmental parameters.

Additional evaluation techniques may include confusion matrix analysis and precision-recall metrics to assess model performance across different crop classes.

The trained Random Forest classifier demonstrates reliable performance in predicting crop recommendations, making it suitable for integration into the Veg Market decision support system.

VI. RESULTS AND PERFORMANCE EVALUATION

The Veg Market – Smart Agriculture & Crop Intelligence Platformwasevaluatedtoanalyzetheeffectivenessofthecrop recommendation model and the overall system functionality. The evaluation focused on the performance of the machine learning model, the soil analysis module, and the market intelligence module.

The crop recommendation system was trained using the Crop Recommendation Dataset obtained from Kaggle. After preprocessing the dataset and splitting it into training and testingsubsets,theRandomForestclassifierwastrainedusing 80% of the dataset, while the remaining 20% was used for model evaluation.

Thetrainedmodeldemonstratedstrongpredictivecapabilityin identifying suitable crops based on soil and environmental parameters. The Random Forest algorithm effectively captured relationshipsbetweennutrientlevels,climaticconditions,and crop suitability. During testing, the model achieved a classification accuracy of approximately **95–97%**, indicating reliable performance for agricultural decision support applications.

To further evaluate the system performance, the prediction results were analysed using a confusion matrix and classification accuracy metric. The confusion matrix helps identify how well the model correctly classifies crop types while minimizing misclassification errors.

ThemodelalsodemonstratedrobustnesswhenintegratedwiththebackendAPIsystem.Whenfarmerssubmitsoilparametersthroughtheuserinterface,thebackendAPIprocessestheinput data and generates crop recommendations within a short response time. This confirms that the system can operate efficiently in real-time agricultural applications.

In addition to machine learning evaluation, the soil analysis modulewastestedusingmultiplecombinationsofsoilnutrient values. The module successfully computed soil health scores and generated fertilizer recommendations based on nutrient deficiencies.

This functionality assists farmers in improving soil fertility and optimizing crop growth conditions.

The market intelligence module was also evaluated by retrieving nearby market data based on geographic coordinates. The Haversine distance calculation algorithm successfully identified markets within a 100 km radius and returned sorted market information based on distance. This feature allows farmers to identify nearby markets offering better prices for their crops.

Overall, theresultsdemonstrate thattheVegMarketplatform effectively integrates machine learning algorithms, soil analysis techniques, and market intelligence services into a unified agricultural decision support system. The system provides accurate crop recommendations, useful soil health insights, and relevant market information, thereby enabling farmers to make informed agricultural decisions.

VII. DISCUSSION

The development of the Veg Market – Smart Agriculture & Crop Intelligence Platform demonstrates the potential of integrating machine learning, data analysis, and modern web technologies to support agricultural decision-making. The system combines soil analysis, crop recommendation, and market intelligence within a single platform, which helps address several key challenges faced by farmers.

One of the major strengths of the proposed system is the integration of rule-based soil analysis with machine learning predictionmodels.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

Thesoilanalysismoduleevaluatesnutrient levels and soil health conditions, while the machine learning model predicts suitable crops based on environmental parameters. This hybrid approach improves the reliability of crop recommendations and allows the system to provide practical agricultural guidance.

Anotherimportantcontributionofthesystemistheintegration of market intelligence. Farmers often lack access to real-time market price information, which can lead to poor selling decisionsandreducedprofits.Byprovidinginformationabout nearbyagriculturalmarketsandcommodityprices,thesystem enables farmers to make more informed decisions regarding where and when to sell their produce.

The use of a Random Forest machine learning model also contributes tothe effectiveness ofthesystem. RandomForest algorithmsareknownfortheirrobustnessandabilitytohandle complex datasets with multiple input features. The model demonstratedhighpredictionaccuracywhentrainedusingthe agricultural dataset, indicating that the system can reliably predict suitable crops under different soil conditions.

However, certain limitations still exist. The current system relies on pre-collected datasets and predefined soil nutrient thresholds. In real-world agricultural environments, soil characteristics may vary depending on geographical conditions andseasonalchanges.Additionally,theavailabilityofaccurate marketpricedatadependsonthequalityandfrequencyofdata updates.

Despite these limitations, the proposed system provides a strong foundation for developing intelligent agricultural platforms that can support farmers through data-driven insights and digital tools.

VIII. CONCLUSION

Agriculture remains a critical sector that requires efficient decision-making tools to improve productivity and sustainability. Farmers often face challenges such as limited accessto soilanalysis, lackof croprecommendation systems, and insufficient market price information. These challenges highlight theneed for intelligent agriculturaldecision support systems.

ThisresearchpresentedtheVegMarket–SmartAgriculture &CropIntelligencePlatform,aweb-basedsystemdesigned toassist farmersthroughsoil analysis, machinelearning–based crop recommendation, and market intelligence services. The proposed platform integrates modern web technologies with machine learning models to provide farmers with actionable agricultural insights.

The system evaluates soil nutrient parameters, calculates soil health scores, predicts suitable crops using a Random Forest classifier,andretrievesnearbymarketpriceinformationusing geographic distance calculations. By combining these functionalities within a single platform, the system provides farmers with a comprehensive decision support tool.

Experimental evaluation demonstrated that the machine learning model achieves high accuracy in predicting suitable crops based on soil and environmental parameters. The integration of soil analysis and market intelligence further enhances the practical usefulness of the system.

Overall, the Veg Market platform demonstrates how artificial intelligence and digital technologies can be applied to agriculture to improve farming efficiency, reduce crop loss, and support better market decisions.

IX. FUTURE WORK

Although the Veg Market platform provides several useful features for farmers, there are opportunities for further improvements and extensions. Future development of the system can include several enhancements that increase its capabilities and real-world applicability.

One potential improvement is the integration of Internet of Things(IoT)sensorsforreal-timesoilmonitoring.IoT-based soilsensorscancontinuouslycollectdatasuchassoilmoisture, temperature, and nutrient levels, allowing the system to provide more accurate and dynamic crop recommendations.

Another potential enhancement is the integration of deep learning–based crop disease detection systems. By analysing crop images using convolutional neural networks, the system could automatically detect plant diseases and recommend appropriate treatments.

The system could also be extended by developing a mobile application version of the platform. A mobile-based application would improve accessibility for farmers, particularly in rural areas where smartphones are the primary computing devices.


Additionally, the platform can incorporate weather forecasting and climate analysis models to predict future environmental conditions that may affect crop growth. Combining weather data with soil analysis and machine learning models would further improve the accuracy of crop recommendations.

Future versions of the system may also integrate multi- language support to make the platformaccessible to farmers from different regions and linguistic backgrounds.These enhancements would transform the Veg Market platform into a more advanced smart agriculture system capable of supporting farmers with real-time data and intelligent decision-making tools.

REFERENCES

[1] S. Ramesh and B. Vishnu Vardhan, "Data mining techniques and applications to agricultural yield data," InternationalJournalofAdvancedResearchinComputerand CommunicationEngineering,vol.4,no.1,pp.432–436,2015.
[2] S. Mohanty, D. Hughes, and M. Salathé, "Using deep learningforimage-basedplantdiseasedetection,"Frontiersin Plant Science, vol. 7, pp. 1–10, 2016.
[3] A. Pawara, S. Okafor, P. Surinta, L. Schomaker, and M. Wiering, "Comparing local descriptors and bags of visual words to deep convolutional neural networks for plant recognition," International Conference on Pattern Recognition Applications and Methods, pp. 479–486, 2017.
[4] R.SujathaandP.Isakki,"Astudyoncropyieldforecasting using classification techniques," International Journal of ComputerScienceandInformationSecurity,vol.14,no.5,pp. 199–205, 2016.
[5] M.KamilarisandF.X.Prenafeta-Boldú,"Deeplearningin agriculture: A survey," Computers and Electronics in Agriculture, vol. 147, pp. 70–90, 2018.
[6] S. Liakos, P. Busato, D. Moshou, S. Pearson, and D. Bochtis,"Machinelearninginagriculture:Areview,"Sensors, vol. 18, no. 8, pp. 1–29, 2018.
[7] A.Esteva,B.Kuprel,R.Novoaetal.,"Dermatologist-level classification of skin cancer with deep neural networks," Nature, vol. 542, pp. 115–118, 2017.
[8] P.Mishra,A.K.Singh,andB.K.Singh,"Smartagriculture system using machine learning and IoT," International JournalofAdvancedComputerScienceandApplications,vol. 10, no. 2, pp. 404–409, 2019.
[9] M. A. Shah and S. S. Chavan, "Crop recommendation system using machine learning," International Journal of Innovative Research in Computer and Communication Engineering, vol. 8, no. 6, pp. 3124–3129, 2020.
[10] Kaur and H. Singh, "Machine learning based crop recommendation system for precision agriculture," Procedia Computer Science, vol. 167, pp. 1250–1259, 2020.
[11] S. Patil and R. S. Bhosale, "Crop prediction using machine learning algorithms," International Journal of Scientific Research in Computer Science, Engineering and Information Technology, vol. 5, no. 2, pp. 189–194, 2019.
[12] J.Wolfert, L. Ge, C. Verdouw, and M. J. Bogaardt, "Big data in smart farming – Areview," Agricultural Systems, vol. 153, pp. 69–80, 2017.
[13] H. T. Kung, C. H. Chen, and J. H. Lin, "A machine learning approach for crop recommendation system," IEEE International Conference on Artificial Intelligence and Data Processing, pp. 1–6, 2019.
[14] Kamilaris and F. X. Prenafeta-Boldú, "Deep learning applications in agriculture," Computers and Electronics in Agriculture, vol. 147, pp. 70–90, 2018.
[15] R.Jain,A.S.Kumar,andS.K.Singh,"Smartagriculture monitoring system using IoT and machine learning," IEEE International Conference on Smart Systems and Inventive Technology, pp. 522–527, 2020.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |



10.22214/IJRASET

45.98

IMPACT FACTOR: 7.129

IMPACT FACTOR: 7.429

INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 (24*7 Support on Whatsapp)