



# IJRASET

International Journal For Research in  
Applied Science and Engineering Technology



---

# INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

---

**Volume:** 13    **Issue:** V    **Month of publication:** May 2025

**DOI:** <https://doi.org/10.22214/ijraset.2025.70144>

[www.ijraset.com](http://www.ijraset.com)

Call:  08813907089

E-mail ID: [ijraset@gmail.com](mailto:ijraset@gmail.com)

# AgroSense: AI-Driven Smart Farming Platform

Prof. Varsha Dange<sup>1</sup>, Sandesh Kadam<sup>2</sup>, Siddhi Sangwai<sup>3</sup>, Shreyas Ruikar<sup>4</sup>, Rijul Sidanale<sup>5</sup>, Siddharth Sadake<sup>6</sup>  
Vishwakarma Institute of Technology, Pune, India

**Abstract:** *Our country is predominantly agro-based, with the majority of farmers relying on agriculture for their livelihoods. However, they face critical challenges such as unpredictable climate, inefficient resource utilization, and declining soil health. These factors result in suboptimal crop yields and a growing need for informed, data-driven decisions in farming practices. This system integrates IoT sensors like ESP8266 to monitor real-time environmental factors, such as temperature, humidity, soil moisture, and vibration. Using a web-based platform built with Python and Streamlit, farmers can easily access a user-friendly interface for visualizing and analyzing data. The system also leverages machine learning models for disease prediction and crop yield optimization, utilizing algorithms such as Logistic Regression and Random Forest Classifier. The platform processes data using libraries like Scikit Learn, Matplotlib, NumPy, and Pandas for data manipulation, model training, and visualization. This system empowers farmers with actionable insights to optimize resource use, improve crop health, and make informed decisions, all while promoting sustainable farming practices. This affordable and scalable solution aims to revolutionize traditional agriculture, making it more precise, efficient, and environmentally friendly.*

**Keywords:** *Smart Farming, IoT Sensors, ESP8266, Web-Based Platform, Streamlit, Python, Logistic Regression, Random Forest Classifier, Crop Yield Optimization, Disease Prediction*

## I. INTRODUCTION

Agriculture forms the backbone of our economy, with a significant portion of the population dependent on farming for their livelihoods. However, traditional farming practices face growing challenges due to unpredictable climatic conditions, inefficient resource utilization, and the deterioration of soil health. These issues lead to reduced crop yields, threatening food security and farmer incomes. In this context, there is an urgent need for innovative solutions that enable data-driven decision-making to overcome these challenges. The advent of Internet of Things (IoT) technology, coupled with advancements in machine learning, presents an opportunity to transform agriculture into a more precise, efficient, and sustainable practice. By integrating IoT sensors such as ESP8266, environmental parameters like temperature, humidity, soil moisture, and vibration can be monitored in real time. These data points provide critical insights that enable farmers to manage their resources efficiently and respond proactively to environmental changes.

This research introduces a web-based platform developed using Python and Streamlit to provide farmers with an intuitive interface for data visualization and analysis. The platform employs machine learning models, including Logistic Regression and Random Forest Classifier, to predict crop diseases and optimize yields. Key data processing and visualization libraries, such as Scikit Learn, Matplotlib, NumPy, and Pandas, are utilized to manipulate datasets, train models, and present actionable insights. By empowering farmers with real-time information and predictive analytics, the proposed system aims to enhance resource efficiency, promote crop health, and enable sustainable farming practices. Furthermore, its affordability and scalability make it a viable solution for widespread adoption, particularly in resource-constrained agricultural regions. This work highlights the potential of technology to revolutionize traditional agriculture, addressing both current and future challenges in farming.

## II. LITERATURE REVIEW

In this paper, a multidisciplinary model for smart agriculture is proposed, incorporating key technologies such as IoT, sensors, cloud computing, mobile computing, and big data analysis to enhance agricultural production, distribution, and cost control in India [1]. This research proposes a smart farming method using IoT to address challenges in agriculture, including population growth and climate change. The system monitors soil humidity and temperature, processes the data, and takes actions based on these values without human intervention. The sensed data is stored in the ThingSpeak cloud for future analysis [2]. This paper entitled "Agricultural Field Monitoring using Internet of Things" makes a major development in the agricultural domain. Issues concerned with agriculture hinder a country's development. Modernizing the current traditional methods will provide a solution to the existing problems. Hence an ARDUINO-based smart agriculture system aims at improving production through automation and IoT. This enables monitoring, selection, and irrigation decision support.

The implementation of Precise Agriculture optimizes field water usage and includes special features focusing on field security mechanisms using cloud computing technologies. The optimal temperature range is also emphasized for better yield [3]. In the IoT era, connecting numerous agriculture machines and service centers generates massive data, overwhelming networks and storage. This research presents a bi-level genetic algorithm approach to an AI-based data analytic technique for economically monitoring agriculture vehicles' health on smartphones using built-in microphones instead of expensive IoT sensors. This edge computation reduces network traffic while providing low latency, essential for emergency responses in health monitoring [4]. This study focuses on addressing the challenges faced by the agriculture sector in Pakistan, including water scarcity, climate change, and low productivity, by introducing an IoT-based smart agriculture monitoring system. The system utilizes sensors to collect real-time environmental data, which is processed by a microcontroller and transmitted to a web application. This enables farmers to remotely monitor their crops and make informed decisions about resource usage, ultimately aiming to increase crop yields and reduce costs. The project envisions future integration with machine learning and AI to further optimize crop management, offering a promising solution for sustainable agriculture [5]. This paper reviews the role of artificial intelligence in smart farming, focusing on machine learning, deep learning, and time series analysis. These technologies are applied in crop selection, yield prediction, and soil classification to enhance agricultural productivity. The study highlights how AI-driven approaches can improve crop management and address food insufficiency through more accurate crop yield forecasting [6]. This comprehensive review explores the integration of artificial intelligence, the Internet of Things (IoT), and robotics in smart farming. The study examines how these technologies collaborate to enhance agricultural efficiency, improve crop management, and optimize resource use. The review emphasizes the potential of AI and IoT in revolutionizing farming practices and addresses the challenges and opportunities in adopting these technologies for sustainable agriculture [7]. Smart farming integrates information and communication technology with machinery, sensors, and IoT for high-tech farm management. Innovations like cloud computing and AI are transforming traditional agriculture. This paper explores wireless sensors in IoT-based farming, challenges in integrating technology, and benefits for growers from sowing to harvest, including packing and transport [8]. Mobile devices and ICT play a vital role in modern farming. Traditional methods are slow, leading to over 40% annual crop loss in India. This study introduces AgroMobile, an app using Mobile Cloud Computing (MCC) for crop image analysis. The framework utilizes OpenNebula and MATLAB, enabling better crop cultivation and marketing [9]. Modern agriculture faces challenges like climate change, land degradation, and resource limitations. This review examines IoT's role in enhancing productivity through platforms like wireless sensor networks, cloud computing, and machine learning for smart irrigation. It highlights challenges in data interoperability, energy efficiency, privacy, and calls for collaborative research in sensor and communication technologies [10]. This paper proposes a wireless sensor network (WSN) for agriculture, using sensors like soil moisture, pH, and leaf wetness. The system automates water sprinkling based on moisture levels and sends soil pH data via SMS to help farmers select suitable fertilizers. It aims to conserve water and enhance rice production through real-time monitoring [11]. Mobile devices and ICT have transformed modern farming. Traditional methods, particularly in India, are slow and lead to over 40% annual crop losses. This paper presents AgroMobile, an app using Mobile Cloud Computing (MCC) for crop image analysis. The framework employs tools like OpenNebula and MATLAB, enabling efficient crop monitoring and better marketing [12]. This paper reviews key remote sensing applications in agriculture, addressing global challenges like environmental impact, production, and productivity. It covers five main applications: biomass and yield estimation, vegetation monitoring, crop development assessment, acreage estimation, and land use changes. The paper concludes with recommendations for future agricultural monitoring systems [13]. This paper presents a systematic literature review on IoT technologies applied in agriculture, covering sensors, devices, communication protocols, and network types. It discusses the challenges, solutions, and frameworks in IoT-based agriculture, alongside relevant country policies. The review highlights current research and identifies future research directions in the field [14]. A field experiment conducted on cotton during the 1997-98 Kharif season at Punjab Agricultural University, India, analyzed the correlation between spectral parameters (RR and NDVI) and cotton yield. The study found a strong quadratic correlation between these indices and seed cotton yield, with the highest correlation occurring between 81–110 DAS [15].

### III. SYSTEM ARCHITECTURE

The proposed system integrates IoT sensors, cloud-based data processing, machine learning models, and a web-based user interface to deliver real-time insights and predictive analytics for smart farming. The system is designed with cost-effective components, such as the ESP8266 microcontroller, to ensure affordability for small-scale farmers. Its modular architecture allows for scalability, accommodating additional sensors and algorithms to adapt to evolving agricultural needs.

This multi-layered architecture effectively combines real-time monitoring, predictive analytics, and a user-centric interface to address the challenges of modern agriculture, fostering precision, efficiency, and sustainability.

#### IV. METHODOLOGY

##### A. Problem Identification and Requirement Analysis

The first step involves identifying the critical issues faced by farmers, such as unpredictable climatic changes, inefficient resource usage, and deteriorating soil health. These challenges often result in suboptimal crop yields and financial strain. To address these problems, the system requirements are defined. Key features include real-time environmental monitoring, predictive analytics for disease detection, recommendations for crop yield optimization, and an intuitive platform for farmers to access insights. This stage also involves understanding the constraints of affordability and scalability to ensure the system can be widely adopted.

##### B. IoT Sensor Deployment

This stage focuses on setting up the hardware components for real-time data collection. Sensors such as temperature and humidity sensors, soil moisture sensors, and vibration sensors are selected based on their ability to capture key environmental parameters. The ESP8266 microcontroller is configured to act as a central node, interfacing with the sensors to collect data and transmit it wirelessly. Field testing is conducted to ensure sensors are calibrated correctly and can reliably transmit data under varying environmental conditions. This ensures accurate monitoring of the farming environment.

##### C. Data Collection and Storage

Once the hardware is operational, data collection begins. Sensors gather real-time data on environmental conditions, which is then transmitted to the cloud through the ESP8266 microcontroller. Cloud storage is utilized for its scalability and ease of access, allowing for centralized management of sensor data. This step ensures that the system is capable of handling large volumes of data and maintaining its integrity during transmission and storage.

##### D. Data Preprocessing

The raw data collected from sensors is often noisy or incomplete, necessitating preprocessing. Using Python libraries such as NumPy and Pandas, the data is cleaned to handle missing values and outliers. Feature extraction techniques are applied to identify relevant parameters, such as soil moisture levels and temperature trends, that influence crop health and yield. This step ensures that the data is structured and ready for use in machine learning models, enhancing their accuracy and reliability.

##### E. Machine Learning Implementation

The processed data is utilized to train machine learning models that provide predictive insights. Logistic Regression is used for predicting potential crop diseases by identifying patterns in sensor data. Random Forest Classifier is implemented for crop yield optimization by analysing multiple environmental factors. The models are trained on historical datasets and fine-tuned using cross-validation techniques to improve their performance. Once trained, the models are tested with real-time data to ensure their predictions are accurate and actionable.

##### F. Web-Based Platform Development

An intuitive web-based platform is developed using Streamlit to provide farmers with a user-friendly interface for accessing insights. The platform displays real-time sensor data in the form of interactive charts and graphs created using Matplotlib and Seaborn. Predictive insights from machine learning models are presented in a comprehensible manner, along with actionable recommendations. Interactive modules are integrated, allowing farmers to input specific queries or explore detailed analytics, ensuring that the platform meets their informational needs effectively.

##### G. Decision Support and Alerts

The decision support system generates actionable recommendations for farmers based on sensor data and model predictions. These include irrigation schedules, fertilizer recommendations, and disease alerts, helping farmers make informed decisions. A notification mechanism is implemented to send alerts via email or SMS, ensuring that farmers are promptly informed about critical situations. This layer bridges the gap between data analysis and real-world application, enabling timely and effective interventions.

##### H. Testing and Validation

Comprehensive testing is conducted to ensure that the system functions reliably under real-world conditions. Field trials are performed to validate the accuracy of sensor readings and the predictions made by the machine learning models.

Feedback from farmers is collected to evaluate the usability of the platform and the relevance of the insights provided. This iterative process helps refine the system, ensuring it meets the needs of its end-users effectively.

### *I. Scalability and Deployment*

The system is designed with scalability in mind, allowing for the integration of additional sensors or machine learning models to address evolving agricultural needs. The use of cost-effective components, such as the ESP8266 microcontroller, ensures that the system remains affordable for small-scale farmers. During deployment, training sessions are conducted to familiarize farmers with the platform and its functionalities, ensuring successful adoption.

### *J. Sustainability and Maintenance*

To promote sustainable farming practices, the system provides metrics on resource usage, such as water and fertilizer consumption, encouraging eco-friendly approaches. Regular maintenance of hardware components, such as sensors and microcontrollers, is scheduled to ensure their longevity. Additionally, the machine learning models are periodically updated with new data to maintain their predictive accuracy over time.

## **V. EXPERIMENTATION**

### *A. Experiment Setup*

#### *1) Hardware Configuration*

The hardware utilized in the system comprises sensors and microcontrollers optimized for real-time environmental monitoring. Temperature and humidity sensors (e.g., DHT11), soil moisture sensors, and vibration sensors were deployed in a controlled setup to measure relevant farming parameters. The ESP8266 microcontroller was configured to serve as the central node, efficiently collecting and transmitting sensor data via Wi-Fi to the cloud for further processing.

#### *2) Software and Frameworks*

Python served as the core programming language, leveraging libraries like NumPy and Pandas for preprocessing, and Matplotlib for creating visual insights. The machine learning models for disease prediction and crop yield optimization were implemented using Scikit-learn, while Streamlit was used to build the user-friendly web interface.

#### *3) Environment*

The experimental trials were conducted in a simulated farm environment designed to replicate real-world conditions. Controlled variations in temperature, humidity, and soil moisture allowed for assessing the sensors' responsiveness. Sensor data was collected at intervals of 10 minutes over two weeks, ensuring a comprehensive dataset for testing.

#### *4) Dataset*

The machine learning models were trained and validated using a combination of real-time sensor data and publicly available historical agricultural datasets. The dataset included key parameters such as soil moisture levels, ambient temperature, humidity, and records of crop diseases and yield statistics.

### *B. Testing Scenarios*

#### *1) Real-Time Environmental Monitoring*

The system's IoT sensors continuously monitored environmental factors, transmitting data to a cloud-based repository via ESP8266. The web-based platform displayed this information in real-time using interactive dashboards, providing users with actionable insights on parameters like temperature and soil moisture trends.

#### *2) Machine Learning Predictions*

For disease prediction, the Logistic Regression model analysed sensor data patterns to predict the likelihood of crop diseases. Similarly, the Random Forest Classifier processed environmental data to optimize crop yield predictions. These models were tested on both historical and real-time data to ensure accuracy and reliability.

### 3) Usability Testing

Farmers interacted with the web-based platform to evaluate its usability and relevance. The interface allowed them to view sensor data visualizations, receive recommendations, and make informed decisions. Their feedback was collected through structured surveys to measure user satisfaction and identify areas for improvement.

## C. Evaluation Metrics

### 1) Sensor Performance

The system's sensors were tested for accuracy by comparing their readings with calibrated reference instruments. Data transmission reliability was measured using the packet delivery ratio (PDR), ensuring minimal data loss during cloud transmission.

### 2) Machine Learning Models

The machine learning models were evaluated using metrics such as accuracy, precision, recall, and F1-score. These metrics assessed the models' ability to provide reliable disease predictions and yield optimization recommendations. The training and inference times were also analysed to gauge computational efficiency.

### 3) User Feedback

A survey was conducted among farmers using the system to measure the platform's usability. Metrics like ease of navigation, clarity of insights, and relevance of recommendations were assessed. This feedback helped validate the system's practicality and utility.

## D. Results and Analysis

### 1) Sensor Data Reliability

The sensors demonstrated high reliability, with over 95% accuracy compared to reference instruments. The ESP8266 maintained a 98% packet delivery ratio, ensuring robust and consistent data transmission, even under variable environmental conditions.

### 2) Machine Learning Model Performance

The Logistic Regression model achieved 87% accuracy in disease prediction, with a precision of 85% and recall of 89%. The Random Forest Classifier performed even better, with an accuracy of 92%, precision of 90%, and recall of 94% for yield optimization. These results underscore the effectiveness of the system's predictive capabilities.

### 3) Usability Testing

85% of farmers found the platform easy to use, citing its intuitive design and actionable insights as major advantages. 90% of the users reported that the system's recommendations positively impacted their farming practices, validating the platform's relevance and value.

## VI. RESULTS AND DISCUSSION

### A. Sensor Data Accuracy and Reliability

The IoT sensors used in the system, including those for temperature, humidity, soil moisture, and vibration, demonstrated high accuracy and reliability, consistently capturing environmental data with minimal error. The microcontroller (ESP8266) ensured stable data transmission to the cloud, with real-time transmission and minimal packet loss, highlighting a robust communication infrastructure. This reliability is crucial for providing farmers with accurate, real-time information to make data-driven decisions regarding irrigation, fertilization, and pest management. However, while the system performed well under typical conditions, occasional disturbances, such as severe weather events, may impact sensor calibration. Future work should focus on improving sensor durability and calibration methods to ensure consistent performance in diverse environmental conditions.



Fig. 1: Graphs Formed in ThinkSpeak

### B. Machine Learning Model Performance

The machine learning models, including Logistic Regression for disease prediction and Random Forest Classifier for yield optimization, demonstrated promising results, achieving high accuracy, precision, and recall values in predicting crop diseases and estimating crop yields based on environmental data. These outcomes indicate the system’s reliable predictive capabilities, which can significantly enhance farming decisions. However, the models may require periodic retraining to adapt to evolving environmental patterns and farming practices. Additionally, improving the interpretability of these models would help farmers better understand the factors influencing predictions, further supporting more informed and effective decision-making.

### C. System Usability and User Experience

Usability testing revealed that 85% of farmers found the platform easy to use, and 90% reported that its recommendations were valuable for their daily farming activities. The interactive dashboards and real-time data visualizations made it easier for farmers to interpret sensor data and make informed decisions, with the platform's intuitive design ensuring engagement even for users with limited technical expertise. The positive feedback underscores the platform's potential to bridge the gap between advanced technology and traditional farming practices. To further enhance accessibility, future versions could incorporate features like multilingual support and offline capabilities, expanding its reach, particularly in rural areas with limited internet connectivity.




Fig. 2(a): User Interface-i




Fig. 2(a): User Interface-ii

### D. Scalability and System Performance

The system demonstrated good scalability, effectively handling data from multiple sensors deployed across different locations without significant performance degradation. The platform processed and visualized large datasets in real-time, providing accurate predictions and recommendations without noticeable delays. Scalability is essential for the success of IoT-based systems, particularly in agriculture, where the number of sensors and data points can increase rapidly. The system’s ability to scale efficiently is a key advantage, allowing it to accommodate larger datasets and support more users without compromising performance. Future iterations could further optimize the system to handle even larger datasets and integrate additional features, such as different crop types or more granular environmental factors.

## VII. CONCLUSION

In all, the IoT-based smart farming system represents a significant advancement in the integration of technology into agriculture, offering farmers the tools necessary to make data-driven decisions that optimize resource usage, improve crop health, and enhance overall productivity.

By leveraging IoT sensors for real-time monitoring of critical environmental factors, such as temperature, humidity, soil moisture, and vibration, the system provides farmers with accurate, actionable insights to manage irrigation, fertilization, and pest control effectively. The incorporation of machine learning models, including Logistic Regression for disease prediction and Random Forest for crop yield optimization, has proven effective in addressing key challenges in farming, offering reliable predictions and improving farm management practices. The system's user-friendly platform ensures that even farmers with limited technical expertise can access and interpret the data with ease, contributing to the technology's potential for widespread adoption. Furthermore, the system's scalability allows it to handle an expanding number of sensors and data points, supporting the growing demands of modern agriculture. Despite its successes, the system does have certain limitations, such as sensor calibration under extreme weather conditions and the dependence on a stable internet connection for optimal functionality. These challenges present opportunities for further research and development, including the introduction of adaptive calibration methods, enhanced machine learning models, and offline capabilities to broaden the system's applicability in remote and underserved areas. Overall, the system has the potential to revolutionize traditional farming practices, making agriculture more efficient, sustainable, and capable of meeting the challenges of a rapidly changing environment. With continued improvements and the integration of advanced analytics, such as satellite imagery for crop health monitoring, this smart farming system could serve as a transformative solution in the global effort to create more sustainable food production systems.

### VIII. FUTURE SCOPE

The future scope of the IoT-based smart farming system is extensive, offering opportunities for enhancement and broader implementation. Advances in sensor technology and calibration methods could improve data accuracy, even under challenging environmental conditions. Integrating additional IoT devices, such as cameras or satellite imagery, could provide more detailed insights into crop health, pest detection, and soil quality, enabling more precise farming practices.

Machine learning models can be further optimized with new algorithms and updated data to improve disease prediction, yield estimation, and resource management. Periodic retraining of these models would ensure their continued relevance in changing agricultural conditions. The system could also incorporate offline capabilities for areas with limited internet access, as well as multilingual support to make the platform more accessible to farmers with diverse backgrounds.

Expanding the system's reach through collaboration with agricultural research bodies and incorporating community feedback could help refine the system to address real-world challenges effectively. Additionally, integrating other smart agriculture technologies, such as automated irrigation and smart machinery, could create a comprehensive ecosystem that promotes sustainable practices, increases food security, and boosts agricultural productivity. This would lead to a more resilient and efficient agricultural sector, benefiting farmers worldwide.

### REFERENCES

- [1] H. Channe, S. Kothari, and D. Kadam, "Multidisciplinary Model for Smart Agriculture using Internet-of-Things (IoT), Sensors, Cloud-Computing, Mobile-Computing & Big-Data Analysis," *IJCTA*, 2018.
- [2] Md Ashifuddin Mondal, Zeenat Rehena, "IoT based intelligent agriculture field monitoring system," 2018 8th International Conference on Cloud Computing, Data Science & Engineering (Confluence), pp. 625-629, 2018.
- [3] VP Suryaswetha, KM Senthil, J Ajayan, J Jayageetha, A Karhikeyan, "Agricultural Field Monitoring using IoT," 2019 5th International Conference on Advanced Computing & Communication Systems (ICACCS), pp. 1-4, 2019.
- [4] Neeraj Gupta, Mahdi Khosravy, Nilesh Patel, Nilanjan Dey, Saurabh Gupta, Hemant Darbari, Rubén González Crespo, "Economic data analytic AI technique on IoT edge devices for health monitoring of agriculture machines," *Applied Intelligence*, vol. 50, no. 11, pp. 3990-4016, 2020.
- [5] IOT Based Smart Agriculture Monitoring System, Muhammad Rizwan Latif, May 2023, DOI:10.13140/RG.2.2.14040.47367.
- [6] Y. Akkem, S. K. Biswas, and A. Varanasi, "Smart farming using artificial intelligence: A review," *Engineering Applications of Artificial Intelligence*, vol. 120, 2023, Art. no. 105899, doi: 10.1016/j.engappai.2023.105899.
- [7] M. Judy, R. Vinushayini, and C. Gomes, "Smart Farming Using Artificial Intelligence, the Internet of Things, and Robotics: A Comprehensive Review," in *Smart Farming*, Boca Raton, FL: CRC Press, 2022, doi: 10.1201/9781003299059-1.
- [8] M. Dhanaraju, P. Chenniappan, K. Ramalingam, S. Pazhanivelan, and R. Kaliaperumal, "Smart Farming: Internet of Things (IoT)-Based Sustainable Agriculture," *Agriculture*, vol. 12, no. 10, p. 1745, 2022. doi: [10.3390/agriculture12101745](https://doi.org/10.3390/agriculture12101745).
- [9] Prasad, Shitala & Peddoju, Sateesh Kumar & Ghosh, Debashis. (2013). AgroMobile: A Cloud-Based Framework for Agriculturists on Mobile Platform. *International Journal of Advanced Science and Technology*. 59. 41-52. 10.14257/ijast.2013.59.04.
- [10] S. Dhal, B. Wyatt, S. Mahanta, N. Bhattarai, S. Sharma, T. Rout, P. Saud, and B. Acharya, "Internet of Things (IoT) in digital agriculture: An overview," *Agronomy Journal*, vol. 116, 2023. doi: 10.1002/agj2.21385.
- [11] N. Sakthipriya, "An effective method for crop monitoring using wireless sensor network," *Middle-East Journal of Scientific Research*, vol. 20, pp. 1127-1132, 2014. doi: 10.5829/idosi.mejsr.2014.20.09.114152.
- [12] S. Prasad, S. K. Peddoju, and D. Ghosh, "AgroMobile: A Cloud-Based Framework for Agriculturists on Mobile Platform," *International Journal of Advanced Science and Technology*, vol. 59, pp. 41-52, 2013. doi: 10.14257/ijast.2013.59.04.



- [13] C. Atzberger, "Advances in Remote Sensing of Agriculture: Context Description, Existing Operational Monitoring Systems and Major Information Needs," *Remote Sens.*, vol. 5, no. 2, pp. 949-981, 2013. doi: [10.3390/rs5020949](https://doi.org/10.3390/rs5020949).
- [14] M. S. Farooq, S. Riaz, A. Abid, T. Umer, and Y. B. Zikria, "Role of IoT Technology in Agriculture: A Systematic Literature Review," *Electronics*, vol. 9, no. 2, p. 319, 2020. doi: [10.3390/electronics9020319](https://doi.org/10.3390/electronics9020319).
- [15] C.J. Tucker, B.N. Holben, J.H. Elgin Jr., and J.E. McMurtrey III, "Relationship of spectral data to grain yield variation," *Photogramm. Eng. Remote Sens.*, vol. 46, pp. 657-666, 1980.



10.22214/IJRASET



45.98



IMPACT FACTOR:  
7.129



IMPACT FACTOR:  
7.429



# INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24\*7 Support on Whatsapp)