



IJRASET

International Journal For Research in
Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 14 **Issue:** III **Month of publication:** March 2026

DOI: <https://doi.org/10.22214/ijraset.2026.78296>

www.ijraset.com

Call:  08813907089

E-mail ID: ijraset@gmail.com

AI Chatbot for Skin Diseases Detection & Prevention

K. Ahamed Siddiq Khan¹, P. Anirudh², Dr. J. Sathya Priya³

Velammal Engineering College, India

Abstract: *In recent years, smart medical systems have started helping doctors detect diseases earlier. They also help in monitoring patients over time. Skin diseases are very common across the world. People of all ages can get them. In many places, diagnosis depends on a doctor checking the skin and giving their opinion. This can sometimes take time and may depend on the doctor's experience. In rural areas, people may not even have easy access to a dermatologist. Because of this, researchers are now using Artificial Intelligence and deep learning to help detect skin diseases. These systems can study images of the skin and help in identifying possible conditions. This project focuses on building a system that can detect skin diseases using AI and image processing.*

The system works in several steps. First, a skin image is taken using a camera or uploaded by the user. The image is then cleaned and prepared so that it is easier for the computer to study it. After that, the important area of the skin is separated from the rest of the image.

Features are then extracted from the image so the system can understand patterns in the skin. A Convolutional Neural Network, or CNN, is used to classify the disease. This model learns from many training images and becomes better at recognizing different skin conditions.

The system also includes parameter tuning to improve accuracy and performance. To make the system more helpful for users, an AI chatbot is also included. The chatbot explains the possible condition, gives basic prevention tips, and shares general treatment information.

This helps users understand their skin problem better. Test results show that the system can detect skin diseases with good accuracy and in less time. Because of this, it can be useful for early screening and tele-dermatology, especially in areas where dermatologists are not easily available.

Keywords: *Skin Disease Detection, Deep Learning, Convolutional Neural Networks, Medical Image Processing, Intelligent Diagnosis, AI Chatbot, Tele-Dermatology.*

I. CONTRIBUTIONS OF THE PROPOSED WORK

The major contributions of this research are summarized as follows:

- 1) **Intelligent Skin Disease Diagnosis Framework:** A complete AI-driven framework is proposed for automated skin disease detection and diagnosis using medical image analysis.
- 2) **Multi-Stage Diagnostic Pipeline:** The system follows a structured processing pipeline consisting of image acquisition, preprocessing, segmentation, feature extraction, and classification, ensuring accurate and reliable diagnosis.
- 3) **Deep Learning-Based Feature Extraction:** A CNN architecture is employed to automatically learn discriminative features from skin images, eliminating the need for manual feature engineering.
- 4) **Optimized Classification Performance:** Intelligent parameter tuning strategies are applied to improve convergence stability, classification accuracy, and computational efficiency.
- 5) **Interactive Chatbot Assistance:** An AI-powered chatbot is integrated to provide disease explanations, symptom awareness, preventive measures, and treatment guidance.
- 6) **Enhanced Accessibility and Usability:** The proposed system supports early diagnosis and tele-dermatology applications, particularly benefiting users in remote and underserved regions.

II. LITERATURE SURVEY

Several studies have explored automated skin disease detection using image processing and machine learning techniques. Early approaches relied on handcrafted features such as color histograms, texture descriptors, and edge-based features combined with classifiers like Support Vector Machines (SVM), k-Nearest Neighbours (KNN), and Decision Trees.

Although these methods achieved moderate success, they suffered from limited generalization capability and sensitivity to image quality. With the emergence of deep learning, CNN-based approaches have become dominant in medical image analysis. Researchers have demonstrated that deep CNN architectures such as VGGNet, ResNet, and MobileNet outperform traditional machine learning models in skin lesion classification and melanoma detection.

These models automatically learn hierarchical representations, improving diagnostic accuracy. Recent studies have also focused on optimization techniques to enhance deep learning performance by tuning hyperparameters and reducing overfitting. Additionally, AI chatbots have been adopted in healthcare for symptom checking, appointment scheduling, and patient education. However, most existing systems treat diagnosis and chatbot assistance as separate components. The literature reveals a research gap in developing an integrated framework that combines deep learning-based skin disease diagnosis, intelligent optimization strategies, and chatbot-assisted interaction within a unified system.

With the emergence of deep learning, Convolutional Neural Networks (CNNs) transformed medical image analysis by enabling automatic hierarchical feature learning directly from raw image data. CNN-based models demonstrated superior performance in dermatological classification tasks, often approaching or even matching expert-level accuracy. Transfer learning further improved results by fine-tuning pretrained architectures such as VGG, ResNet, and EfficientNet on dermatological datasets, thereby reducing training time and enhancing generalization.

In addition to classification, segmentation techniques such as U-Net and Fully Convolutional Networks (FCNs) were introduced to isolate lesion regions before classification. Studies have shown that incorporating segmentation improves model focus on clinically relevant regions, leading to enhanced diagnostic accuracy.

Recent research trends emphasize advanced architectures, including attention mechanisms and transformer-based models, which capture global contextual information more effectively.

Ensemble learning techniques combining multiple deep learning models have also been explored to improve robustness and reduce misclassification. Beyond image-based analysis, Natural Language Processing (NLP) and chatbot systems have been developed to collect symptom information and provide preliminary medical guidance. However, most existing systems operate independently as either image classifiers or symptom-based chatbots, lacking an integrated framework that combines visual analysis with conversational reasoning.


III. PROPOSED SYSTEM ARCHITECTURE

The proposed system architecture is designed as a modular and scalable framework to support real-time skin disease diagnosis. The system consists of five major modules: image acquisition, preprocessing, feature extraction, classification, and user interaction. Skin images are captured using mobile devices or dermatoscopic equipment and uploaded through a web-based interface. The backend system processes the images and performs automated diagnosis using a trained deep learning model. The results are communicated to users through a visual interface and an AI chatbot, ensuring interpretability and accessibility. The segmented lesion image is then passed to the deep learning-based classification module, which utilizes a Convolutional Neural Network (CNN) trained on labeled dermatological datasets.

The CNN automatically extracts hierarchical features from the lesion image, beginning with low-level patterns such as edges and textures and progressing to high-level structural and morphological characteristics. The final classification layer applies a Softmax function to generate probability scores for each predefined skin disease category.

The disease class with the highest probability is selected as the predicted result, accompanied by a confidence score indicating the reliability of the prediction.

Finally, the response generation module presents the diagnostic result, explanation of the predicted condition, precautionary measures, and general guidance in a user-friendly format. Optional integration with location-based services allows recommendations for nearby healthcare facilities. The modular architecture enables future enhancements such as advanced model upgrades, multilingual chatbot support, and mobile deployment. Overall, the proposed system architecture effectively combines computer vision, deep learning, and conversational AI into a unified healthcare solution that enhances accessibility, accuracy, and user engagement in dermatological diagnosis.




IV. PROPOSED METHODOLOGY

The proposed methodology follows a multi-stage diagnostic process inspired by intelligent disease monitoring systems. The workflow begins with image acquisition, where skin images are collected from users. These images are then passed through preprocessing techniques to enhance quality and consistency.

Segmentation is applied to isolate the affected skin region, reducing background interference. Feature extraction and classification are performed using a CNN model trained on labeled skin disease datasets. Intelligent optimization strategies are applied to improve model performance. Finally, diagnostic results are delivered to users along with chatbot-assisted explanations and guidance. After preprocessing, lesion segmentation is performed to isolate the Region of Interest (ROI) corresponding to the affected skin area. By removing irrelevant background regions and focusing only on the lesion, segmentation enhances feature extraction accuracy and reduces computational complexity. The segmented lesion is then passed to a deep learning-based classification module that utilizes a Convolutional Neural Network (CNN). The CNN automatically learns hierarchical feature representations from the lesion image, beginning with low-level patterns such as edges and textures and progressing to high-level structural characteristics. The final Softmax layer generates probability scores for predefined skin disease classes, and the class with the highest probability is selected as the predicted diagnosis along with a confidence score. To enhance user interaction and support, an intelligent chatbot module is integrated into the system. The chatbot provides detailed information about the predicted disease, including possible causes, symptoms, preventive measures, and general skincare recommendations. It also encourages users to seek professional medical consultation for accurate diagnosis and treatment. Furthermore, the system integrates location-based services to recommend nearby dermatologists and healthcare centers, thereby bridging the gap between automated diagnosis and real-world medical assistance. The performance of the proposed system is evaluated using standard metrics such as accuracy, precision, recall, F1-score, and confusion matrix analysis. These evaluation measures ensure the reliability, robustness, and effectiveness of the model in real-time clinical support scenarios. Overall, the proposed methodology presents an end-to-end intelligent framework that combines deep learning, web deployment, conversational assistance, and location-based services to provide accessible and efficient skin disease detection and preliminary diagnostic support.

V. IMAGE ACQUISITION


Image acquisition is the initial phase of the diagnostic process. Skin images are captured using smartphone cameras or dermatoscopic devices under varying lighting conditions. The system supports multiple image formats and resolutions, ensuring usability across different devices. Acquired images are securely transmitted to the backend system for further processing. Proper imaging conditions are essential to capture diagnostically meaningful images. Users are advised to take photographs under adequate and uniform lighting to minimize shadows, glare, and color distortion, which may negatively affect segmentation and classification performance. The camera should be positioned perpendicular to the lesion to reduce geometric distortion, and the affected area should be clearly focused and occupy a significant portion of the image frame. Background distractions are minimized to ensure that the model concentrates primarily on the lesion region. By ensuring high-quality, well-labeled, and diverse image acquisition, the proposed system establishes a strong foundation for accurate feature extraction, efficient model training, and reliable disease prediction.



VI. IMAGE PREPROCESSING

Image preprocessing plays a critical role in improving diagnostic accuracy. Skin images often contain noise, illumination variations, and irrelevant background information. Noise elimination techniques such as Gaussian filtering and median filtering are applied to remove unwanted artifacts. Image normalization scales pixel intensity values to a uniform range, enhancing model stability and convergence speed. Image resizing ensures consistent input dimensions for the CNN model, reducing computational overhead. The preprocessing pipeline begins with image resizing, where all input images are scaled to a fixed resolution (e.g., 224×224 pixels) to match the input dimensions required by the Convolutional Neural Network (CNN). This ensures uniformity across the dataset and reduces computational complexity. Following resizing, normalization is applied to scale pixel intensity values to a standardized range, typically between 0 and 1. Color space conversion may also be performed to enhance feature representation. Converting images from RGB to alternative color spaces such as HSV or LAB can make certain lesion characteristics more distinguishable, particularly pigmentation irregularities and texture patterns. This transformation assists subsequent segmentation and classification stages. In some cases, additional operations such as Color space transformation may also be performed as part of preprocessing. Converting images from RGB to alternative color spaces such as HSV or LAB can improve the visibility of pigmentation patterns and structural irregularities. These transformations assist in better segmentation and feature extraction by emphasizing diagnostically relevant characteristics. Morphological processing, and background smoothing are applied to eliminate obstructions that may negatively impact segmentation accuracy.

These refinements ensure that the Region of Interest (ROI) is clearly distinguishable in the subsequent processing stage. Overall, image preprocessing plays a vital role in improving the robustness and efficiency of the system. By standardizing image inputs, enhancing lesion visibility, and reducing unwanted variations, preprocessing significantly contributes to accurate segmentation, reliable feature extraction, and effective deep learning-based classification in the proposed intelligent skin disease detection framework. To improve model generalization and prevent overfitting, data augmentation techniques are implemented. These include random rotations, horizontal and vertical flipping, zooming, brightness adjustments, and minor shifts. Data augmentation artificially increases dataset diversity and enables the model to learn robust patterns under varying real-world conditions. To increase dataset diversity and prevent overfitting, data augmentation techniques are extensively applied. These include random rotations, horizontal and vertical flipping, zooming, width and height shifts, shearing, and brightness adjustments. Augmentation simulates real-world variations such as different camera angles, lighting conditions, and orientations, enabling the model to generalize effectively to unseen data. After preprocessing, the images are converted into numerical arrays (tensors) compatible with deep learning frameworks such as TensorFlow or PyTorch. Segmentation techniques may also be incorporated to isolate the lesion area from the surrounding healthy skin. By focusing on the region of interest (ROI), the model can concentrate on disease-specific features rather than irrelevant background information, thereby improving prediction accuracy. Batch generation techniques are used to efficiently load data into memory during training. Overall, the image preprocessing stage ensures that the dataset is clean, standardized, and enriched, thereby enhancing the CNN's ability to extract meaningful features and significantly improving the overall performance and reliability of the proposed skin disease detection system.



VII. SEGMENTATION AND FEATURE EXTRACTION

Segmentation aims to identify and isolate the region of interest containing the skin lesion. By separating diseased regions from healthy skin and background areas, segmentation improves feature relevance and classification accuracy.

Feature extraction is automatically performed by the CNN through convolutional and pooling layers. These layers learn low-level features such as edges and textures as well as high-level semantic features related to disease patterns.

Following segmentation, the feature extraction stage derives meaningful quantitative descriptors from the isolated lesion region. These features capture texture, color distribution, shape, and structural irregularities associated with various dermatological conditions. Texture features may include Gray-Level Co-occurrence Matrix (GLCM) metrics such as contrast, homogeneity, correlation, and energy.

Color features are extracted using histogram analysis across multiple color channels to identify pigmentation abnormalities. Shape-based features such as area, perimeter, asymmetry index, compactness, and border irregularity are computed to characterize lesion morphology. Additionally, statistical features including mean intensity, standard deviation, skewness, and kurtosis are calculated to capture pixel distribution patterns.

In deep learning-based approaches, manual feature engineering is complemented or replaced by automated feature learning through Convolutional Neural Networks (CNNs). Convolutional layers automatically learn hierarchical feature representations, starting from low-level edge and texture patterns to high-level disease-specific abstractions. Feature maps generated in intermediate CNN layers encode complex spatial relationships and are forwarded to fully connected layers for final classification. This automated feature learning significantly improves adaptability and generalization compared to traditional handcrafted features.

VIII. DEEP LEARNING-BASED CLASSIFICATION

The classification stage represents the core of the proposed system. Extracted features are passed through fully connected layers, and a softmax classifier assigns probability scores to each disease class. The class with the highest probability is selected as the final diagnosis. The deep learning approach enables robust classification across diverse skin disease categories and reduces dependency on manual feature engineering.

The classification pipeline begins with the segmented Region of Interest (ROI) obtained from the preprocessing stage. The ROI is resized to a fixed dimension (e.g., 224×224 pixels) and normalized to ensure consistent input distribution. Data augmentation techniques such as rotation, flipping, zooming, brightness adjustment, and horizontal shifts are applied to increase dataset diversity and reduce overfitting. These transformations help the model learn invariant features and improve robustness against real-world variations.

The classification output is determined by selecting the class with the highest probability:


$$P(y_i) = \frac{e^{z_i}}{\sum_{j=1}^c e^{z_j}}$$

During training, the model minimizes categorical cross-entropy loss using optimization algorithms such as Adam or Stochastic Gradient Descent (SGD). Backpropagation is employed to update network weights iteratively, improving classification performance over multiple epochs. To enhance performance with limited datasets, transfer learning can be applied by fine-tuning pretrained architectures such as ResNet, VGG, MobileNet, or EfficientNet.

The performance of the deep learning classifier is evaluated using metrics including accuracy, precision, recall, F1-score, and ROC-AUC. Confidence scores are also used in the system to determine the reliability of predictions. If the confidence level is below a predefined threshold, the intelligent chatbot module advises users to seek professional medical consultation.

Overall, the deep learning-based classification module enables automated, accurate, and scalable identification of skin diseases. By leveraging hierarchical feature learning and probabilistic prediction mechanisms, the system achieves robust diagnostic support suitable for real-time deployment in AI-assisted dermatological healthcare applications.

Deep Learning-Based Classification Image




IX. INTELLIGENT CHATBOT-BASED DIAGNOSTIC ASSISTANCE

An AI-powered chatbot is integrated to enhance user interaction and understanding. The chatbot provides explanations of diagnosis results, disease symptoms, causes, preventive measures, and treatment options. This interactive assistance improves user trust, awareness, and engagement while reducing anxiety. The Intelligent Chatbot-Based Diagnostic Assistance module serves as an interactive decision-support system integrated within the AI-driven skin disease detection platform. This component enhances user engagement by providing symptom-based guidance, preliminary medical suggestions, and personalized recommendations based on deep learning predictions.

The chatbot is tightly integrated with the Convolutional Neural Network (CNN) model deployed in the backend using Flask. When a user uploads an image of a skin lesion, the CNN model analyzes visual features such as texture patterns, color distribution, lesion boundaries, and morphological structures to predict the probable skin condition along with a confidence score. However, image-based prediction alone may not capture the complete clinical context. Therefore, the chatbot collects additional information including symptom duration, itching intensity, pain level, environmental exposure, allergies, and past medical history. By combining structured symptom data with CNN outputs, the system performs hybrid reasoning for more reliable diagnostic assistance.

Another important feature of the chatbot is personalized recommendation generation. Based on the predicted condition, the system provides precautionary measures, hygiene practices, dietary suggestions, environmental avoidance triggers, and basic home-care guidance. It also integrates location-based services using mapping APIs to suggest nearby dermatologists or healthcare centers, particularly benefiting users in remote or underserved regions. This integration transforms the chatbot from a simple informational tool into a practical healthcare assistance platform.



X. PERFORMANCE EVALUATION METRICS

The performance of the proposed system is evaluated using standard metrics such as accuracy, precision, recall, specificity, and F1-score. These metrics assess the classification effectiveness, reliability, and robustness of the diagnostic model. Performance evaluation metrics are essential for assessing the effectiveness, reliability, and clinical applicability of the proposed deep learning-based skin disease detection system. Since medical diagnosis is a high-stakes application, relying solely on overall accuracy is insufficient. Therefore, multiple statistical and analytical metrics are employed to comprehensively evaluate the classification performance.

The evaluation process begins with the construction of a **confusion matrix**, which summarizes the prediction results in terms of True Positives (TP), True Negatives (TN), False Positives (FP), and False Negatives (FN). In the context of skin disease detection:

- True Positive (TP): The model correctly predicts the presence of a specific skin disease.
- True Negative (TN): The model correctly predicts the absence of that disease.
- False Positive (FP): The model incorrectly predicts a disease when it is not present.
- False Negative (FN): The model fails to detect a disease that is actually present.

1) Accuracy

Accuracy measures the overall proportion of correct predictions among all predictions:

$$Accuracy = \frac{TP + TN}{TP + TN + FP + FN}$$

Although accuracy provides a general performance overview, it may be misleading in imbalanced datasets where certain skin diseases are underrepresented.

2) Precision

Precision evaluates how many of the predicted positive cases are actually correct:

$$Precision = \frac{TP}{TP + FP}$$

High precision indicates a low false positive rate, which is important to avoid unnecessary anxiety or treatment.

3) Recall (Sensitivity)

Recall measures the model's ability to correctly identify actual positive cases:

$$Recall = \frac{TP}{TP + FN}$$

In medical applications, high recall is critical because missing a disease (false negative) can lead to delayed treatment.

4) F1-Score

The F1-score provides a balanced measure of precision and recall:

$$F1 = 2 \times \frac{Precision \times Recall}{Precision + Recall}$$

It is particularly useful when dealing with imbalanced datasets.

XI. RESULTS AND DISCUSSION

Experimental results demonstrate that the proposed system achieves high diagnostic accuracy and stable performance across multiple skin disease categories. Intelligent optimization improves convergence speed and reduces computational complexity. The integration of chatbot-assisted interaction significantly enhances usability and accessibility compared to conventional diagnosis systems. The classification results indicate that the model effectively distinguishes between multiple dermatological conditions, achieving high overall accuracy on the test dataset. Precision and recall values demonstrate that the system maintains a balanced performance in identifying true disease cases while minimizing false alarms. The F1-score further confirms that the classifier performs reliably even in the presence of class imbalance. Confusion matrix analysis reveals that minor misclassifications occur primarily among visually similar conditions, such as eczema and psoriasis, due to overlapping texture and pigmentation characteristics. However, the segmentation module significantly reduces background interference, thereby improving sensitivity and decreasing false negative rates. The integration of lesion segmentation prior to classification plays a critical role in performance enhancement. By isolating the Region of Interest (ROI), the system ensures that the CNN focuses exclusively on clinically relevant areas. This improves feature extraction quality and strengthens classification reliability. Additionally, the hybrid feature learning approach enables the model to capture both low-level texture patterns and high-level structural abnormalities associated with different skin diseases. Overall, the results validate that the proposed intelligent skin disease detection framework achieves reliable classification accuracy while maintaining interpretability, scalability, and real-time usability. The combination of segmentation, deep learning, and conversational AI provides a comprehensive diagnostic assistance solution that supports early detection and improves accessibility to dermatological care.

XII. CONCLUSION

This research presents an AI-driven skin disease detection and diagnosis framework inspired by intelligent multi-stage disease monitoring models. By integrating deep learning-based image analysis, intelligent optimization, and chatbot-assisted interaction, the proposed system offers an accurate, efficient, and accessible solution for early skin disease diagnosis. The system has strong potential for tele-dermatology and real-world healthcare applications. A key contribution of this work is the integration of an intelligent chatbot-based diagnostic assistance module.

By combining CNN prediction outputs with symptom-based conversational reasoning, the system enhances interpretability, user engagement, and accessibility. The chatbot provides contextual explanations, precautionary guidance, and consultation recommendations, thereby improving patient awareness and safety. This hybrid decision fusion mechanism bridges the gap between automated image classification and patient-centered healthcare interaction. This study presents an intelligent AI-based skin disease detection system that integrates segmentation, deep learning-based classification, and chatbot-driven diagnostic assistance into a unified healthcare framework. The proposed system effectively combines image preprocessing, lesion segmentation, and Convolutional Neural Network (CNN) modelling to accurately classify various dermatological conditions. By isolating the Region of Interest (ROI) prior to classification, the system enhances feature extraction quality and reduces background interference, leading to improved predictive performance and robustness.

XIII. FUTURE WORK

Future enhancements include expanding the dataset to cover additional skin diseases, incorporating explainable AI techniques for transparency, deploying mobile applications, and integrating real-time dermatologist consultation services. Another potential enhancement involves adopting advanced deep learning architectures such as Vision Transformers (ViT), EfficientNet variants, or hybrid CNN-transformer models. These architectures have demonstrated superior performance in complex image classification tasks and may further improve lesion recognition accuracy. Additionally, implementing ensemble learning techniques by combining predictions from multiple models could enhance classification stability and reduce misclassification rates. From a system perspective, deploying the model as a mobile application could significantly enhance accessibility. Lightweight model optimization techniques such as quantization and pruning can be applied to reduce computational complexity, enabling efficient on-device inference. This would allow offline usage in remote or low-resource settings.

REFERENCES

- [1] Esteva, B. Kuprel, R. A. Novoa, et al., "Dermatologist-level classification of skin cancer with deep neural networks," *Nature*, vol. 542, no. 7639, pp. 115–118, 2017.
- [2] P. Tschandl, C. Rosendahl, and H. Kittler, "The HAM10000 dataset: A large collection of multi-source dermatoscopic images of common pigmented skin lesions," *Scientific Data*, vol. 5, 2018.
- [3] O. Ronneberger, P. Fischer, and T. Brox, "U-Net: Convolutional networks for biomedical image segmentation," in *Proc. Int. Conf. Medical Image Computing and Computer-Assisted Intervention (MICCAI)*, 2015, pp. 234–241.
- [4] K. He, X. Zhang, S. Ren, and J. Sun, "Deep residual learning for image recognition," in *Proc. IEEE Conf. Computer Vision and Pattern Recognition (CVPR)*, 2016, pp. 770–778.
- [5] M. Tan and Q. Le, "EfficientNet: Rethinking model scaling for convolutional neural networks," in *Proc. Int. Conf. Machine Learning (ICML)*, 2019.
- [6] D. P. Kingma and J. Ba, "Adam: A method for stochastic optimization," in *Proc. Int. Conf. Learning Representations (ICLR)*, 2015.
- [7] T. Fawcett, "An introduction to ROC analysis," *Pattern Recognition Letters*, vol. 27, no. 8, pp. 861–874, 2006.
- [8] S. Hochreiter and J. Schmidhuber, "Long short-term memory," *Neural Computation*, vol. 9, no. 8, pp. 1735–1780, 1997.
- [9] A. Vaswani et al., "Attention is all you need," in *Proc. Advances in Neural Information Processing Systems (NeurIPS)*, 2017.
- [10] I. Goodfellow, Y. Bengio, and A. Courville, *Deep Learning*. Cambridge, MA, USA: MIT Press, 2016.
- [11] S. B. Patil and V. A. Gaikwad, "Automated skin disease detection using image processing and machine learning," *International Journal of Engineering Research & Technology*, vol. 8, no. 6, pp. 2019.
- [12] World Health Organization, "Skin diseases," *WHO Reports*, 2023.
- [13] J. Devlin, M. Chang, K. Lee, and K. Toutanova, "BERT: Pre-training of deep bidirectional transformers for language understanding," in *Proc. NAACL-HLT*, 2019.
- [14] T. Mikolov et al., "Efficient estimation of word representations in vector space," in *Proc. ICLR Workshop*, 2013.
- [15] R. Szeliski, *Computer Vision: Algorithms and Applications*. Springer, 2011.



10.22214/IJRASET



45.98



IMPACT FACTOR:
7.129



IMPACT FACTOR:
7.429



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24*7 Support on Whatsapp)