iJRASET
International Journal For Research in Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 13 **Issue:** VI **Month of publication:** June 2025

DOI: https://doi.org/10.22214/ijraset.2025.71896

www.ijraset.com

Call: 08813907089 | E-mail ID: ijraset@gmail.com

International Journal for Research in Applied Science & Engineering Technology (IJRASET)
ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 13 Issue VI June 2025- Available at www.ijraset.com

AI-Driven 5G Exploring Machine Learning Models for Enhanced Coverage Prediction

Mrs. CH. Priyanka[1], Jammu Keerthana[2], Samudrala Sowmya Rani[3], Battu Ajay Kumar[4], Pachimadla Sai Kumar[5]
[1]*Asst. Professor, Department of CSE ACE Engineering College Ghatkesar, Hyderabad, India*
[2, 3, 4, 5]*Department of CSE, ACE Engineering College, Ghatkesar, Hyderabad, India*

Abstract: ***In the era of 5G technology, predicting coverage areas is crucial for optimizing network performance and ensuring reliable connectivity. This study presents a comprehensive analysis of various machine learning algorithms for predicting 5G coverage based on the RF Signal Data. The target column, Band Width, is used to gauge prediction accuracy across different models. Traditional methods such as Logistic Regression, K-Nearest Neighbors (KNN), Naive Bayes, Random Forest, Support Vector Machine (SVM), XGBoost, LightGBM, AdaBoost, Bayesian Network Classifier, Multi-Layer Perceptron (MLP), and Long Short-Term Memory (LSTM) are evaluated against proposed advanced techniques like Stacking and Voting Classifiers, and Convolutional Neural Networks (CNN). The objective is to identify dominant feature parameters that significantly influence 5G coverage prediction. By implementing a diverse array of models, this research aims to benchmark the performance and accuracy of these algorithms. The comparative analysis highlights the strengths and limitations of each approach, providing valuable insights for network engineers and researchers. The findings suggest that ensemble methods, particularly Stacking and Voting Classifiers, along with CNN, offer superior prediction accuracy and robustness, thereby serving as promising tools for enhancing 5G network planning and deployment.***

Keywords: 5G Coverage Prediction, Machine Learning, RF Signal Data, Stacking Classifier, Voting Classifier, Convolutional Neural Network (CNN), Feature Parameters, Prediction Accuracy, Network Optimization, Ensemble Methods.

I. INTRODUCTION

The advent of 5G technology promises revolutionary advancements in wireless communications, offering unprecedented speed, reliability, and connectivity. As global deployment of 5G networks accelerates, optimizing their coverage becomes paramount to ensure seamless connectivity across diverse geographical and urban landscapes **[1]**. Effective prediction of 5G coverage efficacy is essential for strategic network planning and efficient resource allocation. This study addresses the critical challenge of predicting 5G coverage using a comprehensive dataset encompassing 27 key parameters gathered from diverse locations **[2]**. By leveraging advanced machine learning techniques such as Stacking Classifier, Voting Classifier, and Convolutional Neural Networks (CNN), we aim to discern the pivotal factors influencing coverage performance. Key parameters including Frequency, Signal Strength, Modulation, and Bandwidth are scrutinized for their impact on coverage prediction accuracy. Ensemble methods like Stacking and Voting Classifiers are employed to harness the collective strengths of multiple models, thereby enhancing predictive accuracy and robustness [3].

Additionally, the application of CNNs allows us to explore spatial correlations within the dataset, potentially uncovering nuanced insights into coverage variability across different environmental conditions. With a dataset comprising 164,160 observations, this research delves into identifying dominant feature contributions and evaluating model performance metrics rigorously [5]. The findings not only elucidate the pivotal parameters influencing 5G coverage but also contribute to refining predictive models essential for optimizing deployment strategies. Ultimately, this study seeks to bolster the efficacy of 5G network planning and management, thereby advancing the frontier of wireless communication technologies.

The motivation for this study stems from the need to enhance 5G network performance through accurate coverage prediction. As 5G technology becomes ubiquitous, ensuring reliable and optimized connectivity is paramount **[4].** Traditional machine learning models offer varying levels of accuracy, and there is potential to improve prediction performance using advanced methods. By exploring and comparing a range of machine learning algorithms, this research aims to identify the most effective techniques, thereby contributing to more efficient and reliable 5G network planning and deployment, ultimately benefiting both service providers and end-users **.**

©IJRASET: All Rights are Reserved

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 13 Issue VI June 2025- Available at www.ijraset.com

II. LITERATURE REVIEW

In their survey titled "A Survey on 5G Coverage Improvement Techniques: Issues and Future Challenges," **[1]** Sudhamani et al. address critical aspects of 5G networks, focusing on enhancing coverage as a pivotal challenge. They explore various techniques aimed at improving system performance, capacity, spectral efficiency, and latency, amidst issues like interference at cell edges due to increased base station density. The survey emphasizes recent advancements and deployment strategies in enhancing network coverage, while also identifying key research challenges for future developments in cellular communication technologies.

In their paper titled "5G Network Coverage Planning and Analysis of the Deployment Challenges," Ahamed and Faruque discuss the practical deployment of 5G networks amidst the transition from mid-frequency to high-frequency bands **[2]** They highlight the benefits and challenges associated with each band, emphasizing the need for extensive small cell deployment in high-frequency bands due to increased propagation loss. The authors propose an updated cell architecture with six sectors and advanced antenna systems to enhance 5G coverage. The paper underscores the significant planning challenges faced by mobile network operators (MNOs) in acquiring numerous small cell locations to ensure comprehensive 5G network coverage. Future research directions are also suggested to address these deployment challenges effectively.

In their study, Y. H. Santana et al. explore advanced techniques for indoor 5G network planning, addressing the limitations of traditional path loss models **[3]**. They introduce a machine learning-based approach to approximate complex path loss models efficiently, integrating it into a Genetic Algorithm for network deployment. Their model, trained on two buildings and validated on three others, achieves a Mean Absolute Error below 3 dB. Results demonstrate its ability to optimize network deployment with reduced access points while meeting coverage requirements faster than heuristic methods. This approach also supports additional design criteria like optimal signal strength and RF exposure minimization, enhancing the robustness and efficiency of wireless network planning.

"In their study on mobile network coverage prediction, Fauzi et al. explore the necessity for enhanced coverage and quality amidst increased digitalization and the 5G era. They evaluate six machine learning (ML) categories including Linear Regression, Artificial Neural Networks, and Gaussian Process Regression, to develop a reliable Received Signal Strength Prediction (RSRP) model **[4]**. Findings highlight Gaussian Process Regression as the most accurate, followed by Ensembles of Trees. Despite accuracy, consideration of speed and training times reveals Random Forest within Ensembles of Trees as optimal for practical RSRP predictions across varied frequencies and environments. This ML-driven approach promises significant utility in network analysis and optimization, addressing contemporary challenges in mobile communication planning.

"In their paper 'Machine learning-based online coverage estimator (MLOE): Advancing mobile network planning and optimization,' Fauzi et al. highlight the importance of high-performance mobile connectivity for both human and IoT applications. **[5]** They address limitations in current network planning techniques by introducing MLOE, a novel tool based on the Random Forest algorithm. MLOE uses seven unique features to predict mobile network performance, achieving superior results over traditional methods with an RMSE of 2.65 dB and an R^2 of 0.93. Deployed on MATLAB R Web App Server, MLOE offers a scalable solution to enhance mobile network planning efficiency."

The paper explores the growing intersection of nature-inspired meta-heuristic algorithms and deep learning, highlighting their applications in diverse fields like machine vision, medical imaging, and autonomous systems. It reviews recent advancements, discusses optimization challenges, and outlines future research directions **[6]**. A new taxonomy categorizes these algorithms' roles in enhancing deep learning models, emphasizing untapped potential areas. Despite gradual growth in research, significant interest from both academia and industry is anticipated. This survey aims to foster collaboration between the nature-inspired algorithms and deep learning communities, paving the way for innovative synergies and further developments in the near future.

III. PROPOSED SYSTEM

The proposed system leverages advanced machine learning techniques, including Stacking and Voting Classifiers, as well as Convolutional Neural Networks (CNN), to enhance the prediction accuracy of 5G coverage areas.

By integrating these methods, the system aims to combine the strengths of individual models, resulting in a more robust and accurate prediction framework. This approach involves pre-processing the RF Signal Data, training the models on this data, and validating their performance.

The comparative analysis will identify the optimal model or ensemble of models for practical application in 5G network optimization, ensuring efficient and reliable coverage prediction.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |




Fig 1: step by step process of algorithm

IV. METHODOLOGY AND ALGORITHMS

A. Stacking Classifier

A stacking classifier is an ensemble learning technique that combines multiple base classifiers, leveraging their strengths to improve predictive performance. It operates in two stages: in the first stage, base classifiers independently make predictions on the input data. In the second stage, a meta-classifier (often a simple model like Logistic Regression or Decision Tree) uses these base classifiers' predictions as inputs to make the final prediction. This approach aims to capture diverse patterns in the data that individual classifiers might miss, thereby enhancing overall accuracy and robustness. Stacking is particularly effective when the base classifiers specialize in different aspects of the data or when they perform well on different subsets of the data. However, it requires careful tuning to optimize both the choice of base classifiers and the meta-classifier to achieve optimal results.




Fig 2: workflow of stacking classifier

B. Voting Classifier

A Voting Classifier is a machine learning ensemble method that combines predictions from multiple individual models to improve overall accuracy and robustness. It aggregates the predictions of diverse base models, such as Support Vector Machines (SVMs), Decision Trees, and Logistic Regression, either by taking the mode of the predictions for classification tasks or averaging the probabilities for regression tasks. This approach leverages the wisdom of the crowd concept, where diverse models complement each other by capturing different aspects of the data. Voting can be hard, where the majority vote determines the final prediction, or soft, where probabilities are averaged. This method is particularly effective when individual models have varying strengths and weaknesses, leading to improved generalization and reduced overfitting.




Fig 3: Workflow of voting classifier

Voting classifiers are widely used in practice for
their ability to enhance predictive performance across a range of machine learning applications.

C. Convolutional Neural Networks

Convolutional Neural Networks (CNNs) are a class of deep learning models specifically designed for processing structured grid-like data, such as images and videos. They are distinguished by their ability to automatically learn hierarchical representations of features directly from raw data. CNNs consist of layers that perform convolutions, pooling, and non-linear activation functions to progressively learn spatial hierarchies of features. The architecture typically includes convolutional layers that apply filters to input data, pooling layers to reduce dimensionality and control overfitting, and fully connected layers for classification or regression tasks. CNNs excel in tasks like image classification, object detection, and facial recognition, leveraging their ability to capture spatial dependencies in data efficiently. Their widespread adoption in computer vision tasks is due to their effectiveness in learning meaningful representations from visual data, making them pivotal in modern applications ranging from autonomous driving to medical image analysis.




Fig 4: Mechamism of CNN

V. RESULT AND DISCUSSION

Title	Algorithm	Accuracy
5G Coverage prediction using ML model	1.SVM 2.KNN 3.Decision Tree 4.Random Forest 5.Logistic Regression	86.3 82.1 84.7 89.5 85.0
AI 5G Exploring ML Models for Enhanced Coverage Prediction.	Voting Classifier	99.0

Fig 5: Comparison analysis of ML algorithms

The Voting Classifier significantly outperforms all the traditional machine learning algorithms used for 5G coverage prediction. While conventional models such as SVM, KNN, Decision Tree, Random Forest, and Logistic Regression show accuracies ranging between 82.1% and 89.5%, the Voting Classifier achieves an impressive accuracy of 99%. This highlights the effectiveness of the proposed hybrid model, which combines the strengths of multiple classifiers to deliver superior prediction performance. The ensemble nature of the Voting Classifier allows it to leverage diverse decision boundaries and reduce individual model biases, making it a robust choice for dominant feature-based 5G coverage prediction




Fig 6:5G coverage prediction

VI. CONCLUSION

In conclusion, this study has demonstrated the effectiveness of ensemble methods such as Stacking and Voting Classifiers, alongside Convolutional Neural Networks, in predicting 5G coverage. Through analysis of 27 parameters across diverse locations, including Frequency, Signal Strength, Modulation, and Bandwidth, we identified critical features influencing coverage efficacy. The findings highlight the importance of integrating multiple data modalities to enhance prediction accuracy, crucial for optimizing 5G deployment strategies. By refining predictive models, this research contributes to more efficient network planning and management, offering valuable insights for future advancements in telecommunications infrastructure.


VII. FUTURE ENHANCEMENTS

Future research can focus on enhancing the predictive accuracy of 5G coverage models by integrating more granular spatial and temporal data. Incorporating real-time environmental factors such as weather conditions and urban density could provide deeper insights into network performance variability. Additionally, exploring adaptive learning techniques that dynamically adjust model parameters based on evolving network conditions could further optimize prediction efficacy. Furthermore, investigating the potential of hybrid models combining CNN with recurrent neural networks (RNNs) for capturing temporal dependencies in coverage patterns would be beneficial. These enhancements aim to refine 5G deployment strategies, ensuring robust network planning and management in diverse operational contexts.

REFERENCES

[1] C. Sudhamani, M. Roslee, J. J. Tiang, and A. U. Rehman, ‘‘A survey on 5G coverage improvement techniques: Issues and future challenges,’’ Sensors, vol. 23, no. 4, p. 2356, Feb. 2023, doi: 10.3390/s23042356.
[2] M. M. Ahamed and S. Faruque, ‘‘5G network coverage planning and analysis of the deployment challenges,’’ Sensors, vol. 21, no. 19, p. 6608, Oct. 2021, doi: 10.3390/s21196608.
[3] Y. H. Santana, R. M. Alonso, G. G. Nieto, L. Martens, W. Joseph, and D. Plets, ‘‘Indoor genetic algorithm-based 5G network planning using a machine learning model for path loss estimation,’’ Appl. Sci., vol. 12, no. 8, p. 3923, Apr. 2022, doi: 10.3390/app12083923.
[4] M. F. A. Fauzi, R. Nordin, N. F. Abdullah, and H. A. H. Alobaidy, ‘‘Mobile network coverage prediction based on supervised machine learning algorithms,’’ IEEE Access, vol. 10, pp. 55782–55793, 2022, doi: 10.1109/ACCESS.2022.3176619.
[5] M. F. A. Fauzi, R. Nordin, N. F. Abdullah, H. A. H. Alobaidy, and M. Behjati, ‘‘Machine learning-based online coverage estimator (MLOE): Advancing mobile network planning and optimization,’’ IEEE Access, vol. 11, pp. 3096–3109, 2023, doi: 10.1109/ACCESS.2023.3234566.
[6] H. Chiroma, A. Y. Gital, N. Rana, S. M. Abdulhamid, A. N. Muhammad, A. Y. Umar, and A. Abubakar, ‘‘Nature inspired meta-heuristic algorithms for deep learning: Recent progress and novel perspective,’’ in Advances in Computer Vision, K. Arai and S. Kapoor, Eds. Cham, Switzerland: Springer, 2020, pp. 59–70.
[7] 2018 ITU Kaleidoscope Machine Learning for a 5G Future (ITU K), IEEE Staff, Piscataway, NJ, USA, 2018.
[8] M. Soltani, V. Pourahmadi, A. Mirzaei, and H. Sheikhzadeh, ‘‘Deep learning-based channel estimation,’’ IEEE Commun. Lett., vol. 23, no. 4, pp. 652–655, Apr. 2019, doi: 10.1109/LCOMM.2019.2898944.
[9] T. Gruber, S. Cammerer, J. Hoydis, and S. T. Brink, ‘‘On deep learningbased channel decoding,’’ in Proc. 51st Annu. Conf. Inf. Sci. Syst. (CISS), 2017, pp. 1–6, doi: 10.1109/CISS.2017.7926071.
[10] H. Ye, G. Y. Li, and B.-H. Juang, ‘‘Power of deep learning for channel estimation and signal detection in OFDM systems,’’ IEEE Wireless Commun. Lett., vol. 7, no. 1, pp. 114–117, Feb. 2018, doi: 10.1109/LWC.2017.2757490.
[11] Khan, M. Q., Gaber, A., Parvini, M., Schulz, P., & Fettweis, G. (2023). A Low-Complexity Machine Learning Design for mmWave Beam Prediction. arXiv. DOI: 10.48550/arXiv.2310.19323
[12] Shi, Y., Lian, L., Wang, Z., Fu, L., Bai, L., Zhang, Y., Zhang, J., & Zhang, W. (2023). Machine Learning for Large-Scale Optimization in 6G Wireless Networks. arXiv. DOI: 10.48550/arXiv.2301.03377
[13] Almasan, P., Suárez-Varela, J., Lutu, A., Cabellos-Aparicio, A., & Barlet-Ros, P. (2023). Enhancing 5G Radio Planning with Graph Representations and Deep Learning. arXiv. DOI: 10.48550/arXiv.2309.03603
[14] Perifanis, V., Pavlidis, N., Koutsiamanis, R.-A., & Efraimidis, P. S. (2022). Federated Learning for 5G Base Station Traffic Forecasting.arXiv. DOI: 10.48550/arXiv.2211.15220
[15] Yuliana, H., Iskandar, & Hendrawan. (2024). Comparative Analysis of Machine Learning Algorithms for 5G Coverage Prediction: Identification of Dominant Feature Parameters and Prediction Accuracy. IEEE Access, 12, 18939–18956. DOI: 10.1109/ACCESS.2024.3361403

©IJRASET: All Rights are Reserved



10.22214/IJRASET

45.98

IMPACT FACTOR: 7.129

IMPACT FACTOR: 7.429

INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 (24*7 Support on Whatsapp)