iJRASET
International Journal For Research in Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 13 **Issue:** XI **Month of publication:** November 2025

DOI: https://doi.org/10.22214/ijraset.2025.75202

www.ijraset.com

Call: 08813907089 | E-mail ID: ijraset@gmail.com

International Journal for Research in Applied Science & Engineering Technology (IJRASET)
ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 13 Issue XI Nov 2025- Available at www.ijraset.com

AI Infused Irrigation with Visual Insights Geared Towards the Farmer

Siddharth Mohite[1], Rushikesh Patil[2], Siddharth Jadhav[3], Madhuri Choudhari[4]
Department of Computer Engineering, NBN Sinhgad School of Engineering

Abstract: ***Agriculture remains the backbone of many economies, yet the sector faces persistent challenges such as water scarcity, inefficient irrigation practices, and inadequate disease management. This research proposes an integrated Artificial Intelligence (AI) and Internet of Things (IoT) solution titled AI Infused Irrigation with Visual Insights Geared Towards the Farmer, aimed at achieving sustainable, data-driven, and automated farm management. The system employs an ESP32 microcontroller interfaced with soil-moisture, temperature, and humidity sensors to monitor environmental parameters in real time. Data is transmitted to Firebase Realtime Database, where it is analyzed through a Python Flask-based web application that implements a machine-learning-driven irrigation model. Simultaneously, a Convolutional Neural Network (CNN) processes captured leaf images to detect plant diseases and provide corresponding pesticide recommendations. The system supports both AI-driven automatic control and manual or voice-based operation, ensuring adaptability to various user preferences. Furthermore, a multilingual user interface enables interaction in regional languages such as Hindi and Marathi, improving accessibility for farmers with limited English proficiency. Experimental evaluations demonstrate approximately 95 % classification accuracy in disease detection and 30 % improvement in water-use efficiency compared with conventional irrigation. The system thus establishes a comprehensive digital agriculture framework that unites automation, vision intelligence, and user inclusivity to promote sustainable agricultural practices.***

Keywords: Smart Irrigation, Artificial Intelligence, Internet of Things, Convolutional Neural Network, Flask Application, Firebase Cloud, Sustainable Agriculture, Multilingual Interface.

I. INTRODUCTION

Water scarcity, unpredictable weather patterns, and late detection of crop diseases have long constrained agricultural productivity. Traditional irrigation systems rely heavily on manual judgment, which often results in over-irrigation or under-irrigation, ultimately affecting soil health and crop yield. Likewise, manual inspection of plants for disease identification is labour- intensive and prone to error. Recent advancements in Artificial Intelligence (AI) and Internet of Things (IoT) technologies have created opportunities to automate and optimize agricultural operations. The convergence of sensor networks, cloud connectivity, and intelligent algorithms enables continuous monitoring of environmental parameters and predictive decision-making. These innovations have given rise to the concept of precision agriculture, wherein every drop of water and every intervention is based on quantifiable data.

This study introduces an AI-enabled IoT system that automates irrigation and identifies plant diseases in real time. The proposed system collects soil and weather data via an ESP32-based sensor network, transmits it to the cloud for analysis, and triggers irrigation only when required. In addition, an image-processing module based on a Convolutional Neural Network (CNN) evaluates leaf images to detect infections such as Black Rot, Esca (Black Measles), and Leaf Blight, while also recognizing healthy leaves. Pesticide recommendations are generated instantly, assisting farmers in taking timely remedial actions.

A. Objectives

1) To design an IoT-based sensor network that continuously monitors key environmental parameters such as soil moisture, temperature, and humidity in real time.
2) To develop a machine-learning-based decision model capable of automatically determining irrigation requirements and controlling the water pump with high precision and reliability.
3) To implement a Convolutional Neural Network (CNN) for early detection and classification of crop leaf diseases using image analysis and to provide appropriate pesticide recommendations.
4) To design a web-based Flask application that serves as a centralized platform for visualization, control, and data management of all IoT and AI modules.

©IJRASET: All Rights are Reserved

5) To integrate dual modes of operation—AI Mode for fully autonomous control and Manual Mode (with voice-assisted functionality) for user-defined irrigation control.
6) To incorporate a multilingual user interface supporting languages such as English, Hindi, and Marathi, ensuring accessibility for farmers across diverse linguistic backgrounds.
7) To enhance agricultural efficiency by reducing water wastage, improving disease management, and promoting environmentally sustainable farming practices through intelligent automation.

II. LITERATURE REVIEW

The integration of Artificial Intelligence (AI) and the Internet of Things (IoT) has transformed traditional irrigation into intelligent, data-driven frameworks that optimize water usage and crop productivity. Several studies have investigated predictive irrigation models, computer-vision-based crop monitoring, and human-centric digital-agriculture paradigms.

Tace et al. [1] developed an IoT- and machine-learning-based irrigation framework that combined soil-moisture, temperature, and rainfall sensors with multiple predictive algorithms. Their results showed that the K-Nearest Neighbors (KNN) model achieved over 98 % accuracy, demonstrating that low-cost sensing and supervised learning can enable high-precision irrigation control. Razak et al. [2] introduced the concept of Agriculture 5.0, emphasizing Explainable AI (XAI) for interpretability and farmer trust. Their review revealed that although deep learning improves accuracy, a lack of explainability limits adoption in rural contexts. Wei et al. [3] analyzed AI-driven irrigation through a human-in-the-loop perspective, arguing that sustainable deployment requires coupling algorithmic intelligence with farmer feedback, transparent models, and hybrid cloud–edge architectures. Oğuztürk [4] performed a systematic review and meta-analysis of AI-enabled irrigation systems, reporting 30–50 % water savings and 20–30 % yield improvements across multiple deployments. The author highlighted standardization, edge computing, and federated learning as emerging research priorities.

Complementary works reinforce these outcomes. Gupta [5] demonstrated low-cost IoT automation for irrigation scheduling; Zeng et al. [6] achieved robust crop-disease detection using hybrid Transformer-CNN models; and Rastogi [7] implemented compact CNN architectures for early foliar-disease identification. Ashurov [8] enhanced CNN performance using channel-attention mechanisms to reduce computational cost, while Liu [9] applied fuzzy-logic control for interpretable irrigation decisions. The Xenon Stack Research Team [10] provided industrial validation that ensemble and time-series models (LSTM, temporal CNN) further improve predictive irrigation scheduling and scalability.

Collectively, these studies confirm that IoT-enabled, AI-driven irrigation systems significantly improve water efficiency and crop yield. However, most existing frameworks focus exclusively on either irrigation or disease detection, lack multilingual or voice-based user interfaces, and rarely integrate explainable analytics with end-to-end automation.

A. Research Gap and Contribution of the Present Work

The proposed system, AI Infused Irrigation with Visual Insights Geared Towards the Farmer, directly addresses these research gaps. It combines real-time IoT sensing, AI-based irrigation control, and CNN-based disease detection within a unified, cloud-connected architecture powered by Firebase Realtime Database and a Flask web application. The platform supports both AI Mode and Manual Mode (including voice interaction) and introduces a multilingual interface in English, Hindi, and Marathi to ensure inclusivity for regional farmers. By merging automation, computer-vision analytics, and user accessibility, this work extends the current state of the art toward an integrated, explainable, and socially sustainable model of precision agriculture.

Feature	Existing Systems	Proposed System
IoT-Based Irrigation	✔	✔
AI-Based Decision Model	Partial	✔
Disease Detection using CNN	✖	✔
Cloud Synchronization (Firebase)	Limited	✔
Multilingual Interface (EN/HI/MR)	✖	✔
Voice Command Support	✖	✔
Real-Time Visualization	Partial	✔
Water Efficiency	15–20%	25–30%

Table I. Comparative Analysis between Existing Systems and Proposed System

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

III. SYSTEM ARCHITECTURE




Fig. 1. System Architecture

A. *System Overview*

The architecture is composed of four primary layers—Sensing, Communication, Cloud Processing, and Application.

1) Sensing Layer: Utilizes soil-moisture, temperature, and humidity sensors interfaced with an ESP32 microcontroller to acquire environmental data at periodic intervals.

2) Communication Layer: Employs Wi-Fi connectivity for real-time data transmission to the Firebase Realtime Database.

3) Cloud Processing Layer: Integrates machine-learning models hosted on a Flask web server to analyze sensor data and generate irrigation decisions.

4) Application Layer: Provides a responsive web interface for users to visualize data, monitor field conditions, and control irrigation manually or through AI recommendations.

B. *Data Flow*

Sensor readings from the ESP32 are serialized and transmitted to Firebase via HTTP. The Flask backend retrieves these records, normalizes them, and processes them through a trained regression-based model to predict the irrigation requirement. Simultaneously, uploaded leaf images are pre-processed using Pillow and NumPy, resized to 224×224 pixels, normalized to a range of [−1, 1], and passed to the CNN for disease classification. The generated results and advisory messages are dynamically displayed on the user dashboard and stored in Firebase for future reference.

C. *Security and Reliability*

Data transmission is secured using HTTPS protocols to ensure confidentiality and integrity. Session-based authentication is implemented through Flask's secure cookies for user verification. Fail-safe mechanisms prevent unintended pump activation during communication failures or abnormal sensor behaviour. Additionally, all sensor data are timestamped and logged to maintain traceability and ensure reliable system operation.

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 13 Issue XI Nov 2025- Available at www.ijraset.com

IV. METHODOLOGY

A. *Embedded System Design*

The hardware module is designed to collect environmental data from the farm and control irrigation automatically. It consists of an ESP32/Node MCU microcontroller, which serves as the central processing unit and communication bridge between sensors, cloud, and the pump control unit.

1) Soil-Moisture Sensor: Measures volumetric water content in the soil to determine irrigation necessity.
2) Temperature and Humidity Sensor (DHT11/DHT22): Monitors atmospheric conditions affecting evapotranspiration.
3) Relay Module and Water Pump: Executes ON/OFF operations based on AI-generated decisions.
4) Power Supply Unit: Provides regulated power to the microcontroller and sensors.

All hardware components are assembled to enable continuous data collection and automated actuation.

B. *System Software Framework*

The software component forms the intelligent core of the system, integrating IoT communication, AI-based decision-making, and web visualization.

1) Flask Framework: Acts as the backend server for handling routes, sensor data processing, and communication with Firebase.
2) Firebase Realtime Database: Serves as a cloud bridge between IoT hardware and the AI system, ensuring real-time synchronization of sensor values and control commands.
3) Machine Learning Model: Trained using soil-moisture, temperature, and humidity datasets to predict irrigation needs. The model outputs a binary decision (Pump ON/OFF).
4) CNN Model for Disease Detection: Processes uploaded leaf images to classify them as *Black Rot*, *Esca*, *Leaf Blight*, or *Healthy*. The output is linked to a pesticide recommendation database.
5) Frontend Interface: Developed using HTML, CSS, and Bootstrap, it provides live dashboards, AI/manual mode control, and multilingual support for English, Hindi, and Marathi.

C. *System Logic Flow*

1) Sensors capture real-time field data and transmit it to the Firebase Cloud via the ESP32 microcontroller.
2) The Flask web application retrieves the data and analyses it through the machine-learning model to determine irrigation status.
3) Based on the prediction, a control signal is sent back to Firebase, triggering the relay to switch the pump ON or OFF.
4) The farmer can also upload a leaf image through the web dashboard; the CNN model processes and classifies the image, displaying the result along with suitable pesticide recommendations.
5) All operations—sensor readings, irrigation status, and disease results—are displayed on the dashboard in real time, accessible through any connected device

V. RESULTS AND DISCUSSION

The proposed system was tested using real-time sensor inputs, cloud synchronization, and machine-learning models. Performance was evaluated based on irrigation accuracy, disease-classification accuracy, and system responsiveness.

A. *Irrigation Performance*

The machine-learning model successfully automated irrigation by analyzing soil-moisture, temperature, and humidity values. The predictive model achieved ~91% accuracy in determining the optimal irrigation state (Pump ON/OFF). Experimental observations show approximately 25–30% reduction in water usage compared to manual irrigation practices, demonstrating the effectiveness of intelligent scheduling.

B. *Disease Detection Results*

The Convolutional Neural Network (CNN) model was tested on grape-leaf images belonging to four categories: *Black Rot*, *Esca*, *Leaf Blight*, and *Healthy*. The model achieved an average classification accuracy of ~95%, correctly identifying infection type and generating corresponding pesticide recommendations. This confirms the capability of deep-learning models to support early disease detection, enabling timely intervention and minimizing crop loss.

©IJRASET: All Rights are Reserved

C. System Efficiency

Cloud-based synchronization through Firebase and Flask ensured seamless, real-time communication between sensors, server, and the user interface. The system achieved an average response latency of under 2 seconds, allowing users to view live field parameters and system decisions without noticeable delay. Additionally, manual override and voice-control options functioned reliably, ensuring user control at all times.

D. Summary of Performance Metrics

Parameter	Value / Result
Irrigation Decision Accuracy	~91%
Disease Classification Accuracy	~95%
Water Usage Reduction	25–30%
System Response Time	Less than 2 seconds
Modes Supported	AI Mode & Manual/Voice Mode
Language Support	English, Hindi, Marathi

Table II. Summary of Performance Metrics

E. Discussion

The results clearly indicate that the proposed system enhances irrigation efficiency and facilitates early disease detection, contributing to improved crop management. The system's low latency, high accuracy, and multilingual accessibility make it suitable for real-world agricultural deployment, especially in rural regions. The integration of IoT with AI-based computation and cloud services demonstrates strong potential for scalable, sustainable smart-farming applications.

VI. CONCLUSION

The proposed *AI-Infused Irrigation with Visual Insights* system demonstrates an effective convergence of Artificial Intelligence (AI), Internet of Things (IoT), and Computer Vision for intelligent agricultural management. By continuously monitoring environmental and soil parameters, the system enables precise irrigation control and efficient water utilization. The integrated CNN-based disease detection module further strengthens crop health monitoring through early identification of plant anomalies. Experimental outcomes indicate irrigation accuracy above 90%, disease classification accuracy of 95%, and a water-use reduction of up to 30%. The multilingual and voice-enabled interface enhances inclusivity, establishing the system as a sustainable, accessible, and scalable solution for modern precision agriculture.

VII. EXTENDED RESEARCH AND FUTURE INNOVATIONS

A. Swarm Intelligence for Multi-Farm Optimization

Future versions can employ Swarm Intelligence Algorithms such as Particle Swarm Optimization (PSO) or Ant Colony Optimization (ACO) to coordinate irrigation across multiple farms. This would balance water distribution dynamically among connected IoT nodes, ensuring equitable and efficient resource utilization.

B. Digital Twin of the Farm

A Digital Twin—a virtual replica of the physical farm—can be created to simulate soil conditions, weather effects, and irrigation outcomes before execution. This would allow predictive testing and optimization of irrigation decisions in a risk-free virtual environment

C. Multimodal Sensor Fusion

Incorporating multimodal data sources such as soil nutrients, light intensity, and leaf temperature can improve decision accuracy. Sensor fusion algorithms can combine these inputs for more precise irrigation and disease detection.

D. Federated and Collaborative Agriculture Cloud

Implementing a Federated Learning framework across multiple farms would allow local models to learn independently and contribute to a shared global AI model. This approach preserves data privacy while improving performance across diverse agricultural conditions.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |


VIII. ACKNOWLEDGMENT

The authors would like to express their deep appreciation to Prof. M. U. Choudhari, Department of Computer Engineering, NBN Sinhgad School of Engineering, Pune, for her exceptional guidance, technical expertise, and continuous encouragement throughout the course of this research work. Her valuable insights and mentorship were instrumental in shaping the direction and quality of this project. The authors also acknowledge the Department of Computer Engineering for providing laboratory facilities, computational resources, and an environment conducive to research and innovation.

REFERENCES

[1] Y. Tace, *et al.*, "IoT and Machine Learning-Based Smart Irrigation Framework for Sustainable Agriculture," *International Journal of Emerging Technology and Advanced Engineering*, vol. 14, no. 2, pp. 52–59, 2025.
[2] M. Razak, *et al.*, "Agriculture 5.0 and Explainable AI for Smart Agriculture: A Scoping Review," *IEEE Access*, vol. 13, pp. 24412–24427, 2025.
[3] H. Wei, *et al.*, "Irrigation with Artificial Intelligence: Problems, Premises, and Promises," *Computers and Electronics in Agriculture*, vol. 214, no. 8, pp. 321–337, 2024.
[4] G. E. Oğuztürk, "AI-Driven Irrigation Systems for Sustainable Water Management: Systematic Review and Meta-Analysis," *Elsevier Journal of Agricultural Informatics*, vol. 12, no. 1, pp. 17–30, 2025.
[5] S. Gupta, "Smart Agriculture Using IoT for Automated Irrigation, Water Conservation, and Crop Monitoring," *IJRASET*, vol. 13, no. 4, pp. 401–406, 2025.
[6] Z. Zeng, "AI-Driven Smart Agriculture Using Hybrid Transformer–CNN Models for Disease Detection," *IEEE Access*, vol. 12, pp. 121344–121356, 2025.
[7] P. Rastogi, "Early Disease Detection in Plants Using CNN," *International Journal of Computer Applications*, vol. 186, no. 29, pp. 9–15, 2024.
[8] A. Y. Ashurov, "Enhancing Plant Disease Detection Through Deep Learning," *Journal of Intelligent Systems*, vol. 30, no. 7, pp. 192–199, 2025.
[9] X. Liu, "Intelligent and Automatic Irrigation System Based on IoT Using Fuzzy Control Technology," *IEEE Internet of Things Journal*, vol. 11, no. 3, pp. 1516–1524, 2025.
[10] XenonStack Research Team, "Smart Irrigation: Leveraging Sensor Data and AI for Sustainable Water Management," *Industry White Paper on Precision Agriculture*, XenonStack, 2024.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |



10.22214/IJRASET

45.98

IMPACT FACTOR: 7.129

IMPACT FACTOR: 7.429

INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 (24*7 Support on Whatsapp)