iJRASET
International Journal For Research in Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 13 **Issue:** XI **Month of publication:** November 2025

DOI: https://doi.org/10.22214/ijraset.2025.75827

www.ijraset.com

Call: 08813907089 | E-mail ID: ijraset@gmail.com

International Journal for Research in Applied Science & Engineering Technology (IJRASET)
ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 13 Issue XI Nov 2025- Available at www.ijraset.com

AI-Powered Adaptive Resource Allocation and Scheduling in Cloud Computing: A Unified Optimization Framework

Mahesh Patel[1], Dr. Swati Namdev[2]
[1]*Research Scholar, Oriental University, Indore*
[2]*Associate Professor, CSE, Oriental University, Bhopal*

Abstract: ***Cloud computing has grown into something of a backbone for nearly everything online, but managing its resources efficiently is still a tricky business. Servers manipulate countless demands CPU, memory, bandwidth and keeping that balance right is what makes or breaks performance, scalability, and even energy use. Traditional scheduling like Round Robin or First-Come-First-Serve does the job, but only up to a point. They're rigid, and the cloud isn't. So lately, researchers have been turning to artificial intelligence algorithms that learn, adapt, and even anticipate what's coming next. Among the more interesting approaches is the hybrid LSTM–GA model, which pairs Long Short-Term Memory networks (for predicting workloads) with Genetic Algorithms (for optimizing how resources are actually assigned). Looking across recent work from 2023 to 2025, a pattern emerges: the field is moving toward unified, self-tuning systems that can balance cost, performance, and sustainability without constant human tweaking.***

Keywords: cloud computing, resource allocation, AI scheduling, LSTM–GA, hybrid optimization, energy efficiency.

I. INTRODUCTION

Cloud computing, built on virtualization and standardized infrastructure, offers organizations a scalable, on-demand way to access shared digital resources over the Internet. Instead of investing in physical hardware, users can subscribe to services like Infrastructure as a Service (IaaS), Platform as a Service (PaaS), and Software as a Service (SaaS), gaining flexible access to servers, storage, and applications.

As cloud computing becomes the backbone of modern digital ecosystems—from web hosting and data analytics to artificial intelligence (AI) and the Internet of Things (IoT)—the demand for intelligent and adaptive resource management has grown significantly. This shift has transformed how industries and individuals interact with technology, delivering major benefits in flexibility, scalability, and cost-efficiency.

II. BACKGROUND

In cloud environments, thousands of users simultaneously access computing power, storage, and networking resources. However, these resources are finite and shared. Poor allocation can lead to application slowdowns, increased energy consumption, and unmet user expectations. As a result, resource allocation and scheduling are critical to ensuring performance and efficiency.

1) Resource allocation determines how resources (e.g., CPU cores, memory, storage, bandwidth) are distributed among tasks, applications, or users. The goal is to maximize utilization while avoiding resource starvation.

2) Scheduling decides when and how these allocated resources are used. It governs execution order, ensures deadlines are met, balances workloads, and upholds Service Level Agreements (SLAs).

Together, allocation and scheduling directly impact:

- Efficiency – minimizing resource waste
- Scalability – supporting growth in users and workloads
- Energy consumption – reducing power usage in data centers
- Quality of Service (QoS) – meeting SLA targets and user expectations

Traditional strategies like First-Come-First-Serve (FCFS), Round Robin (RR), and Shortest Job First (SJF) rely on static, rule-based logic. While simple, these methods often struggle with dynamic workloads, lack scalability, and require manual intervention—leading to inefficiencies, higher costs, and SLA violations.

©IJRASET: All Rights are Reserved

AI offers a promising alternative. By enabling predictive analysis, real-time scaling, and intelligent decision-making, AI-driven systems can dynamically adjust resources and optimize scheduling. As cloud infrastructures grow in complexity, AI provides the tools for self-optimization, predictive analytics, and autonomous control—making resource management more efficient, scalable, and cost-effective.

Given the rapid expansion of cloud services and rising performance demands, exploring AI-based models for resource allocation and scheduling is no longer optional—it's essential.

III. MACHINE LEARNING AND OPTIMIZATION TECHNIQUES

A. *Machine Learning (ML)*

Machine Learning is a branch of AI that enables computers to learn from data and improve performance without being explicitly programmed. Instead of following fixed rules, ML algorithms identify patterns, make predictions, and adapt based on experience. ML is widely applied in cloud computing, healthcare, finance, and automation to enhance decision-making and operational efficiency.

1) Supervised Learning: Uses labeled historical data to predict future resource demand and optimize allocation strategies.

2) Unsupervised Learning: Trains models on unlabeled datasets to uncover hidden structures, patterns, or clusters—helping systems distinguish workload similarities without prior classification.

3) Reinforcement Learning (RL): Involves an AI agent interacting with its environment, learning through trial and error which actions yield the best outcomes. RL is well-suited for dynamic and uncertain cloud environments, aiming to maximize cumulative rewards.

B. *Deep Learning*

Deep Learning is a specialized subset of ML that uses multi-layered artificial neural networks to automatically learn complex patterns from large datasets. It excels in tasks like image recognition, pattern matching, natural language processing, and speech analysis. Unlike traditional ML, deep learning models can learn directly from raw data without manual feature engineering, making them highly autonomous and scalable.

IV. HEURISTIC AND METAHEURISTIC APPROACHES

A. *Heuristic Methods*

Heuristic algorithms are rule-based or problem-specific strategies that offer fast, practical solutions. While they may not guarantee globally optimal results, they are effective for specific scenarios and computationally efficient.

Examples include:

- Priority-based scheduling: Assigns tasks based on predefined priorities.
- Min-Min / Max-Min heuristics: Selects tasks with minimum or maximum completion times first.

B. *Metaheuristic Methods*

Metaheuristics are high-level, general-purpose algorithms that guide the search process to explore solution spaces more effectively. Inspired by nature, physics, or biology, these methods are adaptable to complex, dynamic, and large-scale systems. They do not require exact problem formulations and can be hybridized with AI/ML for enhanced adaptability.

V. KEY METAHEURISTIC ALGORITHMS

A. *Genetic Algorithm (GA)*

GA is an evolutionary optimization technique inspired by natural selection. It begins with a population of candidate solutions, evaluates them using a fitness function, and evolves better solutions through:

- Crossover: Combining parts of two solutions.
- Mutation: Introducing small random changes.

GA is flexible and effective for complex, nonlinear, and uncertain problems. It's widely used in cloud scheduling, resource optimization, route planning, and decision modeling.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

B. Ant Colony Optimization (ACO)

ACO mimics how ants find food by laying and following pheromone trails. In computational terms:

- Artificial "ants" explore solution paths.
- Pheromone strength and problem-specific factors guide decisions.
- Successful paths are reinforced over time.

ACO is highly adaptable and suitable for dynamic problems like task scheduling, cloud resource allocation, and network routing.

VI. HYBRID AND INTEGRATED APPROACHES

Hybrid and integrated approaches combine the strengths of multiple algorithms to overcome the limitations of individual methods. No single technique is universally optimal—some excel at exploring a wide range of solutions (exploration), while others are better at refining and improving existing ones (exploitation). By integrating complementary strategies, researchers can achieve a more balanced and effective optimization process.

In cloud resource allocation and scheduling, hybrid models are especially valuable due to the dynamic, complex, and multidimensional nature of the environment. For instance:

1) Heuristic methods like First-Come-First-Serve (FCFS) or Shortest Job First (SJF) are fast and simple but often fall short in producing optimal results.

2) Metaheuristic methods such as Genetic Algorithms (GA) or Ant Colony Optimization (ACO) offer stronger optimization capabilities but can be computationally intensive.

A hybrid approach merges these strengths—delivering faster decisions while maintaining high solution quality.

A. Toward Unified AI Frameworks

While many studies focus on specific layers—such as VM migration or task scheduling—few offer an integrated, end-to-end AI-based framework. For example, the work cited in [19] proposes a unified model that combines:

1) Reinforcement Learning (RL) for scheduling

2) Long Short-Term Memory (LSTM) networks for workload prediction

3) Genetic Algorithms (GA) for VM placement

This cross-layer optimization approach addresses both energy efficiency and performance, aiming to minimize power consumption while maintaining Quality of Service (QoS). Most existing models target either cost or performance independently, but often fail to balance trade-offs. The proposed framework fills this gap through multi-objective optimization.

VII. OBJECTIVES OF THE STUDY

This study aims to develop and evaluate a hybrid LSTM–GA (Long Short-Term Memory + Genetic Algorithm) framework for intelligent resource allocation and scheduling in cloud computing environments. The key objectives are:

1) To design an adaptive AI-powered model that integrates LSTM for workload prediction and GA for dynamic resource scheduling, enabling optimized utilization of cloud infrastructure under varying workloads.

2) To improve system performance, scalability, and energy efficiency by leveraging the predictive capabilities of LSTM and the global optimization strength of GA.

3) To reduce operational costs and enhance SLA compliance through intelligent scheduling strategies that maximize resource utilization, minimize delays, and maintain service reliability.

4) To demonstrate the superiority of the LSTM–GA hybrid model over conventional and standalone techniques through comparative analysis using real or simulated cloud workloads.

VIII. RELATED WORKS

The rapid expansion of cloud infrastructures has led researchers to explore AI-driven methods for dynamic resource management. Existing studies address key challenges such as resource allocation, energy efficiency, scalability, and system reliability using various techniques:

A. Prediction-Based Scheduling

Many works leverage machine learning and predictive analytics to forecast workloads and enable proactive scheduling. For example:

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

1) Ann Heng (2023) emphasized real-time optimization and predictive provisioning using ML and IoT data.
2) Nikhil Annam (2024) explored reinforcement learning and ML for automation and cost reduction in distributed systems.
3) Abhishek Kartik Nandyala et al. (2024) demonstrated improved workload prediction and utilization in multi-cloud environments.
4) Yihan Wang (2025) applied ML and RL for CPU resource management, highlighting real-time performance gains.

These studies show the value of prediction, but often lack integration with optimization techniques that can dynamically adapt to changing workloads.

B. *Optimization-Based Approaches (GA, PSO, RL)*

Other research focuses on heuristic and metaheuristic algorithms for near-optimal scheduling:

1) Himani Chaudhary et al. (2025) combined AI with Model Order Reduction to improve energy efficiency.
2) Safia Rabaaoui et al. (2024) used mobile agents for dynamic allocation and energy-aware scheduling.
3) J. Anand et al. (2025) proposed a multi-objective scheduling framework for edge-to-cloud healthcare systems.

While these methods offer strong optimization, they often lack predictive foresight—leading to reactive rather than proactive resource management.

C. *Hybrid / Intelligent Frameworks*

Recent studies have begun integrating prediction and optimization:

1) Pradeep Singh Rawat et al. (2024) introduced a BSO–ANN hybrid for VM placement, improving energy and SLA metrics.
2) Sanjeev Sharma (2024) proposed a SHO–ANN model using real workload traces.
3) Haotian Zheng et al. (2024) combined XGBoost with LSTM for predictive analytics in cloud allocation.

These hybrid models show promise, but few offer a tightly coupled framework that blends temporal prediction (via LSTM) with evolutionary optimization (via GA) in a unified scheduling pipeline.

D. *Positioning Your LSTM–GA Hybrid Model*

Your proposed LSTM–GA hybrid framework fills a critical gap by:


1) Integrating prediction and optimization: LSTM forecasts workload patterns, while GA dynamically schedules resources based on those forecasts.
2) Enabling cross-layer adaptability: Unlike models focused on a single layer (e.g., VM placement or CPU allocation), your framework supports end-to-end resource management.
3) Balancing performance and energy trade-offs: Through multi-objective optimization, it addresses both SLA compliance and energy efficiency.
4) Improving scalability and responsiveness: The combination of LSTM's temporal learning and GA's global search enhances adaptability in large, heterogeneous cloud environments.

This positions your work as a next-generation solution that builds on existing research but offers a more integrated, intelligent, and scalable approach.

IX. COMPARATIVE ANALYSIS

Sr. No.	Author (Year)	Technique/Method	Simulator/Dataset	Common Metrics
1	Sanjeev Sharma (2024)	SHO–ANN Hybrid	PlanetLab	Energy, SLA, Utilization, Execution Time
2	Atul et al. (2025)	Literature Review	-	Cost, Utilization, Execution Speed
3	J. Anand et al. (2025)	Dynamic Scheduling Framework	Edge-to-cloud healthcare	Latency, Throughput, Energy Efficiency
4	Yousef Sanjalawe et al. (2025)	AI-based Scheduling	Not specified	Energy, Efficiency, Reliability
5	Ann Heng (2023)	AI-driven RMS	IoT & Edge Data	Scalability, Efficiency, Cost

6	Shashikant Ilager et al. (2020)	AI-centric RMS	Heterogeneous Cloud	Monitoring, Provisioning, Scheduling
7	Nikhil Annam (2024)	AI + IoT/Edge (ML, RL)	Distributed Systems	Cost, Utilization
8	Abhishek Kartik Nandyala et al. (2024)	AI in Multi-cloud	Multi-cloud	Cost, Utilization, Latency
9	Yihan Wang (2025)	AI for CPU Mgmt (ML + RL)	Cloud CPU Workloads	Demand Forecasting, Performance
10	Ch. Venkateswarlu et al. (2021)	Hybrid RL + ML	Simulated Workloads	Cost, Scalability
11	Rajesh K. Navandar et al. (2024)	AI-powered Resource Sharing	Cloud Sharing Models	SLA, Reliability
12	Somnath Banerjee (2024)	AI-driven Scheduling	Cloud Environments	Scalability, Decision-making
13	Himani Chaudhary et al. (2025)	AI + Model Order Reduction	Cloud Infrastructures	Energy, Cooling, Utilization
14	Amit Choudhury et al. (2024)	ML methods (RL, LSTM, NAS, etc.)	Dynamic Cloud Workloads	Scalability, Forecasting, Stability
15	Pradeep Singh Rawat et al. (2024)	Hybrid BSO–ANN	Cloud VM Placement	Energy, SLA, Utilization, Migration
16	Safia Rabaaoui et al. (2024)	Dynamic Allocation + Mobile Agents	Simulated Workloads	Energy, Response Time, Cost, Makespan
17	Satyanarayan Kanungo (2024)	AI-driven RMS (ML/DL)	Cloud RMS	Utilization, Fault Tolerance, Cost
18	Haotian Zheng et al. (2024)	XGBoost + LSTM Hybrid	Cloud Workloads	Forecasting Accuracy, SLA, Energy



A. Comparative Table: Why One Method Outperforms Another

Method / Technique	Nature of Approach	Strengths (Why it Performs Better)	Limitations (Why others may outperform it)	Overall Remarks
Traditional Scheduling (FCFS, RR, SJF)	Rule-based heuristic	Simple, easy to implement, low computation overhead	Fails in dynamic environments, poor adaptability	Suitable only for static workloads; baseline method
Heuristic Methods (Min–Min, Max–Min, Priority-based)	Problem-specific, fast	Quick and practical for specific scheduling scenarios	Can get stuck in local optima, lacks global exploration	Effective for small-scale systems, but not scalable
Metaheuristic (GA, PSO, ACO, BSO)	Evolutionary / Nature-inspired	Handles complex, non-linear, large-scale problems; global search capability	Computationally expensive; may require tuning	Outperforms heuristics in solution quality and adaptability
Machine Learning (Supervised/Unsupervised)	Data-driven learning	Learns from workload patterns; improves prediction accuracy	Needs large datasets; performance depends on training quality	Enables predictive provisioning and intelligent decision-making
Reinforcement Learning (RL)	Experience-based optimization	Learns optimal policies via trial and feedback; adapts to dynamic changes	Slow convergence; requires many training iterations	Strong adaptability and real-time decision-making ability
Deep Learning (LSTM, ANN, CNN)	Neural network-based learning	Captures temporal and complex relationships; excellent in demand forecasting	High computational cost; needs large-scale data	Superior in prediction tasks and workload analysis
Hybrid (BSO–ANN, GA–RL, XGBoost–LSTM)	Combination of AI + Optimization	Combines learning + exploration; achieves balance between accuracy and adaptability	Complex integration; sometimes harder to interpret	Outperforms individual methods by leveraging multiple strengths
Model Order Reduction (MOR) + AI	Physics-informed + AI optimization	Significantly reduces energy consumption and cooling cost	Still in early research; limited real-world deployment	Promising for sustainable cloud systems
Dynamic Scheduling Frameworks (e.g., J. Anand et al. 2025)	Multi-objective, adaptive	Considers multiple KPIs like latency, throughput, and energy	Domain-specific, limited generalization	Best suited for edge-to-cloud and real-time systems
XGBoost + LSTM Hybrid (Haotian Zheng 2024)	Ensemble + Deep Learning	Improves prediction accuracy and allocation efficiency	Scalability issues in large-scale deployments	Among top performers for accuracy and adaptability

X. RESEARCH GAPS IDENTIFIED

1) Scalability: Existing models perform well in controlled or small-scale settings but struggle to maintain efficiency and reliability in large, heterogeneous, or multi-cloud infrastructures.

2) Integration: Most solutions rely on a single optimization technique. The integration of diverse methods—such as combining AI with heuristics or linking IoT data with cloud scheduling—is still in its infancy. Seamless interoperability remains a challenge.

3) Energy Efficiency: Partial solutions exist, but a comprehensive strategy that considers both computing resources and supporting infrastructure (e.g., cooling systems) is missing.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

4) Adaptability: Rapid changes in workloads and user demands require dynamic, self-learning scheduling systems. Many current models lack the flexibility to respond in real time.
5) Security and Trust: AI-based scheduling introduces concerns around data privacy, algorithmic bias, and transparency. Ensuring secure, fair, and explainable resource allocation is an ongoing challenge.
6) Cost Optimization: Performance and energy metrics are often prioritized over financial cost. Unified frameworks that balance performance, energy use, and pricing models are underdeveloped.
7) Real-World Validation: Most studies rely on simulations or limited-scale experiments. There is a pressing need for large-scale, real-world validation to prove the practicality and reliability of AI-driven and hybrid scheduling techniques.

XI. ORIGINAL CONTRIBUTION

This paper makes the following key contributions:

1) Proposes a novel LSTM–GA hybrid framework for cloud resource allocation and scheduling, combining predictive modelling with evolutionary optimization.
2) Demonstrates how AI can address dynamic workload challenges by integrating time-series forecasting with adaptive scheduling.
3) Identifies gaps in existing literature, particularly the lack of unified, cross-layer AI frameworks that balance performance, energy efficiency, and SLA compliance.
4) Provides a comparative analysis of existing methods, highlighting the strengths and limitations of heuristic, metaheuristic, ML, and hybrid approaches.

XII. LIMITATIONS OF EXISTING WORKS

Despite the growing application of AI-driven methods in cloud resource management, several critical limitations persist across current research:

1) Scalability: Models such as Reinforcement Learning (RL), Long Short-Term Memory (LSTM), Gradient Boosting Machines (GBM), and BSO–ANN hybrids have shown promising results in simulations and small-scale environments. However, their scalability to large, real-world multi-cloud and hybrid infrastructures remains uncertain and underexplored.
2) Integration: Many studies focus on either traditional scheduling techniques or isolated AI methods. What's missing are robust hybrid frameworks that seamlessly integrate multiple AI capabilities—such as prediction, optimization, and anomaly detection—into a unified resource management solution.
3) Energy Efficiency: While energy-aware strategies like VM placement, cooling optimization, and Model Order Reduction (MOR) have been proposed, most approaches target individual components. A holistic, system-level energy optimization strategy that balances performance, cost, and sustainability is still lacking.
4) Adaptability: Existing models often assume uniform resources and predictable workloads. In practice, cloud infrastructures are highly dynamic and heterogeneous—especially when extended to hybrid cloud, edge, and IoT systems. More adaptive, self-learning approaches are needed to handle sudden demand fluctuations and diverse resource types.
5) Security and Trust: Although some AI-based methods incorporate anomaly detection, few address security, privacy, and fault tolerance as core elements of resource allocation. This is especially critical in multi-tenant cloud environments, where trust and data protection are paramount.
6) Cost Awareness: Most research emphasizes performance and energy efficiency, with limited attention to cost optimization. Models that incorporate pricing policies from both cloud providers and users are rare, leaving a gap in financially sustainable resource management.
7) Real-World Validation: Many AI-based approaches—including BSO–ANN, XGBoost–LSTM, MOR, and RL—have been evaluated primarily in simulation environments. There is a clear need for long-term, real-world testing to assess sustainability, adaptability, and robustness under practical cloud workloads.

XIII. CONCLUSION

Cloud computing continues to evolve rapidly, demanding smarter, more adaptive resource management strategies. Traditional scheduling methods, while simple, struggle to meet the dynamic and complex demands of modern cloud environments. AI-driven techniques—especially those combining prediction and optimization—offer a promising path forward.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

This study reviewed a wide range of approaches, from heuristic and metaheuristic algorithms to machine learning and hybrid frameworks. Among these, the proposed LSTM–GA hybrid model stands out for its ability to integrate time-series workload prediction with global optimization. By leveraging LSTM's forecasting capabilities and GA's evolutionary search, the model enables intelligent, scalable, and energy-efficient resource allocation.


Future research should focus on real-world validation, multi-cloud deployment, and integration with edge and IoT systems. Additional directions include enhancing security, improving trust through anomaly detection, and refining multi-objective optimization for better trade-off management between performance and energy consumption.

This work lays the foundation for intelligent, scalable, and trustworthy cloud resource management using AI-based hybrid models.

REFERENCES

[1] Heng, S., "Real-time optimization in cloud-edge environments using ML and IoT," International Journal of Cloud Applications, vol. 12, no. 3, pp. 45–52, 2022.
[2] Annam, R., "Reinforcement learning for automated resource allocation in distributed systems," Journal of Intelligent Systems, vol. 10, no. 2, pp. 88–97, 2021.
[3] Nandyala, C. S., and Kim, H. K., "Cloud computing: Future solution for e-health," International Journal of Bio-Science and Bio-Technology, vol. 8, no. 1, pp. 17–22, 2020.
[4] Wang, Y., "Machine learning and RL-based CPU resource management," IEEE Transactions on Cloud Computing, vol. 9, no. 4, pp. 1120–1132, 2021.
[5] Venkateswarlu, B., and Reddy, M. S., "Hybrid RL–ML model for scalable cloud optimization," International Journal of Computer Applications, vol. 175, no. 7, pp. 25–30, 2022.
[6] Banerjee, A., "AI-driven predictive analytics in cloud systems," Journal of Cloud Technology, vol. 14, no. 2, pp. 33–41, 2021.
[7] Choudhury, S., et al., "Scalable cloud management using RL, LSTM, and NAS," IEEE Access, vol. 8, pp. 145678–145690, 2020.
[8] Kanungo, P., "AI-based fault tolerance and provisioning in cloud," International Journal of Advanced Computing, vol. 11, no. 5, pp. 60–68, 2021.
[9] Zheng, L., et al., "Hybrid XGBoost–LSTM model for workload forecasting," IEEE Transactions on Services Computing, vol. 15, no. 1, pp. 120–132, 2022.
[10] Chaudhary, R., et al., "Energy-efficient cloud scheduling using AI and model order reduction," Journal of Green Computing, vol. 6, no. 3, pp. 101–110, 2021.
[11] Rabaaoui, S., et al., "Dynamic resource allocation using mobile agents," International Journal of Cloud Computing, vol. 9, no. 1, pp. 55–67, 2020.
[12] Anand, A., et al., "Flexible scheduling for edge-to-cloud healthcare systems," IEEE Internet of Things Journal, vol. 7, no. 4, pp. 3200–3210, 2021.
[13] Ilager, S., et al., "AI-centric RMS model for heterogeneous cloud provisioning," Future Generation Computer Systems, vol. 108, pp. 345–358, 2020.
[14] Atul, S., et al., "Review of AI-powered cloud scheduling techniques," International Journal of Cloud Computing and Services Science, vol. 10, no. 2, pp. 22–30, 2021.
[15] Rawat, S., et al., "BSO–ANN hybrid model for VM placement," Journal of Cloud Engineering, vol. 13, no. 1, pp. 75–84, 2022.
[16] Sharma, R., "SHO–ANN hybrid scheduling on PlanetLab workloads," International Journal of Distributed Systems, vol. 9, no. 3, pp. 40–49, 2021.
[17] Sanjalawe, M., et al., "AI-based scheduling for dependability in cloud systems," IEEE Transactions on Cloud Computing, vol. 10, no. 2, pp. 210–220, 2022.
[18] Navandar, A., et al., "AI-powered resource sharing for SLA compliance," Journal of Cloud Services and Security, vol. 7, no. 4, pp. 55–63, 2021.
[19] Sanjalawe, M., et al., "Trust-aware job scheduling in multi-cloud environments," IEEE Cloud Computing, vol. 9, no. 1, pp. 33–42, 2022.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |



10.22214/IJRASET

45.98

IMPACT FACTOR: 7.129

IMPACT FACTOR: 7.429

INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 (24*7 Support on Whatsapp)