



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 13 Issue: VI Month of publication: June 2025

DOI: https://doi.org/10.22214/ijraset.2025.72458

www.ijraset.com

Call: © 08813907089 E-mail ID: ijraset@gmail.com



ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538

Volume 13 Issue VI June 2025- Available at www.ijraset.com

AI-Based One Touch Input Washing Machine

Koushik Pal¹, Anurima Majumdar², Nabaneeta Banerjee³, Anirban Ghosal⁴, Priyanka Daw⁵, Pritam Pal⁶, Priyansu Dey⁷, Pritidipa Chakraborty⁸

Electronics and Communication Department, ¹Gurunanak Institute of Technology, ⁴Jis College of Engineering

Abstract: In modern era of smart homes and automation, the Artificial Intelligence (AI) create a revolutions. It makes the home appliances very unique and innovative. AI enhances the power of simple household appliances to fast our life. Traditional washing machines require manual input for selecting wash cycles, load types, and water levels. This is not that much easy for users to control it. It has very complicated algorithm for users. This paves the way for an innovative solution: an AI-based washing machine that enhances user convenience, optimizes washing efficiency, and conserves water and energy. The motivation behind this project is found from the raped increasing demand for AI in home appliances that can emphasis the power of household appliances and make very adaptable for users. By incorporating AI algorithms, sensors, and microcontroller-based automation, we aim to develop a washing system that not only simplifies the washing process but also reduces human error and promotes sustainable usage which is very suitable for user's applications.

It not only emphasis the washing process it also enhance the speed of a traditional washing machine. The primary goal of this project is to design and implement a smart AI washing machine with a user input using capacitive touch sensor to initiate the wash cycle. As environmental concerns rise and smart living becomes a trend, this type of system aligns perfectly with global sustainability goals.

This report presents the idea and construction of a smart washing machine incorporating

AI guidelines, touch sensing, and automation to improve user experience and promote effective usage. Through this project, we demonstrate how technology can be utilized to bring smart, adaptive behavior to essential domestic tasks, setting the stage for a smarter and more sustainable future.

I. INTRODUCTION

In modern era of smart homes and automation, the Artificial Intelligence (AI) create a revolutions. It makes the home appliances very unique and innovative.

AI enhances the power of simple household appliances to fast our life.

Traditional washing machines require manual input for selecting wash cycles, load types, and water levels. This is not that much easy for users to control it. It has very complicated algorithm for users. This paves the way for an innovative solution: an AI-based washing machine that enhances user convenience, optimizes washing efficiency, and conserves water and energy.

For washing machines, AI can be used to automatically identify fabric using only a input through sensor select optimal spin speed, temperature, and rinse cycles, reduce wear and tear on clothes by choosing gentle washing patterns, Save water and electricity by adjusting load parameters intelligently. The inclusion of AI not only increases the machine's functionality but also improves energy efficiency, user experience, and cost-effectiveness over time. As time passes a smart living becomes a trend, this type of system aligns perfectly with global sustainability goals. The motivation behind this project stems from the increasing demand for intelligent home appliances that can adapt automatically to user preferences and environmental conditions. By incorporating AI algorithms, sensors, and microcontroller-based automation, we aim to develop a washing system that not only simplifies the washing process but also reduces human error and promotes sustainable usage. Furthermore, with the help of a touch sensor (TTP223) and a user-friendly display, even individuals with limited technical knowledge can operate the machine effortlessly. This project combines embedded systems, sensor interfacing, and machine automation, providing a practical learning experience for students and professionals interested in real-world IoT applications. The prototype of the AI-based one input washing machine uses several elements including ,TTP223 Touch Sensor which act as a user's interface to initiate the washing process, Arduino Microcontrolle, it act as a intelligence of system, controlling the motor movement and display the output , .DC Motor & Pump Module: Simulates drum movement and water drainage, 16x2 LCD Display: Provides real-time status updates such as "Washing", "Rinsing", and "Completed".Power Supply and Relay Modules: Provide regulated power and switching capabilities.

Advanced laundry machines like the AI-based one input smart washing machine are meant to do more than a simple wash cycle.It uses TTP223 Touch Sensor to initiate the washing machine.



ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538

Volume 13 Issue VI June 2025- Available at www.ijraset.com

Most traditional washing machines must be paired with a separate dryer which either racks up more time or costs for utilities. This helps to simplify the process of traditional washing maching.

It aligns with current developments in Industry 4.0, where every device is interconnected and capable of self optimization. This project also acts as a bridge for engineering students and hobbyists to understand the practical applications of embedded systems, AI, and mechatronics in household contexts.

That is not a product on sale in stores at this time, rather an example of how smart AI technology can improve equipment that people need every day. Smart enough to control the usage of energy and water, this AI-enabled washing machine reflects the trend of embedding intelligence into daily-use appliances. While the current prototype focuses on simulating core functions of a washing machine using embedded logic and touch input, future improvements can include:

AI-based fabric detection using camera input, GSM or Wi-Fi module integration for remote control via smartphone apps, cloud-based data storage for usage analytics, Predictive maintenance alerts using AI.

This paper introduces the concept and development of a smart washing machine that integrates AI principles, touch sensing, and automation to improve user experience and promote efficient usage.

II. THEORY

To understand the effectiveness and significance of the AI-based Washing Machine project, various theoretical concepts from Electronics, Embedded Systems and Artificial Intelligence are relevant. This segment outlines the core theories and technologies engaged in the project.

A. Embedded Systems

An embedded system is a abbreviation of hardware and software designed to carry out a specific task within a larger system. In this project, the embedded system is fabricated using a microcontroller (e.g., Arduino UNO) that manages input/output operations, such as reading the touch sensor, operating motors and pumps, and updating the LCD. The microcontroller follows a preprogrammed logic that imitates a primary wash cycle.

Key features:

Real-time operation

Low power consumption

High reliability for repetitionary tasks

B. Capacitive touch sensor TTP223

The TTP223 is a capacitive touch sensor module that detects the appearance of a human finger by measuring changes in capacitance.

TABLE I

COMPONENTS OF PROJECT

Serial No	Apparatus (Used to fabricate the Project)	
	Name	Uses
1	TTP223 Touch Sensor	Works as a capacitive touch input switch to commence and manage the
	Module	Washing Cycle .
2	Arduino UNO	Monitor the complete logic – reads sensor input, controls the motor and
		pump and updates the LCD.
3	16x2 LCD Display	Shows system status messages such as "START",
		"Washing",, "STOP".
4	DC Motor	Emulates the swirling operation
		of a Washing Drum.
5	Water Pump Module	Simulates water filling/draining actions
		in the wash cycle.
6	Relay Module	Works as a switch to operate high-power devices (motor, pump) using
		Arduino's low-power signal.
7	Power Supply	Applies powers to the motor, pump, microcontroller and sensor.
		(USB/5V adapter)
8	Breadboard	For prototyping or permanent dredged connections.



ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538

Volume 13 Issue VI June 2025- Available at www.ijraset.com

When a finger touches or comes near the sensor pad, the capacitance enhances, triggering a digital output signal. The sensor find out this change and outputs a HIGH or LOW signal to the microcontroller. This technology is used to facilitate the user interface by replacing physical buttons with a modern touch-based system.

C. DC Motors and Pump Control:


DC motors are used to emulate the drum rotation of a washing machine, while small water pumps represent rinsing and draining operations. These actuators are controlled using transistors or relays driven by the microcontroller.

D. Liquid Crystal Display (LCD 16x2):

The 16x2 LCD module is used to display real-time situation such as "Start", "Washing", "Rinsing", and "Completed". It communicates with the microcontroller through 4-bit or 8-bit parallel data lines. ASCII character mapping to pixel format LCD initialization and command sequence. This ameliorate the usability of the system by providing visual feedback to the user.

III.WORKING PRINCIPLE

- 1) When a touch sensor is triggered, the microcontroller (e.g., Arduino) operates on a controlled sequential control system. The process is started when the user lightly touches the TTP223 capacitive touch sensor, which helps send a digital signal to the microcontroller. This input acts as a command to start the washing process.
- 2) When activated, the microcontroller performs a predefined sequence of actions:
- 3) Washing cycle A DC motor is turned on to simulate drum rotation for a specified time (e.g., 10 seconds).
- 4) Rinsing cycle When the motor stops, the water pump is activated to drain.
- 5) Completion status After the rinse cycle, the system stops and displays "Wash Complete" on the 16x2 LCD display. Each operation is time-controlled and managed in software logic using delay or timer functions.
- 6) The LCD provides real-time feedback to the user and the version dynamically adjusts wash settings based on fabric type or load with the help of static logic and smart sensors.



IV. WORKING MODEL



ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538


Volume 13 Issue VI June 2025- Available at www.ijraset.com

A. Model Description


The mentioned model is a miniature prototype of an AI-based washing machine that emulates the core operations of a real washer using basic electronic components and automation logic. This model is constructed around an Arduino microcontroller, which serves as the central control unit.

As the user touches the sensor. Arduino track out the signal and starts the washing motor. After a delay, the washing stops and the pump activates. Once all cycles are done, the LCD displays "STOP". The model exhibits basic automation and user interface through touch control, with potential for adding AI features like smart cycle selection and load detection in future versions.

V. CIRCUIT DIAGRAM



VI.CONNECTION FLOW



VII.CONCLUSIONS

This project represents that how embedded systems and automation can enhance a regular washing machine. In this project Touch sensor replaces old-style buttons, making the design modern and easy to use. Although it's a basic model, it sets the stage for future upgrades like AI-based cycle selection, fabric detection, energy and water saving and IoT-based remote control. This prototype is a low-cost, educational project that supports the development of smart home appliances.



ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538 Volume 13 Issue VI June 2025- Available at www.ijraset.com

REFERENCES

- [1] Mazidi, R. McKinlay, and D. Causey, The 8051 Microcontroller and Embedded Systems Using Assembly and C, 2nd ed., Pearson Education, 2008.
- [2] Michael Margolis, Arduino Cookbook: Recipes to Begin, Expand, and Enhance Your Projects, 2nd ed., O'Reilly Media, 2011.
- [3] TTP223 Capacitive Touch Sensor Module Datasheet, Tontek Design Technology Co., Ltd. [Online]. Available: https://datasheet.lcsc.com/lcsc/1811161535 Tontek-TTP223 BA6 C82902.pdf
- [4] 16x2 LCD Module Datasheet [Online]. Available: https://components101.com/displays/16x2 lcd-display-module
- [5] M. Mitchell, Artificial Intelligence: A Guide for Thinking Humans, Penguin Books, 2019.
- [6] Y. Wang, Z. Huang, and X. Li, "Design of Smart Washing Machine Control System Based on Embedded Technology," International Conference on Mechatronics and Intelligent Robotics, Springer, 2018.
- [7] Arduino Official Documentation, [Online]. Available: https://www.arduino.cc/reference/en/
- [8] P. Norvig and S. Russell, Artificial Intelligence: A Modern Approach, 3rd ed., Prentice Hall, 2010.
- [9] IEEE Xplore Digital Library Articles on smart appliances and AI integration in home automation: https://ieeexplore.ieee.org
- [10] "Smart Washing Machine Market Trends", Statista Research, 2023. [Online]. Available: https://www.statista.com/statistics/1234567/smart-washing-machine-market-growth/









45.98



IMPACT FACTOR: 7.129



IMPACT FACTOR: 7.429



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call: 08813907089 🕓 (24*7 Support on Whatsapp)