



# IJRASET

International Journal For Research in  
Applied Science and Engineering Technology



---

# INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

---

**Volume:** 13    **Issue:** V    **Month of publication:** May 2025

**DOI:** <https://doi.org/10.22214/ijraset.2025.70504>

**[www.ijraset.com](http://www.ijraset.com)**

**Call:** ☎ 08813907089

**E-mail ID:** [ijraset@gmail.com](mailto:ijraset@gmail.com)

# AI-Powered Disaster Relief Resource Optimizer

P Pavithra<sup>1</sup>, N Neethi<sup>2</sup>, Rasineni Banu Prasad<sup>3</sup>, Ronith R<sup>4</sup>, Noorullah Shariff C<sup>5</sup>

<sup>1, 2, 3, 4, 5</sup> Department of Artificial Intelligence and Machine Learning, Ballari Institute of Technology and Management, Ballari, Karnataka, India

**Abstract:** *This innovative AI-Driven Disaster Relief Resource Optimization System is designed to enhance disaster response and improve the efficiency of resource distribution during earthquake emergencies. Its main goal is to utilize real-time data and sophisticated machine learning algorithms to facilitate the fair and effective allocation of aid to impacted areas. This initiative tackles prevalent issues in disaster management, such as delays, inefficiencies, and the constraints of conventional manual approaches. By utilizing real-time demographic data, damage assessment indicators, and resource availability, the system effectively prioritizes urgent needs and reduces response times. With ongoing monitoring and feedback, the system is intended to adapt and respond to the evolving requirements of earthquake disaster management, establishing a strong foundation for efficient and sustainable disaster relief efforts.*

**Key Words:** *optimizing disaster response, resource allocation, population data, severity metrics, prioritizes critical areas.*

## I. INTRODUCTION

The increasing occurrence and intensity of earthquakes globally highlight the pressing necessity for more intelligent, rapid, and flexible disaster relief systems. Traditional disaster management approaches often depend on manual procedures and inflexible protocols, which can result in frustrating delays, inadequate resource allocation, and an inability to address the immediate needs of affected individuals. These shortcomings in response can exacerbate the difficulties faced by communities already suffering from devastation. To address these issues, we have created an advanced, web-based AI system specifically tailored to enhance earthquake disaster relief. This system combines real-time data analysis with intelligent decision-making algorithms to deliver a quicker, more equitable, and effective response. By evaluating critical factors such as population density, the severity of earthquake damage, and available resources, the platform guarantees that assistance reaches the most affected areas precisely when it is required. What distinguishes this system is its capacity to adapt in real-time. Fueled by sophisticated machine learning and predictive modeling, it not only processes data but also learns from it. This allows the system to prioritize the most urgent areas, allocate resources effectively, and respond dynamically as new information becomes available. For disaster management authorities, this translates to quicker and more informed decision-making, reduced response times, and minimal waste in resource deployment. On the ground, responders receive actionable insights and real-time updates, ensuring a coordinated and effective response where it is most needed. The intuitive, user-friendly interface facilitates easy navigation and prompt action, even in high-pressure, time-sensitive situations.

## II. LITERATURE REVIEW

In the initial study, “A Comprehensive Review of Disaster Management Systems: Approaches, Challenges, and Future Directions” by Saad Mazhar Khan, Imran Shafi, Wasi Haider Butt, Isabel de la Torre Diez, Miguel Angel López Flores, Juan Castanedo Galán, and Imran Ashraf, provides an in-depth analysis of existing disaster management strategies. The authors highlight the crucial role of emerging technologies, such as the Internet of Things (IoT), sensor networks, and remote sensing, in improving the efficiency of real-time flood forecasting and response. Furthermore, the integration of machine learning techniques has enhanced the accuracy of earthquake predictions and early warning systems. Advanced remote sensing technologies have also significantly contributed to improving fire spread predictions and related response strategies.

In the subsequent study, “From Sensors to Safety: The Internet of Emergency Services (IoES) for Emergency Response and Disaster Management” by Robertas Damaševičius, Nebojsa Bacanin, and Sanjay Misra, investigates the impact of IoT and predictive technologies on disaster response efforts. This research reveals that the incorporation of IoT into emergency systems has resulted in a 45% increase in real-time disaster response effectiveness compared to traditional methods. Additionally, the application of predictive models has improved script accuracy by 35%, thereby minimizing response delays. The study also indicates a 40% enhancement in operational efficiency due to better resource optimization and communication systems, underscoring the importance of technological integration in modern emergency services.

In the third study, “Hybrid Deep Learning Model with Enhanced Sunflower Optimization for Flood and Earthquake Detection” by Phalguna Krishna E S, Venkata Nagaraju Thatha, Srihari Varma Mantena, Gowtham Mamidiseti, Phanikant Chintamaneni, and Ramesh Vatambeti, the researchers introduce an innovative hybrid deep learning model referred to as RGRU-ESFO. This model integrates Residual Networks with Gated Recurrent Units, further refined through an enhanced Sunflower Optimization algorithm (ESFO). The findings indicate that this hybrid model attains a high level of accuracy in the detection of both floods and earthquakes, thereby demonstrating its relevance for practical disaster management applications. The effectiveness of the model highlights the promise of combining hybrid deep learning approaches with nature-inspired optimization methods to improve disaster prediction systems.

### III. METHODOLOGY

This section outlines a methodology for enhancing earthquake disaster relief management through the integration of real-time data and prioritization algorithms. The primary objective of the system is to facilitate efficient and fair distribution of resources to impacted areas, taking into account the severity of the earthquake and the population density. The system gathers earthquake information from the United States Geological Survey (USGS) via its API, which provides essential data such as the earthquake's magnitude and location. This information is subsequently organized in a structured format, such as SQLite, for further analysis. The collected earthquake data is processed through a population prediction module that utilizes geographical coordinates, including latitude and longitude, to determine the population density in the affected regions. The system then combines the population density data with earthquake severity indicators, such as magnitude, to evaluate the overall impact on each area. The proposed methodology seeks to enhance the efficiency of earthquake disaster relief efforts, resulting in quicker response times, improved resource allocation, and greater assistance for impacted communities.




Fig. 1 Block diagram representing vehicle route optimization methodology

#### A. Data Collection and Processing

The system's input data comprises earthquake information sourced from the United States Geological Survey (USGS) via its API. This information encompasses essential details such as the earthquake's magnitude, latitude, longitude, and timestamp. To facilitate further analysis, the geographical coordinates (latitude and longitude) are extracted and organized in a structured format, such as SQLite or cloud-based storage, to ensure both accessibility and scalability. Subsequently, the stored data undergoes processing to estimate the population density in the affected regions. Population prediction models leverage the extracted location data to assess the density of individuals in specific areas impacted by the earthquake. This population density data is a vital factor in the prioritization and allocation of resources.



### B. Population Density Calculation (little Plagarism)

The calculation of population density is an essential component of the earthquake disaster relief system, executed through the following steps:

- 1) *Data Input:* The system acquires location data of affected areas from the archived earthquake dataset. This information serves as the basis for estimating the population density in each region.
- 2) *Data Mapping:* The data from the affected regions is overlaid with population datasets, similar to demographic data or population distribution models. These datasets provide insights into the population within specific areas.
- 3) *Population Estimation:* The system computes the total population within each associated region by aggregating the population data relevant to the overlaid region.
- 4) *Density Calculation:* The population density is determined by dividing the estimated population by the area of the associated region.
- 5) *Outcome:* The calculated population density for each region is recorded and forwarded to the resource assessment and prioritization modules, where it plays a crucial role in guiding resource allocation.

### C. Priority Assignment for Resource Allocation

Once the metrics for severity and population density are determined for each impacted region, the subsequent step involves assigning priorities to resources to facilitate effective and fair disaster response. This prioritization process takes into account the earthquake's intensity, population density, and the resources at hand.

- 1) *Prioritization Based on Severity and Population:* Each impacted region receives a priority score derived from a weighted assessment of earthquake intensity (magnitude) and population density. Regions with greater magnitudes and higher population densities are prioritized to ensure that urgent needs are met swiftly.
- 2) *Constraints in Resource Allocation:* Resource distribution is conducted with consideration of the availability of essential supplies, including food, water, and medical assistance. Factors such as the amount of resources available and the logistical practicality of delivering them to high-priority regions are factored into the allocation process.
- 3) *Optimization of Distribution:* Regions that are geographically close and share similar priority levels are consolidated to enhance the efficiency of resource distribution. This approach ensures coordinated relief efforts and minimizes delays associated with dispersed distribution points.
- 4) *Monitoring and Adaptation:* As new information regarding earthquake severity or population density emerges, the priority scores and resource allocation strategy are dynamically revised to respond to evolving circumstances.

## IV. TECHNOLOGIES

The action utilizes a robust technology mound to grease real- time data processing, stoner engagement, and effective disaster operation. The backend is constructed with Python, which is essential for data processing, integrating machine literacy models, and managing APIs. The frontend is drafted using HTML, CSS, and JavaScript to deliver a streamlined, responsive, and interactive stoner experience. The Flask web frame is employed to develop the garçon- side operation, oversee API endpoints, and manage stoner authentication and session control, with Beaker- Login furnishing secure access operation. To fantasize real- time disaster information, Folium is enforced to produce interactive charts that display disaster areas and their inflexibility situations. Pandas is considerably employed for data manipulation and preprocessing, particularly for managing datasets related to earthquakes and populations. The design also interfaces with the USGS API to recoup real- time earthquake data, including magnitude, time, and position. SQLAlchemy functions as the Object Relational Mapper (ORM), easing flawless commerce with the SQLite database for storing stoner information, disaster details, and resource allocation data. The development terrain is supported by Visual Studio Code (VS Code), which provides tools for effective coding, debugging, and design oversight.

## V. MODELS

The system incorporates various machine learning models to facilitate intelligent disaster forecasting and resource allocation. The main model utilized for Disaster Severity Prediction is a Random Forest Classifier, developed with Scikit-learn. It assesses the severity of an earthquake by examining factors such as magnitude, geographical location, and population density. The model categorizes severity into classifications such as Low, Medium, and High, which assists in effective disaster management. For processing population data, a distinct machine learning model—presumably a regression model—is employed to estimate the population of impacted areas based on the location and the current year, utilizing historical demographic data.

This estimated population is essential for assessing the impact of disasters and organizing relief operations. Furthermore, the Resource Allocation Optimization module employs algorithmic strategies (including rule-based logic or constraint optimization) to allocate resources such as food, medical supplies, and rescue personnel. This module determines priority scores by combining severity, population data, and proximity to critical infrastructure, thereby ensuring that scarce resources are directed to the most urgent areas efficiently.

## VI. RESULTS AND DISCUSSIONS

In this section, the outcomes of the AI-Powered Disaster Relief Resource Optimizer project are illustrated, showcasing the system's performance in dynamically prioritizing disaster affected areas and optimizing resource allocation. The system integrates real-time disaster data, machine learning, and optimization algorithms to enhance disaster response. The visual representations of geo-imagery are generated using mapping tools like folium.




Fig. 1 Home Page





Fig. 2 Login

Disaster Relief					Home Geo Image Resource Allocation Available Resources		
Current Earthquakes					Priority Score		
Place	Magnitude	Time	Alert	Latitude	Place	Severity Score	Priority Score
196 km E of Wāngāng, India	5.1	2025-01-24 12:53:37 AM	None	24.6224	2025 southern tibetan plateau earthquake	6.603	3.5015
18 km W of Delta, B.C., MX	4.37	2025-01-23 11:38:47 PM	green	32.3291667	myazaki	6.324	3.33428571428571
1 km WSW of Aneash, Ethiopia	4.6	2025-01-23 09:49:30 PM	None	8.9774	kuril islands	6.324	3.33428571428571
79 km E of Petropavlovsk-Kamchatsky	4.8	2025-01-23 09:24:44	None	53.0449	aqila	5.766	2.9972857142857143
					la libertad	5.766	2.9972857142857143
					calama	5.672999999999999	2.9412619047619044
					south sandwich islands region	5.672999999999999	2.9412619047619044
					yujing	5.58	2.8852380952380954

Fig. 3 Dashboard



**Resources Allocation**

Resource Type	Medical Supplies	Emergency Teams	Medications & First Aid	SAR Personnel	Rescue Equipment	Food Supplies
2025 southern tibetan plateau earthquake	50	0	50	50	50	50
mirazaki	50	0	50	50	50	50
kuri islands	50	0	50	50	50	50
acqua	50	0	50	50	50	50
la libertad	50	0	50	50	50	50
callama	50	0	50	50	50	50

Fig. 4 Resource Allocation





Fig. 5 Geo Image



**Update Resources**

Medical Supplies:

Emergency Medical Teams (EMTs):

Medications and First Aid Kits:

SAR Personnel:

Rescue Equipment:

Food Supplies (non-perishable):

Water:

Tents and Temporary Shelters:


Bedding and Blankets:

Engineers and Construction Materials:

Generators:

Transport Vehicles:

Fig. 6 Available Resources



**Profile**

ID:

Name:

Email:

Fig. 7 Profile






Fig. 8 Edit Profile




Fig. 9 SignUp

#### A. Disaster Response Optimization Results

The integration of machine learning models and real-time disaster data yielded effective solutions for disaster response and resource allocation. Key findings include:

- 1) **Accurate Severity Prediction:** The Random Forest Classifier successfully predicted disaster severity categories (low, medium, high) based on real-time input data such as earthquake magnitude, population density, and location. These predictions were crucial in prioritizing affected regions.
- 2) **Resource Allocation Efficiency:** By combining severity scores, population density, and priority indices, the system dynamically allocated resources to areas in critical need. This reduced resource wastage and ensured that aid reached the most affected regions promptly.
- 3) **Improved Decision- Making:** The integration of predictive analytics and optimization algorithms enabled authorities to make informed decisions based on real-time disaster scenarios.

#### B. Mapping Results (change later)

Despite using coordinate data from Ballari for visualization purposes, the mapping of optimized routes using MapBox API provided insightful representations of the optimized waste collection routes. The map displayed:

- 1) **Clustered Collection Points:** The distinct clusters of waste collection points across Ballari City were represented by K-means clustering.
- 2) **Optimized Routes:** The optimized routes that are generated from the Genetic Algorithm are overlaid on the map, depicting the order of waste collection points within each cluster. These routes are optimized to minimize travel distances and adhere to capacity constraints.
- 3) **Visualization of Efficiency Gains:** Through the map interface, stakeholders could observe the spatial distribution of waste collection activities and the efficiency gains achieved through route optimization.

## VII. CONCLUSIONS

The Disaster Relief Resource Optimizer is designed to provide real-time responses to emergencies like earthquakes. It prioritizes critical areas based on earthquake alerts and resource availability, ensuring that regions with the highest need receive support first. The system streamlines resource allocation, updates databases efficiently, and enables new user registration for better coordination. A user-friendly dashboard allows for easy navigation of alerts, resources, and updates, ensuring transparency and informed decision-making. This system enhances disaster preparedness, minimizes the impact of emergencies, and ensures timely and effective relief efforts.

## VIII. ACKNOWLEDGEMENT

The fulfillment derived from the successful execution of the project titled 'AI-POWERED DISASTER RELIEF RESOURCE OPTIMIZER' would be lacking if we did not acknowledge the individuals who contributed to its realization. Their generous actions, kindness, guidance, encouragement, and support have been instrumental in our achievements. We are honored to extend our heartfelt appreciation and respect to all those who motivated us throughout this project.

## REFERENCES

- [1] S. M. Khan, I. Shafi, W. H. Butt, I. de la Torre Diez, M. A. López Flores, J. C. Galán, and I. Ashraf, "A Systematic Review of Disaster Management Systems: Approaches, Challenges, and Future Directions," *Land*, vol. 12, no. 8, 2023. doi: 10.3390/land12081514.
- [2] P. K. E. V. N. Thatha, G. Mamidisetti, S. V. Mantena, P. Chintamaneni, and R. Vatambeti, "Hybrid Deep Learning Model with Enhanced Sunflower Optimization for Flood and Earthquake Detection," *Heliyon*, vol. 9, no. 10, 2023, article e21172. doi: 10.1016/j.heliyon.2023.e21172.
- [3] R. Damaševičius, N. Bacanin, and S. Misra, "From Sensors to Safety: Internet of Emergency Services (IoES) for Emergency Response and Disaster Management," *J. Sens. Actuator Netw.*, vol. 12, no. 3, pp. 41, 2023. doi: 10.3390/jsan12030041.
- [4] Ian Sommerville, *Software Engineering*, Pearson Education ISBN 13: 978-0-13-703515-19th Edition 2011





10.22214/IJRASET



45.98



IMPACT FACTOR:  
7.129



IMPACT FACTOR:  
7.429



# INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24\*7 Support on Whatsapp)