iJRASET
International Journal For Research in Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 13 **Issue:** VIII **Month of publication:** August 2025

DOI: https://doi.org/10.22214/ijraset.2025.73818

www.ijraset.com

Call: 08813907089 | E-mail ID: ijraset@gmail.com

International Journal for Research in Applied Science & Engineering Technology (IJRASET)
ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 13 Issue VIII Aug 2025- Available at www.ijraset.com

An AI-Driven Framework for Real-Time Surface Roughness Prediction and Anomaly Detection in CNC Machining using Multi-Sensor Fusion.

Amit Kumar
M.Tech in Production Engineering, Rabindranath Tagore University, Raisen India

***Executive Summary:** This report outlines a conceptual framework for integrating Artificial Intelligence (AI) and multi-sensor fusion to enable real-time surface roughness prediction and anomaly detection in Computer Numerical Control (CNC) machining. The proposed framework overcomes the critical limitations of traditional, post-process quality control methods by leveraging continuous data streams from multiple sensors. By fusing data on cutting forces, vibrations, temperatures, and other parameters, the system employs advanced AI models—such as hybrid Convolutional Neural Network-Gated Recurrent Unit (CNN-GRU) networks for prediction and autoencoders for anomaly detection—to provide immediate, actionable insights. This paradigm shift from reactive to proactive quality management promises to enhance product quality, reduce waste, increase operational efficiency, and pave the way for fully autonomous and adaptive manufacturing processes.*

I. INTRODUCTION

A. *The Evolution of CNC Machining in the Industry 4.0 Era*

The manufacturing landscape is undergoing a fundamental transformation, driven by the principles of Industry 4.0. This new era is defined by the integration of data-driven architectures, which allow manufacturers to manage vast volumes of data from machines, sensors, and other sources.[1] Computer Numerical Control (CNC) machining, which is the automated control of machining tools through a computer program, is at the heart of this evolution.[2] While traditionally a cornerstone of precision manufacturing, CNC is now being enhanced by AI to go beyond simple, pre-programmed actions to intelligent decision-making based on real-time data.[3]

This integration represents a fundamental shift towards smarter, more sustainable, and globally competitive operations.[4] It is enabling the development of intelligent systems that can not only monitor and adjust machining parameters autonomously but also predict potential failures before they occur, optimize processes on the fly, and ensure better overall efficiency.[3] This AI-driven approach is unlocking unprecedented benefits, including enhanced quality control, predictive maintenance, and real-time process optimization, all leading to measurable gains in efficiency and product quality.[1]

B. *The Critical Role of Surface Quality and Process Health*

In the production of mechanical components, surface roughness is a paramount quality indicator. It is a defining characteristic that directly influences a product's functional properties, such as its fatigue strength, wear resistance, and surface hardness.[6] Ensuring optimal surface quality is therefore not just a matter of aesthetics but a critical requirement for product reliability and performance.[8] The appearance of a surface is also of importance in many applications, for instance, sheet steel for motor car bodies must have a finish that allows paint to bond without an "orange peel" effect.[9]

Concurrently, maintaining process health is crucial. Anomaly detection—the process of identifying unusual patterns or deviations in data—is an essential tool for identifying potential issues, such as equipment malfunction or defects, before they escalate.[10] Deviations from expected production rates, product quality issues, or machine irregularities are classic examples of manufacturing anomalies.[10] The goal is to identify problems before they become major issues, allowing for corrective action to improve the efficiency and quality of operations.[11] The ability to predict surface quality and detect anomalies in real time offers significant advantages, including reduced waste and streamlined manufacturing processes.[8]

C. *A New Paradigm: The AI-Driven, Real-Time Framework*

This report proposes a framework that synthesizes the principles of AI, multi-sensor fusion, and real-time data processing to address the dual challenges of surface roughness prediction and anomaly detection. This approach represents a new paradigm that moves beyond the limitations of traditional, post-process quality control methods by enabling proactive, in-process adjustments. It lays the groundwork for a more efficient, precise, and resilient manufacturing operation.

©IJRASET: All Rights are Reserved

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 13 Issue VIII Aug 2025- Available at www.ijraset.com

II. FOUNDATIONAL CONCEPTS: A PRIMER ON MACHINING AND QUALITY

A. Fundamentals of Computer Numerical Control (CNC) Machining

CNC machining is a subtractive manufacturing process that removes layers from a solid block, bar, or part to achieve a desired shape.[13] Its power lies in the precision of Computer-Aided Design (CAD) and Computer-Aided Manufacturing (CAM), which enable the execution of intricate, repeatable instructions with minimal human error and fatigue.[13] The benefits of this automation are numerous, including unparalleled precision and accuracy, increased productivity and efficiency, and the ability to produce complex and intricate designs that would be labor-intensive and error-prone when handled manually.[13] Common techniques under the CNC machining umbrella are varied and versatile, each suited to different types of products and materials. These include milling (using rotary cutters to remove material), turning (creating cylindrical shapes with lathes), and drilling (creating precise holes).[13] CNC machining is not restricted to a single material type; it spans the spectrum to handle metals like aluminum, titanium, and steel, as well as plastics and composites.[13]

B. Understanding and Quantifying Surface Roughness

Surface roughness, or roughness, is defined as the inherent irregularities produced during the manufacturing process, such as those left by a cutting tool or abrasive grit.[6] It is quantified by the deviations in the direction of the normal vector of a real surface from its ideal form.[6] If these deviations are large, the surface is rough; if they are small, the surface is smooth.[9] Surface roughness is produced only by the method of manufacture and results from the process rather than the machine itself.[9] The widely adopted
Ra (arithmetic mean roughness) parameter is the most common international standard and is defined as the arithmetic mean of the absolute departures of the roughness profile from the mean line.[9] However, other parameters, such as
Rv (maximum depth of the profile below the mean line) and Rt (maximum peak to valley height), provide additional insights into the surface texture and can be used to predict the behavior of a component during use or to control the manufacturing process.[9]

C. The Imperative of Anomaly Detection in Production

Anomaly detection identifies "unusual patterns or deviations" that may signal a malfunction or defect in the manufacturing process.[11] This can be done using various techniques, such as statistical analysis, machine learning, and artificial intelligence.[11] The goal is to identify problems before they become major issues, allowing manufacturers to take corrective action and improve the efficiency and quality of their operations.[11] Examples of anomalies include sudden temperature fluctuations, product quality issues, or machine irregularities.[10]

Deep learning models are particularly suited for anomaly detection. Autoencoders, for instance, are neural networks trained to reconstruct their input. The network learns to compress normal data into a latent space and then reconstruct it. Anomaly detection using autoencoders is based on the idea that anomalies will result in poor reconstructions, as they do not conform to the patterns learned by the network. By setting a threshold for the reconstruction error, any data exceeding this threshold can be classified as an anomaly.[11] Generative models, such as Generative Adversarial Networks (GANs), and one-class classification methods are also used to identify anomalies by learning the characteristics of normal data.[11] This is directly relevant to anticipating issues like tool wear, which can be predicted using AI and sensor signals like cutting forces and vibrations.[16]

III. LIMITATIONS OF TRADITIONAL METHODS

A. Inherent Drawbacks of Contact-Based Roughness Measurement

Traditionally, surface roughness is measured using contact stylus profilometers, which typically use a conical stylus with a spherical tip made from diamond.[9]

While this is the most common method and is effective for detailed analysis, it has significant limitations that hinder its application in a modern, real-time manufacturing environment.

These methods are time-consuming and labor-intensive, often requiring a complex setup.[18] The physical act of measurement is a key bottleneck. The stylus's sharp tip is prone to wear, and its movement across the surface can scratch the sample, making this method unsuitable for soft materials.[19]

The measurement is also limited to the radius of the stylus tip.[19] Most critically, these methods are performed post-process, meaning the workpiece must be removed from the machine after it is made. This prevents real-time, in-process adjustments, which is a major bottleneck in modern manufacturing.[18] The dependence on correct settings for stylus speed and wavelength limits can also lead to "diametrically different results" and devalue the entire assessment process.[19]

©IJRASET: All Rights are Reserved

B. The Oversimplification of Single-Parameter Metrics

Beyond the physical limitations, a key conceptual drawback of traditional methods is the overreliance on single-number metrics like Ra. While Ra is the universally recognized and most-used international parameter of roughness, this is often for historical reasons rather than its specific merit.[9] The use of a single amplitude parameter oversimplifies complex surface topography and can fail to distinguish between two surfaces that are visually and functionally different, such as one with peaks and another with troughs of the same amplitude.[14] This oversimplification, combined with the fact that contact measurement is a post-process activity, creates a fundamental disconnect. A manufacturer cannot use a post-process, oversimplified measurement to make real-time, in-process adjustments. The information is not granular enough, nor is it available in time to prevent defects. Therefore, the problem is not merely that traditional methods are slow; it is that they are fundamentally misaligned with the requirements of adaptive process control in an Industry 4.0 setting. The limitations of traditional methods are not just inconveniences but a catalyst for a new, data-driven approach.

C. The Need for an In-Process, Data-Driven Approach

To achieve the goals of adaptive process control and predictive quality, a paradigm shift is required. The solution lies in indirect, data-driven modeling that can provide a "digital twin" of the process, allowing for predictions and anomaly detection without physical contact or process interruption.[20] The advantages of this approach are manifold, including improved product quality, minimized waste, and the ability to make data-driven decisions on the factory floor.[8]

Comparison Criteria	Traditional Method	AI-Driven Framework
Measurement Time	Post-process & Slow [18]	Real-time & Instant [1]
Feedback Loop	Reactive (after part is made) [3]	Proactive (during machining) [3]
Data Type	Single-parameter (e.g., Ra) [9]	Multi-dimensional (Sensor Fusion) [21]
Process Interruption	Yes (requires stopping the machine) [18]	No (in-process monitoring) [18]
Scope	Part-by-part inspection [19]	Continuous process monitoring [8]
Table 3: Advantages of an AI-Driven Framework vs. Traditional Methods		

IV. THE TECHNOLOGICAL PILLARS OF THE FRAMEWORK

A. Multi-Sensor Fusion: From Data Aggregation to Enhanced Perception

Multi-sensor fusion is the process of combining data from multiple sensors to achieve a more accurate and reliable understanding of a system than what is possible with a single sensor.[22] This is analogous to how the human brain integrates multiple senses to perform complex tasks like driving a car or playing sports.[24] This technique is used to use the strengths of each sensor to compensate for the weaknesses of others, resulting in a more robust and reliable system.[23]

The application of this concept in manufacturing moves beyond simple redundancy to achieve a more complete and accurate representation of the environment.[23] For example, in a hostile machining environment where individual sensors may be prone to noise or errors, fusing data can compensate for the limitations or failures of individual sensors, thereby ensuring the system remains functional and reliable.[22] This complementary approach is essential for a system that needs to operate reliably in a dynamic and complex environment.[25] The collective intelligence of the fused sensor data is greater than the sum of its parts, which is a prerequisite for a reliable framework.

Sensor Type	Monitored Parameters	Source ID(s)
Force & Torque Sensors	Cutting force between tool and workpiece, and torque [26]	[21]
Vibration Sensors	Spindle vibrations, tool wear, and mechanical failures [16]	[16]
Temperature Sensors	Temperature of spindle, motor, and cutting area [26]	[26]
Acoustic Emission (AE) Sensors	High-frequency acoustic signals related to tool wear [21]	[21]
Visual Sensors	Workpiece shape, size, and surface quality [26]	[26]
Tool Length Sensors	Tool length and variations for accurate machining [27]	[27]
Position Sensors	Position of machine tool components and motion trajectories [26]	[26]
Table 1: *Key Sensors for CNC Machining and Their Monitored Parameters*		

B. AI and Machine Learning Models for Prediction and Analysis

The framework's intelligence relies on a dual-purpose AI engine. For surface roughness prediction, a variety of models have demonstrated high efficacy. Neural networks, for example, have shown an ability to capture complex, nonlinear patterns with high predictive accuracy.[21] One study found that a neural network achieved an accuracy of 93.58% in predicting surface roughness, which was a higher predictive power than a multiple regression model.[30] Other models, such as Elastic Net, have also been employed to handle multicollinearity and reduce data dimensionality.[28] Hybrid models, such as the CNN-GRU, are also noted for their ability to extract features from spatial and temporal data with superior analytical efficiency.[18]

For anomaly detection, unsupervised and semi-supervised models are particularly useful for identifying unforeseen types of defects without a large dataset of labeled anomalies.[15] Autoencoders and generative models, for example, can be used to monitor production quality by flagging products or processes that deviate from the established norm, potentially identifying new or unforeseen types of defects.[11] The proposed framework combines these two functions into a comprehensive system. An anomaly detection model serves as an early warning system, flagging unusual patterns in the sensor data that could indicate an impending problem. This alert could then automatically trigger a more detailed analysis by the roughness prediction model, which could then quantitatively forecast the degradation in surface quality. This creates a two-stage, proactive system: the first stage flags a potential problem, and the second stage quantifies the likely outcome, enabling a rapid, targeted response.

C. Real-Time Data Pipelines and Edge Computing

Real-time analytics and AI models demand low-latency processing to deliver timely insights that drive operational improvements.[1] The framework must employ a data pipeline that can collect, store, and analyze large-scale data streams from diverse sources such as IoT devices and production metrics.[1]

This necessitates advanced edge computing capabilities to process data as close to the source as possible, enabling immediate decision-making and operational improvements without the latency associated with cloud-based processing.[1] The integration of these components allows for a fluid and flexible method of discovering inconsistencies and taking corrective action.[31]

V. A CONCEPTUAL FRAMEWORK FOR REAL-TIME PREDICTION AND ANOMALY DETECTION

A. *Proposed System Architecture: An Integrated View*

The proposed framework is a closed-loop system comprising four main layers: a Data Acquisition Layer, a Data Fusion and Feature Engineering Layer, an AI Modeling Engine, and a final Adaptive Process Control Layer. This architecture is designed to continuously monitor and optimize the machining process, providing a seamless flow from data collection to actionable insights.

B. *Data Acquisition and Sensor Selection Strategy*

A crucial first step is to establish a multi-source data acquisition platform that combines sensor monitoring with machine tool communication.[7] As detailed in Table 1, the platform must be able to collect high-frequency signals from various sensors (e.g., force, vibration, temperature) while a part is being machined.[21] The successful integration of data from these diverse sources requires standardized communication protocols and data synchronization methods to ensure consistency and reliability.[24]

C. *The Fusion and Feature Engineering Pipeline*

Raw sensor data is often noisy and complex. The pipeline must first perform signal processing, such as filtering, to reduce noise and isolate relevant features.[7] This is where multi-sensor data fusion occurs, either by combining raw data at the lowest level (data fusion) or by combining extracted features (feature fusion) to create a more comprehensive representation of the environment.[23] The goal is to create a refined, multi-dimensional feature set that is highly correlated with the target outputs (surface roughness, process anomalies).[7] For example, signal decomposition methods like Singular Spectrum Analysis (SSA) and Wavelet Packet Transform (WPT) can be used to extract signal features and detect frequency ranges correlated to surface finish.[21]

D. *The Predictive and Anomaly Detection Modeling Engine*

This is the core of the framework. It will host a portfolio of AI models tailored for specific tasks. For roughness prediction, a hybrid model, such as a CNN-GRU, is ideal, given its ability to extract features from spatial and temporal data with high accuracy.[18] The model would take the fused sensor data as input and predict a quantitative surface roughness value (
Ra, Rz, etc.) as output. For anomaly detection, an autoencoder model would be used to learn the "normal" behavior of the machining process. Any significant deviation from this learned pattern would be flagged as an anomaly, serving as an early warning signal for potential defects or machine failure.[11]

A critical advancement in this area is the move towards physics-guided models, which address the limitations of purely data-driven models, such as their convergence to local minima or their generation of results that "violate existing physical laws".[18] The embedding of physical knowledge enhances the generalization ability and prediction accuracy, providing a new method for surface roughness prediction.[18] This is achieved by introducing a physical model in two phases: before training, via data augmentation, and during training, via a physically guided loss function.[18] This approach moves beyond simple correlation to a more robust, causal understanding of the machining process. By embedding physical knowledge, the framework addresses data scarcity and ensures that the model's decisions are both accurate and trustworthy, providing a path to overcome the "black-box" challenge of many AI models.[18]

Model Type	Methodology/Key Features	Reported Performance/Accuracy	Source ID(s)
Artificial Neural Networks (ANN)	Capture complex, nonlinear patterns using activation functions like ReLU. [3]	High predictive accuracy; one study showed a mean squared error of 1.86%.[29] Another reported 93.58% accuracy.[30]	[21]

Elastic Net	Effective handling of multicollinearity and data dimensionality reduction. [28]	A coefficient of determination (R2) of 0.94.[28]	[28]
Hybrid CNN-GRU	Uses a CNN to extract spatial features and a GRU to track temporal patterns. [18]	Reduced the mean absolute percentage error on the test set by 3.029% on average compared to the best comparison method.[18]	[18]
Deep Belief Network (DBN)	Optimized with the Tent-SSA algorithm for improved prediction accuracy. [7]	Prediction accuracy improved by 5.77% after optimization.[7] Regression model error reduced by over 40%.[7]	[7]
Autoencoders	Reconstructs input data and flags anomalies based on poor reconstruction errors. [11]	Anomaly detection based on a reconstruction error threshold.[11]	[11]
Table 2: Comparison of AI Models for Surface Roughness Prediction			

E. Feedback Loops and Adaptive Process Control

The final layer closes the loop. The model's output—a predicted roughness value or an anom aly alert—triggers a response. This could involve automatically adjusting machining parameters, sending a real-time notification to an operator via a touchscreen interface at the machine, or displaying a live simulation of the predicted finish to provide immediate visual feedback.[3] This enables intelligent, adaptive process control, allowing for real-time adjustments to maintain optimal quality and efficiency and reduce errors, accelerating production cycles.[26]

VI. REVIEW OF PRIOR RESEARCH AND EXPERIMENTAL RESULTS

A. Predictive Modeling of Surface Roughness: A Survey of Foundational Studies

A review of the literature reveals a rich history of AI-based surface roughness prediction. Studies have successfully used a variety of models, with ANNs consistently showing high predictive power.[21] One study reported that an ANN trained with the Levenberg-Marquardt algorithm was able to predict surface roughness with a mean squared error equal to 1.86%.[29] Another study found that a neural network achieved an accuracy of 93.58% in predicting surface roughness, outperforming a multiple regression model with an accuracy of 86.7%.[30] Other approaches, such as the hybrid CNN-GRU model, have shown a significant reduction in the mean absolute percentage error by an average of 3.029% compared to the best comparison method.[18] This demonstrates that the combination of different AI models can lead to superior results.

B. Sensor Fusion in Manufacturing: A Case Study Review

The application of multi-sensor fusion for quality control and predictive maintenance is a growing trend. A multi-sensor data fusion system for real-time surface quality control, based on cutting force, vibration, and acoustic emission signals, was assessed and found to provide "excellent predictive power, reliability, and response times".[21] Another study showed that a sensor fusion regression model could provide a "better prediction of cutting performance" by fusing machining and cutting temperature parameters.[33]

The system was tested on the machining of H13 steel and revealed a close match between experimental and predicted results.[33] In the context of predictive maintenance, sensor fusion is used to constantly collect data on vibrations, sounds, and heat from equipment, allowing for the early detection of abnormalities that a single sensor might not be able to identify.[34] This demonstrates the practical benefits of the fusion approach for both quality control and machine health.

VII. CHALLENGES IN IMPLEMENTATION AND FUTURE DIRECTIONS

A. Technical and Computational Challenges

Implementing such a framework is not without its challenges. The initial cost of investment in advanced sensors, computing power, and AI platforms is significant, and machines must be equipped with these advanced components.[3] Furthermore, the successful integration of different sensors with varying data formats and communication protocols remains a technical hurdle. Ensuring that data from multiple sensors is aligned in time is essential for accurate fusion.[22] This can be difficult to manage, especially with heterogeneous sensors and systems.[23] The complexity of the system is also a potential negative aspect.[23]

B. Overcoming Data Scarcity and Ensuring Model Generalization

Data scarcity is a persistent challenge in industrial applications, as collecting large, labeled datasets for all possible scenarios can be prohibitive.[18] This often leads to poor model generalization, where a model performs well on its training data but fails to provide accurate predictions in new, unseen conditions. As previously discussed, the solution, as identified in the literature, is to move towards a physics-guided approach, which enhances a model's ability to interpret results and perform well even with limited data.[18] This approach uses data augmentation to expand the dataset and a physically guided loss function to embed physical constraints into the model, ensuring its predictions are both accurate and consistent with physical laws.[18]

C. Towards the Autonomous Factory: The Future of AI in Intelligent Machining

The proposed framework is a stepping stone to a future of truly autonomous manufacturing. AI-powered systems will enable mass customization at scale by analyzing customer data and automating key production steps, allowing for real-time adaptability to shifting customer demands, seasonal changes, or supply chain disruptions.[4] This will also lead to enhanced supply chain efficiency, optimized resource allocation, and a new era of human-robot collaboration, where AI-equipped "cobots" can work safely alongside human employees.[4] Ultimately, AI will not just be a tool for improvement but a strategic advantage for agile, competitive, and sustainable operations, allowing manufacturers to innovate and respond faster to market changes.[4]

VIII. CONCLUSION

The synthesis of multi-sensor fusion, AI-driven models, and real-time data processing offers a powerful solution to the long-standing challenge of in-process quality control in CNC machining. The proposed framework moves beyond the limitations of traditional, manual methods by providing a comprehensive, reliable, and proactive approach to surface roughness prediction and anomaly detection. By leveraging the combined strengths of multiple sensor data and intelligent, physics-guided algorithms, this framework represents a pivotal step towards the realization of smart, adaptive, and fully autonomous manufacturing systems. The shift from reactive to proactive quality management will enhance product quality, reduce waste, increase operational efficiency, and drive a new era of manufacturing excellence.

REFERENCES

url:
https://www.advantechindustries.com/post/the-basics-of-cnc-machining-an-introduction#:~:text=CNC%20machining%2C%20short%20for%20Computer,feasible%20with%20manual%20processes%20alone.
url:
https://www.advantechindustries.com/post/the-basics-of-cnc-machining-an-introduction
url:
https://www.taylor-hobson.com/resource-center/blog/2024/june/what-is-surface-roughness#:~:text=Surface%20roughness%20or%20roughness%20is,surface%20from%20its%20ideal%20form.
url:
https://www.taylor-hobson.com/resource-center/blog/2024/june/what-is-surface-roughness
url:

https://www.appliedai.de/en/insights/anomaly-detection-manufacturing/#:~:text=Deviations%20from%20expected%20production%20rates,process%20might%20indicate%20equipment%20malfunction.
url:
https://medium.com/@moussab.orabi/anomaly-detection-in-manufacturing-industry-2400c0c9da9d
url:
https://dewesoft.com/blog/what-is-sensor-fusion
url:
https://www.wevolver.com/article/sensor-fusion
url:
https://www.mdpi.com/2079-9292/14/16/3304
url:
https://praxie.com/praxie-s-ai-framework/
url:
https://www.mdpi.com/1424-8220/23/10/4969
url:
https://www.researchgate.net/publication/364928267_AI-Based_Surface_Roughness_Prediction_Model_for_Automated_CAM-Planning_Optimization
url:
http://admin.mantechpublications.com/index.php/JoMEAM/issue/viewFile/7377/7976
url:
https://www.mdpi.com/1996-1944/18/1/148
url:
https://www.mdpi.com/1424-8220/23/10/4969
url:
https://www.geeksforgeeks.org/electronics-engineering/concept-of-sensor-fusion-and-its-types/ url:
https://www.numberanalytics.com/blog/ultimate-guide-to-sensor-fusion
url:
https://www.icdrex.com/application-of-sensors-in-cnc-machine-tools/
url:
https://www.sigmatechnik.com/cnc-factory/exploring-the-different-sensors-used-in-cnc-machines
url:
https://pmc.ncbi.nlm.nih.gov/articles/PMC6804216/
url:
https://www.emerald.com/insight/content/doi/10.1108/jimse-10-2023-0010/full/html
url:
https://www.researchgate.net/publication/263353996_Prediction_of_surface_roughness_in_CNC_face_milling_using_neural_networks_and_Taguchi's_design_of_experiments
url:
https://www.researchgate.net/publication/220887474_Sensor-Fusion_System_for_Monitoring_a_CNC-Milling_Center
url:
https://pmc.ncbi.nlm.nih.gov/articles/PMC6308399/
url:
https://acerta.ai/articles/anomaly-detection-in-manufacturing/
url:
https://www.tandfonline.com/doi/full/10.1080/0951192X.2024.2397821?af=R
url:
https://www.remchem.it/wp-content/uploads/2019/10/A-Comparison-of-Surface-Roughness-Measurement-Methods-for-Gear-Tooth-Working-Surfaces-AGMA19FTM21.pdf
url:
https://en.wikipedia.org/wiki/Surface_roughness
url:
https://www.mdpi.com/2076-3417/13/16/9385
url:
https://psecommunity.org/wp-content/plugins/wpor/includes/file/2406/LAPSE-2024.1288-1v1.pdf
url:
https://www.mdpi.com/1424-8220/24/7/2117

url:
https://www.mdpi.com/1996-1944/18/1/148
url:
https://www.emerald.com/insight/content/doi/10.1108/jimse-10-2023-0010/full/html
url:
https://www.machinemetrics.com/machine-monitoring
url:
https://www.mdpi.com/1424-8220/23/10/4969
url:
https://sigmatechnology.com/articles/the-application-of-ai-in-manufacturing/
url:
https://www.pacificdataintegrators.com/blogs/the-ai-driven-future-of-smart-manufacturing-in-2025
url:
https://www.researchgate.net/publication/45534756_Surface_Roughness_Prediction_for_CNC_Milling_Process_using_Artificial_Neural_Network
url:
https://research.aimultiple.com/manufacturing-ai/
url:
https://www.researchgate.net/publication/357377076_Prediction_of_Surface_Roughness_using_Sensor_Fusion_Regression_Model
url:
https://pmc.ncbi.nlm.nih.gov/articles/PMC6308399/
url:
https://sigmatechnology.com/articles/the-application-of-ai-in-manufacturing/
url:
https://www.taylor-hobson.com/resource-center/blog/2024/june/what-is-surface-roughness
url:
https://www.mdpi.com/1996-1944/18/1/148
url:
https://www.sigmatechnik.com/cnc-factory/exploring-the-different-sensors-used-in-cnc-machines
url:
https://www.emerald.com/insight/content/doi/10.1108/jimse-10-2023-0010/full/html
url:
https://www.mdpi.com/2076-3417/13/16/9385
url:
https://article.murata.com/en-global/article/using-sensor-fusion-in-smart-factories
url:
https://sigmatechnology.com/articles/the-application-of-ai-in-manufacturing/


WORKS CITED

[1] A Data-Centric Framework for Implementing Artificial Intelligence in Smart Manufacturing, accessed August 24, 2025, https://www.mdpi.com/2079-9292/14/16/3304
[2] www.advantechindustries.com, accessed August 24, 2025, https://www.advantechindustries.com/post/the-basics-of-cnc-machining-an-introduction#:~:text=CNC%20machining%2C%20short%20for%20Computer,feasible%20with%20manual%20processes%20alone.
[3] AI-Driven Optimization in CNC Machining: A Step towards Smart Manufacturing - ManTech Publications, accessed August 24, 2025, http://admin.mantechpublications.com/index.php/JoMEAM/issue/viewFile/7377/7976
[4] AI in Manufacturing: The Smart Revolution in Industry, accessed August 24, 2025, https://sigmatechnology.com/articles/the-application-of-ai-in-manufacturing/
[5] Praxie's AI Framework: The Future of Manufacturing Intelligence, accessed August 24, 2025, https://praxie.com/praxie-s-ai-framework/
[6] www.taylor-hobson.com, accessed August 24, 2025, https://www.taylor-hobson.com/resource-center/blog/2024/june/what-is-surface-roughness#:~:text=Surface%20roughness%20or%20roughness%20is,surface%20from%20its%20ideal%20form.
[7] Prediction of surface roughness using deep learning and data ..., accessed August 24, 2025, https://www.emerald.com/insight/content/doi/10.1108/jimse-10-2023-0010/full/html
[8] Predicting Surface Roughness in Turning Complex-Structured Workpieces Using Vibration-Signal-Based Gaussian Process Regression - MDPI, accessed August 24, 2025, https://www.mdpi.com/1424-8220/24/7/2117
[9] Surface Roughness Measurement and Applications - Taylor Hobson, accessed August 24, 2025, https://www.taylor-hobson.com/resource-center/blog/2024/june/what-is-surface-roughness
[10] www.appliedai.de, accessed August 24, 2025, https://www.appliedai.de/en/insights/anomaly-detection-manufacturing/#:~:text=Deviations%20from%20expected%20production%20rates,process%20might%20indicate%20equipment%20malfunction.
[11] Anomaly Detection in Manufacturing Industry | by Dr. -Ing. Moussab Orabi | Medium, accessed August 24, 2025,

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

https://medium.com/@moussab.orabi/anomaly-detection-in-manufacturing-industry-2400c0c9da9d
[12] Predictive Quality Analytics of Surface Roughness in Turning Operation Using Polynomial and Artificial Neural Network Models, accessed August 24, 2025, https://psecommunity.org/wp-content/plugins/wpor/includes/file/2406/LAPSE-2024.1288-1v1.pdf
[13] The Basics of CNC Machining: An Introduction - Advantech Industries, accessed August 24, 2025, https://www.advantechindustries.com/post/the-basics-of-cnc-machining-an-introduction
[14] Surface roughness - Wikipedia, accessed August 24, 2025, https://en.wikipedia.org/wiki/Surface_roughness
[15] Full article: The survey of industrial anomaly detection for industry 5.0, accessed August 24, 2025,
[16] https://www.tandfonline.com/doi/full/10.1080/0951192X.2024.2397821?af=R
[17] Prediction of Tool Wear Using Artificial Neural Networks during Turning of Hardened Steel, accessed August 24, 2025, https://pmc.ncbi.nlm.nih.gov/articles/PMC6804216/
[18] www.remchem.it, accessed August 24, 2025, https://www.remchem.it/wp-content/uploads/2019/10/A-Comparison-of-Surface-Roughness-Measurement-Methods-for-Gear-Tooth-Working-Surfaces-AGMA19FTM21.pdf
[19] Milling Surface Roughness Prediction Based on Physics-Informed ..., accessed August 24, 2025, https://www.mdpi.com/1424-8220/23/10/4969
[20] Measuring Procedures for Evaluating the Surface Roughness of ..., accessed August 24, 2025, https://www.mdpi.com/2076-3417/13/16/9385
[21] AI-Based Surface Roughness Prediction Model for Automated CAM ..., accessed August 24, 2025, https://www.researchgate.net/publication/364928267_AI-Based_Surface_Roughness_Prediction_Model_for_Automated_CAM-Planning_Optimization
[22] Multi-Sensor Data Fusion for Real-Time Surface Quality Control in Automated Machining Systems, accessed August 24, 2025, https://pmc.ncbi.nlm.nih.gov/articles/PMC6308399/
[23] Sensor Fusion: The Ultimate Guide to Combining Data for Enhanced Perception and Decision-Making - Wevolver, accessed August 24, 2025, https://www.wevolver.com/article/sensor-fusion
[24] Concept of Sensor Fusion and Its Types - GeeksforGeeks, accessed August 24, 2025, https://www.geeksforgeeks.org/electronics-engineering/concept-of-sensor-fusion-and-its-types/
[25] What is Sensor Fusion? | Dewesoft, accessed August 24, 2025, https://dewesoft.com/blog/what-is-sensor-fusion
[26] Sensor-Fusion System for Monitoring a CNC-Milling Center ..., accessed August 24, 2025, https://www.researchgate.net/publication/220887474_Sensor-Fusion_System_for_Monitoring_a_CNC-Milling_Center
[27] Application of Sensors in CNC Machine Tools - DRex Electronics, accessed August 24, 2025, https://www.icdrex.com/application-of-sensors-in-cnc-machine-tools/
[28] Exploring the Different Sensors Used in CNC Machines, accessed August 24, 2025,
[29] https://www.sigmatechnik.com/cnc-factory/exploring-the-different-sensors-used-in-cnc-machines
[30] Application of Machine Learning to the Prediction of Surface ... - MDPI, accessed August 24, 2025, https://www.mdpi.com/1996-1944/18/1/148
[31] (PDF) Prediction of surface roughness in CNC face milling using neural networks and Taguchi's design of experiments - ResearchGate, accessed August 24, 2025, https://www.researchgate.net/publication/263353996_Prediction_of_surface_roughness_in_CNC_face_milling_using_neural_networks_and_Taguchi's_design_of_experiments
[32] Surface Roughness Prediction for CNC Milling Process using Artificial Neural Network, accessed August 24, 2025, https://www.researchgate.net/publication/45534756_Surface_Roughness_Prediction_for_CNC_Milling_Process_using_Artificial_Neural_Network
[33] What is anomaly detection in manufacturing? - Acerta Analytics, accessed August 24, 2025, https://acerta.ai/articles/anomaly-detection-in-manufacturing/
[34] CNC Machine Monitoring Software | MachineMetrics, accessed August 24, 2025, https://www.machinemetrics.com/machine-monitoring
[35] Prediction of Surface Roughness using Sensor Fusion Regression Model - ResearchGate, accessed August 24, 2025, https://www.researchgate.net/publication/357377076_Prediction_of_Surface_Roughness_using_Sensor_Fusion_Regression_Model
[36] Making Use of Sensor Fusion in Smart Factories | Murata ..., accessed August 24, 2025, https://article.murata.com/en-global/article/using-sensor-fusion-in-smart-factories
[37] The AI-Driven Future of Smart Manufacturing in 2025 - Pacific Data Integrators, accessed August 24, 2025, https://www.pacificdataintegrators.com/blogs/the-ai-driven-future-of-smart-manufacturing-in-2025
[38] Manufacturing AI: Top 15 tools & 13 real life use cases ['25] - Research AIMultiple, accessed August 24, 2025, https://research.aimultiple.com/manufacturing-ai/
[39] The Ultimate Guide to Sensor Fusion - Number Analytics, accessed August 24, 2025, https://www.numberanalytics.com/blog/ultimate-guide-to-sensor-fusion

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |



10.22214/IJRASET

45.98

IMPACT FACTOR: 7.129

IMPACT FACTOR: 7.429

INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 (24*7 Support on Whatsapp)