iJRASET
International Journal For Research in Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 13 **Issue:** IV **Month of publication:** April 2025

DOI: https://doi.org/10.22214/ijraset.2025.68402

www.ijraset.com

Call: 08813907089 | E-mail ID: ijraset@gmail.com

International Journal for Research in Applied Science & Engineering Technology (IJRASET)
ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 13 Issue IV Apr 2025- Available at www.ijraset.com

An Automated System for Accident Detection Using OpenCV

Nishanth Melvin L[1], Pradeep Kumar V[2], Pratheesh A[3], Dinesh Kumar[4], Dr. J. Jayaprakash[5], Mrs. S. Chinchu Nair[6]
[1, 2, 3]*CSE Department*
[4, 6]*Assistant Professor, CSE Department*
[5]*Professor*
Dr. M.G.R. Educational and Research Institute Deemed to be University

Abstract: ***Road accidents are one of the leading causes of fatalities and severe injuries worldwide, creating an urgent need for quick and accurate detection methods to reduce emergency response time. Traditional accident reporting systems rely heavily on human intervention, such as eyewitness accounts or delayed manual reports, which often lead to a lag in response time. It presents an automated accident detection system that uses OpenCV, a powerful computer vision library, to monitor and analyze real-time video feeds from traffic surveillance cameras, identifying accidents the moment they occur . Utilizing image processing techniques like edge detection, object tracking, and motion analysis, the system analyzes vehicular movement on the road. Sudden changes, such as abrupt stops or irregular vehicle behavior, are detected in real-time to identify potential accidents. OpenCV's capabilities allow the system to adapt to various environmental conditions, including differing lighting, weather, and traffic densities.***

Keywords: Accident Detection, Automated System, Motion Analysis, Emergency Response

I. INTRODUCTION

A. Overview

Road accidents represent a major public safety issue, resulting in millions of injuries and fatalities annually. According to the World Health Organization, road traffic injuries are among the leading causes of death, especially in low and middle-income countries. Despite advancements in road infrastructure and vehicle safety technologies, accident rates remain high. Rapid detection and response are critical to reducing the severity of accident outcomes, yet conventional accident reporting systems often rely on eyewitness reports or delayed manual notifications. It introduces an automated accident detection system utilizing OpenCV, an open-source computer vision library. By processing live video feeds from surveillance cameras installed along roadways or intersections, the system aims to detect accidents in real-time by identifying anomalies in vehicular movement patterns.

B. Problem Statement

Road accidents are a leading cause of death and injury worldwide, with millions occurring annually. Timely medical intervention can be the difference between life and death for accident victims. However, current accident detection systems depend heavily on eyewitnesses, manual surveillance, or delayed notifications from drivers or passersby. These traditional methods are inefficient and frequently lead to significant delays in emergency response. As a result, victims may suffer worsened injuries or fatalities due to delayed medical attention. An automated, real-time accident detection system is therefore critical to addressing these gaps and enhancing road safety. Detecting accidents in real-time is challenging due to the diverse conditions of roadways, varying traffic patterns, and environmental factors like weather and lighting.

II. LITERATURE SURVEY

1) Real-Time Road Accident Detection Using Deep Learning and Video Processing Techniques

AUTHOR: A. Kumar, S. Patel, & V. Gupta (2020)

This paper explores the application of deep learning models, such as Convolutional Neural Networks (CNNs), in conjunction with image processing techniques to detect road accidents in real-time. The system analyzes video footage from traffic cameras, detecting sudden movements and collisions to alert authorities. The authors report significant improvements in detection speed and accuracy using CNN-based models.

2) Automated Traffic Accident Detection System Using YOLO and OpenCV

AUTHOR: N. Sharma, H. Roy, & P. Mehta (2021)

This study proposes an accident detection framework using the You Only Look Once (YOLO) object detection algorithm combined with OpenCV for video processing. The system monitors traffic patterns and identifies collisions by detecting sudden vehicle stops and abnormal speed variations. The authors achieved real-time accident detection with high accuracy in various road conditions.

3) Vision-Based Accident Detection in Traffic Surveillance Videos

AUTHOR: K. Singh, A. Yadav, & R. Kaur (2021)

This paper presents a method for detecting accidents using vision-based techniques, focusing on object tracking and motion analysis. The system uses OpenCV for video processing and employs machine learning algorithms to classify events as accidents or normal traffic incidents. The authors demonstrate that this system effectively reduces false positives while maintaining high detection rates.

4) Intelligent Accident Detection and Alert System Using Machine Learning

AUTHOR: L. Wang, J. Tan, & C. Zhou (2022)

In this paper, the authors utilize a combination of machine learning algorithms, including decision trees and k-nearest neighbors, for accident detection based on video feeds. By analyzing vehicle behavior and identifying patterns of collisions, the system provides accurate accident alerts. The study emphasizes the importance of feature extraction in improving system performance.

5) A Hybrid Deep Learning Model for Automated Road Accident Detection

AUTHOR: S. Lee, D. Park, & H. Kim (2022)

This research introduces a hybrid model combining CNNs with Recurrent Neural Networks (RNNs) to analyze sequential traffic data for accident detection. OpenCV is used to preprocess video feeds, and the model captures both spatial and temporal features of vehicle movements to accurately predict accidents. The authors report high accuracy in diverse driving conditions.

6) Real-Time Accident Detection in Smart Cities Using Video Analytics

AUTHOR: M. Zhang, X. Li, & Y. Wang (2022)

The paper proposes an accident detection system designed for smart cities, leveraging OpenCV for video analytics and deep learning models to analyze traffic patterns. By integrating with city- wide camera networks, the system identifies accidents and notifies emergency services in real- time. The study demonstrates the scalability and efficiency of the approach in urban environments.

7) Road Accident Detection Using Spatiotemporal Features and Deep Learning

AUTHOR: P. Verma, R. Nair, & S. Desai (2023)

This paper introduces a method for accident detection using spatiotemporal features extracted from traffic videos. The authors apply deep learning models to analyze both spatial and temporal aspects of vehicle movements, leading to improved accuracy in accident detection. OpenCV is used for preprocessing and object tracking in video footage.

8) Automated Accident Monitoring and Reporting Using Image Processing

AUTHOR: B. Liu, H. Zhao, & Z. Chen (2023)

This study focuses on developing an automated accident detection and reporting system using image processing techniques in OpenCV. The system captures and processes live video feeds to identify collisions or abnormal vehicle behavior. The authors highlight the system's ability to operate under various weather and lighting conditions, making it a robust solution for real- time monitoring.

A. Types of Accident

Traffic accident is a significant global issue, causing substantial injuries, fatalities, and property damage annually. Understanding the various types of accidents and their causes is essential to formulate effective strategies for reducing their negative impact. This study primarily focuses on the most prevalent and dangerous types of traffic accidents, which pose a considerable threat to road safety: rear-end collisions, T- bone or side impact collisions, and front impact collisions.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

Our analysis will concentrate on these main categories of accidents. As illustrated in Figure 1, the distribution of col- lision types indicates that front-to-rear collisions account for 43.9% of traffic accidents, angle collisions for 33.8%, and same-direction side-swipe accidents for 13.6%.




Fig:1 Percentage distribution of different types of collision.

This data underscores the importance of understanding the dynamics and contributing factors of these specific accident types. In the context of our study, the focus on rear-end, T-bone, and front-impact collisions is crucial for developing effective accident detection systems and preventive measures. By com- prehensively understanding these common types of accidents, we aim to contribute to the development of strategies and technologies that can effectively reduce their occurrence and improve road safety. The subsequent sections will elaborate on the methodologies and technologies employed in our research, tailored to detect and analyze these predominant types of traffic accidents.

B. Data Collection

A comprehensive data collection process was implemented due to the lack of readily available robust datasets in this domain. Here, we provide a detailed description of our col- lection methodology and sources.

C. Types Of Data And Sources

1) Two primary categories of data were collected

Traffic/Surveillance Data (Traffi-cam):

This data con- tains videos captured from traffic and surveillance cameras situated at various locations. Trafficam pro- vides a unique vantage point for capturing vehicular movement. These cameras are strategically positioned at various locations to offer an aerial or elevated view of the road, enabling a holistic view of vehicles. This perspec- tive is essential for several reasons, including; Trajectory Angle: Trafficam videos capture the trajectory angle of vehicles. This angle denotes the path and direction of a vehicle's movement, which is valuable for under- standing vehicular dynamics and causal factors leading to an accident. Full Car View: The elevated vantage point of traffic and surveillance cameras provides a full silhouette and profile of vehicles crucial for detecting anomalies or changes in vehicular posture, like tilting during a potential rollover. Datasets from the TrafCam angle are particularly beneficial for accident detection because the overhead view minimizes occlusions, allow- ing for an unobstructed view of potential accident sites, and monitoring multiple vehicles simultaneously can help detect and analyze multi-vehicle collisions.

2) Dash Camera Video (Dash-Cam)

These videos are typically recorded from cameras installed on vehi- cle dashboards. DashCam videos offer a ground-level, front-facing perspective from vehicles, capturing the road ahead and occasionally vehicle interior/rear view. While invaluable in many respects, DashCams are ben- eficial for providing firsthand accounts of incidents and useful for understanding drivers' accident viewpoints, including capturing close-up details of incidents.

Some of the challenges of Dashcams are the restricted field of view (focus mainly on the road ahead), Camera view occlusion, and variability in video quality based on dif- ferent brands and models.

©IJRASET: All Rights are Reserved

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 13 Issue IV Apr 2025- Available at www.ijraset.com

III. REQUIREMENT ANALYSIS

A. Existing System

An current accident detection systems heavily depend on manual methods of incident reporting, such as eyewitness accounts, phone calls to emergency services, or reports from the drivers involved. this reliance on human intervention makes the system inefficient and prone to delays, as bystanders may hesitate or fail to report the incident promptly, leading to lost critical time for accident victims. additionally, monitoring road conditions through surveillance cameras requires continuous manual observation, which is both time-consuming and error-prone, particularly on high-traffic roads or highways where accidents can occur rapidly.

Some automated solutions are in place, utilizing gps data, accelerometers, or telematics from within vehicles to detect accidents. although these systems can automatically notify authorities when an accident occurs, they are limited by the availability of the necessary in-vehicle technology, which restricts their scope to only those equipped vehicles.

B. Limitations Of Existing Systems Dependence On Manualreporting

Traditional accident detection systems rely on manual reporting by witnesses or drivers, resulting in delays and a high probability of human error. This delay in reporting can be life-threatening in severe accidents.

1) Limited Scope And Coverage

Systems that use in-vehicle sensors (GPS, accelerometers) are limited to specific vehicles with the required hardware, lacking coverage of entire road networks and areas involving pedestrians or cyclists.

2) High False Positive Rates

Video-based systems using basic motion detection frequently generate false positives, especially under challenging environmental conditions like low light, shadows, or weather interference. These false alerts can overwhelm emergency services and reduce system reliability.

3) Inability To Handle Complex

- Traffic Scenarios: Existing systems are often inadequate for complex traffic patterns or distinguishing accidents from typical traffic behaviors. They may interpret sharp turns or sudden stops as accidents, lacking advanced models that can accurately differentiate between normal and hazardous driving behaviors.
- Scalability Issues: Video-based systems require significant computational resources to analyze large volumes of traffic data in real-time, limiting their scalability to wide urban areas or extensive highway networks without substantial infrastructure investment.

C. Proposed System

The limitations of existing systems by offering a cost-effective, scalable approach that does not depend on specialized hardware within individual vehicles. Instead, it uses commonly available traffic cameras and software-based image processing, making the system adaptable for various road and environmental conditions. The OpenCV framework provides tools to account for challenging lighting or weather conditions, while machine learning algorithms enhance the system's ability to distinguish between actual accidents and normal traffic events. This automated system offers a continuous monitoring capability without the need for manual supervision, thereby freeing resources for emergency responders and ensuring a timely response.

It addresses the limitations of existing systems by offering a cost-effective, scalable approach that does not depend on specialized hardware within individual vehicles. Instead, it uses commonly available traffic cameras and software-based image processing, making the system adaptable for various road and environmental conditions.

IV. REQUIREMENT SPECIFICATION

The requirement specification defines both the user and system requirements, including necessary hardware and software components essential for the effective implementation of the automated accident detection system using OpenCV.

A. Hardware Requirements

- System : Pentium IV 2.4 GHz
- Hard Disk : 40 GB
- Floppy Drive : 1.44 Mb

©IJRASET: All Rights are Reserved

- Monitor : 15 VGA Colour
- Mouse : Logitech
- Ram: 512 Mb

B. Software Requirements

- Operating system : Windows 10
- IDE: anaconda navigator
- Coding Language : python

V. DESIGN

The design of the automated accident detection system using OpenCV follows a modular architecture, organizing the system into key components responsible for data collection, preprocessing, model training, real-time monitoring, and notification. This section also provides an overview of the design techniques and the flow of data through the system.

A. Architecture Description

The system is divided into the following modules, each serving a specific function within the accident detection process:

1) Data Collection Module

Collects video feeds from traffic surveillance cameras or other video sources. This module gathers a comprehensive dataset covering various road conditions, traffic patterns, and accident scenarios. Video data is annotated with contextual information like location, lighting conditions, and traffic density, ensuring diverse training inputs and robust system performance.

2) Data Preprocessing Module

Processes raw video data to make it suitable for machine learning. Frames are extracted, cleaned, and standardized in terms of dimensions and resolution. Data augmentation techniques, such as rotation, flipping, and contrast adjustments, are applied to enhance the dataset's diversity. This module also includes OpenCV-based background subtraction and edge detection, allowing the model to focus on critical visual cues such as vehicles and movement patterns indicative of accidents.

3) Model Development Module

This module is responsible for training and validating machine learning models tailored for accident detection. Convolutional Neural Networks (CNNs) and Recurrent Neural Networks (RNNs) are employed to analyze traffic patterns and differentiate between accidents and regular traffic behaviors. Hyperparameter optimization and K-fold cross-validation are used to fine-tune the model for accuracy and generalizability across diverse traffic scenarios.

4) Real-Time Detection And Notification Module

In this module, trained models are deployed to monitor live video feeds in real time, identifying anomalies in vehicle movement that may indicate an accident. Upon detecting an incident, this module generates an automated alert to emergency services or traffic management centers. It continuously evaluates performance metrics to refine detection accuracy over time, integrating feedback to improve reliability.

B. Module Descriptions

1) Data Collection Module

Gathers live video feeds from roadside cameras or other sources. This module integrates data from different traffic surveillance locations, providing a wide variety of samples, which improves the model's capacity to generalize to new accident scenarios. Ethical practices are emphasized to ensure compliance with data privacy regulations.

2) Data Preprocessing Module

Extracts video frames and refines them to standardize input data. Image normalization adjusts dimensions, while background subtraction helps the model focus on vehicles and significant movements. Data augmentation (rotation, flipping, contrast adjustment) further increases data variety, which enhances model robustness.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

3) Model Development Module

Trains machine learning models, such as CNNs and RNNs, on preprocessed data to learn patterns indicative of accidents. Techniques like hyperparameter optimization ensure high model performance, while cross-validation improves generalization.

4) Real-Time Detection And Notification Module

Monitors live traffic feeds, leveraging trained models to detect accidents in real time. When an accident is detected, the module sends alerts to relevant authorities, enabling quick response. The module continuously updates model parameters based on feedback to reduce false positives and improve detection accuracy.

C. Architecture Diagram

1) USE Case Diagram




Fig4.3.1 : It shows the interactions between users (actors) and the system to represent functional requirements.

It outlines what the system should do by describing use cases—specific tasks that the system performs to serve users.
It's commonly used to gather system requirements.

2) Class Diagram




Fig 4.3.2 : The system's static structure, depicting classes, their attributes, methods, and relationships.

It illustrates the object-oriented structure of the system and is helpful in defining the data model and understanding how data is structured within the software.

3) Sequence Diagram




Fig4.3.3 : It shows the order of interactions between objects over time to accomplish a specific function.

It illustrates how objects collaborate and exchange messages, making it useful for visualizing scenarios in workflows or processes.

4) Activity Diagram




Fig4.3.5 : Flowchart-like diagram represents the flow of activities or actions within the system.

It is useful for modeling the sequence of processes, the flow of control, and possible decision points.
It's often used to describe business workflows and the flow of control in software.

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 13 Issue IV Apr 2025- Available at www.ijraset.com

A. Component Diagram

Fig4.3.5 : It shows how the system is partitioned into components and how they communicate.
It's useful for visualizing the structure of complex systems, such as the dependencies and organization of various modules, making it essential in large-scale software architecture.

1) Deployment Diagram





Fig4.3.6 : llustrates the physical arrangement of hardware nodes and how software components are deployed on them. It helps in understanding how the system will be set up in the real world, with specific details on servers, devices, and network configurations.

VI. IMPLEMENTATION

CODE


```
from google.colab import drive drive.mount('/content/drive') import numpy as np
import pandas as pd
import matplotlib.pyplot as plt import tensorflow as tf
from tensorflow.keras import layers from time import perf_counter import os
from keras.callbacks import ModelCheckpoint
from keras.models import load_model
from tensorflow.keras.utils import plot_model
## Defining batch specfications batch_size = 100
img_height = 250
img_width = 250
## loading training set
training_data
tf.keras.preprocessing.image_dataset_from_direct ory('/content/drive/MyDrive/data/train',
seed=42, image_size=(img_height, img_width), batch_s+ize=batch_size, color_mode='rgb' ))
testing_data class_names=training_data.class_names class_name
## lets train our CNN
history = model.fit(training_data, validation_data=validation_data, epochs = 20) model.save("/content/drive/MyDrive/model_weig
hts.h5")
#serialize model structure to JSON model_json = model.to_json() with open("model.json", "w") as json_file:
json_file.write(model_json) ## stats on training data plt.plot(history.history['loss'], label = 'training
loss')plt.plot(history.history['accuracy'], label = 'training accuracy') plt.grid(True)
```

©IJRASET: All Rights are Reserved



PSEUDO CODE

```
initialize model, loss_function, optimizer
training_loss = [], training_accuracy = []
for epoch in range(num_epochs):
    total_loss, correct, total_samples = 0, 0, 0
 for batch in training_data:
        predictions = model(batch.inputs)
        loss = loss_function(predictions, batch.labels)
        optimizer.zero_grad(), loss.backward(), optimizer.step()
total_loss += loss.item()
        correct += count_correct(predictions, batch.labels)
        total_samples += batch.size
 training_loss.append(total_loss / len(training_data))
 training_accuracy.append(correct / total_samples)
plot(training_loss, label="training loss")
plot(training_accuracy, label="training accuracy")
show_plot()
```



```
# Import necessary libraries
import matplotlib.pyplot as plt
import numpy as np
# Generate sample data (replace with actual model validation data)epochs = np.arange(1, 20)  # 20epochs
val_loss = np.random.uniform(0.4, 0.8, size=19) + np.sin(epochs) * 0.2  # Simulated loss
val_accuracy = np.linspace(0.5, 0.9, 19) + np.random.uniform(-0.02, 0.02, size=19)  # Simulated accuracy
# Plot the curves
plt.plot(epochs, val_loss, label="validation loss", color="blue")
plt.plot(epochs, val_accuracy, label="validation accuracy", color="orange")
# Add labels and legend
plt.xlabel("Epochs")
plt.ylabel("Value")
plt.legend()
plt.grid()
```



VII. TESTING

Testing is essential to ensure that the automated accident detection system is reliable, accurate, and responsive. This section outlines the testing process, types of testing conducted, and the testing strategy used to validate the system's functionality and performance under various conditions.

A. Testing Process











The testing process verifies the accuracy, efficiency, and robustness of the accident detection system. Given that real-time detection is critical for accident reporting, testing focuses on both the functionality and responsiveness of the system. The testing process involves multiple stages to identify and correct any errors or inefficiencies before deployment.

B. Test Objectives

1) *Accuracy:* Verify that the system accurately identifies accident scenarios without flagging false positives in normal traffic situations.
2) *Responsiveness:* Ensure the system generates real-time alerts without significant lag, meeting the real-time monitoring requirement.
3) *Scalability:* Test that the system can handle a range of traffic densities, from sparse to high-traffic scenarios, without loss of performance or accuracy.
4) *Reliability:* Confirm that the system performs consistently across various conditions, including different weather, lighting, and camera angles.

VIII. EXPERIMENTAL RESULT

In this section, we present a detailed analysis of the performance of our proposed accident detection models with distinct configurations within the context of action recognition. The comparative analysis, as summarized in Table (2), focuses on the efficacy of these models in accurately detect- ing traffic accidents. Building upon recent advancements in the field, such as the Hierarchical Accident Recognition Method by Chen et al. [49] and Zhu et al.'s [50] traffic condition-based detection method, our approach intro- duces a novel perspective. We emphasize the extraction of both RGB frames and optical flow information from video sequences, harnessing the capabilities of the CONVLSTM2D architecture. This model, detailed in Figure [3], is pivotal in our research, as it integrates the strengths of convolutional and LSTM networks. Our architecture effectively captures the dynamic spatiotemporal characteristics of accidents, a critical aspect often overlooked in traditional CNN, RNN, and LSTM approaches. The ConvLSTM2D network is specifically designed to address the challenges associated with motion pattern recognition in accident scenarios. This includes analyzing the intricate interplay of spatial features (as seen in individual frames) and temporal patterns (as observed across sequences of frames). Our experimental setup evaluates various architectural and parameter configu- rations to determine their effectiveness in isolating features indicative of acci dents. The results demonstrate a marked improvement in accident detection precision, showcasing the efficacy of our model in enhancing autonomous accident detection systems within smart city infrastructures and the ability to provide a more nuanced and accurate detection of traffic accidents.

Model Name	Loss	Accuracy	Time	Precision	Recall	F1	Acc.	MAP
I3D-CONVLSTM2D RGB Only			110	0.73	0.72	0.72	0.72	0.78
I3D-CONVLSTM2D Non-Trainable RGB + Optical flow			120	0.75	0.75	0.75	0.75	0.81
I3D-CONVLSTM2D Augmented RGB + Optical flow			150	0.79	0.79	0.79	0.79	0.86
I3D-CONVLSTM2D Trainable RGB + Optical flow			130	0.80	0.80	0.80	0.80	0.87
DenseNet-Transformer RGB Only [47], [48]			300	0.75	0.75	0.75	0.74	0.80

©IJRASET: All Rights are Reserved


IX. CONCLUSION

The Automated System for Accident Detection Using OpenCV represents a significant advancement in road safety and emergency response capabilities. By leveraging real-time video analysis and advanced computer vision techniques, this system effectively identifies accidents as they occur, ensuring prompt notification of emergency services. The integration of machine learning models enhances the system's accuracy, allowing it to distinguish between normal traffic behaviors and potential accident scenarios.

REFERNCES

[1] R. K. Gupta, P. B. R. S. Reddy, & S. A. Khan. (2022). Real-time accident detection and notification system using deep learning and computer vision. International Journal of Engineering Research and Applications, 12(2), 12-17.
[2] Z. Zhang, Y. Chen, & C. Xu. (2021). Traffic accident detection using a convolutional neural network. IEEE Transactions on Intelligent Transportation Systems, 22(4), 2256-2265.
[3] A. El-Masry & A. I. H. Ali. (2020). A deep learning framework for traffic accident detection and analysis. Journal of Transportation Safety & Security, 12(2), 213-227.
[4] S. P. Choudhary & S. K. Dey. (2023). An overview of computer vision techniques in intelligent transportation systems. Journal of Transport and Land Use, 16(1), 543-561.
[5] C. Wang, Y. Zhang, & X. Liu. (2022). A review on intelligent vehicle accident detection using computer vision. IEEE Access, 10, 500-512.
[6] F. X. De Sa, T. M. B. Coelho, & G. R. D. Pereira. (2020). Using computer vision for vehicle accident detection: A comprehensive survey. Sensors, 20(14), 3899.
[7] Alhassan, H. J. Elhassan, & Y. F. Abubakar. (2023). Machine learning approaches for traffic accident prediction: A systematic review. Journal of Safety Research, 104, 243- 254.
[8] P. A. F. V. Ramos, A. M. C. A. V. Silva, & C. M. C. A. Santos. (2024). Real-time traffic accident detection using computer vision and machine learning. Journal of Intelligent Transportation Systems, 28(1), 1-14.
[9] V. Adewopo, N. Elsayed, Z. Elsayed, M. Ozer, Wangia-Anderson, and A. Abdelgawad, ''AI on the road: A comprehensive analysis of traffic accidents and accident detection system in smart cities,'' 2023, arXiv:2307.12128.
[10] V. Adewopo, N. Elsayed, Z. ElSayed, M. Ozer, A. Abdelgawad, M. Bayoumi, ''Review on action recognition for accident detection in smart city transportation systems,'' 2022, arXiv:2208.09588.
[11] X. Zhu, J. Dai, L. Yuan, and Y. Wei, ''Towards high performance video object detection,'' in Proc. IEEE/CVF Conf. Comput. Vis. Pattern Recog- nit., Jun. 2018, pp. 7210–7218.
[12] U. Khalil, A. Nasir, S. M. Khan, T. Javid, S. A. Raza, and A. Siddiqui, ''Automatic road accident detection using ultrasonic sensor,'' in Proc. IEEE 21st Int. Multi-Topic Conf. (INMIC), Nov. 2018, pp. 206–212.
[13] L. Yu, B. Du, X. Hu, L. Sun, L. Han, and W. Lv, ''Deep spatio-temporal graph convolutional network for traffic accident prediction,'' Neurocom- puting, vol. 423, pp. 135–147, Jan. 2021.
[14] J. Fang, J. Qiao, J. Xue, and Z. Li, ''Vision- based traffic accident detection and anticipation: A survey,'' IEEE Trans. Circuits Syst. Video Technol., vol. 34, no. 4, pp. 1983–1999, Apr. 2024.
[15] V. Adewopo, N. Elsayed, Z. Elsayed, M. Ozer, C. Zekios, A. Abdelgawad, and M. Bayoumi, ''Big data and deep learning in smart cities: A compre- hensive dataset for AI-driven traffic accident detection and computer vision systems,'' 2024, arXiv:2401.03587.
[16] V. Adewopo, N. Elsayed, Z. ElSayed, M. Ozer, C. Zekios, A. Abdelgawad, and M. Bayoumi, Dec. 28, 2023, ''Traffic accident detection video dataset for AI-driven computer vision systems in smart city transportation, IEEE Dataport, doi:
[17] Y. Yang, H. Song, S. Sun, W. Zhang, Y. Chen, L. Rakal, and Y. Fang, ''A fast and effective video vehicle detection method leveraging feature fusion and proposal temporal link,'' J. Real-Time Image Process., vol. 18, no. 4, pp. 1261–1274, Aug. 2021.
[18] B. X. Nie, C. Xiong, and S.-C. Zhu, ''Joint action recognition and pose esti- mation from video,'' in Proc. IEEE Conf. Comput. Vis. Pattern Recognit. (CVPR), Jun. 2015, pp. 1293–1301.
[19] S. Xu, S. Li, R. Wen, and W. Huang, ''Traffic event detection using Twitter data based on association rules,'' ISPRS Ann. Photogramm., Remote Sens. Spatial Inf. Sci., vol. IV-2, pp. 543–547, May 2019.
[20] J. Wang, Q. Chen, and H. Gong, ''STMAG: A spatial–temporal mixed attention graph- based convolution model for multi-data flow safety pre- diction,'' Inf. Sci., vol. 525, pp. 16–36, Jul. 2020.
[21] D. Fortun, P. Bouthemy, and C. Kervrann, ''Optical flow modeling and computation: A survey,'' Comput. Vis. Image Understand., vol. 134, pp. 1–21, May 2015.
[22] Y. Cai, H. Wang, X. Chen, and H. Jiang, ''Trajectory-based anomalous behaviour detection for intelligent traffic surveillance,'' IET Intell. Transp. Syst., vol. 9, no. 8, pp. 810– 816, Oct. 2015.
[23] B. T. Morris and M. M. Trivedi, ''Trajectory learning for activity under- standing: Unsupervised, multilevel, and long-term adaptive approach,'' IEEE Trans. Pattern Anal. Mach. Intell., vol. 33, no. 11, pp. 2287–2301, Nov. 2011.
[24] N. Elsayed, A. S. Maida, and M. Bayoumi, ''Reduced-gate convolutional LSTM architecture for next-frame video prediction using predictive cod- ing,'' in Proc. Int. Joint Conf. Neural Netw. (IJCNN), Jul. 2019, pp. 1–9.
[25] J. Carreira and A. Zisserman, ''Quo vadis, action recognition? A new model and the kinetics dataset,'' in Proc. IEEE Conf. Comput. Vis. Pattern Recognit. (CVPR), Jul. 2017, pp. 4724–4733.
[26] X. Wang, Y. Ma, Y. Wang, W. Jin, X. Wang, J. Tang, C. Jia, and J. Yu, ''Traffic flow prediction via spatial temporal graph neural network,'' in Proc. Web Conf., vol. 11. New York, NY, USA: Association for Computing Machinery, Apr. 2020, pp. 1082–1092.
[27] A. Srinivasan, A. Srikanth, H. Indrajit, and V. Narasimhan, ''A novel approach for road accident detection using DETR algorithm,'' in Proc. Int. Conf. Intell. Data Sci. Technol. Appl. (IDSTA), Oct. 2020, pp. 75–80.

[28] C. Wang, Y. Dai, W. Zhou, and Y. Geng, ''A vision-based video crash detection framework for mixed traffic flow environment considering low- visibility condition,'' J. Adv. Transp., vol. 2020, pp. 1–11, Jan. 2020.
[29] L.-M. Xia, X.-J. Hu, and J. Wang, ''Anomaly detection in traffic surveil- lance with sparse topic model,'' J. Central South Univ., vol. 25, no. 9,pp. 2245–2257, Oct. 2018.
[30] E. P. Ijjina, D. Chand, S. Gupta, and K. Goutham, ''Computer vision-based accident detection in traffic surveillance,'' in Proc. 10th Int. Conf. Comput., Commun. Netw. Technol. (ICCCNT), Jul. 2019, pp. 1–6.
[31] D. Singh and C. K. Mohan, ''Deep spatio- temporal representation for detection of road accidents using stacked autoencoder,'' IEEE Trans. Intell. Transp. Syst., vol. 20, no. 3, pp. 879–887, Mar. 2019.
[32] A. A. Mohammed, K. Ambak, A. M. Mosa, and D. Syamsunur, ''A review of the traffic accidents and related practices worldwide,'' Open Transp. J., vol. 13, no. 1, pp. 65–83, Jun. 2019.
[33] Analyses of Rear-End Crashes and Near- Crashes in the 100-Car Naturalistic Driving Study to Support Rear-Signaling Countermeasure Develop- ment, document DOT HS 810 846, 2007.
[34] L. Eboli, C. Forciniti, and G. Mazzulla, ''Factors influencing accident severity: An analysis by road accident type,'' Transp. Res. Proc., vol. 47, pp. 449–456, Jan. 2020.
[35] V. K. Kukkala, J. Tunnell, S. Pasricha, and T. Bradley, ''Advanced driver- assistance systems: A path toward autonomous vehicles,'' IEEE Consum. Electron. Mag., vol. 7, no. 5, pp. 18–25, Sep. 2018.
[36] Newly Released Estimates Show Traffic Fatalities Reached a 16-Year High in 2021, NHTSA Media, Washington, DC, USA, May 2022.
[37] V. Jirovský, ''Classification of road accidents from the perspective of vehicle safety systems,'' J. Middle Eur. Construction Design Cars, vol. 13,no. 2, pp. 1–9, Nov. 2015.
[38] J. M. Nolan and A. K. Lund, ''Frontal offset deformable barrier crash testing and its effect on vehicle stiffness,'' SAE Tech. Paper 2001- 06-0109,2001.
[39] T. Sheorey and N. V. Shrivas, ''Development of sensor based front end collision avoidance system for highways,'' in Proc. IEEE Int. Conf. Inf. Autom., Aug. 2015, pp. 594–598.
[40] J. Ma, J. Li, Z. Gong, and H. Huang, ''An adaptive multi-staged forward collision warning system using a light gradient boosting machine,'' Infor- mation, vol. 13, no. 10, p. 483, Oct. 2022.
[41] F. Alharbi, M. I. Almoshaogeh, A. H. Ibrahim, H. Haider,A. E. M. Elmadina, and I. Alfallaj, ''Performance appraisal of urban street-lighting system: Drivers' opinion-based fuzzy synthetic evaluation,'' Appl. Sci., vol. 13, no. 5, p. 3333, Mar. 2023.
[42] G. Bridger and B. King, ''Lighting the way to road safety: A policy blindspot?'' in Proc. Australas. Road Saf. Res. Policing Educ. Conf., Wellington, New Zealand, 2012, p. 22.
[43] P. R. Marchant and P. D. Norman, ''To determine if changing to white light street lamps improves road safety: A multilevel longitudinal analysis of road traffic collisions during the relighting of leeds, a U.K. city,'' Appl. Spatial Anal. Policy, vol. 15, no. 4, pp. 1583–1608, Dec. 2022.
[44] W. Bao, Q. Yu, and Y. Kong, ''Uncertainty- based traffic accident anticipation with spatio-temporal relational learning,'' in Proc. 28th ACM Int. Conf. Multimedia, Oct. 2020, pp. 2682–2690



10.22214/IJRASET

45.98

IMPACT FACTOR: 7.129

IMPACT FACTOR: 7.429

INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 (24*7 Support on Whatsapp)