iJRASET
International Journal For Research in Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 14 **Issue:** I **Month of publication:** January 2026

DOI: https://doi.org/10.22214/ijraset.2026.76788

www.ijraset.com

Call: 08813907089 | E-mail ID: ijraset@gmail.com

International Journal for Research in Applied Science & Engineering Technology (IJRASET)
ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 14 Issue I Jan 2026- Available at www.ijraset.com


An Enhanced Analysis of Blood Cancer Prediction Using Deep Learning

Dr. P. Tamilselvan[1], Mrs. A. Jayalakshmi[2]
Assistant Professor, Department of Computer Applications, Hindusthan College of Arts & Science

Abstract: ***The field of cancer research and therapy has been revolutionized by the rapid development of artificial intelligence (AI).Focusing on early cancer diagnosis, individualized therapy, and addressing ethical problems, this study seeks to investigate the many ways in which AI-driven tools are expanding the frontiers of oncology. There are a variety of tests and medical experts involved in the diagnostic process, which is time-consuming and expensive. The study has mapped out automated approaches, with deep learning being the automatic classification crown gem due to its higher performance. This study proposes a novel approach utilizing attention mechanism-based machine learning in conjunction with image processing techniques for the precise detection and classification of leukemia cells. The proposed method provides a promising approach for accurate and efficient detection and classification of leukemia cells, which could potentially improve the diagnosis and treatment of leukemia.***
Keywords: Cancer, Artificial Intelligence, Deep Learning, Leukemia Cells, Cancer Diagnosis

I. INTRODUCTION

Blood cancer affects how your body produces and functions with blood cells. Most blood cancers begin in the bone marrow, which is the soft, sponge-like tissue inside your bones. Normally, blood cells help fight infections, carry oxygen throughout the body, and control bleeding. Stem cells in the bone marrow develop into three types of blood cells: red blood cells, white blood cells, and platelets. When something goes wrong with how your body makes these cells, blood cancer can develop. This happens when abnormal blood cells become more numerous than normal ones, which can lead to the spread of disease. This study introduces a new method that uses machine learning with attention mechanisms along with image processing techniques for the accurate detection and classification of leukemia cells. Blood cancers affect both the production and function of blood cells. As healthcare providers discover new treatments, more people with blood cancer are living longer. Most of these cancers begin in the bone marrow, where blood is produced. Red blood cells, white blood cells, and platelets are the three types of blood cells that stem cells mature into. The treatment you receive depends on several factors, such as the type of blood cancer, your age, how fast the cancer is growing, and whether it has spread. In the real world, people learn from their experiences using their ability to learn, and computers follow instructions given by humans. It is a fast-growing technology that lets computers automatically learn from previous data. Machine learning uses different algorithms to build mathematical models and make predictions based on historical data or information. It is now being used for many tasks, such as speech recognition, email filtering, auto-tagging on social media platforms, recommender systems, and image recognition.



1.1 Blood Cell Analysis

©IJRASET: All Rights are Reserved

II. LITERATURE REVIEW

The development and assessment of AI-supported decision-making systems, along with standards and rules for using AI and large data in cancer care, are essential for ensuring these technologies are used ethically in medical settings. Addressing the challenges of this rapidly growing field can lead to better, more personalized, and ethically sound cancer treatments in the future [1].

Incorporating advanced machine learning methods and improved image processing techniques can enhance the accuracy and efficiency of detecting blood cancers.

Properly identifying abnormal areas in blood cell images is a key part of medical imaging. Using various algorithms to segment these areas improves the accuracy of medical imaging. The effectiveness of these algorithms is evaluated [2].

Diagnosing blood cancer is a complex and challenging process that involves reviewing a patient's medical history, conducting physical exams, blood tests, imaging scans, and biopsies.

A relatively new method involves using Artificial Neural Networks (ANNs) to analyze data from network sensors for diagnosing blood cancer. ANNs can also be applied to other medical conditions related to blood cancer, or to check if other types of cancer can be detected using ANNs or Bayesian methods [3].

Machine learning is becoming a strong tool for predicting blood-related diseases.

However, one issue is ensuring that the training and testing of algorithms are done correctly to avoid biased results, especially when the data lacks diversity and representativeness. These algorithms can also identify unnecessary tests, potentially reducing the number of lab tests needed for diagnosis [4].

The mathematical methods for feature extraction and classification have been provided.

It can be concluded that AI-based techniques can serve as a valuable support tool for medical professionals in detecting blood leukemia. These techniques are not meant to replace doctors but to assist and support them. Various AI and ML techniques have been suggested, each with its own advantages and limitations [5].

Machine learning systems can offer important diagnostic and predictive insights for patients with Endometriosis Ovarian Cancer (EOC) before any treatment begins. The use of predictive algorithms can help in personalizing treatment strategies by categorizing patients before starting treatment. AI algorithms are powerful tools that can provide essential information for diagnosing and predicting the prognosis of EOC patients before treatment [6].

To address this, a hybrid machine learning model called LVTrees is proposed, which uses leukemia microarray gene data for experiments. Due to the imbalance in the dataset, the ADASYN oversampling technique is used. Additionally, the Chi2 method is employed to remove features that are not relevant to the target class, thus solving the problem of high dimensionality. Despite various approaches, achieving accuracy with imbalanced and high-dimensional datasets remains a significant challenge [7].

We observed excellent performance from the ANN model, as its diagnostic ability showed higher accuracy, prediction, recall, and AUC compared to other machine learning models. Based on this, we conclude that the ANN algorithm can serve as an effective aid in the clinical laboratory approach for diagnosing hematologic malignancies. Prospective research and clinical trials are necessary to confirm the validity of clinical AI before it can be used effectively by physicians in treating hematologic diseases [8].

One of the most pressing issues in medicine today is the classification of blood cells.

This is even more critical given the increasing number of infections and the difficulty in early identification. In this work, we have explored the classification of blood cells using transfer deep learning, specifically BCNet. When applied to classifying blood cells into eight distinct categories, our proposed method achieves a high level of accuracy [9].

AI and particularly machine learning are rapidly advancing in cancer imaging, offering a wide range of clinical applications that are increasingly accepted by radiologists. A more developed regulatory framework for approving AI-based tools for clinical use is emerging. Encouraging collaboration across different fields can also help in creating effective clinical tools that improve patient care and outcomes [10].

III. EXISTING SYSTEM

While AI has great promise in the field of cancer research, it is currently hindered by a number of obstacles. To significantly alter cancer processes of varying proportions, the present era of innovation in oncology presents a number of obstacles it needs to be defeated. Several of the impediments to the successful adoption of AI are rigid healthcare systems, regulation, payment, knowledge, and practical difficulties. Artificial intelligence classifier and predictor models require labelled data for training. Despite the ease with which AI models can receive raw data, datasets still require human annotation or, at the very least, curation. It is advised to consult several subject-matter experts to ensure correct assessment of the data labels during the data annotation process.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

The creation of AI models is significantly hampered by the absence of standardized data on cancer health as well as by the lack of consistency in the collection and storage of unstructured data inside an electronic health record (EHR) or unified data platform of a single healthcare system. Absence of diverse training datasets is a key barrier to using AI algorithms and decision-support schemes to improve cancer care delivery.

A lack of data is one of the most common issues encountered when attempting to train a model. Most effective AI models require a large sample size in order to be trained to outperform a restricted one. When there are more characteristics than there are health records in a dataset, we say that the dataset has high dimensionality. Dimensionality-reduction and feature selection techniques can be applied to the situation at hand, but they must be employed properly if desirable outcomes are to be achieved. Classes tend to be unevenly distributed in medical datasets, especially cancer data. An example of class imbalance is when the sample sizes for different groups are grossly unequal. Classification models tend to give the class with the most examples more weight. While many current methods excel at addressing inequity on binary classes, they often reduction petite when confronted with multi-class decorations.

IV. PROPOSED SYSTEM

The most usually metric used to determine the performance of classifier is accuracy. Since the accuracy is inappropriate when records is imbalanced, we've got used every other metrics to examine the overall performance. Receiver Operating Characteristic is the current method for evaluating classifiers on an imbalanced class. It indicates that KNN has regular accuracy even though the information has been randomized 34 instances. The result can be better classified by Random Forest Tree than by other classifiers. The recall level indicates how frequently the classifier anticipated a high-quality elegance instance from a useful class example in the dataset. Precision measure suggests how frequently an instance that turned into anticipated as fantastic that is genuinely positive. Here we evaluate current and proposed algorithms as:

1. Random forest, 2. KNN, 3. AdaBoosting.

1) Survival Probability (%): In this section, we compare memory usage for each set of rules with the same datasets as the runtime checks. Our algorithm guarantees Survival Probability with the same level of precision as the most recent algorithm. Moreover, our set of rules affords the most wonderful results in lots of instances.

No.of samples	Random forest	KNN	AdaBoosting
100	0.72	0.81	0.91
200	0.73	0.82	0.92
300	0.75	0.83	0.94
400	0.78	0.84	0.95
500	0.79	0.85	0.97

Table 4.1 Survival Probability




Figure 4.1 Survival Probability

2) Accuracy (%): We can examine that our proposed outperforms the others in nearly all of the cases. Instead of the previous tree shape, we proposed a linear shape for its bushes to restrict access to instances of look nodes. In the end, its advantages result in a significant reduction in experiment duration.

No.of samples	Random forest	KNN	AdaBoosting
100	70.1	71.2	80.1
200	70.2	71.4	80.2
300	70.4	71.5	80.5
400	70.8	71.6	80.7
500	70.9	71.7	80.8

Table 4.2 Accuracy




Figure 4.2 Accuracy

3) *Precision (%):* Proposed set of rules indicates the best precision at the same time as the others have especially negative performance, which shows that our scheme can keep those increasing attributes more efficiently than the alternative structures of the competitor algorithms. According to the aforementioned experimental results, the proposed set of rules outperforms the others in terms of scalability when it comes to increasing devices and transactions. to runtime and memory usage for the actual datasets.

No.of samples	Random forest	KNN	AdaBoosting
100	72.1	80.1	92.1
200	72.2	80.2	92.3
300	72.5	80.6	92.5
400	72.7	80.8	92.6
500	72.9	80.9	92.8

Table 4.3 Precision





Figure 4.3 Precision

V. CONCLUSION

A patient's medical history, physical examination, blood tests, imaging tests, and biopsies can all be used in the process of determining whether or not they have blood cancer. This is a difficult and intricate process. Deep learning analysis of data from new approach that has been used to diagnose blood cancer. This technique uses a combination of AI and data collected from network sensors to identify the presence of cancerous cells. AI are composed of interconnected computational nodes that are capable of learning how to recognize patterns from data. It can be used to diagnose even the rarest forms of blood cancer and may be less invasive and more accurate than traditional methods. Despite the approach's benefits, there are still some obstacles. One of the main challenges trusts the accuracy of the AI since they are still in the early stages of development. The AI applicability to other medical conditions in blood cancer detection or analyzing whether other cancer types can be detected by AI or using Bayesian methods for cancer detection. In addition, more research can be conducted to improve the detection procedure's speed and accuracy so that it can be utilized in real-time clinical applications. Last but not least, more research is needed to take advantage of AI's low cost and scalability for cancer detection, particularly in developing nations, so that more people can get life-saving treatments.

REFERENCES

[1] V.S.Saranya, Parasa Rajya Lakshmi, "Matrix-Based Deep Learning Approach to AI-Driven Cancer Detection, Personalized Treatment, and Ethical Consideration. " International Journal of Intelligent Systems and Applications in Engineering, vol. 12, no. 6, pp. 112–120, 2024, ISSN:2147-6799.
[2] N. P. Dharani, G. Sujatha, "Blood Cancer Detection Using Improved Machine Learning Algorithms." International Conference on Circuit Power and Computing Technologies, pp.1136-1141, November 06, 2023, DOI: 10.1109.
[3] Althaf Ali A, K. Hemalatha, N. Mohana Priya, "An Enhanced Analysis of Blood Cancer Prediction Using ANN Sensor-Based Model." Engineering Proceedings, 2023, https://doi.org/10.3390/engproc2023059065.
[4] Wiebke Rösler, Michael Roiss, "Advancements in Machine Learning (ML): Transforming the Future of Blood Cancer Detection and Outcome Prediction." Healthbook TIMES Oncology Hematology, vol. 20, issue 2, 2024, DOI: 10.36000/HBT.OH.2024.20.146.
[5] Tejal Nemade. "Leukemia Detection employing Machine Learning: A Review and Taxonomy." International Journal of Artificial Intelligence, Internet of Things and Cloud Computing, vol. 1, pp. 58-63, August 2022, ISSN: 2583-8911.
[6] Eiryo Kawakami, Nozomu Yanaihara, "Application of Artificial Intelligence for Preoperative Diagnostic and Prognostic Prediction in EpithelialOvarian Cancer Based on Blood Biomarkers." American Association of Cancer Research, Volume 25 Issue 10, May 15, 2019, DOI:10.1158/1078-0432.CCR-18-3378.
[7] Vaibhav Rupapara, Furqan Rustam, "Blood cancer prediction using leukemia microarray gene data and hybrid logisticvector trees model." Scientific reports, 2022, https://doi.org/10.1038/s41598-022-04835-6.
[8] Shabbir Syed-Abdul, Rianda-Putra Firdani, "Artificial Intelligence based Models for Screening of Hematologic Malignancies using Cell Population Data," Scientific reports, 2020, https://doi.org/10.1038/s41598-020-61247-0.
[9] Abdullah Y. Muaad, Noha F. Mahmoud, "A Deep Learning Computer-Aided Diagnosis Framework for Human Peripheral Blood Cell Identification" Diagnostics, 2022, https://doi.org/10.3390/diagnostics12112815.
[10] Dow-Mu Koh, Nickolas Papanikolaou, "Artificial intelligence and machine learning in cancer imaging" Communication medicine, 2022, https://doi.org/10.1038/s43856-022-00199-0.



10.22214/IJRASET

45.98

IMPACT FACTOR: 7.129

IMPACT FACTOR: 7.429

INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 (24*7 Support on Whatsapp)