



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 11 Issue: II Month of publication: February 2023

DOI: https://doi.org/10.22214/ijraset.2023.49130

www.ijraset.com

Call: © 08813907089 E-mail ID: ijraset@gmail.com



ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538

Volume 11 Issue II Feb 2023- Available at www.ijraset.com

An Integral Solution of Negative Pell Equation $x^2 = 5y^2 - 9^t$

S. Vidhya¹, B. Amala²

¹Assistant Professor, PG and Research Department of Mathematics, Cauvery College for Women (Autonomous), Affiliated to Bharathidasan University, Trichy – 18.

²PG Student, PG and Research Department of Mathematics, Cauvery College for Women (Autonomous), Affiliated to Bharathidasan University, Trichy – 18.

Abstract: We look for non-trivial integer solution to the equation $x^2 = 5y^2 - 9^t$, $t \in N$ for the singular choices of particular by (i) t = 2k (ii) t = 2k+1, $\forall k \in N$. Additionally, recurrence relations on the solutions are obtained. Keywords: Negative Pell equations, Pell equations, Diophantine equations, Integer solutions.

I. INTRODUCTION

It is well known the Pell equation $x^2 - Dy^2 = 1$ (D > 0 and square free) has at all times positive integer solutions. When N \neq 1, the Pell equation $x^2 - Dy^2 = -N$ possibly will not boast at all positive integer solutions. In favour of instance, the equations $x^2 = 3y^2 - 1$ and $x^2 = 7y^2 - 4$ comprise refusal integer solutions.

This manuscript concerns the negative Pell equation $x^2 = 5y^2 - 9^t$, where t > 0 and infinitely numerous positive integer solutions are obtained for the choices of t known by (i) t = 2k (ii) t = 2k+1. Supplementary recurrence relationships on the solutions are consequent.

II. PRELIMINARY

The Pell equation is a Diophantine equation of the form $x^2 - dy^2 = 1$. Given d, we would like to find all integer pairs (x, y) that satisfy the equation. Since any solution (x, y) yields multiple solutions $(\pm x, \pm y)$, we may restrict our attention to solutions where x and y nonnegative integer. We usually take d in the equation $x^2 - dy^2 = 1$ to be a positive non square integer. Otherwise, there are only uninteresting solutions: if d < 0, then $(x, y) = (\pm 1, 0)$ in the case d < -1, and $(x, y) = (0, \pm 1)$ or $(\pm 1, 0)$ in the case d = -1; if d = 0, then $x = \pm 1$ (y arbitrary); and if a nonzero square, then dy^2 and dy^2 are consecutive squares, implying that $dy^2 = 1$ to be a positive non square integer. Otherwise, there are only uninteresting solutions: if d < 0, then $dy^2 = 1$ to be a positive non square integer. Otherwise, there are only uninteresting solutions: if d < 0, then $dy^2 = 1$ to be a positive non square integer. Otherwise, there are only uninteresting solutions: if d < 0, then $dy^2 = 1$ to be a positive non square integer. Otherwise, there are only uninteresting solutions: if d < 0, then $dy^2 = 1$ to be a positive non square integer. Otherwise, there are only uninteresting solutions: if d < 0, then $dy^2 = 1$ to be a positive non square integer. Otherwise, there are only uninteresting solutions: if d < 0, then $dy^2 = 1$ to be a positive non square integer. Otherwise, there are only uninteresting solutions are defined as $dy^2 = 1$. Otherwise, $dy^2 = 1$ to be a positive non square integer. Otherwise, $dy^2 = 1$ to be a positive non square integer. Otherwise, $dy^2 = 1$ to be a positive non square integer. Otherwise, $dy^2 = 1$ to be a positive non square integer.

Let p be a prime. The negative Pell's equation $x^2 - py^2 = -1$ is solvable if and only if p = 2 (or) $p \equiv 1 \pmod{4}$.

III. METHOD OF ANALYSIS

Consider the negative Pell equation $x^2 = 5y^2 - 9^t$, $t \in N$

1) Choice 1: t = 2k, k > 0The Pell equation is

$$x^2 = 5y^2 - 9^{2k}, k > 0 ag{1}$$

Let (x_0, y_0) be the initial solution of (1) specified by

$$x_0 = 18.9^k$$
; $y_0 = 9.9^k$



International Journal for Research in Applied Science & Engineering Technology (IJRASET)

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538

Volume 11 Issue II Feb 2023- Available at www.ijraset.com

Applying Brahma Gupta Lemma Connecting (x_0, y_0) and $(\tilde{x}_n, \tilde{y}_n)$, the progression of non-zero separate solution to (1) are obtained as

$$x_{n+1} = \frac{1}{2} [18.9^k fn + 9.9^k \sqrt{5}gn]$$
 (2)

$$y_{n+1} = \frac{1}{2\sqrt{5}} [9.9^k gn + 18.9^k \sqrt{5} fn]$$
 (3)

The recurrence relationship fulfilled by the solutions of (1) are specified by

$$x_{n+3} - 18x_{n+2} + x_{n+1} = 0$$

$$y_{n+3} - 18y_{n+2} + y_{n+1} = 0.$$

2) Choice 2: t = 2k+1, k > 0

The Pell equation is

$$x^2 = 5y^2 - 9^{2k+1}, k > 0 (4)$$

Let (x_0, y_0) be the initial solution of (4) given by

$$x_0 = 6.9^k$$
; $y_0 = 3.9^k$

Applying Brahma Gupta Lemma Connecting (x_0, y_0) and $(\tilde{x}_n, \tilde{y}_n)$, the progression of non-zero dissimilar integer way out to (4) is obtained as

$$x_{n+1} = \frac{1}{2} [6.9^k fn + 3.9^k \sqrt{5} gn]$$
 (5)

$$y_{n+1} = \frac{1}{2\sqrt{5}} [3.9^k gn + 6.9^k \sqrt{5} fn]$$
 (6)

The recurrence relationships fulfilled employing the solutions of (4) are convinced utilizing

$$x_{n+3} - 18x_{n+2} + x_{n+1} = 0$$

$$y_{n+3} - 18y_{n+2} + y_{n+1} = 0.$$

IV. CONCLUSION

In this paper, we have presented infinitely many integer solutions for the represented by the negative Pell equation $x^2 = 5y^2 - 9^t$. As the binary quadratic Diophantine equations are rich in variety, one may search for the other choices of negative Pell equations and determine their integer solutions along with suitable properties.

REFERENCES

- [1] Carmichael R.D, History of Theory of numbers and Diophantine Analysis, Dover Publication, New York, 1959.
- [2] Nagell T, Introduction to Number Theory, Chelsea publishing company, New York, 1982.
- [3] Mordell L.J, Diophantine equations, Academic press, London, 1969.
- [4] Janaki G, Vidhya S (2016), On the integer solutions of the Pell equation $x^2 79y^2 = 9^k$, International Journal Of Scientific Research in Science, Engineering and Technology, 2(2), 1195-1197.
- [5] Janaki G, Vidhya S (2016), On the integer solutions of the Pell equation $x^2 = 20y^2 4^t$, International Journal Multidisciplinary Research and Development, 3(5), 39-42.
- [6] Janaki G, Vidhya S (2016), On the negative Pell equation $y^2 = 21x^2 3$, International Journal Of Applied Research, 2(11), 462-466.



International Journal for Research in Applied Science & Engineering Technology (IJRASET)

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538

Volume 11 Issue II Feb 2023- Available at www.ijraset.com

- [7] Vidhya S, Janaki G (2017), Observation on $y^2 = 6x^2 + 1$, International Journal Of Statistics and Applied Mathematics, 2(3), 04-05.
- [8] Vidhya S, Janaki G (2018)An integral solution of negative Pell's equation involving two-digit sphenic numbers, International Journal Of Computer Sciences and Engineering, 6,444-445.
- Vidhya S, Janaki G (2019), Observation on Remarkable Diophantine Equation, Compliance Engineering Journal, 10(12), 667-670.
- [10] Vidhya S, Janaki G (2019), Observation on $y^2 = 11x^2 + 1$, International Journal for science and Advance Research in Technology, 5(12), 232-233.
- [11] Janaki, G., & Vidhya, S. (2016). Rectangle with area as a special polygonal number. International Journal of Engineering Research, 4, 88-91.
- [12] Janaki, G., & Vidhya, S. Special pairs of rectangles and Sphenic number. International Journal for Research in Applied Science & Engineering Technology (IJRASET), 4, 376-378.









45.98



IMPACT FACTOR: 7.129



IMPACT FACTOR: 7.429



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call: 08813907089 🕓 (24*7 Support on Whatsapp)