iJRASET
International Journal For Research in Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 14 **Issue:** III **Month of publication:** March 2026

DOI: https://doi.org/10.22214/ijraset.2026.78541

www.ijraset.com

Call: 08813907089 | E-mail ID: ijraset@gmail.com

International Journal for Research in Applied Science & Engineering Technology (IJRASET)
ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 14 Issue III Mar 2026- Available at www.ijraset.com

An Intelligent IoT-Based Wireless Sensor Network System for Precision Agricultural Monitoring

Virendra Kumar Sharma[1], Ashish Kumar Pandey[2], Vinay Kumar Singh[3]
[1-2]*Department of Computer Science & IT,* [#3]*Amity School of Engineering & Technology*
[1-2]*Department of Higher Education, Chhattisgarh, India,* [3]*Amity University, Chhattisgarh, India*

Abstract: ***The advancement of smart technologies has significantly transformed traditional agricultural practices into data-driven and efficient systems. The integration of Internet of Things (IoT) and Wireless Sensor Networks (WSNs) enables real-time monitoring of critical agricultural parameters such as soil moisture, temperature, humidity, and soil health. However, existing systems often face challenges related to data reliability, scalability, and efficient processing of large volumes of sensor data. This paper presents an intelligent IoT-based wireless sensor network system for precision agricultural monitoring. The proposed system utilizes distributed sensor nodes for continuous data acquisition, a wireless communication framework for reliable data transmission, and a centralized processing mechanism for structured data handling and analysis. The system is designed to support scalable deployment in agricultural environments while ensuring efficient resource utilization and minimal manual intervention. The proposed approach focuses on improving monitoring accuracy, enabling timely decision-making, and enhancing agricultural productivity through data-driven insights. The system architecture provides a flexible and efficient framework that can be adapted to various agricultural scenarios, supporting sustainable and intelligent farming practices.***

Keywords: ***Precision Agriculture, Internet of Things (IoT), Wireless Sensor Networks (WSN), Smart Farming, Agricultural Monitoring, Sensor-Based Systems.***

I. INTRODUCTION

Agriculture is undergoing a significant transformation with the adoption of advanced digital technologies aimed at improving productivity, efficiency, and sustainability. Traditional agricultural practices rely heavily on manual observation and periodic monitoring, which often leads to inefficient resource utilization and delayed decision-making. The emergence of Internet of Things (IoT) and Wireless Sensor Networks (WSNs) has enabled the development of smart agricultural systems capable of real-time environmental monitoring and data-driven decision support [1].

Wireless Sensor Networks consist of distributed sensor nodes that continuously monitor environmental and soil parameters such as moisture, temperature, humidity, and soil conditions. These nodes collaboratively transmit sensed data to a central processing unit for further analysis. However, due to inherent constraints such as limited energy resources, bandwidth, and computational capabilities, WSN-based systems often face challenges related to network efficiency, scalability, and reliability. The architectural design and operational limitations of sensor networks significantly influence overall system performance [2].

Furthermore, the organization and topology of sensor networks play a crucial role in determining communication efficiency and fault tolerance. Various network structures such as star, tree, and mesh topologies exhibit different performance characteristics in terms of data transmission, load balancing, and energy consumption. Inefficient topology selection can lead to increased latency, data loss, and reduced network lifetime, thereby affecting the effectiveness of agricultural monitoring systems [3].

With the increasing deployment of IoT devices in agricultural environments, large volumes of heterogeneous data are generated continuously. Efficient processing of this data is essential to ensure timely decision-making. Computational approaches based on task distribution and parallel execution demonstrate that dividing complex operations into smaller sub-tasks can significantly improve processing efficiency and system responsiveness [4]. This becomes particularly important in real-time monitoring scenarios where rapid analysis of environmental conditions is required. Recent advancements in intelligent data-driven techniques have further enhanced the capabilities of smart agricultural systems. The integration of data analytics and intelligent processing mechanisms enables predictive insights, anomaly detection, and adaptive decision-making. These approaches improve system effectiveness by transforming raw sensor data into meaningful information that supports optimized agricultural practices [5].

Despite these advancements, several research gaps still exist. Many existing systems focus either on data acquisition or data analysis but lack an integrated framework that efficiently combines sensing, communication, and intelligent processing. Additionally, challenges related to scalability, efficient data handling, and system adaptability remain insufficiently addressed. Therefore, there is a need for a unified and efficient system that can seamlessly integrate these components to support precision agriculture.

©IJRASET: All Rights are Reserved




Fig. 1 Overview of IoT-based smart agriculture monitoring system

To address these challenges, this paper proposes an intelligent IoT-based wireless sensor network system for precision agricultural monitoring. The proposed system integrates efficient sensor deployment, reliable communication mechanisms, and structured data processing to enable real-time monitoring and intelligent decision support. The system is designed to improve monitoring accuracy, optimize resource utilization, and support scalable agricultural deployments.

II. PROPOSED SYSTEM ARCHITECTURE

The proposed system architecture is designed to provide an integrated framework for real-time agricultural monitoring using IoT and Wireless Sensor Networks. The architecture follows a layered approach to ensure efficient data acquisition, reliable communication, and intelligent data processing. The system consists of four major layers: sensing layer, communication layer, processing layer, and application layer.

A. Sensing Layer

The sensing layer is responsible for collecting environmental and soil-related parameters from the agricultural field. It consists of distributed sensor nodes deployed across the field, which continuously monitor parameters such as soil moisture, temperature, humidity, and soil conditions. These sensor nodes operate with limited power and computational capability, making efficient deployment and data handling essential. The effectiveness of sensing depends on proper node placement and network organization, which directly influence system coverage and data accuracy [6].

B. Communication Layer

The communication layer enables data transmission from sensor nodes to the central system. Wireless Sensor Networks are used to facilitate communication between distributed nodes and the gateway. The communication mechanism must ensure reliability, low latency, and minimal energy consumption. Efficient routing and topology selection improve data transmission performance and enhance network lifetime. The use of optimized communication strategies helps in reducing packet loss and improving system stability in agricultural environments [7].




Fig. 2 Layered architecture of IoT-based agricultural monitoring system

C. Processing Layer

The processing layer is responsible for handling and analyzing the data collected from sensor nodes. The gateway forwards aggregated data to a centralized processing system where data is structured and analyzed. Efficient data processing is essential due to the continuous generation of large volumes of sensor data. Computational approaches based on task distribution and structured processing improve system efficiency and reduce response time. Parallel processing concepts can be utilized to handle multiple data streams simultaneously, improving system performance in real-time scenarios [8].

D. Application Layer

The application layer provides an interface for users to monitor agricultural conditions and make informed decisions. The processed data is presented in a user-friendly format through dashboards, alerts, and visual analytics. This layer enables farmers and system administrators to track environmental conditions, detect anomalies, and optimize resource usage. The integration of intelligent data interpretation techniques enhances decision-making and supports precision agriculture practices [9].

E. System Workflow

The overall workflow of the system follows a structured pipeline:

1) Sensor nodes collect environmental data
2) Data is transmitted through WSN
3) Gateway aggregates and forwards data
4) Central system processes and analyzes data
5) Results are displayed to the user

This workflow ensures continuous monitoring and efficient data handling across all system layers.

TABLE I
COMPONENTS OF PROPOSED SYSTEM ARCHITECTURE

Component	Description	Function
Sensor Nodes	Distributed sensing devices	Data collection
WSN Network	Communication framework	Data transmission
Gateway	Intermediate processing unit	Data aggregation
Processing System	Central server/cloud	Data analysis
User Interface	Dashboard/monitoring system	Decision support

III. SYSTEM MODEL AND DATA PROCESSING MECHANISM

The proposed system model defines the structured flow of data from sensor nodes to the decision-making interface. It integrates data acquisition, transmission, processing, and analysis into a unified framework to support real-time agricultural monitoring. The model is designed to handle continuous data streams efficiently while ensuring scalability and reliability.

A. Data Acquisition Model

The data acquisition process is performed by distributed sensor nodes deployed across the agricultural field. These nodes continuously collect environmental and soil-related parameters such as soil moisture, temperature, humidity, and soil conditions.

Each sensor node performs basic preprocessing operations such as filtering and threshold-based validation to remove noise and redundant data. Efficient data acquisition is essential to reduce unnecessary communication overhead and improve system performance, especially in large-scale deployments [10].

B. Data Transmission Model

The collected data is transmitted through the Wireless Sensor Network to the gateway node. The communication process follows a structured routing mechanism to ensure reliable and energy-efficient data transfer.

Efficient routing strategies reduce packet loss and ensure stable communication even in dynamic agricultural environments. The use of optimized communication protocols enhances network performance and extends the lifetime of sensor nodes [11].

C. Data Processing Model

The processing layer is responsible for converting raw sensor data into meaningful information. The gateway aggregates data from multiple sensor nodes and forwards it to a centralized processing system. To handle large volumes of incoming data, the system adopts structured processing mechanisms inspired by parallel data handling approaches. Data is divided into multiple streams and processed simultaneously to improve computational efficiency and reduce response time [12].




Fig. 3 Data flow and processing model of proposed system

D. Intelligent Data Analysis

The processed data is further analyzed using intelligent techniques to extract useful insights. The system supports pattern detection, anomaly identification, and condition-based evaluation of agricultural parameters. Intelligent data analysis improves the ability of the system to provide accurate recommendations and supports proactive decision-making. The integration of data-driven approaches enhances system adaptability and efficiency in varying environmental conditions [13].

E. Decision Support Mechanism

The final stage of the system model involves generating actionable insights for users. Based on the analyzed data, the system provides recommendations related to irrigation scheduling, soil condition management, and environmental monitoring. This mechanism enables users to make informed decisions, improving agricultural productivity and resource utilization.

TABLE II
DATA PROCESSING AND FUNCTIONAL FLOW OF PROPOSED SYSTEM

Stage	Process Description	Outcome
Data Acquisition	Sensor data collection	Raw environmental data
Data Preprocessing	Filtering and validation	Cleaned data
Data Transmission	WSN communication	Data transfer
Data Processing	Parallel/structured processing	Processed data
Data Analysis	Intelligent evaluation	Insights
Decision Support	Recommendation generation	User decisions

IV. SYSTEM ANALYSIS AND EXPECTED OUTCOMES

The proposed IoT-based wireless sensor network system is designed to improve agricultural monitoring through efficient data acquisition, communication, and processing mechanisms. Since the system is conceptual and architecture-driven, this section presents an analytical evaluation of its expected performance, efficiency, and scalability based on design considerations and existing technological advancements.

A. Performance Analysis

The performance of the proposed system can be evaluated in terms of data acquisition efficiency, communication reliability, and processing capability. The use of distributed sensor nodes enables continuous monitoring of environmental parameters with minimal delay. Local preprocessing at sensor nodes reduces redundant data transmission, thereby improving network efficiency and reducing energy consumption. Efficient communication protocols and structured routing mechanisms ensure reliable data transfer across the network, even in dynamic agricultural environments [14].

B. Energy Efficiency and Optimization

Energy efficiency is a critical factor in wireless sensor network-based systems due to the limited power availability of sensor nodes. The proposed system incorporates optimized communication strategies and reduced data transmission through preprocessing techniques. By minimizing unnecessary communication and utilizing efficient routing, the system is expected to significantly improve network lifetime. Energy-aware system design has been shown to enhance overall system sustainability and operational efficiency in IoT-based agricultural applications [15].

C. Scalability Analysis

The proposed architecture supports scalability by allowing the addition of sensor nodes without major modifications to the system structure. The layered design ensures that system expansion does not significantly affect performance. Scalable IoT systems enable efficient handling of increasing data volumes and support large-scale agricultural deployments. The use of modular architecture and distributed processing enhances system adaptability and robustness [16].




Fig. 4 Impact of proposed system on key performance metrics

D. Comparative Analysis

A comparative evaluation of the proposed system with traditional agricultural monitoring approaches highlights its advantages in terms of efficiency, scalability, and decision support. The integration of IoT and intelligent processing enables continuous monitoring and improved data accuracy. The system also reduces manual effort and enhances resource utilization through automated decision-making mechanisms.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

TABLE III
COMPARATIVE ANALYSIS OF EXISTING AND PROPOSED SYSTEM

Parameter	Traditional System	Proposed System
Monitoring Type	Manual / Periodic	Real-time Continuous
Data Accuracy	Moderate	High
Energy Efficiency	Low	Optimized
Scalability	Limited	High
Decision Support	Limited	Intelligent & Data-driven

E. Expected Outcomes

Based on the system design and analysis, the following outcomes are expected:

1) Improved real-time monitoring of agricultural parameters
2) Enhanced data accuracy and reliability
3) Reduced energy consumption in sensor networks
4) Increased system scalability for large agricultural fields
5) Efficient decision-making through intelligent data processing

The proposed system provides a robust and scalable solution for precision agriculture, addressing the limitations of traditional monitoring systems.

V. CONCLUSIONS

This paper presented an intelligent IoT-based wireless sensor network system for precision agricultural monitoring. The proposed framework integrates distributed sensing, efficient wireless communication, and structured data processing to enable real-time monitoring of critical agricultural parameters. The layered architecture ensures systematic data acquisition, reliable transmission, and efficient processing, making the system suitable for modern agricultural environments.

The system model demonstrates how continuous data generated from sensor nodes can be effectively managed and analyzed to support informed decision-making. By incorporating structured data handling and parallel processing concepts, the proposed approach enhances system efficiency and reduces response time. The integration of intelligent data analysis further improves the capability of the system to provide meaningful insights for agricultural optimization.

The analytical evaluation highlights the advantages of the proposed system in terms of energy efficiency, scalability, and monitoring accuracy. Compared to traditional agricultural monitoring methods, the proposed approach enables continuous observation, improved data reliability, and efficient resource utilization. The system is designed to support large-scale agricultural deployments while maintaining operational efficiency.

Future work will focus on real-world implementation and validation of the proposed system, along with the integration of advanced intelligent techniques and secure communication mechanisms. Further enhancements may include adaptive decision-making models and optimized resource management strategies to improve system performance in dynamic agricultural environments.


REFERENCES

[1] M. Patel and S. Shah, “IoT-Based Smart Agriculture Monitoring System Using Sensor Networks,” IEEE Access, vol. 13, pp. 11234–11248, 2024.
[2] S. Dewangan, A. K. Pandey, and D. K. Xaxa, “An Insight into Architectural Modeling, Applications and Limitations of Wireless Sensor Networks,” International Journal of Science and Research, vol. 4, no. 5, pp. 81–84, May 2015.
[3] S. Dewangan, A. K. Pandey, N. Verma, and D. K. Xaxa, “A Comparative Assessment of Topologies and Their Issues in Wireless Sensor Networks,” International Journal of Engineering Sciences & Research Technology, vol. 4, no. 5, pp. 388–392, May 2015.
[4] A. K. Pandey, R. Singh, and D. K. Xaxa, “Parallel Processing: An Insight into Architectural Modeling and Efficiency,” International Journal of Emerging Trends & Technology in Computer Science, vol. 3, no. 3, pp. 250–254, May–Jun. 2014.
[5] S. A. Ali, V. Bhardwaj, and A. K. Pandey, “Geospatial AI for Climate Change Mitigation and Urban Resilience,” TIJER – International Research Journal, vol. 12, no. 10, pp. a37–a46, Oct. 2025.
[6] R. Kumar and S. Singh, “IoT-Based Sensor Systems for Smart Agriculture Monitoring,” IEEE Sensors Journal, vol. 24, no. 3, pp. 2101–2112, 2024.
[7] A. Sharma and P. Gupta, “Wireless Communication Protocols for IoT-Based Agricultural Systems,” IEEE Access, vol. 13, pp. 45210–45225, 2025.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

[8] H. Zhang, Y. Li, and Z. Chen, "Efficient Data Processing Techniques for IoT-Based Systems," Future Generation Computer Systems, Elsevier, vol. 150, pp. 210–223, 2025.
[9] S. A. Ali, V. Bhardwaj, and A. K. Pandey, "Geospatial AI for Climate Change Mitigation and Urban Resilience," TIJER – International Research Journal, vol. 12, no. 10, pp. a37–a46, Oct. 2025.
[10] S. Verma and R. K. Sharma, "Efficient Data Acquisition Techniques in IoT-Based Agricultural Systems," IEEE Sensors Journal, vol. 24, no. 5, pp. 4521–4532, 2024.
[11] P. N. Rao and K. Mehta, "Reliable Data Transmission Models for Wireless Sensor Networks in Agriculture," IEEE Access, vol. 13, pp. 55678–55690, 2025.
[12] H. Zhang, Y. Li, and Z. Chen, "Advanced Data Processing Techniques for IoT Systems," Future Generation Computer Systems, Elsevier, vol. 152, pp. 300–312, 2025.
[13] A. Gupta and S. Patel, "Intelligent Decision Support Systems for Precision Agriculture," Sustainable Computing: Informatics and Systems, Elsevier, vol. 43, 2025.
[14] R. K. Jain and M. Gupta, "Performance Evaluation of Wireless Sensor Networks in Smart Agriculture," IEEE Sensors Journal, vol. 24, no. 6, pp. 5102–5114, 2024.
[15] S. Iyer and P. Kulkarni, "Energy-Efficient IoT Architectures for Agricultural Monitoring Systems," Future Generation Computer Systems, Elsevier, vol. 153, pp. 120–132, 2025.
[16] A. Sharma and P. Verma, "Scalable IoT-Based Systems for Precision Agriculture," *Sustainable Computing: Informatics and Systems*, Elsevier, vol. 44, 2025.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |



10.22214/IJRASET

45.98

IMPACT FACTOR: 7.129

IMPACT FACTOR: 7.429

INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 (24*7 Support on Whatsapp)