



# **iJRASET**

International Journal For Research in  
Applied Science and Engineering Technology



---

# **INTERNATIONAL JOURNAL FOR RESEARCH**

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

---

**Volume: 14    Issue: IV    Month of publication: April 2026**

**DOI: <https://doi.org/10.22214/ijraset.2026.80756>**

**[www.ijraset.com](http://www.ijraset.com)**

**Call:  08813907089**

**E-mail ID: [ijraset@gmail.com](mailto:ijraset@gmail.com)**

# Analog Noise Cancellation System

Snehal Thorat, Anshu Mate, Shivani Sawargave, Aarti Rajgude, Arya Rahate

Department of Electronics and Telecommunication Engineering, Government College of Engineering Nagpur, Nagpur, India

**Abstract:** Noise interference is one of the most significant challenges in modern analog communication and signal processing systems. Unwanted disturbances originating from environmental sources, electromagnetic interference, and internal circuit noise degrade the quality and accuracy of analog signals. This paper presents the design and implementation of an Analog Noise Cancellation System aimed at reducing noise in real-time without relying on complex digital processing techniques. The proposed system utilizes operational amplifiers, active filters, and signal inversion techniques to suppress noise components effectively. The system captures the noisy signal and processes it using low-pass, high-pass, and band-pass filters to isolate desired frequency components. An anti-noise signal is generated using an inverting amplifier and combined with the original signal to achieve noise cancellation through destructive interference. The design emphasizes low latency, low power consumption, and cost-effectiveness. Experimental results demonstrate improvement in signal-to-noise ratio (SNR) and reduction in total harmonic distortion (THD). The system is suitable for applications in audio communication, biomedical instrumentation, and sensor systems. **Keywords:** Noise Cancellation, Analog Signal Processing, Operational Amplifier, Active Filters, SNR

**Index Terms**—Noise Cancellation, Analog Signal Processing, Op-Amp, Filters

## I. INTRODUCTION

In modern electronic systems, the presence of noise in analog signals is unavoidable and poses a major challenge in achieving high-quality signal transmission and processing. Noise can originate from various sources, including environmental interference, thermal noise in electronic components, electromagnetic coupling, and power supply fluctuations. These disturbances significantly affect the performance of communication systems, audio devices, and sensor-based applications. As a result, effective noise reduction techniques are essential to ensure signal integrity and reliability. Traditional approaches to noise reduction often rely on digital signal processing (DSP) techniques, which involve sampling, quantization, and computational algorithms to filter out noise. While these methods offer high accuracy and flexibility, they require significant computational resources, introduce latency, and increase system complexity. In contrast, analog noise cancellation techniques provide a simpler and faster alternative, particularly suitable for real-time applications where low latency is critical. Analog noise cancellation works on the principle of destructive interference, where an anti-noise signal with the same amplitude but opposite phase is generated and combined with the noisy signal. This results in the cancellation of noise components, leaving behind the desired signal. The effectiveness of this approach depends on accurate detection and inversion of the noise signal, as well as precise timing and amplitude matching. Operational amplifiers play a crucial role in analog noise cancellation systems, enabling signal amplification, inversion, and filtering. Active filters, such as low-pass, high-pass, and band-pass filters, are used to isolate specific frequency components of the signal and suppress unwanted noise. These filters can be designed using various topologies, such as Sallen-Key and multiple feedback configurations, to achieve desired frequency responses. The growing demand for compact, low-power, and cost-effective systems has increased the interest in analog solutions for noise cancellation. Applications such as hearing aids, communication devices, biomedical sensors, and industrial monitoring systems require efficient noise reduction without the overhead of digital processing. Analog systems offer the advantage of continuous signal processing, eliminating the need for analog-to-digital conversion and reducing system latency. Despite their advantages, analog noise cancellation systems face challenges such as component tolerances, temperature variations, and limited adaptability to changing noise conditions. These limitations require careful design and optimization to achieve reliable performance. This research aims to address these challenges by developing an efficient analog noise cancellation system with improved stability and performance. The objective of this work is to design, implement, and evaluate an analog noise cancellation system using operational amplifiers and active filters. The system is intended to provide real-time noise suppression with minimal complexity and cost. The research also explores the impact of filter design, gain control, and circuit configuration on the overall performance of the system. [14]

## II. RELATED WORK

Several researchers and engineers have explored noise cancellation techniques in both analog and digital domains. Early work in noise reduction focused on passive filtering methods, where resistors, capacitors, and inductors were used to attenuate unwanted frequency components. While effective for certain applications, passive filters lack the flexibility and gain required for advanced noise cancellation. The introduction of active filters using operational amplifiers marked a significant advancement in analog signal processing. These filters provide better control over frequency response and allow amplification of desired signals while suppressing noise. Various filter designs, such as Butterworth, Chebyshev, and Bessel filters, have been used to achieve different performance characteristics. Active noise cancellation (ANC) systems have gained popularity in audio applications, particularly in headphones and communication devices. These systems use microphones to detect ambient noise and generate an anti-noise signal to cancel it. While most modern ANC systems are digital, analog implementations have also been developed for low-latency applications. Research has also been conducted on hybrid systems that combine analog and digital techniques to achieve better performance. These systems use analog circuits for initial noise suppression and digital processing for fine-tuning. Such approaches provide a balance between performance and complexity. Several patented technologies have contributed to the development of noise cancellation systems, including methods for adaptive filtering, phase inversion, and signal subtraction. These innovations have improved the efficiency and reliability of noise cancellation systems in various applications. Despite the advancements, there is still a need for simple and cost-effective analog solutions for noise cancellation, especially in resource-constrained environments. This research builds upon existing work by focusing on a purely analog approach that minimizes complexity while maintaining effective noise suppression.

## III. SYSTEM DESCRIPTION

The proposed Analog Noise Cancellation System consists of several functional blocks, including signal acquisition, filtering, amplification, noise inversion, and output stages. Each block is designed to perform a specific function in the overall noise cancellation process. The input signal is obtained from a microphone or sensor and passed through a buffer stage to prevent signal degradation. The buffered signal is then fed into a series of active filters that separate the signal into different frequency components. These filters include low-pass, high-pass, and band-pass configurations, each designed to target specific noise frequencies. The filtered signals are then processed by amplification stages to increase their amplitude and prepare them for noise cancellation. An inverting amplifier is used to generate an anti-noise signal by reversing the phase of the noise component. This anti-noise signal is carefully adjusted to match the amplitude of the original noise. The original signal and the anti-noise signal are combined using a summing or subtraction circuit, resulting in the cancellation of noise through destructive interference. The output signal is then passed through a final buffer stage to ensure proper impedance matching and signal integrity. The system is powered by a regulated power supply to ensure stable operation. Proper grounding and shielding techniques are used to minimize additional noise and interference. The design is implemented on a PCB to ensure compactness and reliability. [12]

## IV. METHODOLOGY AND RESULTS

The methodology involves designing, simulating, implementing, and testing the analog noise cancellation system. The design process begins with selecting appropriate components, including operational amplifiers, resistors, and capacitors, based on the desired frequency response and gain requirements. Simulation tools are used to verify the performance of the circuit before hardware implementation. The PCB is designed and fabricated using standard techniques such as etching and soldering. The components are assembled, and the circuit is tested using various input signals. The performance of the system is evaluated based on parameters such as signal-to-noise ratio, distortion, and frequency response. Experimental results show a significant reduction in noise and improvement in signal clarity. The system demonstrates effective noise cancellation in real-time without the need for digital processing. The results validate the effectiveness of the proposed approach and highlight the potential of analog techniques in noise cancellation applications. Further improvements can be made by optimizing filter design and incorporating adaptive elements for dynamic noise conditions. [13]




Fig 1. Block Diagram of All-Analog Noise Minimization System

1) *Differential (Balanced) Input Front-End*

Long cables and analog sources pick up environmental noise (hum, RF interference). A differential input rejects common-mode noise while preserving the original signal. Input signals go through series resistors (22–47Ω) to reduce high-frequency spikes. Small ceramic capacitors (100nF) connected to ground act as local RF filters. Matched resistors in the op-amp network ensure high Common Mode Rejection Ratio (CMRR).

2) *EMI / RFI Input Filters*

Electromagnetic interference (EMI) and radio-frequency interference (RFI) can enter amplifier circuits from nearby electrical devices, power lines, or radio signals. Use a series resistor followed by a capacitor to ground. Insert a ferrite bead or common-mode choke in series to block RF currents. For power lines, use safety-rated EMI filters with Y-capacitors and chokes

3) *Active Crossover Network*

Split audio signals into low, mid, and high-frequency bands for per-band amplification and optimized signal conditioning. For example, 3-way crossover with  $f_{c1} = 300$  Hz (low-mid),  $f_{c2} = 3$  kHz (mid-high). Dual op-amps are used to implement each filter stage. Resistors and capacitors are precision components; trimmers may be used for fine tuning.

4) *Zobel Network (Constant Resistive Network)*

Stabilize amplifier output across high frequencies and prevent oscillations due to reactive load.  $R_z \sim 8\Omega$  (matching impedance).  $C_z$  calculated for  $f_z \sim 5$  kHz:  $C_z = 1 / (2\pi * R_z * f_z) \approx 3.9 \mu F$ . Use non-inductive resistors and high-quality film capacitors.

5) *Power Supply Filtering and Decoupling*

Remove mains hum, ripple, and transients, providing a low-noise voltage for amplifiers and preamps Transformer + bridge rectifier + large electrolytic for primary filtering. Series resistor + capacitor (RC) or series inductor + capacitor (LC) for secondary filtering. Local 100nF ceramic + 10μF electrolytic at op-amp power pins.




Figure 2. Calculations




Figure 3. Circuit Implementation

## V. APPLICATIONS

The most successful early use of ANC is control of noise in ducts, exhaust pipes, and headphones. Later came ANC in enclosed spaces such as vehicle cabins. These and other applications are listed here

### A. Ventilation Ducts

The active cancellation of 1-D sound fields that approximate sound in ducts has been first suggested by Lueg [1, 2]. It is particularly suitable for HVACs and vent channels in studio and broadcast environments as well for other cases where providing of quiet neighborhood is necessary, [18].




Figure 4. ANC in a duct

ANC in a duct has an advantage over passive plenum silencers because it doesn't introduce a pressure drop that must be tolerated or compensated by the more powerful fan operation,

### B. Vehicle Interiors

ANC has found its application in cars, [15], (first used by Nissan in Bluebird ARX-Z, 1992) and SUVs for the suppression of low frequency rumble in a cabin. Often these solutions use a synchronized waveform generator. Example of a car ANC system is shown in Fig. 5.




Figure 5. ANC in a vehicle [from Nikkei Electronic/Toyota]

Turboprop aircraft are notoriously noisy, particularly during the take-off and climb phase. The first ANC system has been implemented by Saab in 1994. Multichannel systems are used with numerous loudspeakers and error microphones. Saab 2000 turboprop aircraft uses 32 loudspeakers mounted on trim panels and at foot level to reduce low frequency propeller noise, Fig. 6, [4]. Nice brief review of achievement in a field can be found in [5].




Figure 6. ANC in turboprop aircraft, adopted from [20]

### C. Interior Spaces

ANC of large spaces is difficult to achieve. Some more success can be achieved by active modal control in rooms by placing a secondary source in a corner of a room. Helmholtz resonators (HR) are sometimes used for narrowband passive reduction of noise. Semi-active approach with an adaptively tuned HR adapt to variations in noise while keeping a low energy consumption compared to fully active ANC systems, [6]. A system in Fig.7 modifies the boundary impedance in the resonator




Figure 7. Semi-active ANC with tuned Helmholtz resonator

### D. Open Spaces

Radiation of noise in an open space can be attenuated by active acoustic barriers, [2, 7], or shields placed around the source, [2]. One type of system for attenuation of large transformer noise is shown in Fig. 8, [8].




Figure 8. ANC for noise emitted by transformers, adopted from [24]

### E. ANC Headphones

Earliest ideas about active ear defenders originated in the mid-1950s. Most notable advances in a field of noise cancelling headphones have been made in late 1970s and 1980s by Amar Bose. In 1986, the first wearing prototype headphones that used active noise cancellation has been developed. Few years later, in 1989, the first ever commercially available noise-cancelling headphones have been produced. The cancelling signal is emitted by the loudspeaker within the earcup and the quiet zone is supposed to be located around the eardrum, Fig.9, [9].




Figure 9. Closed loop ANC headphones

ANC headphones are mainly implemented as analog devices driven by simplicity, small size and cost. Analog ANC headphones typically achieve an active attenuation of about 20 dB in 100 to 200 Hz frequency range, and no active attenuation below about 30 Hz and above about 1 kHz]. Outside this frequency range attenuation depends on used passive methods.

### F. Household Appliances

Application of ANC in domestic appliances is a promising future field. Experiments have been done with application of ANC in a vacuum cleaner that is known as particularly noisy appliance. Passive means of noise attenuations are not quite suitable as they would disrupt airflow and deteriorate cleaner's performance. ANC setup for a vacuum cleaner is shown in Fig. 10, [10]. Great attenuation has been achieved at tonal components (order of 10 dB), however it translated to a much lower value (about 2 dB) over the whole frequency spectrum. Similar approaches are proposed for washing machines.




Figure 10. ANC setup for a vacuum cleaner, adopted from [10]

### G. Smart Materials

By integrating sensors, electronics and piezoelectric actuators in smart material it is possible to produce ANC surfaces for the reduction of sound radiated from structures. These modern architectures (starting from mid 1990s) use low-cost digital signal processors that are integrated directly as distributed architecture into a smart material. Individual elements can be interconnected in an array (or grid). The smart foam as a kind of hybrid active-passive absorbing material for enhancing acoustic absorption at low frequencies is shown in Fig. 11, [11].




Figure 11. Smart foams, adopted from [11]

## VI. CONCLUSION

The analog system effectively cancels noise. It is simple, low-cost, and efficient. Future work includes adaptive systems. The All-Analog Noise Minimization (AAN) System for Communication and Amplification has been successfully designed, analyzed, and implemented using purely analog techniques. The primary objective of the project, which was to minimize noise and enhance signal quality in communication and amplification systems, has been effectively achieved through the integration of multiple carefully designed analog stages. The system demonstrates that significant noise reduction can be accomplished without relying on digital signal processing, thereby maintaining simplicity, low latency, and cost-effectiveness.

## REFERENCES

- [1] P. Lueg, "Process of silencing sound oscillations", United States Patent 2043416, 8 March 1934.
- [2] H. G. Leventhall and L. Wong, A Review of Active Attenuation And Development of an Active Attenuator 'Open Refuge', HSE Contract Research Report No. 4/1988, W S Atkins Engineering Sciences, 1988.
- [3] M. Larsson, Active Noise Control in Ventilation Systems, Blekinge Institute of Technology Licentiate Dissertation Series No 2008:12, Karlskrona, Sweden, 2008.
- [4] S. Johansson, Active Control of Propeller Induced Noise in Aircraft, PhD Thesis, Blekinge Institute of Technology, Ronneby, Sweden, December 2000.



- [5] G. Billoud, Active Control at Lord Corporation – A Reality, Technical Report LL-6508, Lord Corporation, 2001
- [6] C. J. Radcliffe and C. Birdsong, “An electronically tunable resonator for noise control”, SAE Technical Paper 2001-01-1615
- [7] J. Guo and J. Pan, “Application of active noise control to noise barriers”, Acoustic Australia, Vo 25, No. 1, pp. 11-16, 1997.
- [8] X. Qiu, J. Lu and J. Pan, “A new era for applications of active noise control”, Proc. Inter-Noise 2014, Melbourne, Australia, 16-19 November 2014.
- [9] C. Moy, Active Noise Reduction Headphone System, <http://cero-ruido.blogspot.com/2014/11/active-noise-reduction-headphone-systems.html> [February 29, 2016]
- [10] R. Paurobally, “Active control of noise from a vacuum cleaner”, Proc. of ICSV13, Viena, Austria, July 2-6, 2006.
- [11] P. Leroy “Smart foams for enhancing acoustic absorption”, Acoustics'08, Paris, June 29 – July 4, 2008.
- [12] P. Horowitz, The Art of Electronics
- [13] Sedra and Smith, Microelectronic Circuits
- [14] Haykin, Communication Systems
- [15] S. J. Elliott, I. M. Stothers, P. A. Nelson, A. M. McDonald, D. C. Quinn, T. Saunders, “The active control of engine noise inside cars”, Proc. Inter-Noise, pp. 987–990, Avignon, France, 1988.



10.22214/IJRASET



45.98



IMPACT FACTOR:  
7.129



IMPACT FACTOR:  
7.429



# INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24\*7 Support on Whatsapp)