



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 9 Issue: XI Month of publication: November 2021

DOI: https://doi.org/10.22214/ijraset.2021.39018

www.ijraset.com

Call: © 08813907089 E-mail ID: ijraset@gmail.com



ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.429 Volume 9 Issue XI Nov 2021- Available at www.ijraset.com

Analysis of Air Pollution in India During Lockdown

Chaturya Katragadda¹, Mahima Chowdary Maddineni²

1, 2 SreeNidhi Institute of Science and Technology

I. INTRODUCTION

Air pollution is a combination of different visible or diffusible gaseous and particulate pollutants from factories and various vehicles. Due to unusual covid situations that started in China in December 2019 has a drastic spread to the whole world. To reduce the widespread of the virus in India, the government has imposed a strict lockdown from march 24th 2020 for 21 days and was extended according to the highly affected areas. During the lockdown situations, many factories paused their production due to which the amount of pollution has deteriorated. The different types of pollutants in the air: PM2.5 and PM10, nitrogen oxide, sulfur dioxide, carbon monoxide, benzene, toluene and Xylene, ammonia, and ozone.

There were many restrictions related to mobility, workspace, entertainment and many more thereby an improvement in the quality of air has been increased as there was minimal use of vehicles additionally, most of the factories were shut to down for few months except the essential factories which include manufacturing of medicines, food, etc.

This project concerns different highly polluted cities in India and their respective pollution rate during and after the covid lockdown.

II. DATA SET

The data set contains 29532 records of different major cities of India Namely- Ahmedabad, Delhi, Patna, Gurugram, Lucknow, Talcher, Jorapokhar, Brajrajnagar, Kolkata, Guwahati, Jaipur, Bhopal, Amritsar, Visakhapatnam, Chennai, Hyderabad, Mumbai, Kochi, Chandigarh, Amaravati, Bengaluru, Ernakulam, Thiruvananthapuram, Coimbatore, Shillong, and Aizawa. Also, indicate the eminence air for five consecutive years from 2015 and a detailed view of the various impurities in exact composition. Including the classification of the extent, the city was affected by pollution.

Based on this information, analysis of air quality can be performed from Pre-lockdown and during the lockdown.

III. DATA REPRESENTATION

With the help of continuous monitoring systems maintained by the government, the data is represented on an hourly and daily basis. Initially, the packages like NumPy for scientific computing, pandas for data analysis, matplotlib used for plotting graphs, and seaborn for data visualization are imported, Including the data set with an extension .csv.



International Journal for Research in Applied Science & Engineering Technology (IJRASET)


ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.429

Volume 9 Issue XI Nov 2021- Available at www.ijraset.com

Data of a few pollutants are unfastened as the data contains many null values thereby, indicating the pollution by those gases is minimal.

```
In [9]: print(f"The available data is between {city_day['Date'].min()} and {city_day['Date'].max()}")
The available data is between 2015-01-01 00:00:00 and 2020-07-01 00:00:00
```

The yearly and monthly effects of individual pollutants are visualized through which the number of pollutants present is represented graphically.



Through these graphs, it is evident that the number of pollutants is reduced in the months of April - August, by these recent unusual covid lockdown situations.



ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.429

Volume 9 Issue XI Nov 2021- Available at www.ijraset.com

IV. EFFECT AFTER LOCK DOWN

Due to intense lockdown situations that have arrived in India, the air presence has become clear. Additionally, the sources of poor air quality were temporarily paused thereby, reducing the effect of pollutants in the air. Here in this project, we are comparing the AQI index. AQI index is the measure of harmful pollutants and the quality of the air that is present in that particular location, which is under the control of the government. Greater the value of the AQI index, the amount of pollution in that area is higher.

The levels have been separated according to the effect that may impact the environment:

0-50 -- GOOD (usually indicated by green colour)

50-100 -- MODERATE (usually indicated by yellow colour)

100-150 -- UNHEALTHY FOR SOME SENSITIVE GROUPS (usually indicated by orange colour)

150-200 -- UNHEALTHY (usually indicated by red colour)

200-300 -- VERY UNHEALTHY (usually indicated by purple colour)

300-500 -- HAZARDOUS (usually indicated by maroon colour)

The AQI for some major cities is protracted and compared between the original values stated by the government to the values before and after a lockdown in descending order.

V. VALUES BEFORE LOCKDOWN

<pre>print(avg_AQI_beforeLockdown.sort_values(ascending=False))</pre>					
City					
Ahmedabad	386.023810				
Guwahati	252.785714				
Delhi	248.142857				
Lucknow	216.380952				
Patna	214.500000				
Talcher	209.476190				
Gurugram	196.535714				
Kolkata	185.142857				
Jorapokhar	161.952381				
Brajrajnagar	150.345238				
Mumbai	149.464286				
Bhopal	136.964286				
Kochi	122.714286				
Jaipur	116.488095				
Ernakulam	114.369048				
Amritsar	108.095238				
Visakhapatnam	104.428571				
Bengaluru	96.333333				
Hyderabad	94.845238				
Chandigarh	84.523810				
Thiruvananthapuram	81.440476				
Chennai	80.583333				
Coimbatore	79.440476				
Shillong	72.595238				
Amaravati	69.011905				
Aizawl	53.250000				
dtype: float64					




ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.429

Volume 9 Issue XI Nov 2021- Available at www.ijraset.com

VI. VALUES DURING LOCKDOWN

print(avg_AQI_afterL	ockdown.sort_valu	es(ascending= Fal s	se))	
City				
Brajrajnagar	144.315789			
Guwahati	142.842105			
Talcher	132.578947			
Patna	130.000000			
Ahmedabad	129.578947			
Jorapokhar	121.684211			
Delhi	106.868421			
Bhopal	105.578947			
Lucknow	105.184211			
Gurugram	105.000000			
Kochi	90.263158			
Coimbatore	85.473684			
Jaipur	83.342105			
Kolkata	75.710526			
Mumbai	74.342105			
Ernakulam	69.157895			
Bengaluru	68.526316			
Hyderabad	65.421053			
Chennai	62.236842			
Visakhapatnam	59.236842			
Amritsar	59.157895			
Thiruvananthapuram	58.894737			
Amaravati	49.736842			
Aizawl	45.342105			
Chandigarh	43.421053			
Shillong	33.921053			
dtype: float64				


Moreover, for clear depiction of the abrupt increase in the quality of air after lockdown is indicated by a bar graph.




This bar graph depicts the quality of air after the serious decision taken by our government. The quality of air has been escalated after shut out of the country.





ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.429 Volume 9 Issue XI Nov 2021- Available at www.ijraset.com




Let's discuss the kind of pollutants that have been deteriorated in specific.











ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.429

Volume 9 Issue XI Nov 2021- Available at www.ijraset.com





By the above line graphs depict the values after lockdown except for benzene all other hazardous gaseous have taken the edge off. But, in a few cities, the benzene release has been increased after shutdown like Ahmedabad, Banglore, and Mumbai.

VII. CONCLUSION

Ahmedabad notices a level of increase in benzene during lockdown than before lockdown. Except that, all other hazardous gases levels have dwindled thereby the level of impurities has been decreased in the atmosphere. It is remarkable to see the reduction in the concentration of many harmful gaseous in most of the major cities in India. This is mostly because of the unusual situations that have been arrived in different factories and minimal pollution of vehicles. Due to this, not only the air but also the rives have become clean from different wastes and pollution. As the levels of pollution decrease, the health effect of pollution has also been decreased.

REFERENCES

- [1] https://www.sciencedirect.com/science/article/pii/S0048969720325699
- [2] https://www.mdpi.com/2073-4433/12/2/205
- [3] https://www.sciencedirect.com/science/article/pii/S0013935120313001





10.22214/IJRASET



45.98



IMPACT FACTOR: 7.129



IMPACT FACTOR: 7.429



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call: 08813907089 🕓 (24*7 Support on Whatsapp)