iJRASET
International Journal For Research in Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 14 **Issue:** VIII **Month of publication:** August 2026

DOI: https://doi.org/10.22214/ijraset.2026.84636

www.ijraset.com

Call: 08813907089 | E-mail ID: ijraset@gmail.com

International Journal for Research in Applied Science & Engineering Technology (IJRASET)
ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 14 Issue VIII Aug 2026- Available at www.ijraset.com

Application of Artificial Intelligence and Machine Learning in Manufacturing Process Optimization

Prof. Snehal S. Besekar[1], Prof. Prashant R.Walke[2], Prof. Mayur S. Itankar[3], Prof. Mohsin R. Qureshi[4], Prof. Bhagwat T. Dhekwar[5], Prof. Vipeen C. Dabhere[6], Prof. Jahid H. Ansari[7], Prof. Haridas N. Gandate[8]
Ballarpur Institute of Technology, Bamni, Ballarpur, Maharashtra

Abstract: ***Artificial Intelligence (AI) and Machine Learning (ML) are rapidly transforming modern manufacturing systems by enabling machines and production systems to learn from historical and real-time data, predict process behaviour, identify abnormalities, and recommend optimum operating conditions. Conventional manufacturing process optimization generally depends on mathematical modelling, experimental methods, operator experience, and trial-and-error approaches. Although these methods are useful, they can become time-consuming and expensive when manufacturing processes involve a large number of interacting parameters.***

AI/ML-based optimization provides an alternative approach in which process data obtained from sensors, CNC machines, production databases, inspection systems, and Industrial Internet of Things (IIoT) devices are used to develop predictive models. These models can be applied to optimize machining parameters such as cutting speed, feed rate, depth of cut, tool geometry, and coolant conditions, while simultaneously considering objectives such as surface roughness, material removal rate, tool wear, cutting force, energy consumption, and production cost.

This research area has significant potential for intelligent manufacturing, Industry 4.0, smart factories, predictive maintenance, quality prediction, adaptive process control, and sustainable production. The present study discusses the principles, methodologies, applications, advantages, limitations, research gaps, and future scope of AI and ML in manufacturing process optimization.

Keywords: Artificial Intelligence, Machine Learning, Manufacturing Optimization, CNC Machining, Predictive Modelling, Process Parameters, Surface Roughness, Tool Wear, Industry 4.0, Smart Manufacturing.


I. INTRODUCTION

Manufacturing industries continuously seek methods to improve product quality, productivity, cost effectiveness, energy efficiency, and sustainability.

In a conventional manufacturing process, the final product quality depends on several parameters. For example, in CNC machining, important parameters include:



©IJRASET: All Rights are Reserved



Cutting speed
Feed rate
Depth of cut
Tool material
Tool geometry
Work piece material
Coolant/lubrication
Machine condition
Tool wear
Cutting temperature
Cutting force
These parameters interact with each other. Changing one parameter may improve one performance characteristic while negatively affecting another.

For example:

- Increasing cutting speed may increase productivity but can also increase cutting temperature and tool wear.

Similarly:

- Increasing feed rate can improve material removal rate but may increase surface roughness.

Therefore, selecting the optimum combination of process parameters is a complex engineering problem.
Traditional optimization techniques such as:

A. Design of Experiments (DOE)
Taguchi method
Response Surface Methodology (RSM)
Regression analysis

Genetic Algorithm (GA)
Mathematical optimization
Have been extensively used.
However, modern manufacturing systems generate enormous quantities of data through sensors and digital systems. AI and ML can exploit this data to establish complex relationships between input parameters and manufacturing outcomes.

II. CONCEPT OF MANUFACTURING PROCESS OPTIMIZATION

Manufacturing process optimization means determining the best combination of manufacturing parameters to achieve desired production objectives.
A general optimization problem can be represented as:

where:

- = manufacturing performance/output
- = manufacturing input parameters

For example:

$$R_a = f(V, f, d)$$

where:

- R_a = surface roughness
- V = cutting speed
- f = feed rate
- d = depth of cut

The objective may be:
Minimize
Surface roughness
Tool wear
Cutting force
Energy consumption
Manufacturing cost
Defect rate
Maximize
Material removal rate
Productivity
Tool life
Dimensional accuracy
Overall equipment effectiveness
The challenge is that several objectives may need to be optimized simultaneously.

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 14 Issue VIII Aug 2026- Available at www.ijraset.com

III. WHAT IS ARTIFICIAL INTELLIGENCE?

Artificial Intelligence is a field of computer science concerned with developing systems capable of performing tasks that normally require human intelligence.
Examples include:
Learning
Reasoning
Decision making
Pattern recognition
Prediction
Problem solving
Image recognition
In manufacturing, AI can be used to make production systems more intelligent and autonomous.
For example:
Sensor data → AI model → Process prediction → Optimization → Machine decision

IV. WHAT IS MACHINE LEARNING?

Machine Learning is a subset of AI in which algorithms learn relationships from data instead of being explicitly programmed for every individual situation.
A simplified ML process is:
Input data → Training → Learning patterns → Model → Prediction
For manufacturing:
Machining Parameter -ML model-Predicted
For example:
Inputs:
Cutting speed = 120 m/min
Feed rate = 0.15 mm/rev
Depth of cut = 1 mm
ML model predicts:
Surface roughness = 1.8 µm
Tool wear = 0.12 mm
Cutting force = 350 N
The model can then be used to find better machining conditions.

V. DIFFERENCE BETWEEN AI AND ML

Artificial Intelligence	Machine Learning
Broad field	Subfield of AI
Simulates intelligent behaviour	Learns from data
Includes reasoning and decision making	Mainly focuses on learning patterns
Can use rules and algorithms	Primarily data-driven
Includes ML, expert systems, robotics etc.	Includes regression, classification, clustering, neural networks etc.

©IJRASET: All Rights are Reserved

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 14 Issue VIII Aug 2026- Available at www.ijraset.com

VI. ROLE OF AI/ML IN MANUFACTURING

AI/ML can be applied throughout the manufacturing lifecycle.

Major applications

1) Process parameter optimization
2) Predictive maintenance
3) Tool wear prediction
4) Surface roughness prediction
5) Defect detection
6) Quality prediction
7) Production scheduling
8) Energy optimization
9) Fault diagnosis
10) Demand forecasting
11) Machine health monitoring
12) Process monitoring
13) Digital twins
14) Robotic manufacturing
15) Automated inspection

VII. AI/ML-BASED MANUFACTURING OPTIMIZATION FRAMEWORK

A typical research framework can be developed as follows:

Manufacturing Process
↓
Process Parameters
↓
Sensors / Experiments / Machine Data
↓
Data Collection
↓
Data Pre-processing
↓
Feature Selection
↓
Machine Learning Model
↓
Prediction
↓
Optimization Algorithm
↓
Optimum Parameters
↓
Experimental Validation
↓
Optimized Manufacturing Process

This framework is particularly suitable for a PhD research project.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 14 Issue VIII Aug 2026- Available at www.ijraset.com

VIII. DATA COLLECTION

Data is the foundation of AI/ML.
Manufacturing data can be obtained through:
Experimental data
Conduct machining experiments by varying:
Cutting speed
Feed
Depth of cut
Tool material
Coolant condition
Sensor data
Sensors can measure:
Cutting force
Temperature
Vibration
Acoustic emission
Spindle power
Motor current
Machine data
Modern CNC machines can provide:
Spindle speed
Feed rate
Load
Power consumption
Cycle time
Machine status

IX. DATA PRE-PROCESSING

Raw manufacturing data often contains:
Noise
Missing values
Outliers
Measurement errors
Therefore, preprocessing is required.

A. Typical steps

Step 1: Data cleaning
Remove incorrect or duplicate observations.

Step 2: Missing-value treatment
Missing values can be handled using:
Mean
Median
Interpolation
Model-based methods

Step 3: Normalization
A common normalization method is:

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 14 Issue VIII Aug 2026- Available at www.ijraset.com

$$X' = \frac{X - X_{min}}{X_{max} - X_{min}}$$

This converts values into the range 0–1.

Step 4: Feature selection
Select the most influential variables.

X. IMPORTANT MACHINE LEARNING ALGORITHMS

Several ML algorithms can be applied to manufacturing optimization.
10.1 Linear Regression
Linear regression establishes a relationship between input variables and output.

$$Y = \beta_0 + \beta_1 X_1 + \beta_2 X_2 + \cdots + \beta_n X_n$$

Advantages:
Simple
Easy to interpret
Low computational cost

Limitation:
Manufacturing processes often have nonlinear relationships, making simple linear regression insufficient.

XI. MULTIPLE REGRESSION

Multiple regression can model multiple manufacturing parameters.
Example:

$$R_a = \beta_0 + \beta_1 V + \beta_2 f + \beta_3 d$$

where:


- R_a = surface roughness
- V = cutting speed
- f = feed rate
- d = depth of cut

Interaction terms can also be included.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

XII. ARTIFICIAL NEURAL NETWORKS

Artificial Neural Networks (ANN) are highly useful for nonlinear manufacturing problems.
A simple neural network contains:
Input layer
Hidden layer
Output layer
Example:



The ANN learns the relationship between process parameters and output.

Advantages
Handles nonlinear relationships
High prediction capability
Can process multiple variables
Useful for complex manufacturing processes

Limitations
Requires sufficient training data
Computationally more demanding
Often considered a black-box model

XIII. SUPPORT VECTOR MACHINE

Support Vector Machine (SVM) can be used for:
Classification
Regression
In manufacturing, SVM can predict:
Tool failure
Product defects
Surface quality
Machine condition
Support Vector Regression (SVR) is particularly useful for continuous outputs.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 14 Issue VIII Aug 2026- Available at www.ijraset.com

XIV. DECISION TREES

Decision trees divide data according to conditions.
Example:
Feed Rate
↓
High / Low
↓ ↓
High Low
Wear Better Surface
Advantages:
Easy to understand
Easy to interpret
Useful for classification

XV. RANDOM FOREST

Random Forest combines multiple decision trees.
It can be used for:
Tool wear prediction
Defect classification
Quality prediction
Machine failure prediction

Advantages:
Good prediction accuracy
Handles nonlinear data
Less sensitive to overfitting than a single decision tree

XVI. K-NEAREST NEIGHBOUR

KNN predicts an output based on similar previous observations.
For example, if a new machining condition is similar to previous experiments, the model can estimate its expected surface roughness from neighbouring observations.

XVII. CLUSTERING

Clustering is an unsupervised ML technique.
It can be used to group:
Similar machine conditions
Similar tool wear states
Similar production conditions
Similar product quality patterns

Algorithms include:
K-Means
Hierarchical clustering
DBSCAN

XVIII. DEEP LEARNING

Deep Learning uses multilayer neural networks.
Applications include:
Visual inspection
Defect detection

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

Image-based quality inspection
Tool condition monitoring
Predictive maintenance
Complex sensor-data analysis
Convolutional Neural Networks (CNNs), for example, can analyse images of manufactured components and detect surface defects.

XIX. AI FOR CNC MACHINING OPTIMIZATION

CNC machining is one of the most promising applications of AI/ML.

Important optimization variables include:

$V = \text{cutting speed}$

$f = \text{feed rate}$

$a_p = \text{depth of cut}$

Performance measures include:

$R_a = \text{surface roughness}$

$MRR = \text{material removal rate}$

$T_w = \text{tool wear}$

$F_c = \text{cutting force}$

$P = \text{power consumption}$

©IJRASET: All Rights are Reserved

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 14 Issue VIII Aug 2026- Available at www.ijraset.com

XX. MATERIAL REMOVAL RATE OPTIMIZATION

For many machining operations, material removal rate is an important productivity indicator.
For milling, a simplified relationship can be represented as:

$$MRR \propto V_f \times a_p \times a_e$$

where:

- V_f = feed velocity
- a_p = axial depth of cut
- a_e = radial width of cut

AI/ML can predict MRR under different combinations of parameters and identify conditions that maximize productivity while maintaining acceptable quality.

XXI. SURFACE ROUGHNESS PREDICTION

Surface roughness is one of the most important indicators of machining quality.
AI can predict:

$$R_a = f(V, f, a_p, \text{tool}, \text{material}, \text{coolant})$$

For example, an ANN can be trained using experimental data.
Inputs
Cutting speed
Feed rate
Depth of cut
Tool nose radius
Workpiece hardness

Output
Surface roughness
The trained model can then predict surface roughness for new machining conditions.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

XXII. TOOL WEAR PREDICTION

Tool wear directly affects:
Product quality
Tool life
Productivity
Production cost
Sensors can measure:
Vibration
Cutting force
Acoustic emission
Temperature
Spindle current
ML models can identify the relationship between sensor signals and tool wear.

Example:

Sensor Data
↓
Signal Processing
↓
Feature Extraction
↓
ML Model
↓
Tool Wear Prediction
↓
Tool Replacement Decision

This can reduce unexpected tool failure.

XXIII. PREDICTIVE MAINTENANCE

Traditional maintenance is often:
Corrective maintenance
Repair after failure.
Preventive maintenance
Maintenance at predetermined intervals.
AI enables:
Predictive maintenance
Maintenance based on predicted machine condition.
For example:

$$Sensor\ Data \rightarrow ML \rightarrow Failure\ Probability$$

If the model predicts increasing probability of bearing failure, maintenance can be scheduled before breakdown.

XXIV. DEFECT DETECTION USING AI

Computer vision and deep learning can automatically inspect components.
Possible defects:
Cracks

Scratches
Porosity
Dimensional defects
Surface defects
Welding defects
Casting defects
A CNN can classify images as:
Acceptable / Defective
This can reduce dependence on manual inspection.

XXV. AI IN ADDITIVE MANUFACTURING

AI/ML can optimize additive manufacturing processes such as:
3D printing
Selective Laser Melting
Laser Powder Bed Fusion
Fused Deposition Modelling
Important parameters include:
Laser power
Scanning speed
Layer thickness
Hatch spacing
Build temperature
Outputs include:
Porosity
Surface roughness
Density
Mechanical strength
Dimensional accuracy
AI can predict defects before the component is completely manufactured.

XXVI. AI IN WELDING

AI can be applied to optimize:
Welding current
Voltage
Welding speed
Electrode parameters
Shielding gas flow
Outputs:
Weld strength
Penetration
Bead geometry
Defect probability
AI can also identify welding defects using computer vision.

XXVII. AI IN CASTING

In casting processes, AI can optimize:
Pouring temperature
Cooling rate
Mold parameters
Alloy composition
Solidification conditions

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 14 Issue VIII Aug 2026- Available at www.ijraset.com

AI can predict:
Porosity
Shrinkage
Casting defects
Mechanical properties

XXVIII. AI IN FORGING

AI can optimize:
Forging temperature
Deformation rate
Die geometry
Lubrication
Reduction ratio
Outputs:
Forging force
Material flow
Defect probability
Energy consumption
Product quality

XXIX. OPTIMIZATION ALGORITHMS COMBINED WITH ML

ML predicts manufacturing outcomes, while optimization algorithms determine the best process conditions.
Important optimization algorithms include:
Genetic Algorithm (GA)
Based on evolutionary principles.
Particle Swarm Optimization (PSO)
Inspired by collective behaviour of birds/fish.
Grey Wolf Optimization (GWO)
Inspired by hunting behaviour of grey wolves.
Ant Colony Optimization (ACO)
Inspired by ant colony behaviour.
Simulated Annealing (SA)
Inspired by metallurgical annealing.

XXX. HYBRID AI/ML OPTIMIZATION

One of the strongest research approaches is a hybrid model.
For example:
ANN + GA
ANN predicts surface roughness.
GA searches for optimum parameters.
Therefore:

Experimental Data
↓
ANN
↓
Prediction Model
↓
GA
↓
Optimal Parameters
↓
Experimental Validation

This type of framework can make a strong PhD research methodology.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 14 Issue VIII Aug 2026- Available at www.ijraset.com

XXXI. MULTI-OBJECTIVE OPTIMIZATION

Manufacturing optimization is rarely based on a single objective.
For example:
Objective 1
Minimize surface roughness.
Objective 2
Minimize tool wear.
Objective 3
Minimize energy consumption.
Objective 4
Maximize material removal rate.
These objectives can conflict.
Therefore, a multi-objective optimization problem can be expressed as:

$$\min[R_a, T_w, E]$$

while:

$$\max[MRR]$$

subject to machine and process constraints.

Subject to machine and process constraints.

XXXII. AI-BASED MULTI-OBJECTIVE OPTIMIZATION FRAMEWORK

Process Parameters
↓
Experimental Design
↓
Data Collection
↓
AI/ML Prediction
↓
Multiple Output Prediction
↓
Multi-objective Optimizer
↓
Pareto Optimal Solutions
↓
Best Compromise Solution
↓
Experimental Validation

©IJRASET: All Rights are Reserved

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 14 Issue VIII Aug 2026- Available at www.ijraset.com

XXXIII. PARETO OPTIMIZATION

In multi-objective optimization, there may not be one single optimum.
For example:

Condition	Surface Roughness	MRR
A	Very low	Low
B	Medium	Medium
C	Higher	Very high

A Pareto-optimal solution represents a trade-off between objectives.
This is very useful in manufacturing because the engineer can choose a condition based on production requirements.

XXXIV. INDUSTRY 4.0 AND AI

AI is an important component of Industry 4.0.
Industry 4.0 includes:
IoT
IIoT
AI
Machine Learning
Big Data
Cloud Computing
Digital Twins
Robotics
Cyber-physical systems
Smart sensors
A smart manufacturing system can operate as:
Sensor -IOT -DATA- AI-DECISION-MACHINE

XXXV. DIGITAL TWIN

A digital twin is a virtual representation of a physical manufacturing system.

Example:

Physical CNC Machine
↕
Real-time Data
↕
Digital Twin
↓
AI/ML Prediction
↓
Optimization
↓
Process Adjustment

This allows engineers to evaluate process conditions virtually before implementing them physically.

XXXVI. REAL-TIME PROCESS OPTIMIZATION

One major future direction is real-time optimization.
Instead of determining parameters once before production, AI can continuously monitor the process.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

For example:

Machine Running
↓
Sensor Data
↓
AI Analysis
↓
Change in Tool Condition
↓
AI Recommendation
↓

Parameter Adjustment

This is called adaptive or intelligent process control.

XXXVII. ENERGY OPTIMIZATION

Manufacturing consumes significant energy.

AI can predict energy consumption:

$$E = f(V, f, a_p, \text{machine load}, \text{tool condition})$$

The objective can be:

$$\min E$$

while maintaining:

$$R_a \leq R_{a,max}$$

and:

$$MRR \geq MRR_{min}$$

This creates an opportunity for **green and sustainable manufacturing** research.

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 14 Issue VIII Aug 2026- Available at www.ijraset.com

XXXVIII. COST OPTIMIZATION

Manufacturing cost can be represented conceptually as:

$$C = C_m + C_t + C_e + C_l + C_d$$

where:

- C_m = machine cost
- C_t = tooling cost
- C_e = energy cost
- C_l = labour cost
- C_d = defect/rework cost

AI can optimize process parameters to reduce total manufacturing cost.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 14 Issue VIII Aug 2026- Available at www.ijraset.com

XXXIX. PROPOSED RESEARCH METHODOLOGY

For a PhD-level project, the following methodology is practical:
Phase 1: Literature Review
Study:
Manufacturing optimization
AI
ML
CNC machining
Industry 4.0
Process monitoring
Phase 2: Select Manufacturing Process
For example:
CNC turning
Phase 3: Select Input Parameters
For example:
Cutting speed
Feed rate
Depth of cut
Phase 4: Select Output Parameters
Surface roughness
Tool wear
MRR
Cutting force
Phase 5: Experimental Design
Use:
Taguchi DOE
RSM
Factorial design
Phase 6: Conduct Experiments
Collect experimental data.
Phase 7: Develop ML Models
Compare:
ANN
Random Forest
SVM/SVR
XGBoost, if appropriate
Phase 8: Model Evaluation
Use:
\(R^2\)
RMSE
MAE
MAPE
Phase 9: Optimization
Use:
GA
PSO
GWO
NSGA-II for multi-objective optimization
Phase 10: Experimental Validation
Perform machining using predicted optimum parameters.

©IJRASET: All Rights are Reserved

Phase 11: Compare Results
Compare:
Traditional method vs AI/ML method

XL. MODEL PERFORMANCE EVALUATION

Mean Absolute Error

$$MAE = \frac{1}{n}\sum_{i=1}^{n}|y_i - \hat{y}_i|$$

Mean Squared Error

$$MSE = \frac{1}{n}\sum_{i=1}^{n}(y_i - \hat{y}_i)^2$$

Root Mean Squared Error

$$RMSE = \sqrt{\frac{1}{n}\sum_{i=1}^{n}(y_i - \hat{y}_i)^2}$$

Coefficient of Determination

$$R^2 = 1 - \frac{\sum(y_i - \hat{y}_i)^2}{\sum(y_i - \bar{y})^2}$$

Generally, a higher
R^2
and lower RMSE/MAE indicate better prediction performance.

©IJRASET: All Rights are Reserved

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 14 Issue VIII Aug 2026- Available at www.ijraset.com

XLI. EXAMPLE RESEARCH PROBLEM

Research title

"AI and Machine Learning-Based Multi-Objective Optimization of CNC Turning Parameters for Improved Surface Quality and Productivity"

Input parameters

Cutting speed

Feed rate

Depth of cut

Output parameters

Surface roughness

MRR

Tool wear

Cutting force

ML models

ANN

Random Forest

SVR

Optimization

Genetic Algorithm

PSO

Final objective

Determine the optimum machining conditions that:

Minimize surface roughness

Minimize tool wear

Minimize energy consumption

Maximize MRR

XLII. EXAMPLE EXPERIMENTAL TABLE

A research experiment could be structured like this:

Experiment	Speed	Feed	DOC	Surface Roughness	Tool Wear	MRR
1	Low	Low	Low	Measured	Measured	Calculated
2	Low	Medium	Low	Measured	Measured	Calculated
3	Low	High	Low	Measured	Measured	Calculated
4	Medium	Low	Medium	Measured	Measured	Calculated

This experimental dataset becomes the input for ML modelling.

XLIII. NOVELTY OPPORTUNITIES FOR PHD RESEARCH

Simply applying ANN to predict surface roughness may have limited novelty because many researchers have already investigated similar approaches.

A stronger research contribution could combine several elements.

Possible novelty:

AI + Multi-objective optimization + Real-time sensing + Sustainable manufacturing

For example:

- Development of an AI-driven multi-objective optimization framework for CNC machining using real-time vibration and cutting-force signals to simultaneously optimize surface roughness, tool wear, productivity, and energy consumption.

This has considerably stronger research potential.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

XLIV. POSSIBLE PHD RESEARCH TOPICS

Topic 1 — Recommended
"AI/ML-Based Multi-Objective Optimization of CNC Machining Parameters for Sustainable Manufacturing."
Topic 2
"Machine Learning-Based Prediction and Optimization of Surface Roughness and Tool Wear in CNC Turning."
Topic 3
"AI-Based Optimization of Machining Parameters for Energy-Efficient Manufacturing."
Topic 4
"Machine Learning-Based Tool Wear Prediction and Adaptive Process Optimization in CNC Machining."
Topic 5
"Development of an AI-Driven Smart Manufacturing Framework for Real-Time Process Optimization."
Topic 6
"Hybrid ANN-GA Approach for Multi-Objective Optimization of Manufacturing Processes."
Topic 7
"AI-Based Predictive Quality Control in Advanced Manufacturing."

XLV. RESEARCH GAP

A good research paper must identify a research gap.
Possible gaps include:
Gap 1
Many studies focus on predicting only one output such as surface roughness.
Research opportunity: Develop a multi-output prediction model.
Gap 2
Many studies use offline experimental data.
Research opportunity: Incorporate real-time sensor data.
Gap 3
Many studies optimize quality but ignore energy consumption.
Research opportunity: Include energy as an optimization objective.
Gap 4
Different ML algorithms are often evaluated independently.
Research opportunity: Develop a comparative/hybrid framework.
Gap 5
Predicted optimum parameters are not always experimentally validated.
Research opportunity: Conduct physical validation experiments.
Gap 6
AI models can behave like black boxes.
Research opportunity: Use explainable AI to identify the influence of process parameters.

XLVI. EXPLAINABLE AI IN MANUFACTURING

One important emerging research area is Explainable Artificial Intelligence (XAI).
Instead of simply saying:

- "AI predicts surface roughness = 1.62 µm."

XAI attempts to explain:

- "Feed rate has the highest influence on surface roughness, followed by cutting speed and depth of cut."

Methods such as feature importance and SHAP-type analysis can help engineers understand model decisions.
This is valuable for industrial acceptance.

©IJRASET: All Rights are Reserved

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 14 Issue VIII Aug 2026- Available at www.ijraset.com

XLVII. ADVANTAGES OF AI/ML IN MANUFACTURING

A. Technical advantages

High prediction capability
Handles nonlinear relationships
Real-time monitoring
Automated decision making
Process optimization
Defect detection
Economic advantages
Reduced tooling cost
Reduced downtime
Reduced rejection
Reduced energy consumption
Improved productivity

B. Quality advantages

Better dimensional accuracy
Improved surface finish
Reduced defects
Consistent production quality

XLVIII. LIMITATIONS

AI/ML also has limitations.

1) Data requirement: Good-quality datasets are essential.
2) Experimental cost: Generating manufacturing data can be expensive.
3) Model complexity: Some models are difficult to interpret.
4) Generalization: A model developed for one machine/material may not perform equally well on another.
5) Sensor reliability: Incorrect sensor measurements can affect model accuracy.
6) Industrial implementation: Real-time AI requires suitable computing and communication infrastructure.

XLIX. FUTURE SCOPE


The future of AI-based manufacturing optimization includes:
Autonomous manufacturing
Smart CNC machines
Digital twins
Real-time adaptive control
Human-AI collaboration
Autonomous robots
Predictive quality control
Energy-aware optimization
Carbon-aware manufacturing
Explainable AI
Edge AI
Cloud manufacturing
Federated learning
AI-driven production scheduling
The ultimate objective is the development of a self-optimizing manufacturing system.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 14 Issue VIII Aug 2026- Available at www.ijraset.com

L. PROPOSED RESEARCH ARCHITECTURE

A strong PhD research architecture can be:



©IJRASET: All Rights are Reserved

LI. EXPECTED RESEARCH OUTCOMES

The research can potentially produce:

1) A database of manufacturing experiments.
2) AI/ML predictive models.
3) A comparison of different ML algorithms.
4) Identification of the most influential machining parameters.
5) Optimized process parameters.
6) Reduction in surface roughness.
7) Reduction in tool wear.
8) Improvement in productivity.
9) Reduction in energy consumption.
10) An AI-based optimization framework.
11) Experimental validation of predicted results.
12) Potential development of a smart manufacturing decision-support system.

LII. STRONG PHD-LEVEL PROBLEM STATEMENT

A suitable problem statement could be:

"Conventional manufacturing process optimization methods generally rely on experimental investigation and mathematical modelling, which may require considerable time and resources and may not adequately capture complex nonlinear relationships among manufacturing parameters.

Furthermore, conventional approaches often optimize individual performance characteristics without simultaneously considering product quality, productivity, tool life, and energy consumption. Therefore, there is a need to develop an intelligent data-driven framework capable of predicting manufacturing performance and determining optimum process parameters using Artificial Intelligence and Machine Learning techniques. The proposed research aims to develop and experimentally validate an AI/ML-based multi-objective optimization framework for improving manufacturing quality, productivity, tool performance, and energy efficiency."

LIII. RESEARCH OBJECTIVES

A. Main objective

To develop an AI/ML-based framework for optimization of manufacturing processes.

Specific objectives

1) To identify important manufacturing process parameters.
2) To design and conduct systematic manufacturing experiments.
3) To collect and preprocess experimental and sensor data.
4) To develop ML models for predicting manufacturing responses.
5) To compare the performance of different AI/ML algorithms.
6) To identify the most influential process parameters.
7) To develop a multi-objective optimization model.
8) To determine optimum manufacturing conditions.
9) To experimentally validate AI-predicted optimum conditions.
10) To evaluate improvements in quality, productivity, tool life, and energy efficiency.

LIV. RESEARCH HYPOTHESIS

A possible hypothesis is:

- "An AI/ML-based optimization approach can predict manufacturing process responses with acceptable accuracy and determine process parameters that provide better overall performance than conventional parameter-selection approaches."

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 14 Issue VIII Aug 2026- Available at www.ijraset.com

LV. FINAL RESEARCH FLOW

Your complete PhD research can follow:

Literature Review
↓
Identify Research Gap
↓
Select Manufacturing Process
↓
Select Process Parameters
↓
Design Experiments
↓
Conduct Experiments
↓
Collect Data
↓
Data Pre-processing
↓
Develop AI/ML Models
↓
Compare Models
↓
Predict Manufacturing Responses
↓
Multi-objective Optimization
↓
Obtain Optimum Parameters
↓
Conduct Confirmation Experiment
↓
Compare Predicted vs Experimental Results
↓
Statistical Analysis
↓
Research Conclusions
↓
Future Scope

LVI. CONCLUSION

AI and Machine Learning have significant potential to transform conventional manufacturing into intelligent, adaptive, predictive, and self-optimizing manufacturing systems. Instead of relying exclusively on trial-and-error experiments, AI/ML models can learn complex relationships between manufacturing parameters and process outputs.

For a Mechanical Engineering PhD, the particularly strong direction is not merely "using AI in manufacturing," but combining AI/ML with experimental manufacturing, multi-objective optimization, sensor-based monitoring, and experimental validation.

A particularly suitable research direction would therefore be:

- "AI/ML-Based Multi-Objective Optimization of Manufacturing Processes for Quality, Productivity, Tool Life and Energy Efficiency."

This topic can be narrowed to CNC turning, CNC milling, grinding, welding, additive manufacturing, or another process, depending on the equipment and experimental facilities available.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

REFERENCES

G. Vogl, A. Cornelius, and X. Jia, “2026 Roadmap on Artificial Intelligence and Machine Learning for Smart Manufacturing,” NIST, 2026. DOI: 10.1088/3049-4761/ae5967.
NIST
A. S. Rajesh, M. S. Prabhuswamy, Krishnasamy, and Srinivasan, “Smart Manufacturing through Machine Learning: A Review, Perspective, and Future Directions to the Machining Industry,” Journal of Engineering, 2022, Article ID 9735862. DOI: 10.1155/2022/9735862.
Wiley Online Library
X. Zhai and F. Chen, “A Review of Process Optimization for Additive Manufacturing Based on Machine Learning,” Annals of Applied Mathematics. DOI: 10.4208/aam.OA-2023-0023.
Global Science
Y. Ma, Y. Liu, Y. Lu, Z. Tian, F. Yuan, and Y. Peng, “A Review of the Application of Machine Learning in Additive Manufacturing,” Computers, Materials & Continua, vol. 88, no. 2, 2026. DOI: 10.32604/cmc.2026.080309.
Tech Science +1
O. I. Ani, “Advanced Manufacturing with Machine Learning: Enhancing Predictive Maintenance, Quality Control, and Process Optimization,” Al-Rafidain Journal of Engineering Sciences, 2024. DOI: 10.61268/6mvqve13.
Al-Rafidain Journal
A. Paranjape, M. Peterek, and R. H. Schmitt, “Manufacturing Process Parameter Optimization: A Comprehensive Review and Research Directions,” Management and Production Engineering Review, 2026. DOI: 10.24425/mper.2026.1308.
PAS Publishing
J. P. Nelson, J. B. Biddle, and P. Shapira, “Applications and Societal Implications of Artificial Intelligence in Manufacturing: A Systematic Review,” 2023.
arXiv
M. Karimzadeh, D. Basvoju, A. Vakanski, I. Charit, F. Xu, and X. Zhang, “Review of Machine Learning Methods for Additive Manufacturing of Functionally Graded Materials,” 2023.
arXiv
A. I. Saimon, E. Yangue, X. Yue, Z. J. Kong, and C. Liu, “Advancing Additive Manufacturing through Deep Learning: A Comprehensive Review of Current Progress and Future Challenges,” 2024.
arXiv
S. Sultana Champa and R. S. Segall, “Artificial Intelligence and Machine Learning Framework for Smart Manufacturing Optimization: A Computational Intelligence Approach for Process Enhancement,” International Journal of Artificial Intelligence in Business and Management, vol. 2, no. 1, 2026. DOI: 10.4018/IJAIBM.410302.
IGI Global


Best references for your particular paper

For a Mechanical/Manufacturing Engineering research paper, I would prioritize References 1, 2, 3, 4, 5 and 6 because together they cover:

AI/ML in smart manufacturing
Machining-process optimization
Manufacturing parameter optimization
Predictive maintenance
Quality prediction and inspection
Additive manufacturing
Real-time process monitoring
Digital twins
Robotics and autonomous manufacturing
Sustainable manufacturing

The 2026 NIST roadmap is particularly useful for your Introduction, Literature Review, Research Gap and Future Scope, because it covers AI/ML across industrial big data, sensing, autonomous systems, additive manufacturing, digital twins, robotics, supply chains and sustainable manufacturing.
NIST

If you are preparing this for PhD/research-paper publication, I can also make a complete 30–50 reference literature review in IEEE format, with DOI, research gap, methodology, findings, and exactly where each reference should be cited [1], [2], [3]... in your paper.



10.22214/IJRASET

45.98

IMPACT FACTOR: 7.129

IMPACT FACTOR: 7.429

INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 (24*7 Support on Whatsapp)