iJRASET
International Journal For Research in Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 14 **Issue:** V **Month of publication:** May 2026

DOI: https://doi.org/10.22214/ijraset.2026.83294

www.ijraset.com

Call: 08813907089 | E-mail ID: ijraset@gmail.com

International Journal for Research in Applied Science & Engineering Technology (IJRASET)
ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 14 Issue V May 2026- Available at www.ijraset.com

Artificial Intelligence and Machine Learning: Trends, Methods, Challenges, and Real-World Applications

Ayush Agrawal[1], Dr. Mohammed Bakhtawar Ahmed[2]
[1]*Student, Department of Computer Applications, K.K. Modi University, Durg, Chhattisgarh, India*
[2]*Head of Department, Computer Science & Applications, K.K. Modi University, Durg, Chhattisgarh, India*

Abstract: ***This paper presents a comprehensive survey of Artificial Intelligence (AI) and Machine Learning (ML), synthesizing foundational concepts, dominant methodologies, and empirical trends that have shaped these fields. The study reviews core learning paradigms—supervised, unsupervised, self-supervised, and reinforcement learning—and examines the rise of large pretrained models, transformer architectures, and generative systems across text, vision, and multimodal tasks. Special emphasis is placed on three contemporary dynamics: (1) the trade-offs between model scaling and computational cost, (2) the rapid evolution of generative AI, and (3) the integration of Responsible AI practices, including fairness, interpretability, and governance. The paper proposes a unified taxonomy for model development pipelines and outlines an evaluation framework that combines benchmark metrics with robustness assessment and human-in-the-loop validation. Parameter-efficient adaptation techniques—including fine-tuning, adapters, LoRA, and knowledge distillation—are surveyed as cost-effective deployment strategies. Key technical and societal challenges are identified, encompassing energy and resource constraints, bias and safety risks, and the persistent gap between research benchmarks and real-world deployment. Actionable recommendations are offered for researchers and practitioners, including domain adaptation strategies, lightweight model design for edge environments, and a governance checklist for responsible deployment. Promising research directions are outlined to guide cost-effective and responsible AI solutions across real-world domains.***

Keywords: Artificial Intelligence, Machine Learning, Transformer Models, Generative AI, Responsible AI, Parameter-Efficient Fine-Tuning, Model Scaling, Edge Deployment, Governance

I. INTRODUCTION

Artificial Intelligence (AI) refers to the design and engineering of computational systems capable of performing tasks that would ordinarily require human-like cognitive abilities, including perception, reasoning, planning, and decision-making. Machine Learning (ML) is a core subset of AI that constructs statistical and algorithmic models enabling systems to learn patterns and representations from data, facilitating accurate prediction, classification, and autonomous action. Collectively, AI and ML span a spectrum from rule-based systems and symbolic reasoning to data-driven neural architectures and hybrid approaches that combine both paradigms.

Over the past decade, the field has witnessed rapid capability gains driven primarily by the development of large pretrained models and transformer-based architectures [1]. These advances have significantly broadened the application scope of AI—particularly in generative systems producing text, images, code, and multimodal content—while simultaneously exposing practical constraints and emerging risks. Consequently, research attention has shifted toward robustness, cost-efficiency, and societal impact, with growing emphasis on model reliability, energy-compute trade-offs, and governance mechanisms that ensure safe, fair, and explainable deployment. This paper situates foundational concepts within the evolving AI landscape. It examines core ML paradigms and recent trends in model scaling, generative AI, and parameter-efficient adaptation, assessing their implications for methodology and deployment. It further highlights the technical and ethical challenges that arise in transitioning from benchmark performance to real-world impact, and outlines practical directions for researchers and practitioners seeking to apply AI responsibly and effectively.

II. LITERATURE REVIEW

This section synthesizes recent research findings across three thematic areas: model scaling and computational demands, the evolution of generative AI, and responsible AI frameworks. Each subsection identifies core findings and translates them into deployment implications.

©IJRASET: All Rights are Reserved

A. Model Scaling and Computational Cost

A consistent empirical pattern in recent research is that larger models tend to deliver superior performance across diverse tasks; however, this performance improvement comes at the cost of substantially increased training expenditure, energy consumption, and data-center power demand [2]. Industry analyses project massive capital and operational investment requirements to support frontier model training and inference at scale.

Deployment Implication: For most applied projects, training frontier models from scratch is economically infeasible. Practitioners are therefore encouraged to favor parameter-efficient techniques such as fine-tuning, knowledge distillation, and adapter-based methods (e.g., LoRA) to reduce cost and energy footprint. Planning for on-premises GPU clusters must also account for power availability and cooling infrastructure constraints.

B. Generative AI: Architecture and Adaptation

Transformer-based generative models have emerged as the dominant architecture, achieving state-of-the-art results across text generation, image synthesis, code completion, and multimodal tasks [3]. Research consistently demonstrates that large-scale pretraining followed by task-specific adaptation yields strong generalization, even with limited labeled target-domain data.

Deployment Implication: Applied projects in domains such as local-language NLP, document summarization, or industrial log analysis should begin from open-access pretrained transformer checkpoints and apply parameter-efficient tuning to adapt models to domain-specific vocabulary and task requirements, rather than training new models from scratch.

C. Responsible AI: Fairness, Explainability, and Governance

Research and regulatory activity concerning AI fairness, transparency, and governance have accelerated considerably, though governance frameworks continue to lag behind capability development [4]. Incident reports and hallucination rates in generative systems underscore the critical need for auditability and meaningful human oversight throughout the deployment lifecycle.

Deployment Implication: Development pipelines for safety-critical industrial or social applications should integrate bias audits, provenance logging, human-in-the-loop review checkpoints, and governance checklists as mandatory components prior to production deployment.

III. METHODOLOGY AND COMMON PIPELINES

A. Data Collection and Preprocessing

The foundational objective of data preparation is to establish a representative, high-quality, and auditable dataset aligned with the target domain—such as industrial sensor readings, maintenance logs, or worker safety reports. A systematic preprocessing pipeline typically includes the following stages:

- Data inventory and schema design to document available sources and establish field definitions.
- Data cleaning to address missing values, remove outliers, and resolve inconsistencies.
- Normalization and feature engineering to transform raw variables into model-ready inputs.
- Label verification through expert review to ensure annotation quality and consistency.
- Bias auditing and provenance tracking, recording data sources, collection dates, annotator metadata, and sampling procedures. Demographic or operational subgroup performance is checked to identify potential sampling disparities.

For datasets with significant class imbalance, targeted augmentation or synthetic data generation may be employed; however, the realism and validity of synthetic examples must be confirmed with domain experts before integration into training sets. Proactive preprocessing reduces downstream model failures and substantially decreases post-deployment audit costs.

B. Model Selection and Training

Model selection should be guided by task type, available compute, and data volume. Supervised learning is appropriate where labeled examples are abundant; self-supervised and semi-supervised methods are preferred when annotation costs are high. Transfer learning from large pretrained checkpoints—combined with parameter-efficient adaptation such as LoRA or adapter layers—provides strong baseline performance at reduced computational cost. Hyperparameter tuning and cross-validation are essential to prevent overfitting and ensure generalization to unseen data.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

C. Evaluation Framework

A robust evaluation strategy combines quantitative benchmark metrics with qualitative robustness and fairness assessments. Quantitative metrics are selected according to task type (e.g., accuracy, F1-score, mean absolute error), while robustness testing examines model behavior under distribution shift and adversarial conditions. Human-in-the-loop evaluation is particularly important in high-stakes domains to capture failure modes that automated metrics may not detect.

IV. COMPARATIVE ANALYSIS: AI VS. MACHINE LEARNING

Although the terms Artificial Intelligence and Machine Learning are often used interchangeably in practice, they represent distinct but nested concepts. Table 1 summarizes key differentiating attributes.

Table 1: Comparative Attributes of AI and ML

Attribute	Artificial Intelligence (Broad)	Machine Learning (Subset)
Scope	Systems designed to emulate human cognitive tasks	Statistical learning of patterns and representations from data
Examples	Planning, reasoning, perception, natural language understanding	Classification, regression, clustering, representation learning
Core Methods	Symbolic reasoning, hybrid systems, neural architectures	Supervised, unsupervised, semi-supervised, reinforcement learning
Evaluation	Task performance across cognitive dimensions; human factors	Benchmark metrics, cross-validation, hold-out test evaluation
Research Focus (2025–2026)	Governance, multimodal systems, AI safety, human-AI collaboration	Efficient training, self-supervision, parameter-efficient adaptation

V. KEY CHALLENGES AND RISKS

The deployment of AI and ML systems in real-world environments introduces a set of high-impact challenges that researchers and practitioners must proactively address. The following subsections examine the most critical barriers currently facing the field.

A. Computational Cost and Resource Constraints

Training and serving large-scale AI models demands substantial capital investment and ongoing operational expenditure [5]. Cloud AI spending and corporate AI infrastructure investment have surged dramatically in recent years, reflecting the resource intensity of frontier model development. As inference workloads increasingly dominate total GPU demand, the cost profile of AI systems is shifting from training-heavy to inference-heavy deployments, necessitating new strategies for cost optimization.

B. Bias, Safety, and Hallucination

Generative models are susceptible to producing factually incorrect outputs (hallucinations) and perpetuating or amplifying harmful biases present in training data [6]. Explainability—the ability to provide transparent, human-understandable justifications for model decisions—remains technically limited, particularly for deep neural architectures. Governance frameworks addressing these risks are still in early stages of development and adoption.

C. Deployment Gap

A persistent gap exists between benchmark performance on curated academic datasets and reliable performance in operational real-world environments. Domain shift, data scarcity, integration complexity, and the absence of robust monitoring infrastructure are primary contributors to this gap. Bridging it requires sustained investment in MLOps tooling, domain-specific evaluation protocols, and cross-disciplinary collaboration.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

VI. RECOMMENDATIONS FOR RESEARCHERS AND PRACTITIONERS

The following recommendations are designed to enable high-impact, low-risk AI and ML projects by prioritizing domain adaptation, cost-efficient methods, and responsible governance.

A. Priority Application Domains

- Industrial Predictive Maintenance: Deploy sensor analytics and anomaly detection models to predict equipment failures and reduce unplanned downtime in manufacturing environments such as steel plants.
- Local-Language NLP: Develop information extraction and document summarization tools for regional languages, supporting safety reporting and operational communication in multilingual industrial settings.
- Energy-Efficient Edge Deployment: Compress and quantize models for on-site inference in environments with limited power and network connectivity, enabling real-time decision support without cloud dependency.

B. Practical Implementation Steps

- Define measurable pilots: Select one to two high-value use cases with clear success metrics, such as reducing unplanned downtime by a specific percentage.
- Leverage open pretrained checkpoints: Adapt publicly available pretrained models rather than training from scratch to conserve cost and time.
- Apply parameter-efficient adaptation: Use LoRA, adapters, or similar techniques to fine-tune models with limited computational resources.
- Establish data governance before modeling: Document data provenance, consent status, annotator metadata, and retention policies prior to initiating model development.
- Secure industry partnerships: Collaborate with local manufacturers and industrial facilities to access labeled and unlabeled datasets.
- Define business KPIs from day one: Track metrics such as downtime hours saved, false alarm rate, and annotation cost per sample throughout the project lifecycle.

C. Capacity Building and Infrastructure

- Shared GPU Consortia: Pool cloud computing credits or establish shared on-premises clusters across regional institutions and industry partners to reduce infrastructure costs.
- Professional Development Workshops: Deliver short courses on responsible AI, model compression, and parameter-efficient fine-tuning for engineers and operational managers.
- Cross-Disciplinary Teams: Pair domain experts—plant engineers, safety officers—with ML practitioners for data labeling, model validation, and deployment oversight.
- Lightweight MLOps Adoption: Implement logging, model versioning, and performance monitoring tools to enable safe, auditable model rollouts.

VII. IMPLEMENTATION TIMELINE AND MILESTONES

Table 2: Phased Implementation Roadmap

Phase	Key Activities
0–3 Months	Select pilot projects; collect and audit datasets; define KPIs and success criteria; establish data governance protocols.
3–6 Months	Fine-tune pretrained models using parameter-efficient methods; deploy in controlled field trials; gather stakeholder feedback.
6–18 Months	Scale successful pilots to production; implement monitoring pipelines, model compression, and cost optimization strategies.
18+ Months	Maintain model lifecycle management; pursue continuous improvement; transfer knowledge to local institutions and partner organizations.

VIII. EVALUATION FRAMEWORK AND SUCCESS METRICS

Table 3: Domain-Specific Evaluation Metrics

Application Domain	Primary Metric	Operational Metric
Predictive Maintenance	Downtime Reduction (%)	False Positive Rate
Local-Language NLP	Task Accuracy / F1-Score	Latency per Request (ms)
Edge Deployment	Inference Energy per Request	Model Size (MB)

IX. GOVERNANCE CHECKLIST FOR DEPLOYMENT

Prior to deploying any AI/ML system in a production environment, the following governance criteria must be satisfied:

1) Data provenance documented: all sources, collection dates, and annotator information recorded.
2) Bias audit completed: subgroup performance evaluated and failure modes identified and documented.
3) Human-in-the-loop policy established: manual review protocols defined for high-risk or high-uncertainty model outputs.
4) Monitoring and rollback plan implemented: automated alerts configured for model drift, latency degradation, and cost spikes.
5) Legal and safety compliance confirmed: deployment reviewed against applicable workplace safety regulations and data protection laws.

X. CONCLUSION


The emergence of powerful generative models and large pretrained systems has fundamentally reshaped AI research and deployment, while growing societal awareness has elevated robustness, interpretability, and governance to the forefront of the field's priorities. Practical progress depends on striking a careful balance between capability, cost, and sustainability—achievable through parameter-efficient adaptation, model compression, and deliberate infrastructure planning.

Regional institutions and emerging-economy organizations can achieve meaningful AI impact by combining open pretrained models with locally relevant datasets and strong governance practices. Prioritizing domain-specific pilots—such as industrial predictive maintenance and local-language NLP—while investing in shared computational resources and cross-disciplinary capacity building, provides a viable and responsible pathway toward high-value AI adoption. Future work should extend these recommendations to include full experimental validation, comparative benchmarking on domain-specific datasets, and longitudinal assessment of governance framework effectiveness in operational settings.

REFERENCES

[1] Vaswani, A., Shazeer, N., Parmar, N., Uszkoreit, J., Jones, L., Gomez, A. N., Kaiser, L., & Polosukhin, I. (2017). Attention is all you need. Advances in Neural Information Processing Systems, 30, 5998–6008.
[2] Kaplan, J., McCandlish, S., Henighan, T., Brown, T. B., Chess, B., Child, R., Gray, S., Radford, A., Wu, J., & Amodei, D. (2020). Scaling laws for neural language models. arXiv preprint arXiv:2001.08361.
[3] Brown, T. B., Mann, B., Ryder, N., Subbiah, M., Kaplan, J., Dhariwal, P., Neelakantan, A., Shyam, P., Sastry, G., Askell, A., & others. (2020). Language models are few-shot learners. Advances in Neural Information Processing Systems, 33, 1877–1901.
[4] Jobin, A., Ienca, M., & Vayena, E. (2019). The global landscape of AI ethics guidelines. Nature Machine Intelligence, 1(9), 389–399.
[5] Patterson, D., Gonzalez, J., Le, Q., Liang, C., Munguia, L. M., Rothchild, D., So, D., Texier, M., & Dean, J. (2021). Carbon considerations for large-scale AI model development. arXiv preprint arXiv:2104.10350.
[6] Bender, E. M., Gebru, T., McMillan-Major, A., & Shmitchell, S. (2021). On the dangers of stochastic parrots: Can language models be too big? In Proceedings of the 2021 ACM Conference on Fairness, Accountability, and Transparency (pp. 610–623).

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |



10.22214/IJRASET

45.98

IMPACT FACTOR: 7.129

IMPACT FACTOR: 7.429

INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 (24*7 Support on Whatsapp)