iJRASET
International Journal For Research in Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 13 **Issue:** IX **Month of publication:** September 2025

DOI: https://doi.org/10.22214/ijraset.2025.74270

www.ijraset.com

Call: 08813907089 | E-mail ID: ijraset@gmail.com

International Journal for Research in Applied Science & Engineering Technology (IJRASET)
ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 13 Issue IX Sep 2025- Available at www.ijraset.com

Artificial Intelligence in Forensic Toxic Science: Emerging Trends and Analytical Techniques

Ms. Nikita Sisodia[1], Mr. Kiran Dodiya[2]
[1]*Research Scholar, Department of Forensic Science, Sharda School of Allied Health Sciences, Sharda University, Greater Noida, U.P., India*
[2]*Research Scholar, Department of Biochemistry and Forensic Science, Gujarat University, Ahmedabad, Gujarat, India*

Abstract: ***Forensic toxicology has long been tasked with addressing fundamental questions of causation in medico-legal investigations, such as whether death resulted from poisoning or drug use. Although advanced analytical platforms, including liquid chromatography–tandem mass spectrometry (LC–MS/MS) and gas chromatography-mass spectrometry (GC–MS), provide highly sensitive and specific data, the interpretation of these complex datasets remains a significant challenge. In recent years, artificial intelligence (AI) has emerged as a transformative tool in this domain, offering not only enhanced analytical speed but also the capacity to generate deeper, data-driven insights into toxicological findings. This review critically examines the application of AI and machine learning techniques within forensic toxicology.***
Key areas of focus include predictive toxicology, the development of AI-driven spectral libraries, automation of analytical workflows, and the integration of multi-omics data for comprehensive toxicological profiling. Furthermore, the review discusses the current challenges of ensuring robustness, transparency, and admissibility of AI-derived evidence in legal contexts, and outlines potential future directions for the incorporation of AI in forensic practice.

I. INTRODUCTION

Forensic science sits at the intersection application of science and justice. Toxicologists take the responsibility of highlighting the truth hidden in the chemical scars - whether in blood, urine, hair, or tissues.[1]. The complexity of this work has increased rapidly. Today, labs deal with thousands of novel psychoactive substances, environmental toxins, and naturally occurring poisons. Traditional methods remain powerful, but they are rapidly limited when it comes to handling the speed, interpretation and sheer diversity of compounds.

Artificial Intelligence has emerged as a game-changer. Now AI is not just a futuristic discussion - it is now a practical tool for sorting through giant chemical datasets, finding hidden patterns and even predicting toxic effects before experiments. This paper reviews the latest progress in AI for forensic toxicology, already exposes new techniques in practice, and shows how this technology is changing casting and research.[2].

II. FORENSIC TOXIC SCIENCE AND DATA CHALLENGE

Historically, the toxic gas depends on methods such as gas chromatography-mass spectrometry (GC-MS) or liquid chromatography-tandem mass spectrometry (LC-MS/MS). These devices can identify substances with remarkable accuracy, but the data they produce is very large. A single LC-qtof-MS run can produce thousands of peaks, many of which can be unknown metabolites or background noise.[3].

The real challenge is not generating data - it is making sense. This is the place where AI is a step. Machine learning models can sift through data in ways that humans cannot, identify micro-patterns, and classify unknown compounds with a higher degree of accuracy.[3].

III. AI AND MACHINE LEARNING IN TOXICOLOGY SCIENCES

Artificial intelligence, in the most basic sense, refers to algorithms that can learn from data. In toxicity science, a model is typically trained on known spectra, toxicity profiles, or case results, and subsequently asked to classify or predict new spectra, toxicity profiles, or case results.

©IJRASET: All Rights are Reserved




Figure 1 AI and Machine Learning in Toxicology Sciences

1) Supervised Learning: Support Vector Machines (SVMs) or Random Forests can help classify whether your spectrum is a toxin, metabolite, or benign compound.
2) Deep Learning: Neural Networks, especially Convolutional Neural Networks (ConvNets), will find patterns in complex datasets such as chromatograms, spectra, or even toxic histopathology images.
3) Unsupervised Learning: Tools such as clustering methods or principal component analysis (PCA) help the investigator look for patterns without pre-fitted data.

These approaches make toxic science not only more precise but also more active. Instead of waiting to detect toxins, artificial intelligence helps them to anticipate them.[4].

A. Plant Toxins: Pushing "Unknown" with HRMS + AI

Plant-ritual poison (aconitine, aconitine, calcotropin, and many others) falls at highly complex matrices and lower levels, which is actually high-resolution mass spectrometry (HRMS) Excel. Over the years, laboratories have earned LC-HRM in regular screening, which is valid with "research-keval"-it is often paired with machine learning, when candidates are preferred when the standards disappear when preferred. Actual biological matrix dual screen-end-quantified LC-HRMS methods, showing that with careful performance characteristics, nontargeted data can support case decisions, not just a search lead[5].

A recurring topic in literature is that the real value of HRMS is unexpectedly searching, of course, with rare phytotoxins and their metabolites. At the same time, it is clear that reporting rules, library coverage and downstream data processing still need to stay in court. In short, the device is here, but it is standardization.

The environment and the rapid screening approaches are also joining the toolbox. Review of direct analysis in real-time (DART-MS) and paper-spray MS (PS-MS) is used with full LC-MS/MS confirmation, with increasing adoption for quick triaies of complex samples (plant extracts, residue smears). When the time is tight, their speed and minimum are improved to present the samples or when they are rare.[6].

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

Takeaway: Antargeted LC-HRMS- Often, AI is promoted to rank suspects; now, rare plants provide a practical passage to detect and refer to toxins. At the same time, the environment adds a sharp "front door" for MS Triaz. Verification and transparent reporting in the courtroom remain the key to trust.

B. Postmortem toxic science: modeling through redistribution and decline

Cases of postmortem are dirty: redistribution, pH shift, and enzymatic changes can affect measured concentrations. In the last few years, literature indicates a rapid model-assisted interpretation, despite the degradation, connects HRMS profiles with statistical/mL layers to estimate the possible concentration boundaries in fluids (blood, urine, vitris). While most of this work is still designed as "future saying support", it is moving towards case-use boundaries rather than single absolute numbers, which better align with the realities of postmortem chemistry.[6].

The same HRMS verification studies mentioned above, the case here is that they install reliable borders, false-super control and decision thresholds under real-matrix conditions, when an algorithm will extract with time-by-death or tissue differences. Explosive message in reviews: AI can stabilize interpretation, but only when the underlying analytical workflow is well validated and the uncertainty of the model is clearly reported.

Takeaway: In postmortem work, AI/ML is best used as a quantitative reference - a disciplined method for redistribution and decline - constructed on top of rigidly valid HRMS.

C. Pesticide toxicity: Fast classification in mixed matrices

Pesticides - especially in agricultural areas - often include a mixture (organophosphates, carbamates, pyrethroids) that overlap equally in chromatographic windows and pieces. In the last five years, two complementary lines have been advanced:

HRMS-based nontarget screening is valid for broad panels in blood and other matrices, giving labs a rescue "wide net" with the option to determine the volume in a single run.

Contingent TRIES environment ionization (DART-MS, PS-MS). When it comes to time-to-present--to submit and reduce highlights that require complete confirmation tasks for samples, recent reviews, and applications underline practical benefits in speed and width.

Both layered ML-Assisted spectral classification on both is the growth of the model potential identification and flag cum-lighting interventions on the pesticide spectra. While the method-specific, these models constantly reduce analysts' time on difficult isolation and improve the first-pass identity in mixed samples.[7]. (For the challenges of the matrix and to reduce them, especially in PS-MS, the description of the work details the effects of paper/surface and ion suppression.)

D. Abuse and NPS medicines: ahead of a moving target

The NPS landscape can be rapidly changed compared to traditional libraries. Here, the last five years show the most visible effects from AI and data-centered surveillance:

Tackling a shifting challenge from research to practice in toxicology labs, emphasizing clinical/forensic reviews that help catch widespread, suspected-unknown data capture labs that they do not think of watching.

Environmental technology, especially Dart-MS and PS-MS, is being used as front-end trials for seized drugs and biological samples, with strong review coverage and growing case apps.

Unconstrained / mL group clustering on HRMS data is worth knowing people close to know classes (e.g., Nitazenes vs. Fentanels analogs) that can be justified search value instead of the standards immediately. These concepts provide similar momentum behind wasted water-based epidemiology (WBE), where ML -ML-modeling is supporting and projecting the trend of drug signals at the community level, feeding back suspicious listings into lab flows.

All together, these advanced laboratories, which have moved from reactive to active. Instead of waiting for reference libraries to put together, they are capturing a lot of data, using AI, cluster and priority and are leveraging the WBE signal, to the determined standards of waves and liberate standards. Takeaway: A practical loop has been shown in recent literature: Wbe + Ml Flags Trends → Labs prioritize suspects in unprotected HRMs → Sluding MS Speeds Triages in Cassworks → Confirmation locks - Confirmation in evidence - Confirmation in evidence - Confirmation in evidence - strengthening and lowering interculture[8].

IV. EMERGING TRENDS IN AI-BASED FORENSIC TOXICOLOGICAL SCIENCE




Fig. 2 Emerging trends in AI-based forensic toxicological science

A. Chemomatrix meets AI

Chemometrics - Science of extracting information from chemical systems - is already a mainstay in toxic science. When used together with AI, it becomes more powerful. Instead of linear models, AI introduces adaptive systems that learn from developing data. This combination is particularly effective in plant toxin studies and classifying complex drug mixtures.

B. AI-Inaculated spectral library

Characterial libraries are the backbone of poisonous identity. Traditionally, their construction has been manual; experts need to validate the spectra. AI automates this process, dynamically curating, classifying and updating libraries. For example, deep learning algorithms can deconvolute overlapping peaks in mass spectra, which allows for cleaner, more accurate identification.

C. Future Poisoning

Predictive models are a growing star in toxic science. Using AI, researchers can simulate how a substance can behave in the body - its metabolism, its toxic threshold, or even chronic diseases due to its potential. Silico poisoning not only reduces dependence on animal models in testing but also provides rapid insight for forensic probes.

D. Digital Twins and Silico Models

AI-operated "digital twins" of biological systems are emerging. These are virtual models of human organs or metabolic passages that can help predict how a toxin interacts under different circumstances. Such models are already helping to estimate malignant doses or metabolic breakdowns for novel substances, where no pre-curvature exists.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

E. AI in Histopathology and image-based toxic science

Forensic matters often rely on tissue-level evidence. AI-in-managed image analysis can detect microseller changes in the liver, kidney or brain tissue slides that point to specific toxic humiliation. It is particularly valuable in cases of slow toxicity, where traditional tests may fail to catch early tissue-level changes.

F. Omix Integration with AI

Modern toxic science is not only about small molecules. Toxicogenomics, metabolomics and proteomics produce huge datasets that have important clues about toxic risk. AI models integrate these layers, providing overall insight. For example, connecting metabolomic fingerprints with genetic sensitivity can predict how different individuals react to the same poison[9].

V. PRACTICAL APPLICATION IN FORENSIC SCIENCE




Fig. 3 Practical application in forensic science

1) Deep learning for Spectrum Decohering: Overlapping peaks and noise signals are a major headache every day in spectrometry. Trained deep learning models on large spectral datasets can open these signals, which can lead to cleaner and faster identification.

2) Drug and Poison Classification: The AI models are now trained on thousands of known drugs and poisons. When an unknown sample enters the laboratory, the system may suggest possible matches within seconds. This is particularly valuable in cases associated with novel psychoactive substances (NP).

3) Natural language processing for forensic database: Toxicologists often struggle with unnecessary data -case notes, literature, or forensic reports. NLP equipment operated by AI can remove relevant information and mark cases with similar toxin or exposure profiles, which can reduce time and effort.

4) Automatic Workflows & Robotics: Some are opting for a robotics system overseen by Forensic Lab AI. These setups automate sample preparations, data collection, and even preliminary interpretation, focusing on decision-making for experts in a repeated manner[10].

VI. CASE APPLICATION

A. AI Case in Forensic Toxic Science

Artificial intelligence is not only a tool of theory and thinking for toxic science, but it is also regularly becoming part of the practical course. Its applications are many and vary from plants' rich toxins to postmortem analyzers, pesticides and at times novel psychiatric, promoting developing challenges. Below, we describe the move into the descriptive areas of forensic toxic science with AI.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

B. Plant Toxins

Plant-retail poisons such as Abrin (Efferus Prettyus), Aconitine (Aconitum Napelus), and calotropin (calotropis gigantic) represent some of the most potent and difficult toxins encountered in forensic examination. These are typically found at trace level in complex biological matriarchies, making them notoriously hard to identify with typical target screening methods.

The AI-Casisted LC-qtof-MS (or LC-Tof/Lc-Orbiterap) platforms are reducing this difference. By training a machine learning model on expansive sets of mass spectral data, analysts can better identify the unique fission pattern of these rare toxins, even in the noisy dataset where manual interpretation is tedious. For example, the Convolutional Neural Network (CNN) has been applied to spectral deconvolution, allowing analysts to separate toxic peaks from overlapping signals.

In practice, this means that investigators no longer need to rely on the availability of certified reference standards, which are often missing for foreign plant toxins. AI models may suggest the identity of the candidate, assign probability scores, and narrow the search space for toxicity. These are the major implications for forensic casework, especially in areas where plant-based poisoning is still common in murders and suicides.

C. Postmortem Toxicology

One of the most complex challenges in forensic toxic science is the analysis of postmortem samples. After death, toxins do not remain stable. Instead, they undergo redistribution in tissues, affect pH changes, and are degraded due to microbial or enzymatic activity. These factors can lead to misleading concentration measurements, making it complicated to determine whether a toxin played a role in death.

AI provides a novel solution through the future poisoning model. By learning from a large dataset of postmortem toxicological cases, machine learning algorithms can estimate the expected toxic concentrations in various fluids such as blood, urine, vitreous humor and tissue homogenates. These models can be responsible for time since death, decomposition stages and physiological variables, offering potential concentration limits rather than single-point values.

Forensic pathologists can use these AI-related projections to strengthen their interpretations of toxic findings. For example, if decomposition has changed blood concentrations, the model can still predict levels in the vitreous humor that align with fatal risk. Such support is invaluable in court, where strong, scientifically appropriate interpretations are necessary.

D. Pesticide Toxicity

Pesticides are among the most frequent agents faced in forensic toxic science, especially in agricultural fields where compounds such as organophosphates, carbamates, and pyrethroids are easily available. Their detection leads to important challenges, as cases of toxicity often include a mixture of pesticides, which overlap chromatographic peaks and similar fragmentation patterns.

Machine learning has proved especially effective in this domain. Trained algorithms - Using spectral libraries of pesticide compounds - can quickly identify fission fingers and classify compounds even in complex environments or biological samples. Supervised models, such as random forests or support vector machines (SVMs), have been implemented to separate uniform pesticides and identify low-level compounds that can not be noticed otherwise.

In addition, AI equipment can handle large-scale batch analysis, screening hundreds of samples while maintaining accuracy continuously. It is particularly valuable during outbreaks of poisoning or suspected large-scale exposure, where rapid identification is important for both public health and legal action.

E. Drugs of abuse and novel psychoactive materials

Perhaps the most pressure and rapidly developing challenge in forensic toxic science is to detect drugs of misuse, especially the continuous stream of novel psychoactive substances (NP). These synthetic drugs - which include designer opioids, cannabinoids, and cattle - are designed to mimic the effects of controlled substances while evading detection in the traditional toxic science screen.

AI offers an impressive collection of technologies to help match pace with this moving target. The Uncontrolled Learning algorithm can cluster unknown compounds based on the similarities to the drug class, even when the exact structure does not exist in reference libraries. Concurrently, the A-NHNSED monitoring system casts a net, incorporating data from toxicology, clinical entry and improvement, and even wastewater data to detect patterns from drug use and feeds this intelligence back to forensic labs.

This adaptive cycle implies that forensic labs are no longer reactants. Instead of waiting for standard reference materials to become available, the AI model enables scientists to flag and "suspect unknown", estimate when the emergence of more new NPS waves, and change their test protocol. In doing so, AI is creating a more agile and accountable system in forensic toxicology to address the global drug crisis.[11].

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 13 Issue IX Sep 2025- Available at www.ijraset.com

VII. CHALLENGES AND LIMITATIONS

A. The Trials and Limits of AI in Forensic Toxicology Science

Although artificial intelligence is very promising in toxicology analysis, the application of AI in forensic analysis has some very important challenges. To support the use of AI's immoral findings as strong, rigorous and legally defensible, considerable challenges need to be understood and resolved.

B. Data Quality and Standardization

AI models are very heavily reliant on the data they are trained on, their quality and the breadth of it. If there is a lack of completeness in the training dataset, or if it is incompatible or biased, then the model will carry that forward. In forensic toxic science, this problem is compounded by the variability of substances encountered. For example, novel psychoactive substances (NP) may appear quicker than, or outside of categories based on reference spectra thresholds, establishing the lack of detectability for an extended time period in the dataset.[12].

Another challenge involves the lack of standardization in laboratory practices. Separate institutions may use different sample preparation methods, equipment settings or reporting thresholds. Feeding asymmetrical data into the machine learning pipeline may create misleading results, or models may only perform well under very narrow conditions. Without the harmonious protocol for sample handling, spectral acquisition and metadata recording, AI applications are being seen as incredible.

To overcome this, the forensic community is moving towards a shared database and collaborative structure, where valid, high-quality reference data is pooled into institutions. Initiatives such as federated learning are also being discovered, which can be trained in many datasets without direct data sharing - helping to protect sensitive case information by creating a stronger AI system.

Cost and expertise: Advanced AI systems require investment and training that many forensic labs cannot tolerate yet.

C. Black box problem

One of the most frequent criticisms of AI, especially in legal contexts, is the so-called black box problem. Many advanced models, especially deep teaching systems, can produce highly accurate predictions, but can not easily explain how those predictions were reached. In forensic toxic science, it is particularly problematic: it is not enough to know what the algorithm predicts; Courts and judges should understand why. For example, if an AI model classifies a spectrum as abrin with 95% probability, but the model cannot provide a transparent justification or show which characteristics of the spectrum have removed that classification, its clear weight will be limited in court. An anti-lawyer can challenge the acceptance of such conclusions under standards such as Dabert or Fry, which requires scientific evidence clear and reproducible.

Researchers are responding to this concern by developing a clear AI device, aimed at opening a black box by providing feature importance, visual or explanatory intermediate stages. These efforts require that AI has to obtain long -lengthy approval in forensic practice, where transparency is not only a scientific requirement, but a legal need.

D. Ethical and legal views

Beyond technical issues, AI forensic raises intensive moral and legal questions for toxic science. A central concern is accountability: Who is responsible if the AI system creates an error? If an algorithm considers a toxin wrong, due to a wrong mistake or acquitted, the software developer, laboratory or laboratory in court is convicted with experts presenting results in court.

There are also concerns about the excess of AI predictions. The court can be wooed to see the algorithm output as purpose or infallible, when in fact they are subject to uncertainties and prejudices similar to any other scientific tool. For protection against this, AI must always be implicated as an accessory tool, rather than changing the specialist decision of poison.

Finally, moral thoughts expand data privacy. Training AI models often requires large datasets drawn from forensic casting, which may include sensitive therapy or legal information. To ensure that such data are anonymous, safely stored, and required to protect the rights of individuals, managed morally, and manage scientific progress.

VIII. FUTURE DIRECTION

A. Future Instructions In Ai-Based Forensic Toxic Science

The application of artificial intelligence in forensic toxic science is still in its early stages. Still, the trajectory is clear: AI will become the cornerstone of toxic analysis in the coming decade. The next phase will be defined not only by technological innovation but also by integration - toxic forensic intelligence systems, analysis for individuals, and demonetisation of advanced equipment for all laboratories.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

B. Federated Learning and Associate Model Development

One of the biggest obstacles to creating a strong AI model in toxic science is the limited availability of large, harmonious datasets. Legal and privacy restrictions often prevent laboratories from sharing raw forensic data in courts. Federated learning provides a powerful solution.

In this method, laboratories do not share sensitive raw data; they instead locally train the AI model and then only send the learned parameters or model updates. These updates are gathered in a global model that can benefit from many varied training datasets without violating the case's privacy. Forensic toxic science means that labs located in different parts of the globe could always be improving future models - emerging toxins, novel psychoactive materials (NPs), or even identifying rare metabolites - without the need for moral or legal safety plans.

This collective intelligence could be the basis for the next generation of spectral libraries and the structure of future toxic science, which could actually transform various laboratory efforts into a global poisoning knowledge network.

C. Personal (Personal) Poison Detection

Traditional toxic science considers the “average” human reactions to toxins, but real-class results vary significantly based on genetics, age, metabolic health and environmental risks. AI has the potential to unlock personal poisoning, moving beyond average population predictive toxic effects to real classes of specific poisoning toxic effects on specific details.

For example, machine learning models can integrate toxogenomic data, protective biomarkers, and metabolic profiles to estimate how a person with a particular genetic background would fare in exposure to a particular poison. Such devices would be incredible assets in forensic work: they can help explain why two different individuals experience different results after being exposed to the same poison or determine if an accidental death was accidental or associated with an increased sensitivity.

This approach links forensic toxicology and a general trend of precision therapy to ensure interpretations are not only AC; regional surges in pesticides, translocations across borders of novel opioid overdose deaths, and repeated, well-documented use of a particular poison in targeted offenses.

For investigators, it means you'll be able to recognize the extent of broadening from case-by-case observations and, in turn, support early intervention and improved policy decisions on informants. For courts, it will bolster the clear reference point and finalize toxicological conclusions in the trends of crime overall.

D. Cloud-based poison science platform

Many small or resource-limited forensic laboratories lack the infrastructure to run complex AI models or maintain high-resolution mass spectrometry platforms. Cloud-based toxic science platforms can change by providing advanced computational analysis as a service. In this model, laboratories will upload raw spectral or omix data to secure the cloud server, where AI algorithms perform functions such as spectral deconvolutions, toxin prediction or library matching. The results will be returned to standardized, court-tayyaar reports, while heavy computational lifting is handled away from far away.

Such platforms will democratize access to advanced toxicological sciences, ensuring that fewer laboratories in developing areas can benefit from the state-of-the-art AI. In addition, the cloud system can constantly be updated with new models, spectral references, and toxicological insights, and all users can be we at the same pace with the latest scientific advances. The future of AI in forensic toxicological science is based on cooperation, privatization, integration, and access. Federated learning will provide collective intelligence without giving up privacy. Personalized forensic toxicological science will bridge personal consequences and population-level science. A forensic intelligence system will provide a methodology for using toxicology to support crime efforts. Cloud-based systems will ensure that advances are accessibly to laboratories of all sizes. If these directions are all undertaken with care and consideration, strict attention to transparency, ethical accountability, and verifiability, AE will not only be an aid in forensic toxic science. In fact, it will be a transformative force, ensuring toxic science is more ethical, robust, and relevant in front of the developed realm.

IX. CONCLUSION


AI is not intended to substitute forensic toxicologists; it is intended to empower forensic toxicologists. By augmenting the data surcharge burden, AI actually gives forensic toxicologists much more time to spend on what forensic toxicologists think is important, which is interpreting the results in the context of justice and human life. The future forensic toxic science will likely be hybrid, where human expertise and an AI in mind are working in tandem. They might work together to provide more rapid, more accurate and more accessible toxicology testing for both science and society.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

REFERENCES

[1] Di Giorgi, S. Pichini, F. P. Busardò, and G. Basile, "Artificial intelligence in new psychoactive substances analysis: state-of-the-art and future perspectives," J Anal Toxicol, Jul. 2025, doi: 10.1093/JAT/BKAF071.
[2] K. Jurowski and A. Krośniak, "Prediction of key toxicity endpoints of AP-238, a new psychoactive substance for clinical toxicology and forensic purposes using in silico methods," Sci Rep, vol. 14, no. 1, pp. 1–14, Dec. 2024, doi: 10.1038/S41598-024-79453-5; SUBJMETA.
[3] Z. J. Zhu et al., "Liquid Chromatography Quadrupole Time-of-Flight Characterization of Metabolites Guided by the METLIN Database," Nat Protoc, vol. 8, no. 3, p. 451, Feb. 2013, doi: 10.1038/NPROT.2013.004.
[4] H. Yu, J. Ding, T. Shen, M. Liu, Y. Li, and O. Fiehn, "MassCube improves accuracy for metabolomics data processing from raw files to phenotype classifiers," Nature Communications , vol. 16, no. 1, pp. 1–15, Dec. 2025, doi: 10.1038/S41467-025-60640-5;TECHMETA.
[5] F. Wu, X. Zhang, Z. Fang, and X. Yu, "Support Vector Machine-Based Global Classification Model of the Toxicity of Organic Compounds to Vibrio fischeri," Molecules, vol. 28, no. 6, p. 2703, Mar. 2023, doi: 10.3390/MOLECULES28062703/S1.
[6] E. Sisco and T. P. Forbes, "Forensic applications of DART-MS: A review of recent literature," Forensic Chemistry, vol. 22, p. 100294, Mar. 2021, doi: 10.1016/J.FORC.2020.100294.
[7] A. Zissler, W. Stoiber, J. Geissenberger, P. Steinbacher, F. C. Monticelli, and S. Pittner, "Influencing factors on postmortem protein degradation for pmi estimation: A systematic review," Diagnostics, vol. 11, no. 7, p. 1146, Jul. 2021, doi: 10.3390/DIAGNOSTICS11071146/S1.
[8] A. Di Giorgi, S. Pichini, F. P. Busardò, and G. Basile, "Artificial intelligence (AI) in New Psychoactive Substances (NPS) analysis: state-of-art and future perspectives," J Anal Toxicol, Jul. 2025, doi: 10.1093/JAT/BKAF071.
[9] A. Gangwal and A. Lavecchia, "Artificial intelligence in preclinical research: enhancing digital twins and organ-on-chip to reduce animal testing," Drug Discov Today, vol. 30, no. 5, p. 104360, May 2025, doi: 10.1016/J.DRUDIS.2025.104360.
[10] Q. He et al., "Dear-DIAXMBD: Deep Autoencoder Enables Deconvolution of Data-Independent Acquisition Proteomics," Research, vol. 6, p. 0179, Jan. 2023, doi: 10.34133/RESEARCH.0179.
[11] V. Notarstefano et al., "A new approach to assess post-mortem interval: A machine learning-assisted label-free ATR-FTIR analysis of human vitreous humor," Spectrochim Acta A Mol Biomol Spectrosc, vol. 327, p. 125326, Feb. 2025, doi: 10.1016/J.SAA.2024.125326
[12] F. Alam, T. S. Mohammed Alnazzawi, R. Mehmood, and A. Al-maghthawi, "A Review of the Applications, Benefits, and Challenges of Generative AI for Sustainable Toxicology," Curr Res Toxicol, vol. 8, p. 100232, Jan. 2025, doi: 10.1016/J.CRTOX.2025.100232.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |



10.22214/IJRASET

45.98

IMPACT FACTOR: 7.129

IMPACT FACTOR: 7.429

INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 (24*7 Support on Whatsapp)