iJRASET
International Journal For Research in Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 13 **Issue:** IV **Month of publication:** April 2025

DOI: https://doi.org/10.22214/ijraset.2025.69637

www.ijraset.com

Call: 08813907089 | E-mail ID: ijraset@gmail.com

International Journal for Research in Applied Science & Engineering Technology (IJRASET)
ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 13 Issue IV Apr 2025- Available at www.ijraset.com

Augmented Reality (AR) for Architectural Design

Vibhu Tiwari[1], Sidharth Sharma[2], Saumya Singh[3], Ms. Poonam Verma[4], Mr. Harender Singh Malik[5], Dr. Saumya Chaturvedi[6]
Department of Computer Applications Greater Noida Institute Of Technology (Engg. Institute) Greater Noida, India

Abstract: ***This research explores the significant role of augmented reality (AR) in architecture. The research examineshow augmented reality (AR) has transformed the architectural design practice, from conceptualization to execution. This research identifies how augmented reality (AR) can be applied to enhance visualization, enhance the accuracy of designs, and make communication with the client easier. The advantages of augmented reality (AR) in allowing the development of real and engaging design experiences are addressed in this research. Augmented reality technology allows designers to transcend the constraints presented by realistic models and traditional two-dimensional drawings. Augmented reality (AR) technology issues and challenges, such as technical skills and equipment requirements, are addressed in this paper.***

Keywords: Augmented Reality, Architectural Design, Visualization Technology, Interactive Design, Technological Innovation, Immersive Experience.

I. INTRODUCTION

Augmented Reality (AR) is a leading-edge technology that overlays digital data—images, videos, and information—over real environments. With the merging of virtual objects into real environments, AR enhances the experience of the user and creates an interactive, engaging experience rich in learning and entertainment content [1].AR can be displayed on a variety of devices, including smartphones, tablets, head-mounted displays, and smart glasses. These enable users to see digital information as if it existed in their real-world environment. One of the most compelling features of AR is that it has the ability to provide real-time, context-sensitive information, which increases both user immersion and learning [2].Initially created to support gaming and entertainment, AR technology has matured quickly and spread across multiple industries, ranging from education, healthcare, marketing, and manufacturing. Improved affordability and friendlier interfaces have caused the widespread proliferation of this technology. Consequently, AR has powered new applications in the form of interactive educational content, surgical visualizers, location-based advertising, and virtual prototypes for product testing [3]-[5].The flexibility of AR illustrates its role as a revolutionary factor in many fields. In architecture, the implementation of AR supports improved collaboration among architects, engineers, clients, and construction professionals. It establishes a common ground for real-time engagement with design ideas, enhancing communication, converging expectations, and facilitating collective decision-making. Such benefits promote faster project execution and better results.Traditionally, architectural design was based on hand sketches and physical scale models [6]. Although effective then, these techniques were limited in flexibility, scalability, and detail. The advent of computer-aided design (CAD) was a significant leap forward, providing higher accuracy and ease of amendment, thus increasing productivity and design complexity [7]. As technology kept progressing, software such as Building Information Modeling (BIM), Virtual Reality (VR), and presently Augmented Reality (AR) has further revolutionized the process of architectural design.

II. RELATED WORK

In AR in education literature, other bibliometric studies are centered on specific themes like physical education (Calabuig-Moreno et al., 2020), sustainability of AR in higher education (Abad-Segura et al., 2020), and studies on AR in higher education (López et al., 2019). In science education, Arici et al. (2019) have done a bibliometric study of 147 articles and a systematic review of 79 articles between 2013 and 2018. Karakus et al. (2019) carried out a bibliometric analysis of 437 journal articles in the Web of Science (WOS), but conference papers were excluded. Bhagat (2019) carried out a bibliometric analysis of 1,737 articles on AR in simulation and training. There is also another bibliometric analysis that took into consideration AR from a general point of view, but it is not focused on education (Cipresso et al., 2018). Together, these analyses indicate growing interest in AR technology worldwide and that connected scientific production is on the rise as well.

In addition to performing a bibliometric analysis, we also assessed the health of the field by reviewing published systematic reviews, meta-analyses, and surveys on the subject.

©IJRASET: All Rights are Reserved

This information is beneficial to researchers, practitioners, and other stakeholders because itgives an overview of present systematic reviews,meta-analyses, and field surveys so that stakeholders can use them when they require specific information regarding a specific topic within the field. To achieve that, we queried the Scopus database using the following string: (TITLE-ABS-KEY ("augmented reality") AND TITLE-ABS-KEY (educat*) AND TITLE-ABS-KEY
("systematic literature review") OR TITLE-ABS-KEY ("systematic review") OR TITLE-ABS-KEY ("metaanalysis") OR TITLE-ABS-KEY ("survey")) for three categories of articles: systematic literature reviews, metaanalyses, and surveys in the area of AR in education. This search resulted in 128 hits. We examinedthe abstract of each hit to determine whether the article is one of the three categories of articles ofinterest and in the education field of AR. We removed duplicates and then revised each article to determine itstype. Consequently, we identified 45 systematic literature reviews and meta-analyses and 33 surveys published in the education field of AR. We read the articles, and for every literature review and meta-analysis, wecollected the following information: type of paper (conference or journal paper), title, year of publication, source of publication, review type (systematic or meta-analysis), key topic, number of studies included, paper type(s) reviewed in the article, and coverage (timeframe). Table A.1 in Appendix A summarizes the data gathered for the 44 systematic literature reviews, and Table A.2 in Appendix A summarizes the data gathered for the 33 surveys. It is worth noting that Table A.2 in Appendix A does not contain details regarding the number of studies that were taken into account, the kind of papers reviewed in the survey, and coverage (period), since the majority of the surveys fail to provide this detail, as such surveys are not systematic.

III. AUGMENTED REALITY IN DESIGN VISUALIZATION

Theoretical foundations of augmented reality (AR) depend on the potential to obtain an interactive and interactive interaction by integrating virtual elements into a physical environment [12]. Fulfillment of this purpose is done through the integration of hardware as well as software units. The key components are camerasand sensors for the sake of inspecting the environment, processors for the sake of processing data in real time,and display devices for the presentation of digital information. Augmented reality (AR) systems have been specially designed to identify and analyze physical objects or the environment, linking them with related electronic information [13]-[15]. Contemporary interaction is driven by core concepts of computer vision, spatial cognition, and user interface design, resulting in a smooth and unified combination of virtual and real-world features. The application of augmented reality (AR) in architectural design is largely aimed at improving visualization, increasing design accuracy, and improving customer feedback. Architects can use augmented reality (AR) technology to overlay virtual models of buildings or buildings onto reality. That allows them to provide a realistic visual image of what a design will look like in its intended context [16]. This capability allows for improved evaluation of design aspects such as proportions, scale, and context. The use of augmented reality (AR) also facilitates on-the-fly modification of designs, providing a virtual platform for clients and architects to collaborate in the process of trying out various architectural details. Moreover, augmented reality (AR) is an essential tool in the early detection of possible design flaws that facilitate better efficiency and accuracy in layout outputs. The application of augmented reality (AR) in the practice of architecture is a significant milestone in how architects perceive, provide, and present their design concepts [17]. Augmented Reality (AR) offers users instant data and graphical information as they interact with their environments, thereby creating a dynamic, exciting experience. In augmented reality, the content has traditionally shown relevance in context by forming associations with specific physical locations or objects, illustrated in fig.2. This enables the presentation of some data or graphics focused on the user's immediate surroundings [18]. Spatial awareness refers to the ability of augmented reality (AR) technology to perceive and react to the actual world surrounding the user. The process includes using sensors, cameras, and computer vision algorithms to distinguish and recognize the world around in an effective way. Augmented reality (AR) deployment forms a tradeoff between hardware and software aspects [19]. The main hardware components covered under the given environment are sensors and cameras designed purely to scan the environment, processors that support real-time processing, and output devices that can be smartphones or virtual reality glasses, which are used for rendering digital overlays. The software component encompasses augmented reality (AR) applications that perform the gathering of input data and the resulting generation of virtual overlays. More advanced augmented reality (AR) systems can use technology such as machine learning and artificial intelligence to improve their ability to recognize and personalize. The major difference between augmented reality (AR) and virtual reality (VR) is how each of them approaches the concept of reality. Augmented reality (AR) is employed to enhance or augment the real world by overlaying technological features onto it, hence helping users have an attachment to their environment [20]

IV. IMPACT ON THE DESIGN PROCESS

The use of Augmented Reality (AR) in the design process has a major impact of elevating client knowledge and interaction. Using the method of projecting digital representations over physical environments, AR (augmented reality) enables clients to see the final design in an actual real-world setting [23].The full immersion of such interaction allows a higher level of knowledge and bond with the project, beyond the functionality of the conventional 2D drawings or mere 3D models on a screen. Users can find virtual buildings, thus gaining firsthand experience with spatial composition and visual characteristics of the design [24]. The level of collaboration discussed not only supports the capability to make informed decisions but also creates a higher level of engagement with the project, leading to higher levels of satisfaction and confidence in the design choices. One of the greatest features of augmented reality (AR) in its environment of design visualization is in the Fig.2 Comparison of traditional Vs AR AR-enhanced architectural Design methods. AR users can interact with virtual and real-world objects, making the technology more compatible and useful. Virtual reality (VR), on the one hand, presents an increased sense of engagement, which is generally contained within the virtual world produced by the headset, thus limiting involvement in the real world [21]. There are significant differences in the hardware employed in both augmented reality (AR) and virtual reality (VR) as well.Augmented reality (AR) may be accessed on a range of devices, such as smartphones, tablets, and dedicated AR glasses, thereby promoting accessibility for users.Virtual reality (VR) demands the utilization of head-mounted monitors (HMDs) or complex VR headsets, specifically designed to fully immerse the user in a simulated environment. Although both Augmented Reality (AR) and Virtual Reality (VR) find extensive applications, their applications are varied due to their inherent differences.The technology known as augmented reality (AR) finds promising popularity across many domains like education, healthcare, retail, and design due to its potential to enrich the physical world with more information, thus providing considerable benefits [22]. Virtual reality (VR) has become extremely popular in many areas, such as gaming, simulation training, and completely immersive experiences, in which one of the intentions is to obtain total immersion in a virtual world. 3. Influence on the Design ProcessThe use of Augmented Reality (AR) in the design process has a profound effect on client knowledge and engagement.With the technique of overlaying digital models on actual real-world locations, AR (augmented reality) allows clients to see the end design in a real-world environment [23]. The complete immersion of this type of interaction allows for a greater degree of understanding and relation to the project, beyond the functionality of standard 2D plans or mere 3D models displayed on a screen. The users can explore virtual buildings, thereby obtaining firsthand experience with spatial arrangement and visual elements of the design [24]. The degree of cooperation observed not only facilitates the capacity to make informed decisions but also establishes a greater degree of attachment towards the project, resulting in higher levels of satisfaction and confidence in the design decisions. One of the most essential characteristics of augmented reality (AR) within its context of design visualization is the capability to foster real-time changes in addition to instant feedback [25]-[30]. Designers can be in a position to effectively modify architectural features, for example, the colors of walls, the finishes of materials, and the configurations of furniture, while clients interact with the virtual environment. The application of this interactive procedure enables joint evaluation of multiple design alternatives, hence creating a more open and free line of design. Inclusive, quick integration of client feedback facilitates effective realization of their preference and requirements, resulting in time and cost savings on future changes.

V. CHALLENGES AND LIMITATIONS FOR AUGMENTED REALITY

While Augmented Reality (AR) presents tremendous opportunities in architecture design, it faces numerous technological and hardware challenges. The efficacy of augmented reality (AR) relies on the degree of advancement exhibited by the equipment used, e.g., augmented reality (AR) glasses or headsets, which may entail great expenses and might not have convenient access [37]. The value of these devices for extended use can be influenced by various factors, such as solution, perspective view, and user comfort. Further, a need for significant computational power and exceptional graphical capabilities indicates that only top-tier devices can support the most intricate augmented reality (AR) apps. The mass adoption of augmented reality (AR) is constrained by technological limitations, even in smaller companies or users with low liquidity reserves. Effective integration of the augmented reality (AR) technology into building design requires acquiring technical training and technical expertise [38]. The computer program and hardware components need a complete understanding to efficiently use augmented reality (AR) technology. Experts within the architectural profession can be compelled to learn skills in new software tools and interfaces that show significant dispersion from traditional architectural software.In addition, the proper integration of augmented reality (AR) into current design processes can require significant education and transition periods. Professional skills and training may be a difficulty for business organizations, especially those that do not have funding for professional development and technological integration [39]-[42].

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

There are numerous case studies providing examples of the effective use of augmented reality (AR) in architecture design. Of particular interest, some firms are using augmented reality (AR) technology for customer presentation purposes as well as on-site visualization.This deployment allows clients to see and engage with design suggestions within the real world. These systems have proven significant improvements in client comprehension and content. Finding the right balance between the use of cutting-edge technology and pragmatic considerations like ease of use and cost-effectiveness is of utmost importance. Best practices involve starting with small-scale installations to discover the impact of the technology, and then expanding its use incrementally as experience and know-how evolve [43].


VI. CONCLUSION

The exploration of Augmented Reality (AR) integration in architectural design suggests a shift in how architects, clients, and stakeholders engage with their surroundings. This research demonstrates that AR is more than just a novel technology; it is a potent tool with substantial potential to revolutionize the architectural design industry. The use of AR offers unique opportunities for enriching visualization, communication, and verification of accuracy in design implementation. The ability of AR to marry conceptual designs with reality has greatly increased client participation and satisfaction. It enhances heightened understanding and engagement in the design process through the ease withwhich users to witness and respond to design elements in real time. Greater stakeholder involvement results in improved decision-making and can significantly cut down on revision and modification time and effort.Notwithstanding this success, the successful application of AR into building design also poses some level of challenge. The research shows that the biggest challenges come from technological and logistical factors, as well as requiring experts in training and skills. Mitigating all these challenges takes a complete analysis that acknowledges AR integration strengths as well as the weaknesses.

REFERENCES

[1] Milovanovic, J., Moreau, G., Siret, D., & Miguet, F. (2017, July). Virtual and augmented reality in architectural design and education. In 17th international conference, CAAD futures 2017.
[2] Wang, J., Wang, X., Shou, W., & Xu, B. (2014). Integrating BIM and augmented reality for interactive architectural visualisation. Construction Innovation, 14(4), 453-476.
[3] Wang, X., Love, P. E., Kim, M. J., Park, C. S., Sing, C. P., & Hou, L. (2013). A conceptual framework for integrating building information modeling with augmented reality. Automation in construction, 34, 37-44.
[4] Fukuda, T., Nada, H., Adachi, H., Shimizu, S., Takei, C., Sato, Y., ... & Motamedi, A. (2017). Integration of a structure from motion into virtual and augmented reality for architectural and urban simulation: demonstrated in real architectural and urban projects. In Computer-Aided Architectural Design. Future Trajectories: 17th International Conference, CAAD Futures 2017, Istanbul, Turkey, July 12-14, 2017, Selected Papers 17 (pp. 60-77). Springer Singapore.
[5] Basavapoornima, C., Kesavulu, C. R., Maheswari, T., Pecharapa, W., Depuru, S. R., & Jayasankar, C. K. (2020). Spectral characteristics of Pr3+-doped lead based phosphate glasses for optical display device applications. Journal of Luminescence, 228, 117585.
[6] Saxena, K. K., & Lal, A. (2012). Comparative Molecular Dynamics simulation study of mechanical properties of carbon nanotubes with number of stone-wales and vacancy defects. Procedia Engineering, 38, 2347-2355.
[7] Sørensen, S. S. (2013). The development of augmented reality as a tool in architectural and urban design. NA, 19(4).
[8] Godavarthi, B., Nalajala, P., & Ganapuram, V. (2017, August). Design and implementation of vehicle navigation system in urban environments using internet of things (IoT). In IOP Conference Series: Materials Science and Engineering (Vol. 225, No. 1, p. 012262). IOP Publishing.
[9] Kumari, C. U., Murthy, A. S. D., Prasanna, B. L., Reddy, M. P. P., & Panigrahy, A. K. (2021). An automated detection of heart arrhythmias using machine learning technique: SVM. Materials Today: Proceedings, 45, 1393-1398.
[10] Saxena, K. K., Srivastava, V., & Sharma, K. (2012). Calculation of Fundamental Mechanical Properties of Single Walled Carbon Nanotube using Non-local Elasticity. Advanced Materials Research, 383, 3840-3844.
[11] Tripathi, G. P., Agarwal, S., Awasthi, A., & Arun, V. (2022, August). Artificial Hip Prostheses Design and Its Evaluation by Using Ansys Under Static Loading Condition. In Biennial International Conference on Future Learning Aspects of Mechanical Engineering (pp. 815-828). Singapore: Springer Nature Singapore.
[12] Adăscăliţei, I., & BĂLŢOI, I. C. M. (2018). The Influence of Augmented Reality in Construction and Integration into Smart City. Informatica Economica, 22(2).
[13] Reddy, K. S. P., Roopa, Y. M., LN, K. R., & Nandan, N. S. (2020, July). IoT based smart agriculture using machine learning. In 2020 Second international conference on inventive research in computing applications (ICIRCA) (pp. 130-134). IEEE
[14] Agrawal, R., Singh, S., Saxena, K. K., & Buddhi, D. (2023). A role of biomaterials in tissue engineering and drug encapsulation. Proceedings of the Institution of Mechanical Engineers, Part E: Journal of Process Mechanical Engineering, 09544089221150740.
[15] Arun, V., Shukla, N. K., Singh, A. K., & Upadhyay, K. K. (2015, September). Design of all optical line selector based on SOA for data communication. In Proceedings of the Sixth International Conference on Computer and Communication Technology 2015 (pp. 281-285).
[16] SudhirSastry, Y. B., Krishna, Y., & Budarapu, P. R. (2015). Parametric studies on buckling of thin walled channel beams. Computational Materials Science, 96, 416-424.

[17] Ramadugu, S., Ledella, S. R. K., Gaduturi, J. N. J., Pinninti, R. R., Sriram, V., & Saxena, K. K. (2023). Environmental life cycle assessment of an automobile component fabricated by additive and conventional manufacturing. International Journal on Interactive Design and Manufacturing (IJIDeM), 1-12.
[18] Shouman, B., Othman, A. A. E., & Marzouk, M. (2022). Enhancing users involvement in architectural design using mobile augmented reality. Engineering, Construction and Architectural Management, 29(6), 2514-2534.
[19] Arun, V., Singh, A. K., Shukla, N. K., & Tripathi, D. K. (2016). Design and performance analysis of SOA–MZI based reversible toffoli and irreversible AND logic gates in a single photonic circuit. Optical and quantum electronics, 48, 1-15.
[20] Balguri, P. K., Samuel, D. H., & Thumu, U. (2021). A review on mechanical properties of epoxy nanocomposites. Materials Today: Proceedings, 44, 346-355.
[21] Ajith, J. B., Manimegalai, R., & Ilayaraja, V. (2020, February). An IoT based smart water quality monitoring system using cloud. In 2020 International conference on emerging trends in information technology and engineering (ic-ETITE) (pp. 1-7). IEEE.
[22] Swapna Sri, M. N., Anusha, P., Madhav, V. V., Saxena, K. K., Chaitanya, C. S., Haranath, R., & Singh, B. (2023). Influence of Cu particulates on a356mmc using frequency response function and damping ratio. Advances in Materials and Processing Technologies, 1-9.
[23] Wang, X., Truijens, M., Hou, L., Wang, Y., & Zhou, Y. (2014). Integrating Augmented Reality with Building Information Modeling: Onsite construction process controlling for liquefied natural gas industry. Automation in Construction, 40, 96-105.
[24] Mekni, M., & Lemieux, A. (2014). Augmented reality: Applications, challenges and future trends. Applied computational science, 20, 205-214.
[25] Telagam, N., Kandasamy, N., & Nanjundan, M. (2017). Smart sensor network based high quality air pollution monitoring system using labview. International Journal of Online Engineering (iJOE), 13(08), 79-87.
[26] Arora, G. S., & Saxena, K. K. (2023). A review study on the influence of hybridization on mechanical behaviour of hybrid Mg matrix composites through powder metallurgy. Materials Today: Proceedings.
[27] Hajirasouli, A., & Banihashemi, S. (2022). Augmented reality in architecture and construction education: state of the field and opportunities. International Journal of Educational Technology in Higher Education, 19(1), 39.
[28] Chi, H. L., Kang, S. C., & Wang, X. (2013). Research trends and opportunities of augmented reality applications in architecture, engineering, and construction. Automation in construction, 33, 116-122.
[29] Awasthi, A., Saxena, K. K., & Arun, V. (2020). Sustainability and survivability in manufacturing sector. In Modern Manufacturing Processes (pp. 205-219). Woodhead Publishing.
[30] Thomas, B., Piekarski, W., & Gunther, B. (1999). Using augmented reality to visualise architecture designs in an outdoor environment. International Journal of Design Computing Special Issue on Design Computing on the Net (DCNet), 1(4.2).
[31] Korpi, A. G., Ţălu, Ş., Bramowicz, M., Arman, A., Kulesza, S., Pszczolkowski, B., ... & Gopikishan, S. (2019). Minkowski functional characterization and fractal analysis of surfaces of titanium nitride films. Materials Research Express, 6(8), 086463.
[32] Singh, B., Saxena, K. K., Dagwa, I. M., Singhal, P., & MALIK, V. (2023). Optimization Of Machining Characteristics of Titanium-Based Biomaterials: Approach to Optimize Surface Integrity for Implants Applications. Surface Review and Letters, 2340008.
[33] Mei, Y., Nie, Q., Wang, F., Lin, Y., & Jiang, H. (2019, July). Application of augmented reality technology in industrial design. In IOP conference series: materials science and engineering (Vol. 573, No. 1, p. 012062). IOP Publishing.
[34] Song, Y., Koeck, R., & Luo, S. (2021). Review and analysis of augmented reality (AR) literature for digital fabrication in architecture. Automation in construction, 128, 103762.
[35] Jin, Y., Seo, J., Lee, J. G., Ahn, S., & Han, S. (2020). BIM -based spatial augmented reality (sar) for architectural design collaboration: a proof of concept. Applied Sciences, 10(17), 5915.
[36] Gupta, T. K., Budarapu, P. R., Chappidi, S. R., YB, S. S., Paggi, M., & Bordas, S. P. (2019). Advances in carbon based nanomaterials for bio-medical applications. Current Medicinal Chemistry, 26(38), 6851-6877.
[37] Awasthi, A., Saxena, K. K., Dwivedi, R. K., Buddhi, D., & Mohammed, K. A. (2022). Design and analysis of ECAP Processing for Al6061 Alloy: a microstructure and mechanical property study. International Journ al on Interactive Design and Manufacturing (IJIDeM), 1-13.
[38] Alirezaei, S., Taghaddos, H., Ghorab, K., Tak, A. N., & Alirezaei, S. (2022). BIM-augmented reality integrated approach to risk management. Automation in Construction, 141, 104458.
[39] Ergün, O., Akın, Ş., Dino, İ. G., & Surer, E. (2019, March). Architectural design in virtual reality and mixed reality environments: A comparative analysis. In 2019 IEEE conference on virtual reality and 3D user interfaces (VR) (pp. 914-915). IEEE.
[40] Sidani, A., Dinis, F. M., Duarte, J., Sanhudo, L., Calvetti, D., Baptista, J. S., ... & Soeiro, A. (2021). Recent tools and techniques of BIM-Based Augmented Reality: A systematic review. Journal of Building Engineering, 42, 102500.
[41] Awasthi, A., Saxena, K. K., & Arun, V. (2021). Sustainable and smart metal forming manufacturing process. Materials Today: Proceedings, 44, 2069-2079.
[42] Wang, X., Gu, N., & Marchant, D. (2008). An empirical case study on designer's perceptions of augmented reality within an architectural firm. Journal of Information Technology in Construction (ITcon), 13(33), 536 -552.
[43] AlFadalat, M., & Al-Azhari, W. (2022). An integrating contextual approach using architectural procedural modeling and augmented reality in residential buildings: the case of Amman city. Hel



10.22214/IJRASET

45.98

IMPACT FACTOR: 7.129

IMPACT FACTOR: 7.429

INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 (24*7 Support on Whatsapp)