



iJRASET

International Journal For Research in
Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 13 Issue: IV Month of publication: April 2025

DOI: <https://doi.org/10.22214/ijraset.2025.69313>

www.ijraset.com

Call:  08813907089

E-mail ID: ijraset@gmail.com

Automated Detection of Tomato Leaf Blight Using Convolutional Neural Networks and Image Processing Techniques

Umar Farooque¹, Ayush Kumar¹, Isha Tiwari¹, Ayesha Alam^{*}, Shakti Nath Singh^{*}

Computer Science and Engineering Department, New Government Polytechnic Patna-13

(N.G.P. Patna-13, Patliputra Colony, Patna, Bihar-800013)

{^{*} - Corresponding Authors (emails: ayeshaalam491@gmail.com, shakti.gps7@gmail.com)}

Note: ¹ -These authors contributed equally to this work

Abstract: *This study presents an automated approach for detecting Tomato Leaf Blight using convolutional neural networks (CNNs) applied to leaf images. The methodology leverages image preprocessing techniques, such as segmentation and feature extraction, to enhance classification accuracy. A dataset of 5,000 tomato leaf images was used to train and validate the CNN model, achieving an accuracy of 92%. The results demonstrate the potential of CNNs in early disease detection, aiding farmers in timely interventions. Future work includes integrating real-time monitoring systems.*

Keywords: *Tomato Leaf Blight, Image Processing, Convolutional Neural Networks, Plant Disease Detection, Feature Extraction.*

I. INTRODUCTION

Plant diseases pose significant threats to global agriculture, with Tomato Leaf Blight, caused by *Phytophthora infestans*, being a major concern due to its rapid spread and devastating impact on tomato crops (Fry, 2008). Early detection is critical to mitigate yield losses, but manual inspection is labor-intensive and prone to errors (Sladojevic et al., 2016). Image processing and machine learning have emerged as powerful tools for automated disease detection, offering high accuracy and scalability (Barbedo, 2016).

Recent advancements in convolutional neural networks (CNNs) have revolutionized plant disease identification by extracting complex features from leaf images (Mohanty et al., 2016). Studies have shown that CNNs outperform traditional methods like Support Vector Machines (SVM) in classifying plant diseases (Ferentinos, 2018). Image preprocessing techniques, such as segmentation and normalization, further enhance model performance by reducing noise and highlighting disease symptoms (Zhang et al., 2019). This research focuses on developing a CNN-based model for detecting Tomato Leaf Blight, leveraging a dataset of tomato leaf images. The study aims to achieve high classification accuracy while addressing challenges like variable lighting and leaf orientations (Brahimi et al., 2017). By integrating image processing with deep learning, this work contributes to precision agriculture and sustainable farming practices (Kamilaris & Prenafeta-Boldú, 2018).

II. METHODOLOGY

This study proposes a convolutional neural network (CNN)-based approach for the classification of healthy and diseased tomato leaves. The methodology encompasses data collection, preprocessing, feature extraction, model development, and evaluation, as detailed below.

A. Dataset Collection

A dataset comprising 5,000 tomato leaf images was assembled, including 2,500 healthy and 2,500 diseased samples. The images were sourced from publicly available repositories, notably PlantVillage, which provides labeled plant disease datasets for research purposes (Hughes & Salathé, 2015).

B. Image Preprocessing

To ensure consistency in input dimensions, all images were resized to 224×224 pixels. Normalization was applied to standardize pixel intensities. Subsequently, K-means clustering was used for image segmentation to isolate the leaf regions from the background, enhancing feature relevance (Polder et al., 2014).

C. Feature Extraction

Two sets of features were extracted to improve classification performance. Texture features were derived using the Gray-Level Co-occurrence Matrix (GLCM), which captures spatial relationships among pixels. In addition, color features were extracted by converting the images into the HSV (Hue, Saturation, Value) color space, which offers robustness against illumination variations (Arivazhagan et al., 2013).

D. CNN Architecture

A custom CNN model was designed, consisting of three convolutional layers, each followed by ReLU activation, two max-pooling layers, and a final fully connected layer. The network was trained using the Adam optimizer with a learning rate of 0.001, which balances convergence speed and performance stability (Too et al., 2019).

E. Model Evaluation

The trained model was evaluated on a test set of 1,000 images using standard classification metrics, including accuracy, precision, recall, and F1-score. These metrics provide a comprehensive assessment of model performance, particularly in imbalanced datasets (Wang et al., 2017).

III. RESULTS AND DISCUSSION

The CNN model achieved an accuracy of 92% in detecting Tomato - Tomato Leaf Blight, with a precision of 0.91 and recall of 0.93. Table 1 summarizes the performance metrics across different preprocessing techniques, showing that K-means segmentation improved accuracy by 5% compared to unprocessed images (Table 1).

Table 1: Performance Metrics with Different Preprocessing Techniques.

Preprocessing Technique	Accuracy (%)	Precision	Recall	F1-Score
None	87	0.86	0.88	0.87
Normalization	89	0.88	0.90	0.89
K-means Segmentation	92	0.91	0.93	0.92

Figure 1 illustrates the confusion matrix, highlighting the model's ability to distinguish healthy and diseased leaves with minimal false positives (Figure 1). The ROC curve (Figure 2) demonstrates an Area Under Curve (AUC) of 0.95, indicating robust classification performance (Luque et al., 2018).

Table 2: Comparison with Existing Methods

Method	Accuracy (%)	Dataset Size	Reference
SVM	85	3000	Zhang et al., 2018
Random Forest	88	4000	Singh et al., 2019
Proposed CNN	92	5000	This Study

The results align with prior studies, where CNNs consistently outperform traditional classifiers (Saleem et al., 2019). However, challenges like overfitting and limited dataset diversity were observed, which could be addressed by data augmentation (Shorten & Khoshgoftaar, 2019).




Figure 1: Confusion Matrix for CNN Model




Figure 2: ROC Curve for CNN Model



Figure 3: Early Tomato Blight Image [21]

IV. FUTURE WORK AND CONCLUSION

Future enhancements to this study involve integrating the proposed model into a mobile application for real-time disease detection, thereby increasing its accessibility and practical impact in agricultural settings. Additionally, incorporating multi-spectral imaging can enable more comprehensive feature extraction, capturing data beyond the visible spectrum to improve diagnostic accuracy (Li et al., 2020). Expanding the dataset to include a broader range of tomato diseases will enhance the model's generalizability and robustness across different disease types. Furthermore, applying transfer learning using pre-trained deep learning architectures such as ResNet could significantly improve classification performance by leveraging learned features from large-scale image datasets (Tan et al., 2018).

This study demonstrates the effectiveness of combining convolutional neural networks (CNNs) with image processing techniques for the detection of Tomato Leaf Blight, achieving an accuracy of 92%. The methodology presents a scalable and automated approach for early disease identification, which is crucial for timely intervention in crop management. With ongoing advancements in deep learning algorithms and imaging technologies, such approaches hold substantial promise for enhancing precision agriculture and supporting sustainable farming practices.

V. ACKNOWLEDGEMENT AND AUTHOR CONTRIBUTIONS

We extend our sincere gratitude to Dr. Chandra Shekhar Singh, Principal of New Government Polytechnic, Patna-13, for his unwavering support throughout. We are deeply appreciative of Mr. Pratyaya Amrit and Mrs. Divya Prabha for their invaluable guidance in programming and documentations. Additionally, we express our gratitude to the State Board of Technical Education (SBTE), Bihar, and the Department of Science, Technology, and Technical Education, Bihar, for their support and encouragement. Mr. Umar Farooque, Ayush Kumar and Isha Tiwari equally contributed to this research work. Mrs. Ayesha Alam and Dr. Shakti Nath Singh are the corresponding authors.

REFERENCES

- [1] Arivazhagan, S., et al. (2013). Detection of unhealthy region of plant leaves using image processing. *Computers and Electronics in Agriculture*, 92, 74-82.
- [2] Barbedo, J. G. A. (2016). A review on the use of image processing for plant disease detection. *Computers and Electronics in Agriculture*, 129, 156-163.
- [3] Brahimi, M., et al. (2017). Deep learning for tomato disease classification. *Procedia Computer Science*, 112, 279-286.
- [4] Ferentinis, K. P. (2018). Deep learning models for plant disease detection. *Computers and Electronics in Agriculture*, 145, 311-318.
- [5] Fry, W. E. (2008). *Phytophthora infestans: The plant destroyer*. *Molecular Plant Pathology*, 9(3), 385-402.
- [6] Hughes, D., & Salathé, M. (2015). An open access repository of plant images. *PlantVillage Dataset*.
- [7] Kamilaris, A., & Prenafeta-Boldú, F. X. (2018). Deep learning in agriculture: A survey. *Computers and Electronics in Agriculture*, 147, 70-90.
- [8] Li, L., et al. (2020). Multispectral imaging for plant disease detection. *Remote Sensing*, 12(4), 614.
- [9] Luque, A., et al. (2018). Evaluation of ROC curves in plant disease classification. *Pattern Recognition Letters*, 113, 45-52.
- [10] Mohanty, S. P., et al. (2016). Using deep learning for image-based plant disease detection. *Frontiers in Plant Science*, 7, 1419.
- [11] Polder, G., et al. (2014). Image segmentation for plant phenotyping. *Plant Methods*, 10(1), 23.
- [12] Saleem, M. H., et al. (2019). Plant disease detection using machine learning: A review. *Biosystems Engineering*, 187, 75-89.
- [13] Shorten, C., & Khoshgoftaar, T. M. (2019). A survey on image data augmentation for deep learning. *Journal of Big Data*, 6(1), 60.
- [14] Singh, V., et al. (2019). Random forest for plant disease classification. *Precision Agriculture*, 20(4), 767-781.
- [15] Sladojevic, S., et al. (2016). Deep neural networks for plant disease recognition. *Computational Intelligence and Neuroscience*, 2016, 1-10.
- [16] Tan, C., et al. (2018). Transfer learning for plant disease detection using ResNet. *IEEE Access*, 6, 42587-42596.
- [17] Too, E. C., et al. (2019). A comparative study of CNN architectures for plant disease detection. *Agriculture*, 9(6), 119.
- [18] Wang, G., et al. (2017). Deep learning for plant disease detection: A survey. *IEEE Transactions on AgriFood Electronics*, 5(3), 123-135.
- [19] Zhang, K., et al. (2019). Image preprocessing for plant disease detection. *Journal of Imaging*, 5(4), 45.
- [20] Zhang, X., et al. (2018). SVM-based plant disease classification. *Computers and Electronics in Agriculture*, 152, 185-192.
- [21] <https://www.vegarden.com/2010/07/tomato-blight/>



10.22214/IJRASET



45.98



IMPACT FACTOR:
7.129



IMPACT FACTOR:
7.429



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24*7 Support on Whatsapp)