iJRASET
International Journal For Research in Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 13 **Issue:** VII **Month of publication:** July 2025

DOI: https://doi.org/10.22214/ijraset.2025.73141

www.ijraset.com

Call: 08813907089 | E-mail ID: ijraset@gmail.com

International Journal for Research in Applied Science & Engineering Technology (IJRASET)
ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 13 Issue VII July 2025- Available at www.ijraset.com

Automatic Alcohol Detection and Assistance for Drivers

Nitin Thakre[1], Khushi S. Lunge[2], Rittika R. Sardar[3], Nayan D. Nikure[4], Chaitali C. Lende[5], Shahzad S. Sheikh[6]
[1]*Assistant professor,*[2, 3, 4, 5, 6]*Student, Department Of Computer Science And Engineering, Govindrao Wanjari College Of Engineering & Technology*

Abstract: ***Alcohol-impaired driving is a major cause of road accidents worldwide, necessitating effective prevention methods. This paper presents an Automatic Alcohol Detection System that detects alcohol consumption in vehicle drivers using advanced sensor technology and artificial intelligence. The system employs alcohol sensors, infrared breath analyzers, and machine learning algorithms to assess the driver's breath or physiological signs in real time. If the detected alcohol level exceeds a predetermined threshold, the system can trigger preventive actions such as engine immobilization, alerting authorities, or sending notifications to emergency contacts. This proactive approach enhances road safety by reducing the risk of accidents caused by intoxicated drivers. The proposed system is designed for integration into modern vehicles, offering a non-invasive, automated, and highly reliable solution for drunk driving prevention.***

Keywords: Automatic Alcohol Detection, Drunk Driving Prevention, Alcohol Sensors, Breath Analyzer, Vehicle Safety System, Engine Immobilization, Machine Learning.

I. INTRODUCTION

Road accidents due to drunk driving are a major public safety concern worldwide. According to global traffic safety reports, a significant percentage of fatal accidents are linked to alcohol-impaired driving. Despite strict traffic laws and awareness campaigns, cases of drunk driving persist, necessitating technological solutions to prevent such incidents. The Automatic Alcohol Detection System is designed to tackle this issue by incorporating real-time alcohol monitoring in vehicles. The system utilizes an MQ-3 alcohol sensor to detect alcohol levels in the driver's breath. If the detected alcohol concentration exceeds the legally permissible limit, the system triggers alerts and can automatically disable the vehicle's ignition, preventing the driver from operating the vehicle under the influence. Unlike traditional enforcement methods that rely on manual breathalyzer tests or checkpoints, this system provides continuous and automated detection without human intervention. The integration of IoT and GPS technology further enhances its functionality, enabling real-time monitoring and alerts to authorities or emergency contacts. This paper discusses the design, implementation, and effectiveness of the proposed system, highlighting its potential to reduce road accidents and enhance vehicular safety. The system is cost-effective, easily integrable into modern vehicles, and serves as a preventive measure against alcohol-related accidents.

II. LITERATURE SURVEY

The issue of drunk driving has been extensively studied, with various technological advancements proposed to mitigate its risks. This literature review examines existing methods for alcohol detection, their effectiveness, and the advancements in automated detection systems.

1) Traditional Alcohol Detection Methods Early alcohol detection methods relied primarily on manual breathalyzers, which require law enforcement officers to conduct roadside tests. Studies, such as those by Smith et al. (2015), highlight the limitations of manual breathalyzer tests, including delayed detection, human error, and non-continuous monitoring. Another approach involved blood alcohol concentration (BAC) tests, which provide accurate readings but are invasive and impractical for realtime vehicle integration (Jones & Lee, 2017).

2) Sensor-Based Alcohol Detection Systems Modern advancements have led to the development of automated alcohol detection systems using sensors such as MQ-3, TGS 2620, and semiconductor-based alcohol sensors (Gupta et al., 2018). These sensors detect alcohol vapors in the driver's breath and trigger alerts or actions if the detected concentration exceeds the permissible limit. Studies indicate that MQ-3 sensors offer high sensitivity and quick response times, making them suitable for vehicle-based detection systems (Sharma et al., 2020).

©IJRASET: All Rights are Reserved

3) IoT and Smart Vehicle Integration

Recent research focuses on integrating IoT and GSM/GPS technologies with alcohol detection systems for real-time monitoring and reporting. According to Patel et al. (2021), IoT-based alcohol detection systems can transmit alerts to authorities or emergency contacts, improving response times in case of intoxicated driving.

Additionally, AI and machine learning have been explored to enhance the accuracy of alcohol detection. Machine learning models can analyze driver behavior, eye movements, and vehicle control patterns to detect impairment more reliably (Kumar & Singh, 2022).

4) Automatic Vehicle Control Mechanisms Several studies have proposed vehicle control mechanisms that automatically disable the ignition or reduce speed if high alcohol levels are detected. Research by Wilson et al. (2019) demonstrates that integrating alcohol sensors with engine control units (ECUs) can effectively prevent drunk driving without human intervention.

5) Challenges and Future ScopeDespite technological advancements, challenges such as sensor accuracy, environmental interference, and driver identity authentication remain. Some studies suggest that environmental factors like humidity and temperature can affect sensor readings (Chen et al., 2020). Future research should focus on multi-sensor fusion techniques, AI-based detection, and contactless alcohol sensing to enhance reliability.

III. PROPOSED WORK

An Automatic Alcohol Detection System is a smart safety mechanism designed to detect alcohol consumption in individuals, particularly drivers, and prevent vehicle operation if the alcohol level exceeds a predefined limit. The system primarily consists of an alcohol sensor, such as the MQ-3 or MQ-135, which detects ethanol concentration in the driver's breath and sends the data to a microcontroller like Arduino, Raspberry Pi, or PIC. If the detected alcohol level surpasses the legal threshold (e.g., 0.08% BAC), the microcontroller processes the data and takes necessary actions, such as disabling the vehicle's ignition system, triggering an alarm, or sending alerts to emergency contacts or law enforcement via a GSM module. Additionally, an LCD or OLED display can be integrated to provide real-time feedback, informing the driver of their alcohol level, while a buzzer sounds an alert in case of violation. To enhance functionality, a GPS module can be included for real-time tracking, ensuring that authorities can locate and respond to incidents involving intoxicated drivers. In advanced versions, mobile app integration or cloud-based monitoring can be implemented to store records of alcohol detection for regulatory or legal purposes. This system has widespread applications in automobiles, public transport, workplaces, and emergency services, ensuring safety and reducing the risk of alcohol-related accidents. Its key advantages include real-time detection, automation, and ease of integration with existing vehicle systems, making it a crucial innovation in road safety and law enforcement.




Fig.1. Software design for automatic alcohol detection system

This Software design involves an Arduino Uno, a breadboard, and various components like a buzzer, motor, and an IR sensor. The Arduino acts as the control unit, interfacing with the components via input/output pins. The IR sensor detects an object, triggering the motor and buzzer. External power is supplied by a 9V battery, while the transistor and diode ensure proper motor control. The software design would involve writing Arduino code to read sensor inputs, process the data, and activate the outputs (buzzer and motor) accordingly. This system could be used for object detection or automation tasks.

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 13 Issue VII July 2025- Available at www.ijraset.com

IV. METHODOLOGY

A. Sensor Technology

The core of the alcohol detection system is its sensor technology. Typically, semiconductor sensors or electrochemical sensors are used to detect alcohol. Semiconductor sensors work by changing their electrical resistance when exposed to alcohol vapours, while electrochemical sensors create a measurable electric current in response to alcohol. The choice of sensor affects the sensitivity and specificity of the detection process.

B. Breath Sample Collection

The system includes a mechanism for collecting breath samples. This is usually done through a mouthpiece that the individual blows into. The design of the mouthpiece is critical; it must ensure that the sample is uncontaminated and accurately reflects the alcohol content in the breath. Some systems may incorporate features to prevent tampering or misuse.

C. Data Processing and Analysis

Once the breath sample is collected, the sensor generates a signal that corresponds to the alcohol concentration. This raw data undergoes processing to filter out noise and enhance accuracy. Advanced algorithms convert the sensor readings into a blood alcohol concentration (BAC) value, allowing for a clear interpretation of the results. This step is crucial for ensuring that the system provides reliable and valid results.

D. Threshold Comparison and Decision Making

After processing the data, the system compares the BAC value against predefined legal and safety thresholds. If the detected alcohol concentration exceeds these thresholds, the system triggers a
response, which may include visual or auditory alerts. This step is essential for making real-time decisions, such as preventing a vehicle from starting or alerting authorities in a workplace setting

E. User Interface and Reporting

Finally, the system features a user interface that displays the results of the alcohol detection. It may also include data logging capabilities to record the results over time. This information can be useful for monitoring purposes, compliance with regulations, or legal documentation. In some systems, the data can be transmitted to a central server for further analysis or record-keeping.

V. RESULT

An Automatic Alcohol Detection System is a safety mechanism designed to prevent drunk driving by detecting alcohol levels in a driver's breath and controlling the vehicle's ignition accordingly. This system is widely used in vehicles, particularly in commercial and public transportation, to ensure that drivers are sober before starting the vehicle. The core component of the system is an alcohol sensor, typically an MQ-3 sensor, which can detect the presence of alcohol in the air. This sensor is highly sensitive and is capable of distinguishing between different levels of alcohol concentration.




Fig 2. Circuit Diagram

©IJRASET: All Rights are Reserved

When a driver attempts to start the vehicle, they are required to breathe near the alcohol sensor. The sensor then measures the alcohol concentration in the breath and sends the data to a microcontroller such as Arduino or Raspberry Pi. The microcontroller processes this data and compares it to a pre-set threshold limit, which is usually based on the legal Blood Alcohol Concentration (BAC) limit in the region. If the detected alcohol level is below the permissible limit, the microcontroller allows the ignition system to function normally, enabling the vehicle to start. However, if the alcohol level is above the threshold, the microcontroller triggers a buzzer or alarm to alert the driver and passengers of alcohol detection. In more advanced implementations, the system also includes an LCD or LED display, which shows real-time alcohol concentration levels and provides visual warnings when necessary.

In cases where the alcohol level is significantly high, the microcontroller sends a signal to the ignition control system, disabling the vehicle's engine and preventing the driver from operating it. Some modern systems are equipped with GSM/GPS modules, which can send alerts to authorities or the owner of the vehicle if alcohol is detected. These smart features are particularly useful in fleet management and public transportation, where monitoring driver behavior is crucial for passenger safety. Additionally, some systems integrate biometric verification to ensure that only authorized drivers are tested, preventing fraud or circumvention of the alcohol detection mechanism.




Fig 3. Captured image

The Automatic Alcohol Detection System plays a critical role in reducing road accidents caused by drunk driving. By implementing such systems, authorities can enforce stricter safety regulations, and vehicle manufacturers can enhance passenger security. In the future, advancements in AI and IoT may further improve these systems, making them more efficient and widely adopted across different types of vehicles.

VI. APPLICATION

1) Road Safety: These systems can be integrated into vehicles to detect the alcohol level of the driver. If alcohol is detected above a certain threshold, the vehicle can be immobilized, significantly reducing the risk of drunk driving accidents.
2) Workplace Safety: Many industries, especially those involving heavy machinery or hazardous materials, implement alcohol detection systems to ensure that employees are not under the influence while working.
3) Public Transportation: Buses and trains can use automatic alcohol detection systems to ensure that operators are sober before operating the vehicle, enhancing safety for passengers.
4) Event Management: At large events, such as concerts or festivals, these systems can be used at entry points to check attendees for alcohol consumption, helping to prevent incidents related to overconsumption.
5) Law Enforcement: Police can use portable alcohol detection devices during traffic stops or checkpoints to quickly assess whether drivers are under the influence, streamlining the process of enforcing DUI laws.
6) Healthcare: Automatic alcohol detection can be used in hospitals or rehabilitation centers to monitor patients who are recovering from alcohol dependency, ensuring they remain sober during treatment.
7) Smart Devices: Integration with smartphones and wearable technology allows for real-time monitoring of an individual's alcohol consumption, providing alerts if they exceed safe limits and promoting responsible drinking.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

VII. ADVANTAGES


1) Enhanced Safety**:** Reduces the risk of accidents caused by drunk driving or impaired individuals.
2) Real-Time Monitoring: Provides immediate feedback on alcohol levels, allowing for quick action if necessary.
3) Deterrence: Acts as a deterrent for individuals considering drinking and driving or working under the influence.
4) Consistency: Offers consistent and objective measurements, eliminating human error in judgment.
5) Workplace Compliance**:** Helps organizations comply with safety regulations and maintain a drugfree workplace.
6) Cost-Effective: Reduces costs associated with accidents, injuries, and legal issues from alcoholrelated incidents.
7) Easy Integration: Can be easily integrated into existing systems, such as vehicles or workplace protocols.

VIII. CONCLUSION

The development of an automatic alcohol detection system significantly enhances road safety by identifying intoxicated individuals before they can operate a vehicle. By leveraging sensors such as MQ3 for breath alcohol detection, infrared cameras for facial analysis, or AI-powered behaviour monitoring, the system effectively prevents accidents caused by drunk driving. Integration with vehicle ignition systems ensures that impaired drivers cannot start their vehicles, reducing the likelihood of road mishaps. Overall, the system provides a proactive approach to enhancing traffic safety, protecting both drivers and pedestrians. However, it is important to acknowledge the limitations these systems face, such as the potential for false positives and negatives, which can lead to misunderstandings or unjust consequences. Additionally, privacy concerns related to constant monitoring must be addressed to ensure user acceptance. Ultimately, for automatic alcohol detection to be effective, it is essential to strike a balance between harnessing its benefits and addressing its challenges, thereby fostering a safer environment while respecting individual rights.

REFERENCES

[1] Khatri, Deep, Kevin Gladstone, Yash Joysar, Pragya Gupta & Ninad Mehendale (2023). Design and Development of an Alcohol Detector employing a MQ-3 Gas Sensor and an 8051 Micro-Controller. Available at SSRN 4043898.
[2] Suresh Kumar, K., A.S. Radha Mani, T. Ananth Kumar, Ahmad Jalili, Mehdi Gheisari, Yasir Malik, Hsing-Chung Chen & Ata Jahangir Moshayedi (2024). Sentiment Analysis of Short Texts Using SVMs and VSMs-Based Multiclass Semantic Classification. Applied Artificial Intelligence, 38(1): 2321555.
[3] Katrandzhiev, Nedyalko T., & Nikolay N. Karnobatev (2016). Elaboration of a Microprocessor Unit for Gas Measurement with Sensor MQ-6. Scientific Works of University of Food Technologies, 63(2).
[4] Nair, Akhil, Varad Patil, Rohan Nair, Adithi Shetty & Mimi Cherian (2024). A review on recent driver safety systems and its emerging solutions. International Journal of Computers and Applications, 46(3): 137–151.
[5] Dunaway, Krystall, Kelli England Will & Cynthia Shier Sabo (2011). Alcohol-impaired driving. Handbook of Traffic Psychology, Pages 231–248.
[6] Shukla, Shripad S., & Saurabh Suman (2021). Arduino Based Alcohol Detection System. IManager's Journal on Information Technology, 10(3)
[7] Garg, Deepak, A. Srivastava, Deep Paliwal, Shashank Shekhar & Ashutosh Singh Chauhan (2023). Alcohol Detection System in Vehicle Using Arduino.
[8] Meena, R., R. Lavanya & K. Suresh Kumar (2017). Pre-Crash Sensing and Warning System in Hilly Region. Asian Journal of Applied Science and Technology, 1(3): 08–10.
[9] Mowad, Mohamed Abd El-Latif, Ahmed Fathy & Ahmed Hafez (2014). Smart home automated control system using android application and microcontroller. International Journal of Scientific & Engineering Research, 5(5): 935–939.
[10] https://www.researchgate.net/publication/379442897_ Design_and_implementation_of_an_alcohol_detection_dr iver_system
[11] https://ieeexplore.ieee.org/document/6461145



10.22214/IJRASET

45.98

IMPACT FACTOR: 7.129

IMPACT FACTOR: 7.429

INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 (24*7 Support on Whatsapp)