iJRASET
International Journal For Research in Applied Science and Engineering Technology

INTERNATIONAL JOURNAL FOR RESEARCH
IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 12 **Issue:** X **Month of publication:** October 2024

DOI: https://doi.org/10.22214/ijraset.2024.64933

International Journal for Research in Applied Science & Engineering Technology (IJRASET)
ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 12 Issue X Oct 2024- Available at www.ijraset.com

Biomass Energy: A Crucial Component in the Renewable Energy Mix

Abhay P Srivastava[1], Brijesh Kumar Pandey[2]
Department of Physics & Material Science, MMM University of Technology, Gorakhpur (UP), India

Abstract: This paper examines biomass energy's essential role in the renewable energy sector as a sustainable and flexible solution to rising global energy demands. It reviews various biomass types, conversion technologies, and their environmental, economic, and social impacts while addressing the challenges limiting biomass adoption compared to other renewables. Prospects for biomass energy are also discussed, focusing on technological advances, policy trends, and its role in supporting global energy transitions. The analysis highlights biomass's potential as a critical contributor to a sustainable energy system, emphasizing that, with appropriate support, it could become a cornerstone of renewable energy strategies to reduce carbon emissions.
Keywords: Biomass, CO2 emission, energy sustainability, Clean energy, Pollution free environment.

I. INTRODUCTION

A. Background

Biomass energy is essential to the renewable energy mix, providing a sustainable, adaptable solution to rising global energy demands. This paper explores biomass types, conversion technologies, and their environmental, economic, and social impacts while addressing challenges to wider biomass adoption and comparing it to other renewables. It discusses biomass's future potential, focusing on technological advancements, policy trends, and its role in energy transitions. The analysis highlights biomass's promising role in achieving sustainable energy goals [1-2].

The global energy landscape is transforming, driven by the need to mitigate climate change, reduce fossil fuel reliance, and secure energy for future generations. Environmental degradation and fossil-fuel-driven geopolitical tensions underscore this urgency. Renewable sources like solar, wind, hydropower, and biomass are crucial to addressing these challenges. Biomass energy, in particular, stands out for its versatility, availability, and carbon neutrality potential [3-4].

Derived from organic materials like agricultural residues, forestry by-products, industrial waste, and dedicated crops, biomass differs from fossil fuels by cycling carbon in the contemporary environment. When sustainably managed, the carbon released by biomass is offset by carbon absorption in new growth, making it potentially carbon-neutral. This characteristic and biomass's flexibility to produce energy, electricity, and biofuels establish it as a critical renewable energy component [5-6].

B. Objectives

The primary objectives of this research paper are to [7-8]:

1) Understand the role of biomass in the global energy mix and its contribution to sustainable development.
2) Analyze the various types of biomass and the processes involved in converting biomass into usable energy forms.
3) Evaluate biomass energy's environmental, economic, and social impacts.
4) Compare biomass energy with other renewable energy sources.
5) Identify the challenges and barriers to the widespread adoption of biomass energy and explore potential solutions.
6) Discuss the prospects of biomass energy, including technological innovations and policy trends.

C. Scope

This paper provides a comprehensive overview of biomass energy, covering different types of biomass, conversion technologies, and their applications in energy production. It analyzes biomass energy's environmental and economic impacts and the challenges and barriers to its adoption. The paper also compares biomass with other renewable energy sources and discusses future trends and innovations in the field [9-10].

II. TYPES OF BIO-MASS

Biomass is any organic material that can be used as a fuel source. It includes a wide range of materials that can be classified into the following categories [11-13]:

A. Agricultural Residues

Agricultural residues are the by-products of farming activities, including crop residues, animal waste, and other organic materials left over after harvesting or processing. Common examples include straws, husks, shells, and manure. These residues are abundant and readily available, making them a significant biomass energy source. However, their energy potential varies depending on the type and condition of the residue.

Crop residues, such as corn stover, wheat straw, and rice husks, can be collected and processed into bioenergy through combustion, gasification, or anaerobic digestion. Animal waste, particularly livestock farming, can be converted into biogas through anaerobic digestion, producing methane-rich gas suitable for heat and electricity generation.

B. Forestry Residues

Forestry residues consist of wood chips, sawdust, bark, and other by-products generated during logging, sawmilling, and forest management activities. These materials can be used directly as fuel for heat and power generation or processed into wood pellets and briquettes for easier handling and transportation.

Forestry residues are a valuable biomass resource, particularly in regions with abundant forest cover. They offer an efficient way to utilize materials that would otherwise be left to decompose, releasing CO_2 and methane, potent greenhouse gases, into the atmosphere.

C. Industrial Waste

Industrial waste biomass includes organic materials produced by-products of various manufacturing processes, such as the pulp and paper industry, food processing, and bio-based chemical production. These wastes, often lignin, cellulose, or organic sludges, can be converted into bioenergy through combustion, gasification, or anaerobic digestion.

Using industrial waste biomass for energy production provides a renewable energy source and helps industries manage their waste streams more effectively, reducing environmental pollution and disposal costs.

D. Energy Crops

Energy crops are cultivated explicitly for energy production rather than food or fiber. They are selected for their high biomass yield and ability to grow on marginal lands unsuitable for food production. Common energy crops include switchgrass, miscanthus, willow, and poplar.

Energy crops can be converted into various forms of bioenergy, including bioethanol, biodiesel, and biogas. They offer a sustainable alternative to fossil fuels, particularly transportation, where liquid biofuels can replace gasoline and diesel.

E. Municipal Solid Waste (MSW)

Municipal solid waste (MSW) includes the organic fraction of household waste, such as food scraps, yard trimmings, and paper products. MSW can be processed through various methods, including anaerobic digestion, gasification, and incineration, to produce biogas, syngas, or electricity.

The use of MSW for energy production addresses two critical issues: waste management and renewable energy generation. By converting waste into energy, municipalities can reduce the volume of waste sent to landfills, decrease greenhouse gas emissions, and produce renewable energy that can be fed into the grid.

III. BIOMASS CONVERSION TECHNOLOGIES

The conversion of biomass into usable energy forms involves a range of technologies, each suited to different types of biomass and energy needs. The leading biomass conversion technologies include [14-20]:

A. Combustion

Combustion is the most straightforward and widely used method for converting biomass into energy. It involves directly burning biomass to produce heat, which can be used for cooking, space heating, or generating electricity in steam turbines. Combustion is suitable for various biomass types, including wood, crop residues, and MSW.

In modern biomass power plants, combustion is typically combined with advanced emission control technologies to minimize particulate matter, nitrogen oxides (NOx), and sulfur oxides (SOx). Co-firing, where biomass is burned alongside coal in power plants, is another approach that allows the gradual transition from fossil fuels to renewable energy.

B. Gasification

Gasification is a thermochemical process that converts biomass into a mixture of carbon monoxide, hydrogen, and carbon dioxide, known as syngas. This process occurs at high temperatures (above 700°C) with a controlled amount of oxygen or steam. Syngas can be used as a fuel for electricity generation and heating or as a feedstock for producing chemicals and liquid fuels.

Gasification offers several advantages over direct combustion, including higher efficiency, lower emissions, and the ability to produce a versatile fuel for various applications. It is particularly suitable for biomass with high moisture content, such as wet agricultural residues or industrial sludges.

C. Pyrolysis

Pyrolysis is the thermal decomposition of biomass in the absence of oxygen, producing a mixture of bio-oil, syngas, and biochar. The process occurs at moderate temperatures (300-600°C) and can be tailored to produce different proportions of these products by adjusting the temperature, heating rate, and residence time.

Bio-oil, a liquid pyrolysis product, can be used as a fuel for heating, electricity generation, or feedstock for producing bio-based chemicals. Syngas can be used similarly to gasification, while biochar, a solid carbon-rich residue, can be used as a soil amendment to improve soil fertility and sequester carbon.

D. Anaerobic Digestion

Anaerobic digestion is a biological process that breaks down organic material without oxygen to produce biogas—a mixture of methane and carbon dioxide. This process occurs naturally in environments such as wetlands and landfills but can be enhanced in controlled reactors, known as anaerobic digesters.

After being upgraded to remove impurities, biogas can be used for electricity generation, heating, or vehicle fuel. The digestate, the solid residue left after digestion, can be used as a fertilizer or soil conditioner.

Anaerobic digestion is particularly suited to wet biomass, such as animal manure, food waste, and wastewater sludge. It offers a sustainable solution for managing organic waste while producing renewable energy and valuable by-products.

E. Fermentation

Fermentation is a biochemical process in which microorganisms, such as yeast or bacteria, convert sugars in biomass into alcohol or other chemicals. The most common application of fermentation is the production of bioethanol from sugar- or starch-rich crops, such as corn, sugarcane, or wheat.

Bioethanol is used primarily as a transportation fuel, blended with gasoline or pure fuel in flexible-fuel vehicles. It offers a renewable alternative to fossil fuels and can be produced from a wide range of feedstocks, including lignocellulosic biomass (e.g., wood, straw, and grasses), through advanced fermentation technologies.

IV. CONCLUSION

Biomass energy is crucial in the quest for a sustainable energy future. This research paper has explored the diverse types of biomass, various conversion technologies, and their associated environmental, economic, and social impacts. Biomass offers significant potential for renewable energy generation, contributing to global efforts to reduce greenhouse gas emissions and dependence on fossil fuels.

Despite its promise, several challenges hinder the widespread adoption of biomass energy. These include logistical issues related to biomass collection and transportation, the need for technological advancements to improve conversion efficiency, and concerns over land use and competition with food production. Furthermore, policy support and public acceptance are vital to overcoming these barriers and realizing the full potential of biomass energy.

Looking ahead, the prospects for biomass energy are promising, with ongoing innovations in technology and policy frameworks that could enhance its role in global energy transitions. As countries strive to meet their climate targets and transition to low-carbon energy systems, biomass energy will likely play a pivotal role. However, its successful integration into the energy mix requires a balanced approach considering sustainability, efficiency, and equity.

In conclusion, while challenges remain, biomass energy's potential to contribute to a sustainable and resilient future is undeniable. Continued research, innovation, and supportive policies are essential to harnessing this potential fully and ensuring that biomass becomes a cornerstone of global renewable energy strategies.

1) *Ethical Approval:* The authors confirm that the manuscript is their original work and has not been published anywhere else before.
2) *Competing interests:* The individuals who authored this paper state that they do not possess any known financial interests or personal relationships that could have potentially influenced the work presented in this report.
3) *Author's Contribution:* Abhay P. Srivastava, the author, was instrumental in crafting the initial manuscript draft, conceptualizing the theoretical model, and developing the research outline.
4) *Funding:* The authors state that they do not have any available funding agency.
5) *Availability of data and Materials:* The information used to support the study's conclusions is included in the references and is accessible to the public.

V. REFERENCES

[1] Guozhu Mao, Ning Huang, Lu Chen, Hongmei Wang, Research on biomass energy and environment from the past to the future: A bibliometric analysis, Science of The Total Environment, 635, 2018, 1081-1090, https://doi.org/10.1016/j.scitotenv.2018.04.173.

[2] Antonio Tursi, A review on biomass: importance, chemistry, classification, and conversion, 6, 2 (2), 2019, 962-979, 10.18331/BRJ2019.6.2.3.

[3] Pimenta Ribeiro, A., Dalmolin, S. Biomass energy as a possibility for innovative agriculture initiatives. Energ. Ecol. Environ. 6, 344–352 (2021). https://doi.org/10.1007/s40974-020-00201-2.

[4] Overend, R.P. (1984). Biomass Energy. In: Khan, A.M., Riazuddin, S., Qadir, A., Qazi, M.N. (eds) Physics and Contemporary Needs. Springer, Boston, MA. https://doi.org/10.1007/978-1-4684-4724-8_10.

[5] Ebhodaghe, S.O., Babatunde, E.O., Ogundijo, T.O., Omotosho, A.D. (2023). Biomass: Challenges and Future Perspectives. In: Thomas, S., Hosur, M., Pasquini, D., Jose Chirayil, C. (eds) Handbook of Biomass. Springer, Singapore. https://doi.org/10.1007/978-981-19-6772-6_60-1.

[6] Ren, F. (2011). Research on Comprehensive Evaluation of Biomass Energy Using Performance in Rural Areas. In: Jin, D., Lin, S. (eds) Advances in Computer Science, Intelligent System and Environment. Advances in Intelligent and Soft Computing, vol 105. Springer, Berlin, Heidelberg. https://doi.org/10.1007/978-3-642-23756-0_56.

[7] Ali, F., Dawood, A., Hussain, A. et al. Fueling the future: biomass applications for green and sustainable energy. Discov Sustain 5, 156 (2024). https://doi.org/10.1007/s43621-024-00309-z.

[8] Siavash Aghaei, Masih Karimi Alavijeh, Marzieh Shafiei, Keikhosro Karimi, A comprehensive review on bioethanol production from corn stover: Worldwide potential, environmental importance, and perspectives, Biomass and Bioenergy, 161, 2022,106447, https://doi.org/10.1016/j.biombioe.2022.106447.

[9] Shahab Sokhansanj, Anthony Turhollow, Janet Cushman, John Cundiff, Engineering aspects of collecting corn stover for bioenergy, Biomass and Bioenergy, 23(5), 2002, 347-355,https://doi.org/10.1016/S0961-9534(02)00063-6.

[10] Michael B. Mensah, Henry Jumpah, Nathaniel O. Boadi, Johannes A.M. Awudza, Assessment of quantities and composition of corn stover in Ghana and their conversion into bioethanol, Scientific African,12, 2021,e00731, https://doi.org/10.1016/j.sciaf.2021.e00731.

[11] Pimenta Ribeiro, A., Dalmolin, S. Biomass energy as a possibility for innovative agriculture initiatives. Energ. Ecol. Environ. 6, 344–352 (2021). https://doi.org/10.1007/s40974-020-00201-2.

[12] K Sivabalan et al., A review on the characteristic of biomass and classification of bioenergy through direct combustion and gasification as an alternative power supply,2021 J. Phys.: Conf. Ser. 1831 012033, 10.1088/1742-6596/1831/1/012033.

[13] Acaru SF, Abdullah R, Lai DTC, Lim RC. Hydrothermal biomass processing for green energy transition: insights derived from principal component analysis of international patents. Heliyon. 2022 Sep 22;8(9):e10738. doi: 10.1016/j.heliyon.2022.e10738. PMID: 36177226; PMCID: PMC9513766.

[14] Asmau M. Yahya, Adekunle A. Adeleke, Petrus Nzerem, Peter P. Ikubanni, Salihu Ayuba, Hauwa A. Rasheed, Abdullahi Gimba, Ikechukwu Okafor, Jude A. Okolie, Prabhu Paramasivam, Comprehensive Characterization of Some Selected Biomass for Bioenergy Production, ACS Omega 2023, 8, 46, 43771–43791, https://doi.org/10.1021/acsomega.3c05656.

[15] Rashidi, N.A., Chai, Y.H. & Yusup, S. Biomass Energy in Malaysia: Current Scenario, Policies, and Implementation Challenges. Bioenerg. Res. 15, 1371–1386 (2022). https://doi.org/10.1007/s12155-022-10392-7.

[16] Mohd Shaharin Umar, Philip Jennings, Tania Urmee, Sustainable electricity generation from oil palm biomass wastes in Malaysia: An industry survey, Energy, Volume 67, 2014, 496-505, https://doi.org/10.1016/j.energy.2014.01.067.

[17] Asiedu, B.A., Hassan, A.A. & Bein, M.A. Renewable, non-renewable, and economic growth: evidence from 26 European countries. Environ Sci Pollut Res 28, 11119–11128 (2021). https://doi.org/10.1007/s11356-020-11186-0.

[18] Ben Mbarek, M., Saidi, K. & Rahman, M.M. Renewable and non-renewable energy consumption, environmental degradation and economic growth in Tunisia. Qual Quant 52, 1105–1119 (2018). https://doi.org/10.1007/s11135-017-0506-7.

[19] Bhat, J.A. Renewable and non-renewable energy consumption-impact on economic growth and CO_2 emissions in five emerging market economies. Environ Sci Pollut Res 25, 35515–35530 (2018). https://doi.org/10.1007/s11356-018-3523-8.



10.22214/IJRASET

INDEX COPERNICUS 45.98

IMPACT FACTOR: 7.129

IMPACT FACTOR: 7.429

INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY