



iJRASET

International Journal For Research in
Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 13 Issue: V Month of publication: May 2025

DOI: <https://doi.org/10.22214/ijraset.2025.71120>

www.ijraset.com

Call:  08813907089

E-mail ID: ijraset@gmail.com

Brain Tumor Detection Disease Prediction

Bobby K Simon¹, A. Likhith Kumar², K. Karthika Sri³, T. Chandrika⁴, E. Pranay⁵

Dept. of Computer Science Engineering in Data Science, Hyderabad Institute of Technology and Management, Hyderabad, Talangana

Abstract: Detecting brain tumors in human brain MRI scans is a crucial yet tough task that carries significant implications for clinical practice. This study delves into using deep learning algorithms, particularly EfficientNet B5, to accurately and automatically spot brain tumors. By tapping into the capabilities of image processing and convolutional neural networks, our approach aims to create a strong and efficient solution. We work with a diverse set of MRI scans, covering different brain tumor stages and types, to train and test the model's effectiveness. The main contributions of our research involve building a thorough process for preparing MRI data, fine-tuning the EfficientNet B5 structure, and conducting a detailed analysis of how well the model performs. Our results showcase promising levels of accuracy, sensitivity, and specificity in categorizing brain tumors, highlighting the potential of deep learning algorithms to aid clinicians in swiftly and precisely diagnosing brain tumors. This could significantly bolster patient care and treatment strategies.

Keywords: Brain tumor Detection, Deep Learning, Mental Health, Efficient Net B5, MRI, medical diagnostic imaging, automation, Neuroscience.

I. INTRODUCTION

As the global population continues to age, the burden of brain tumors—serious and often progressive neurological conditions—is becoming more pronounced. Early and accurate diagnosis is critical to ensure timely treatment and better outcomes for patients. One of the most promising solutions lies in combining advanced medical imaging, especially Magnetic Resonance Imaging (MRI), with the power of deep learning. MRI offers a non-invasive and highly detailed view of the brain, allowing for the detection of even the slightest structural abnormalities. When paired with deep learning models like EfficientNet B5, the ability to identify brain tumors improves significantly. Known for its balance of accuracy and computational efficiency, EfficientNet B5 is particularly suitable for clinical use. The strength of EfficientNet B5 lies in its deep neural architecture, which enables it to learn complex features from high-dimensional MRI data, revealing subtle indicators of tumor presence. Its adaptability also allows for fine-tuning with specialized datasets, further boosting diagnostic accuracy. Beyond early detection, this advanced approach contributes to a deeper understanding of how brain tumors evolve over time. By analyzing large volumes of MRI data, EfficientNet B5 can uncover patterns across different stages of tumor development, offering valuable insights into disease progression. Ultimately, the integration of cutting-edge imaging and deep learning technologies is not only transforming brain tumor diagnosis but also paving the way for more personalized and effective treatments—bringing hope to millions affected by this devastating illness.

II. LITERATURE SERVE

Recent studies have demonstrated the growing role of deep learning in brain tumor detection using MRI data. Shi et al. (2023) developed a 3D CNN model that effectively differentiated tumor patients from healthy individuals by leveraging volumetric MRI data for spatial feature extraction. Han et al. (2023) applied transfer learning by fine-tuning pre-trained CNNs such as VGG16 and ResNet50, achieving improved accuracy on limited brain MRI datasets. Haenssle et al. (2022) enhanced rare tumor class detection through a multi-modal approach that combined structural and functional MRI with Generative Adversarial Networks (GANs) for synthetic data augmentation. Tschandl et al. (2022) introduced real-time video and MRI fusion using computer vision techniques to support neuro-oncological diagnosis and assist in treatment planning. In a related direction, Fujisawa et al. (2020) explored the connection between early mental health symptoms and brain abnormalities, demonstrating deep learning's potential in pre-symptomatic tumor detection through MRI analysis.

Further innovations include Talukder et al. (2023), who created an ensemble deep learning architecture that combined transfer learning and genetic algorithms for weight optimization, achieving a high accuracy of 99.76% on CE-MRI datasets. Han (2024) improved the VGG16 architecture by integrating dropout and dense layers, reducing overfitting and enhancing early-stage classification of benign and malignant tumors. Reddy and Dhuli (2023) introduced a lightweight CNN capable of high-accuracy classification while minimizing computational load, making it suitable for mobile and embedded diagnostic systems.

Amin et al. (2023) proposed a dual-model framework, using EfficientNetB1 for classification and U-Net for segmentation, which proved effective for clinical integration. Lastly, Ravindran et al. (2024) presented an intra-fusion-based CNN using multiple MRI modalities, achieving strong results in tumor localization and classification on the BraTS dataset, with improved interpretability and precision.

III. EXISTING SYSTEM

The existing systems reviewed in the literature have not provided direct or highly accurate solutions to the problem of brain tumor detection. Previous research indicates that deep learning systems have limitations in directly identifying brain tumors. While neurologists and mental health experts have acknowledged a correlation between brain abnormalities such as tumors and mental health decline, current systems lack a precise method for detection. Studies have shown that algorithms like K-Nearest Neighbors (KNN) and Gaussian Naïve Bayes have been utilized with CSV datasets to analyze behavioral similarities, yet these approaches do not yield sufficient accuracy for clinical application.

By the end of 2022, it was observed that MRI images could reveal insights into mental health conditions and behavioral patterns. In the domain of deep learning, basic Convolutional Neural Networks (CNNs) with 10 to 20 layers using Softmax activation functions achieved only up to 78% accuracy. This result was not adequate for medical use. Improvements were made with architectures like Inception Net and ResNet-50, which pushed the accuracy to a maximum of 90%. However, even this level of accuracy was not considered suitable for critical healthcare applications involving the human brain, where at least 97% accuracy is required to ensure reliability.

EfficientNet was introduced as a potential solution to achieve higher performance, but versions such as EfficientNet-B0 and B1 still encountered limitations in achieving the necessary accuracy for medical standards. The task of detecting brain tumors using MRI images remains complex due to the diversity of tumor subtypes including brain tumor diseases, vascular brain tumors, and frontotemporal brain tumors. Each subtype displays unique patterns and growth behaviors, making it difficult to design a model that can accurately distinguish among them.

Another challenge faced by existing systems is the heterogeneity present in MRI data. Factors such as patient age, disease stage, and additional medical conditions cause variations in brain structure, which complicates model training and prediction. Data scarcity adds to this difficulty, as large and diverse annotated datasets for brain tumors are often limited. This restricts the capability of deep learning models to generalize effectively. Moreover, existing models often lack interpretability, which is essential for medical professionals to trust and validate the results. Ethical and privacy concerns also present significant barriers. The collection, use, and sharing of sensitive medical imaging data require strict adherence to data protection regulations. Many existing systems do not adequately address these issues, which further limits their deployment in real-world medical settings. As a result, despite advances in algorithms and computational power, current systems have not yet achieved the required effectiveness for widespread clinical use in brain tumor detection.

IV. PROPOSED SOLUTION

Detecting brain tumors from MRI images poses significant challenges, such as the need for precise and swift diagnosis, managing vast and intricate image datasets, and early detection to enable timely interventions. To overcome these hurdles, our proposed solution harnesses the cutting-edge EfficientNet B5 algorithm, renowned for its exceptional performance in image classification tasks.

EfficientNet B5, a convolutional neural network (CNN) architecture, stands out for its efficiency in utilizing computational resources and capturing intricate data patterns, particularly in image classification. Our approach encompasses multiple steps to effectively address the complexities of detecting brain tumors from MRI images. Firstly, data pre-processing plays a pivotal role in ensuring high-quality and standardized MRI images for analysis. This involves noise removal, intensity normalization, and aligning images to a common anatomical framework to minimize variations in image quality. Additionally, employing data augmentation techniques enhances the diversity of the training dataset, making the model more adaptable to various patient demographics and imaging protocols.

The next step involves fine-tuning the EfficientNet B5 model using the pre-processed MRI data. Fine-tuning adjusts the pre-trained model's weights specifically for brain tumor detection, enabling it to learn pertinent features from MRI images while retaining valuable knowledge acquired from a broad dataset of general images. To manage the intricacies of large image datasets, transfer learning is employed. This strategy leverages the knowledge gleaned by the EfficientNet B5 model from expansive datasets like ImageNet and applies it to the brain tumor detection task. This method drastically reduces the need for a vast amount of labelled brain tumor-specific data, enabling the construction of an accurate model even with limited labeled examples.

Ensemble learning further enhances accuracy and robustness by training multiple iterations of the EfficientNet B5 model with various initializations or data subsets. Combining their predictions helps mitigate over-fitting risks and bolsters the model's ability to generalize to new data, ensuring a more reliable outcome.

To address the critical need for early brain tumor detection, we propose integrating the model into a clinical workflow that can be used by healthcare professionals. The solution should provide user-friendly interfaces for uploading MRI images, running inference, and visualizing results. It should also include features for tracking and monitoring patients' disease progression over time.

This enables clinicians to make timely and informed decisions about treatment and care planning. To ensure the ethical and responsible use of AI in healthcare, we emphasize the importance of model interpretability and transparency. Techniques such as gradient-based class activation maps (CAM) can be employed to highlight regions of the brain that contribute most to the model's predictions.

Finally, our proposed solution should be continuously updated and refined as new data and research become available. Regular retraining of the model with the latest MRI datasets and incorporating advancements in deep learning techniques will help maintain its accuracy and relevance in brain tumor detection. In conclusion, our proposed solution leverages the EfficientNet B5 algorithm to address the challenges of brain tumor detection from MRI images.




Fig.1. Architecture Diagram

By focusing on data pre-processing, transfer learning, ensemble methods, clinical integration, interpretability, and on-going refinement, we aim to provide a robust and effective tool for early and accurate brain tumor diagnosis. This holistic approach not only benefits patients by enabling timely interventions but also supports healthcare professionals in their diagnostic and treatment decision-making processes.

Apart from this the application is also able to sneak the amount of mental stress and establish a connection between brain tumour and possibility of stress. Sometimes stresses are also caused by the presence of tumour. However the remedies are mentioned by us and hope so this doesn't impact on the health.

V. RESULT

The implementation of deep learning techniques in brain tumor detection yielded notable improvements in diagnostic accuracy. The developed model demonstrated the capability to accurately classify brain tumors based on medical imaging data, with high precision, recall, and overall accuracy metrics. The model effectively recognized complex patterns in the input images, enabling early identification of tumor presence across various categories.




Fig.2. Glioma Positive

In addition to classification performance, the model exhibited strong generalization capabilities during cross-validation. It successfully handled variations in MRI image quality, resolution, and noise levels, which are common in real-world medical imaging. The algorithm's ability to adapt to these inconsistencies ensured that predictions remained reliable regardless of input variability. This resilience is crucial for ensuring dependable performance in clinical deployments, where imaging conditions are not always uniform.

The system processed large volumes of medical image data with considerable efficiency, reducing the time required for diagnosis. Automated detection reduced reliance on manual evaluation, leading to consistent and reproducible results across different test scenarios. The integration of multimodal data sources, including patient history and imaging parameters, contributed to enhanced prediction performance.




Fig.3. Meningoma Positive

Experimental results indicated that the deep learning model maintained stable accuracy when applied to diverse datasets. This consistency across multiple image types and tumor conditions confirmed the model's robustness and adaptability to varying clinical contexts. Furthermore, the system demonstrated scalability, supporting high-volume processing without compromising output quality.




Fig.4. Pituitary Tumour Positive

Performance evaluation metrics confirmed the model's effectiveness in distinguishing between tumor and non-tumor cases. The system consistently delivered accurate diagnostic outputs, highlighting its potential application in real-time clinical environments. The model's predictions aligned closely with expert-labeled data, thereby validating its reliability.




Fig.5. Safe from brain tumor from brain MRI result

Overall, the results confirm the feasibility of employing deep learning approaches for efficient and accurate brain tumor detection, supporting medical professionals in the diagnostic process and contributing to improved healthcare delivery.

VI. CONCLUSION

In conclusion, the application of the EfficientNet B5 algorithm for brain tumor detection through the analysis of MRI images of the human brain represents a significant advancement in the field of medical imaging and neurology. Brain tumor, a complex and devastating cognitive disorder, presents a growing global healthcare challenge, making early and accurate diagnosis crucial for effective intervention and treatment. The utilization of deep learning algorithms like EfficientNet B5 has demonstrated remarkable potential in improving the efficiency and accuracy of brain tumor diagnosis. EfficientNet B5, known for its exceptional performance in image classification tasks, has been tailored to excel in the challenging domain of medical image analysis. Through its ability to extract intricate features and patterns from MRI images, it empowers clinicians and researchers to identify subtle neuroanatomical changes associated with brain tumor. The algorithm's capacity to learn and adapt from large datasets ensures its capability to discern even nuanced abnormalities, thus enabling early diagnosis when treatment options are most effective. Moreover, the implementation of EfficientNet B5 in brain tumor detection offers advantages beyond improved accuracy. It streamlines the diagnostic process, reducing the time and effort required for manual image interpretation. This, in turn, can lead to more timely interventions, better patient outcomes, and potentially lower healthcare costs. However, it is important to acknowledge that while the results are promising, there are still challenges to address. The algorithm's robustness and generalizability across diverse patient populations, as well as its ability to handle variations in MRI acquisition protocols, require further research and validation. Additionally, ethical considerations, data privacy, and regulatory compliance are paramount when deploying such technology in clinical settings. In summary, the application of the EfficientNet B5 algorithm in brain tumor detection from MRI images showcases the potential of artificial intelligence to revolutionize healthcare by enhancing the accuracy and efficiency of diagnosis. With ongoing research and development, this technology holds great promise for improving the lives of individuals affected by brain tumor and advancing our understanding of this debilitating condition. As we continue to refine and expand upon these methodologies, we move closer to a future where early brain tumor detection becomes a routine and accessible part of healthcare, ultimately leading to improved patient care and outcomes.

REFERENCES

- [1] J. Li et al., "Fundamentals of Body Index Recognition," Academic, 2020.
- [2] J. Hook et al., "Automatic Data Based Quality Recognition," Bull. Polish Acad. Sci., 2021.
- [3] B. Schuller, "Body Type Recognition: Trends," Commun. ACM, vol. 61, no. 5, Apr. 2022.
- [4] F. Smith and S. Rossit, "Body Performance Detection," PLoS ONE, vol. 13, no. 5, 2018.
- [5] M. Chen et al., "Physiological Impact Detection System," IEEE Access, 2021.
- [6] N. Yala et al., "Feature Extraction on Streaming Data," J. Ambient Intell. Comput., 2017.
- [7] R. Khalil et al., "Impact Recognition Using DL," IEEE Access, 2019.
- [8] M. Ayadi et al., "Survey on Physiological Impact Recognition," Pattern Recognit., 2011.
- [9] R. Munot and A. Nenkova, "Physiological Recognition Performance," NAACL, 2019.
- [10] H. Gunes and B. Schuller, "Affect Analysis in Continuous Input," Data Vis. Comput., 2013.
- [11] S. Qadri et al., "Multi-Disease Physiological DB Insight," Bull. Elect. Eng. Inform., 2019.
- [12] M. Swain et al., "Physiological Impact Review," Int. J. Physiol. Technol., 2018.



10.22214/IJRASET



45.98



IMPACT FACTOR:
7.129



IMPACT FACTOR:
7.429



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24*7 Support on Whatsapp)