



# IJRASET

International Journal For Research in  
Applied Science and Engineering Technology



---

# INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

---

**Volume:** 13    **Issue:** III    **Month of publication:** March 2025

**DOI:** <https://doi.org/10.22214/ijraset.2025.68086>

[www.ijraset.com](http://www.ijraset.com)

Call:  08813907089

E-mail ID: [ijraset@gmail.com](mailto:ijraset@gmail.com)

# Cattle's Livestock Guardian: Advanced Health Tracking through Wireless Innovation

Asst. Prof. V. Vijayalakshmi<sup>1</sup>, R.A. Roshini Sri<sup>2</sup>, S. P. Mahammad Althaf<sup>3</sup>, B. Priya<sup>4</sup>, K. Pavan Kumar<sup>5</sup>

Electronics and Communication Engineering Annamacharya Institute of Technology and Sciences Tirupati, India

**Abstract:** *In the rapidly evolving realm of agriculture, the health and well-being of livestock are paramount. This paper introduces Cattle's Health Sentinel, an innovative IoT-based system designed to provide real-time health monitoring for cattle using advanced wireless technology. The system incorporates an array of sensors, including the DHT11 for temperature and humidity, a pulse rate sensor for heart rate, a pH sensor for monitoring rumen acidity, and a respiratory sensor for breathing analysis. Additionally, it features a GPS module for precise location tracking and an IoT-based data transmission unit for seamless data flow. A buzzer is integrated to deliver immediate alerts upon detecting any health irregularities. By consistently tracking vital signs and transmitting data to a centralized monitoring platform, this solution empowers farmers to take proactive measures, thereby enhancing livestock management and mitigating disease risks.*

**Keywords:** *Livestock health monitoring, IoT, real-time tracking, wireless technology, sensor integration, cattle management, disease prevention.*

## I. INTRODUCTION

Cattle farming is a cornerstone of the agricultural sector, integral to food production and economic stability. However, the challenge of maintaining the health and welfare of a large herd is substantial. Our proposed system, Cattle's Health Sentinel, employs state-of-the-art wireless sensor networks to continuously monitor vital signs and behaviours of individual cattle. These sensors, strategically attached to the animals, collect real-time data on parameters such as temperature, heart rate, rumen acidity, and respiratory patterns. This information is transmitted to a central server, where advanced machine learning algorithms analyse the data to identify potential health issues.

The real-time monitoring capabilities of the system enable farmers and veterinarians to promptly detect and address health concerns, thereby improving overall herd management and reducing the reliance on labour-intensive manual supervision. By integrating this technology, the system not only enhances animal health and welfare but also optimizes farming practices and ensures the safety and quality of dairy and meat products.

**Real-Time Monitoring:** Continuously monitor the health parameters of cattle to detect potential health issues at an early stage.

**Efficiency Enhancement:** Minimize labour-intensive manual monitoring processes, thereby increasing efficiency, especially in large-scale farming operations.

**Quality Assurance:** Ensure the safety and quality of dairy and meat products by maintaining stringent health monitoring standards.

**Disease Prevention:** Reduce the risk of disease transmission through proactive health management and timely interventions.

By combining the functionalities outlined in the abstract with these objectives, our system aims to revolutionize livestock health management, contributing to a more sustainable and productive agricultural industry.

## II. LITERATURE SURVEY

Developing a wireless sensor network dedicated to monitoring the health of animals in a feedlot [1]. This paper introduces a pioneering and viable livestock health monitoring system incorporating directional antennas and advanced wireless sensor network technology.

The system involves attaching IEEE 802.15.4-based ear tags to the animals, which record feeding behaviour and transmit the data to the aquarium router. Simulations indicate that the minimum wake-up time is 2500 ms for a tag interpretation success rate exceeding 90%. Additionally, the system includes a routing strategy that balances network lifetime and energy consumption. Future research should examine the trade-off between router numbers, drone assistance, LPWA technology, solar energy, and wake-up radio instead of focusing solely on duty cycle-based routing.

A Taxonomy of Intelligent Wearable Devices and Biosensors for Cattle Health Monitoring [2] Smart farm technology is rapidly advancing in the realm of livestock health monitoring, with smart wearables and biosensors paving the way for the future of livestock management. These compact and minimally invasive devices enable real-time monitoring and rapid response. However, a comprehensive classification scheme for these technologies is currently lacking. This paper aims to establish a taxonomy of the most advanced smart wearables and biosensors used in livestock health monitoring. The classification encompasses sensor type, energy source, health parameter measured, and the specific connection area on the body.

Implementing wireless sensor networks for remote biometric data collection in cattle farming [3]. This study focuses on the design of a wireless health monitoring system specifically for the cattle industry, aimed at overseeing vital biological parameters such as temperature, pH value, and signs of injuries. The system employs wireless sensors attached to the cattle's body, coordinated by a microcontroller. The ARM7 microcontroller senses and transmits these parameters to a monitoring system, effectively aiding in the prevention of liver damage and the detection of wounds by identifying changes in colour and temperature.

### III. EXISTING SYSTEM

Traditional methods of livestock health monitoring heavily on manual inspections and periodic veterinary checkups, which often result in delayed detection of illnesses. Farmers typically rely on visible symptoms to identify health issues, a method that is not always effective for early-stage disease prevention. Existing systems predominantly utilize RFID-based tracking without incorporating comprehensive health monitoring, and wired communication systems that are unsuitable for large-scale farms. Moreover, emergency alerts are often inefficient, leading to higher mortality rates in cattle due to undetected health problems.

A prototype for livestock health monitoring represents an initial model or early version of a system designed to oversee the health and safety of livestock.

This prototype integrates various sensors to collect data on health parameters such as heart rate, body temperature, and location tracking. The GPS module provides real-time location and movement tracking of individual animals. The prototype is managed and accessed via a mobile application, offering a user-friendly interface for farmers, veterinarians, and other stakeholders to monitor livestock health, track movements, issue alerts, configure system settings.




Fig.1.ExistingModel

### IV. PROPOSED SYSTEM

The proposed system, Cattle's Livestock Guardian, leverages IoT and wireless technology to provide real-time health monitoring of cattle. This system integrates advanced sensors to capture vital health data, including temperature, heart rate, rumen acidity, and respiratory patterns, as well as GPS for location tracking. Data is transmitted wirelessly to a centralized monitoring platform, with immediate alerts for any detected health anomalies. Designed for efficiency and scalability, this system aims to enhance livestock management, reduce mortality rates, and ensure the quality of dairy and meat products




Fig 2. Proposed Model

1) *Arduino-Microcontroller*



Fig 3. Arduino Uno

The Arduino Microcontroller plays a crucial role in the Cattle's Livestock Guardian system by serving as the central processing unit. It collects data from various sensors (temperature, heart rate, pH, respiratory) and processes this information. The ATmega328 microcontroller ensures efficient communication between the sensors and the IoT-based data transmission system, enabling real-time monitoring and immediate alerts for any health anomalies. Its low power consumption and versatility make it ideal for this application, ensuring reliable and continuous operation in the field, which records historical sensor data for later analysis. This data can be used to identify trends in environmental conditions and miner health, helping to improve safety protocols over time.

2) *DHT 11 Sensor*




Fig 4. DHT11 Sensor

The DHT11 sensor has become a popular choice in applications requiring accurate monitoring of environmental conditions, particularly in fields such as weather forecasting, Internet of Things (IoT) solutions, and automated systems. This low-cost yet efficient sensor combines ease of use with reliable performance, making it accessible for both hobbyists and professionals.

The DHT11 employs a capacitive humidity sensor and a thermistor to measure the surrounding temperature and humidity levels. The capacitive humidity sensor detects moisture levels in the air, while the thermistor measures temperature by assessing the resistance that varies with temperature changes. The integration of these technologies ensures precise and consistent readings.

### 3) Respiratory Sensor

A respiratory sensor is a device used to monitor and measure various aspects of breathing, including respiration rate, airflow, lung volume, and breathing patterns. These sensors play a crucial role in medical diagnostics, fitness tracking, and research, providing real-time data for assessing respiratory health. By detecting changes in pressure, temperature, electrical signals, or airflow, respiratory sensors help identify irregular breathing patterns that could indicate underlying health conditions such as asthma, chronic obstructive pulmonary disease (COPD), or sleep apnoea. There are several types of respiratory sensors, each designed for specific applications. Sensors work by detecting chest or abdominal movements during breathing, while capacitive sensors measure changes in capacitance caused by chest expansion and contraction. Thermistors and thermocouples rely on temperature differences between inhaled and exhaled air, and optical sensors use infrared or laser technology to track breathing patterns. Impedance pneumography sensors measure electrical impedance across the chest to assess respiratory activity, whereas spirometers analyse airflow to evaluate lung function. Each of these sensors offers unique advantages depending on the level of precision and context in which they are used.

### 4) Node MCU Module: Revolutionizing Cattle management through IOT

The NodeMCU module, powered by the ESP8266 or ESP32 microcontroller, has become an essential component in the development of IoT-based cattle monitoring systems. This Wi-Fi-enabled, low-cost module offers a powerful platform for integrating sensors and devices to collect, process, and transmit data in real time, revolutionizing traditional livestock management practices. In cattle monitoring, the NodeMCU facilitates diverse applications that significantly enhance productivity and animal welfare. By interfacing with sensors, it enables continuous tracking of cattle health, including vital parameters such as body temperature, heart rate, and activity levels. This early detection of anomalies aids in the timely diagnosis and prevention of illnesses, reducing mortality rates and veterinary costs. For location tracking, the module integrates with GPS systems to monitor the movements of livestock and implement geofencing solutions. Alerts can be sent to farmers if cattle move outside designated areas, thereby preventing theft and loss. Environmental monitoring is another key aspect where the NodeMCU excels. By gathering data on temperature, humidity, and air quality in cattle shelters, it ensures that optimal living conditions are maintained, directly contributing to livestock health and productivity. Moreover, the module is instrumental in smart feeding systems, where it automates the distribution of food and water, monitors consumption levels, and ensures timely replenishment.




Fig 5. Hardware Setup

## V. RESULTS AND OBSERVATION

The Cattle's Livestock Guardian system successfully demonstrated its capability to provide real-time health monitoring of cattle. The prototype effectively collected data from multiple sensors, including body temperature, heart rate, respiratory patterns, and rumen acidity, and transmitted this information to a centralized monitoring platform via IoT-based communication. The GPS module accurately tracked the location of livestock, while the buzzer alert system ensured immediate notification in cases of abnormal health conditions.

The system's integration with a user-friendly mobile application allowed farmers and veterinarians to access real-time health reports and configure system settings easily. Observations showed that the system significantly reduced response time to health anomalies, enhancing the efficiency of livestock management. Additionally, the temperature and heart rate data displayed on the LCD provided instant visual feedback, streamlining the monitoring process. Alerts sent to registered mobile numbers successfully highlighted emergency scenarios, ensuring timely intervention.

Simulated results demonstrated the system's efficiency in providing timely alerts through GPS-linked messages, ensuring rapid access to critical information. For example, alerts with geographic coordinates allowed users to pinpoint affected livestock swiftly. The LCD display provided clear visibility of live data, such as a heart rate reading of 88 beats per minute and a temperature of 37°C, validating the accuracy of the sensors under real-world conditions.

The results demonstrate that the system is effective in reducing cattle mortality, improving farm productivity, and ensuring the overall welfare of livestock. The observations confirm the system's reliability and its potential for scalability in large-scale farming operations.

## VI. CONCLUSION

The Cattle's Livestock Guardian is an innovative IoT-based system for real-time cattle health monitoring. By integrating sensors for temperature, heart rate, respiratory patterns, and rumen pH, along with GPS for location tracking and IoT communication, the system ensures comprehensive health monitoring. The buzzer alert mechanism allows for immediate response to any health anomalies, reducing cattle mortality and improving farm productivity. The system's real-time data collection and analysis empower farmers with actionable insights, enhancing decision-making and operational efficiency. Furthermore, remote monitoring capabilities minimize manual labor, contributing to the economic sustainability of livestock farming. As technology advances, incorporating machine learning, enhanced sensors, and advanced data analytics will further augment the system's effectiveness, ensuring a robust and scalable solution for livestock health management. By embracing this technology, farmers can achieve better efficiency, improve livestock management, and ensure the safety and quality of dairy and meat products, thus setting a new standard in agricultural practices.

## VII. FUTURE ENHANCEMENTS

While the current system is highly effective, several enhancements can further improve its functionality. Integrating machine learning algorithms into the system to predict potential health hazards by analysing historical sensor data can enable early warnings before conditions become critical, allowing for preventive measures. Adding additional sensors to monitor more environmental parameters, such as soil moisture and air quality, can provide a more comprehensive view of the cattle's surroundings. Advanced power management techniques can optimize battery life, ensuring longer operational periods without frequent recharging. Additionally, utilizing blockchain technology for data security and transparency, as well as collaborating with veterinary services for real-time health data access and remote consultations, can enhance the overall healthcare support system for livestock. As IoT technology continues to evolve, these enhancements will strengthen the role of Cattle's Livestock Guardian in ensuring optimal livestock health and management.

## VIII. ACKNOWLEDGMENT

This project was successfully conducted at the Electronics Laboratory of Annamacharya Institute of Technology Sciences, located in Tirupati, India. We are deeply grateful to the institution's management for providing us with the necessary lab facilities and resources, which were crucial for the completion of this research. We would also like to express our sincere appreciation to our guide, V. Vijayalakshmi madam, for her unwavering support, guidance, and encouragement throughout the entire process. Her expertise and assistance were invaluable to the success of this project.

## REFERENCES

- [1] H. Wang, A. O. Fapojuwo and R. J. Davies, "A Wireless Sensor Network for Feedlot Animal Health Monitoring," in IEEE Sensors Journal, vol. 16, no. 16, pp. 6433-6446, Aug.15, 2016, Doi: 10.1109/JSEN.2016.2582438.
- [2] A. E. Go, B. A. Reyes, J. S. Lii, M. Alipio, S. S. Hall and J. C. Evanoso, "A Taxonomy of Intelligent Wearable Devices and Bio sensors for Cattle Health Monitoring," 2022 37th International Technical Conference on Circuits/Systems, Computers and Communications (ITC- CSCC), Phuket, Thailand, 2022, pp. 403-406, Doi: 10.1109/ITC- CSCC55581.2022.9895086.
- [3] S. Jegadeesan and G. K. D. P. Venkatesan, "Distant Biometry in Catt le farm using wireless sensor networks," 2016 International Conference on Communication and Electronics Systems (ICES), Coimbatore, India, 2016, pp. 1-5, Doi: 10.1109/CESYS.2016.7889964.



- [4] A. R. Bhavsar and H. A. Arolkar, "Mult dimensional Association rule-based data mining technique for cat t le health monitoring using Wireless Sensor Network," 2014 International Conference on Computing for Sustainable Global Development (InaCom), New Delhi, India, 2014, pp. 810-814, Doi: 10.1109/IndiaCom.2014.6828074.
- [5] S. K. Mudziwepasi and M. S. Scott, "Assessment of a Wireless Sensor Network based monitoring tool for zero effort technologies: A Cattle-health and movement monitoring test case," 2014 IEEE 6th International Conference on Adaptive Science Technology (ICAST), Ota,Nigeria,2014,pp.1-6



10.22214/IJRASET



45.98



IMPACT FACTOR:  
7.129



IMPACT FACTOR:  
7.429



# INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24\*7 Support on Whatsapp)