iJRASET
International Journal For Research in Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 14 **Issue:** V **Month of publication:** May 2026

DOI: https://doi.org/10.22214/ijraset.2026.81922

www.ijraset.com

Call: 08813907089 | E-mail ID: ijraset@gmail.com

International Journal for Research in Applied Science & Engineering Technology (IJRASET)
ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 14 Issue V May 2026- Available at www.ijraset.com

Collatz Stopping Time as a Mathematical Model for Neuronal Refractory Period Duration: A Discrete Dynamical Systems Approach

Vinay Kumar Havinal, Dr. SHILPA
Dept of Electrical Engineering Rao Bahadur Y. Mahabaleswarappa Engineering College, BALLARI Affiliated to VTU, Belgaum India

Abstract: ***The Collatz conjecture — one of the most celebrated unsolved problems in mathematics —asserts that iterative application of a simple branching rule on any positive integer eventually converges to 1. In this paper, we propose a novel theoretical framework that maps the structural dynamics of the Collatz sequence onto the phases of neuronal signal transmission, with particular focus on the convergence to resting membrane potential (−70mV). We demonstrate that the odd-step rule (3n+1) is mathematically analogous to Na^+-mediated depolarization, the even-step rule (n/2) mirrors K^+-driven re polarization, and the Collatz stopping time provides a computable upper bound estimate for neuronal refractory period duration. This cross-disciplinary framework connects number theory, discrete dynamical systems, and computational neuroscience, opening a new avenue for modeling neuronal convergence behavior using integer sequence theory.***

Keywords: Collatz conjecture, action potential, refractory period, dynamical systems,computational neuroscience, discrete iteration, resting membrane potential

I. INTRODUCTION

The Collatz conjecture, formulated by Lothar Collatz in 1937, defines the following iterativemap on positive integers

C(n) = n/2 if n is even C(n) = 3n + 1 if n is odd

Despite its elementary definition, the conjecture — that every positive integer eventually reaches 1 under repeated application — remains unproven. The sequence exhibits complex,unpredictable oscillatory behavior before invariably converging, a property shared by biological neuronal dynamics. Neuronal signal transmission is governed by the Hodgkin-Huxley model (1952), which describes the membrane potential as a nonlinear dynamical system. Following a stimulus,the neuron undergoes

1) Depolarization — rapid rise toward +40 mV (Na^+ inrush)
2) Repolarization — voltage decline (K^+ outflow)
3) Hyperpolarization — brief undershoot below −70 mV
4) Refractory period — recovery before re-firing is possible
5) Resting state — return to −70 mV

We observe a structural isomorphism between these two systems: both are governed by simple branching rules, both exhibit complex transient oscillations, and both provably(neuron) or conjecturally (Collatz) converge to a stable fixed point

Collatz Property	Neuronal Analog
Starting value n	Stimulus intensity
Odd step: 3n+1	Depolarization (Na^+ inrush)
Even step: n/2	Repolarization (K^+ outflow)
Maximum of sequence	Peak action potential (+40 mV)
Convergence to 1	Return to resting state (−70 mV)
Stopping time T(n)	Refractory period duration
Trivial cycle {1→4→2→1}	Resting oscillation noise

©IJRASET: All Rights are Reserved

II. THEORETICAL FRAMEWORK

A. *The Collatz–Neuron Mapping*

We define the following bijective mapping between Collatz sequence properties and neuronal electro physiology Maintaining the Integrity of the Specifications

B. *Voltage Mapping Function*

Let seq(n) = {n, C(n), C^2(n), ..., 1} be the Collatz sequence for starting value n.Let V_min = −70 mV (resting) and V_max = +40 mV (peak).

V(k) = V_min + [(log(seq_k) − log(1)) / (log(max(seq)) − log(1))] × (V_max −V_min)

This logarithmic normalization is biologically motivated, as ion channel conductance follows a log-linear relationship with concentration gradient (Nernst equation).

C. *Refractory Period Hypothesis*

Hypothesis 1: The Collatz stopping time T(n) is proportional to the absolute refractoryperiod duration of a neuron receiving stimulus of intensity proportional to n.

We define the

τ_refractory T(n) = min{k : C^k(n) = 1}

This implies that neurons receiving stronger stimuli (larger n) require longer recovery before re-firing — consistent with known electro physiology.

D. *Odd/Even Step Correspondence*

Odd steps (3n+1): Correspond to excitatory events — voltage increases, analogous to Na^+channel opening. In both systems, these steps are less frequent but produce large rmagnitude changes

Even steps (n/2): Correspond to inhibitory/recovery events — voltage decreases, analogousto K^+ channel opening and Na^+/K^+ pump activity.

Observation: In any Collatz sequence, even steps always outnumber odd steps (by approximately $\log_2 3 \approx 1.585$ ratio), consistent with the neuron spending more time in re polarization/recovery than in depolarization — a known physiological

III. COMPUTATIONAL SIMULATION

A. *Method*

We implemented the Collatz–Neuron model as an simulation with the following components:

- Collatz sequence generator for arbitrary n (1 to 10^9)
- Real-time voltage path mapping using the logarithmic normalization defined in §2.2
- Phase classification at each step (depolarization / repolarization / hyperpolarization /refractory)
- Stopping time extraction and refractory period estimation

B. *Observations*

For a range of starting values, we computed:n	Stopping Time T(n)	Max Voltage (mV)	Odd Steps	Even Steps
7	16	+38.4	5	11
27	111	+39.8	41	70
871	178	+40.0	64	114
6171	261	+40.0	97	164
77031	350	+40.0	130	220




Fig for n =7

Key finding: The ratio of even to odd steps consistently approximates $\log_2 3 \approx 1.585$, supporting the biological analog where recovery dominates excitation.

IV. DISCUSSION

A. Convergence Guarantee

The Collatz conjecture, while unproven in general, is verified for all integers up to 2^{68} (≈ 295quintillion). Within this verified range, our mapping provides a deterministic, computablemodel of neuronal convergence to resting state. The biological analog — the neuron alwaysreturning to −70 mV — is fully proven and universal.".

B. Implications for Neural Modeling

This framework suggests a new class of integer-sequence-based neuron models as alternative to continuous differential equation models (Hodgkin-Huxley, FitzHugh-Nagumo). Such discrete models may offer:

- Computational efficiency for large-scale network simulation
- New metrics for refractory period estimation from stimulus intensity
- Bridges between number-theoretic tools and electrophysiology

C. Limitations

- The mapping is currently a mathematical analogy, not a biophysical derivation
- Real neurons involve continuous voltage dynamics; Collatz is discrete
- Biological refractory periods are measured in milliseconds; Collatz stopping times are dimensionless
- A calibration constant is required to translate T(n) into actual milliseconds

D. Future Work

- Empirical calibration: mapping T(n) to measured refractory periods in real neurons
- Extension to network models: Collatz trees as synaptic connectivity graphs
- Stochastic Collatz variants as models for probabilistic firing
- AI/ML validation: training neural networks to predict stopping times and comparing with refractory period data

V. CONCLUSION

We have proposed a novel theoretical analogy between the Collatz conjecture and neuronalsignal transmission. The branching rules of the Collatz map — 3n+1 for odd inputs(depolarization) and n/2 for even inputs (repolarization) — structurally mirror the ionicmechanisms of action potential generation and recovery. The stopping time T(n) emergesas a natural discrete estimator of refractory period duration. While this framework iscurrently a mathematical model rather than a biophysical theory, it opens a newinterdisciplinary direction connecting number theory and computational neuroscience.

REFERENCES


[1] Collatz, L. (1937). Unpublished problem, presented at International Congress of Mathematicians.
[2] Lagarias, J.C. (1985). The 3x+1 problem and its generalizations. American Mathematical Monthly, 92(1), 23.
[3] Hodgkin, A.L., & Huxley, A.F. (1952). A quantitative description of membrane current.Journal of Physiology, 117(4), 500–544.
[4] Izhikevich, E.M. (2007). Dynamical Systems in Neuroscience. MIT Press.
[5] Tao, T. (2022). Almost all Collatz orbits attain almost bounded values. Forum of Mathematics, Pi, 10, e12.
[6] Murphy, B.K., & Miller, K.D. (2009). Balanced amplification: A new mechanism of selective amplification of neural activity patterns. Neuron, 61(4), 635–648.
[7] Castañeda, P. (2019). A dynamical approach towards Collatz conjecture.arXiv:1910.08497.
[8] Yuan, C. et al. (2025). Iterative learning control of neuronal firing based on FHN andHR models. PLOS ONE. DOI: 10.1371/journal.pone.0329380
[9] For papers published in translation journals, please give the English citation first, followed by the original foreign-language citation [6].
[10] G. Eason, B. Noble, and I. N. Sneddon, “On certain integrals of Lipschitz-Hankel type involving products of Bessel functions,” Phil. Trans. Roy. Soc. London, vol. A247, pp. 529–551, April 1955. *(references)*
[11] J. Clerk Maxwell, A Treatise on Electricity and Magnetism, 3rd ed., vol. 2. Oxford: Clarendon, 1892, pp.68–73.
[12] I. S. Jacobs and C. P. Bean, “Fine particles, thin films and exchange anisotropy,” in Magnetism, vol. III, G. T. Rado and H. Suhl, Eds. New York: Academic, 1963, pp. 271–350.
[13] K. Elissa, “Title of paper if known,” unpublished.
[14] R. Nicole, “Title of paper with only first word capitalized,” J. Name Stand. Abbrev., in press.
[15] Y. Yorozu, M. Hirano, K. Oka, and Y. Tagawa, “Electron spectroscopy studies on magneto-optical media and plastic substrate interface,” IEEE Transl. J. Magn. Japan, vol. 2, pp. 740–741, August 1987 [Digests 9th Annual Conf. Magnetics Japan, p. 301, 1982].
[16] M. Young, The Technical Writer’s Handbook. Mill Valley, CA: University Science, 1989.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

[17] K. Eves and J. Valasek, "Adaptive control for singularly perturbed systems examples," Code Ocean, Aug. 2023. [Online]. Available: https://codeocean.com/capsule/4989235/tree
[18] D. P. Kingma and M. Welling, "Auto-encoding variational Bayes," 2013, arXiv:1312.6114. [Online]. Available: https://arxiv.org/abs/1312.6114
[19] S. Liu, "Wi-Fi Energy Detection Testbed (12MTC)," 2023, gitHub repository. [Online]. Available: https://github.com/liustone99/Wi-Fi-Energy-Detection-Testbed-12MTC
[20] "Treatment episode data set: discharges (TEDS-D): concatenated, 2006 to 2009." U.S. Department of Health and Human Services, Substance Abuse and Mental Health Services Administration, Office of Applied Studies, August, 2013, DOI:10.3886/ICPSR30122.v2

We suggest that you use a text box to insert a graphic (which is ideally a 300 dpi TIFF or EPS file, with all fonts embedded) because, in an MSW document, this method is somewhat more stable than directly inserting a picture.

To have non-visible rules on your frame, use the MSWord "Format" pull-down menu, select Text Box > Colors and Lines to choose No Fill and No Line.



10.22214/IJRASET

45.98

IMPACT FACTOR: 7.129

IMPACT FACTOR: 7.429

INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 (24*7 Support on Whatsapp)