iJRASET
International Journal For Research in Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 14 **Issue:** VIII **Month of publication:** August 2026

DOI: https://doi.org/10.22214/ijraset.2026.84606

www.ijraset.com

Call: 08813907089 | E-mail ID: ijraset@gmail.com

International Journal for Research in Applied Science & Engineering Technology (IJRASET)
ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 14 Issue VIII Aug 2026- Available at www.ijraset.com

Comprehensive overview of A Transformer-Based Model for Detecting Fake news and Sentiment Trends on the Social Media Platform

Gurpreet Kaur, Dr.Jagdev Singh Rana
Research Scholar, Professor & Dean Computer Science Indus International University, Una-HP

Abstract: ***The spread of information, including fake content and deceptive narratives, has been greatly expedited by the quick development of social media platforms, especially Twitter. It is a difficult but critical responsibility to detect such misleading information while also investigating sentiment patterns. This review paper looks at transformer-based unified models that incorporate sentiment analysis and false tweet detection. Transformer architecture creation, usage in social media analytics, datasets, methodologies, assessment criteria, and obstacles are all discussed. The study stresses how transformer-based models, such as BERT, RoBERTa, and XLNet, outperform traditional machine learning algorithms due to their attention mechanisms and contextual knowledge. Finally, future research directions are discussed, including explainable AI and multimodal learning.***
Keywords: BERT, DeBERTa, Fake News Detection, RoBERTa, Sentiment Analysis, Social Media, Transformer Models

I. INTRODUCTION

Misinformation, which is defined as false information created with the express intent of misleading readers, includes fake news and rumours. The term "fake news" refers to intentionally manufactured content that may mislead readers or cause panic when published or spread. Rumours are unsubstantiated hearsay or information that travels among people. Fake news and rumours are frequent nowadays. They influence people's everyday lives, alter their emotions, and lead them to believe erroneous information.Social media sites like Twitter, Facebook, Instagram are crucial tools for socialising as well as disseminating rumours and news, and they produce a vast volume of information every day[1].

Misinformation is more than just false information; it is a potent force that has the ability to distort perceptions, affect choices, and upend society. False or incorrect information can alter people's emotions, such as fear, anger, or enthusiasm, when it spreads (especially through social media sites like Facebook or Twitter). This frequently results in dangerous or irrational behaviour. For example During the COVID-19 pandemic, false information can create fear and tension among people[2].Artificial intelligence (AI) programs are capable of producing extremely convincing misleading information that manipulates people's emotions and has a detrimental effect on society.Therefore, it is necessary to create a single model or architecture that is capable of both sentiment analysis and the detection of fake information.Fake news identification and sentiment analysis have made extensive use of a variety of methods, such as machine learning[3], natural language processing (NLP)[4], and deep learning[5].

Although machine learning techniques have been widely used for sentiment analysis, they have a number of intrinsic drawbacks. Conventional methods like Naïve Bayes, Support Vector Machines, and Logistic Regression mostly depend on manual feature engineering methods like bag-of-words and TF-IDF, which frequently fall short in capturing contextual relationships and semantic meaning in textual data[6]. Achieving great accuracy in feature extraction is still a major challenge. Additionally, these models misclassify sentiments in complicated sentences because to their weak comprehension of context, sarcasm, and polysemy. Additionally, they have trouble capturing long-range connections between words[7].Furthermore, according to[8], machine learning models frequently exhibit poor generalisation across domains, with models trained on one dataset performing poorly on another because of differences in language usage. Their efficacy in real-world situations is further diminished by problems like class disparity and the incapacity to grasp complex emotional expressions. These drawbacks demonstrate the need for more sophisticated methods for reliable and context-aware sentiment analysis, such as transformer-based models and deep learning. To overcome these limitations, transformer-based models—such as BERT and RoBERTa—are employed for sentiment analysis and fake news detection due to their superior ability to capture contextual semantics and long-range dependencies.An integrated algorithm that integrates false news identification and sentiment analysis provides a thorough knowledge of tweets' validity and emotional tone.

©IJRASET: All Rights are Reserved

II. LITERATURE REVIEW

[9]The effectiveness of transformer-based models for detecting bogus news in Indonesian is evaluated. The study uses accuracy, precision, F1-score, and runtime performance to evaluate BERT, ALBERT, and RoBERTa. According to the experimental results, ALBERT's lightweight architecture and parameter optimisation enabled it to achieve the best overall performance, higher accuracy, and faster execution times. The study successfully demonstrated the benefits of transformer models in interpreting contextual information for detecting fake news. However, the study's relevance to multilingual and multimodal fake news scenarios may be limited due to its emphasis on textual analysis and a specific language dataset. Overall, the work provides valuable insights into successful transformer-based strategies for detecting bogus information.

[10], presentXLNet, a transformer-based model that overcomes the main drawbacks of BERT, including the pretrain–finetune discrepancy and the incapacity to describe dependencies between masked tokens. By using a permutation language modelling objective, XLNet is able to capture bidirectional context without hiding input data. In order to efficiently simulate long-range dependencies, it also incorporates features from Transformer-XL and uses a two-stream self-attention technique. According to experimental data, XLNet is a reliable and effective method for tasks like sentiment analysis and fake news detection, outperforming BERT on a variety of NLP benchmarks.

[11] Suggests a refined variant of BERT by enhancing its pre-training method using more extensive datasets, dynamic masking, eliminating the next sentence prediction task, and extending training periods. The Research shows that RoBERTa greatly improves performance on standard datasets like GLUE, SQuAD, and RACE, Attaining-edge results while preserving the same transformer structure asBERT. The Authors Demonstrate that Precise optimization and training methods can enhance contextual language comprehension without altering the fundamental model structure. Nonetheless, the model demands significant computational power and extensive training data, potentially restricting its availability for smaller research settings. The article significantly contributes to NLP by enhancing language representation learning based on transformers.

[12]Proposes a standardised benchmark for tweet classification in order to solve the fragmented nature of social media NLP research. Sentiment analysis, emotion recognition, hate speech detection, irony detection, offensive language identification, stance detection, and emoji prediction are among the seven distinct Twitter-specific tasks that the authors present TweetEval, a unified evaluation framework. The study emphasises how inconsistent evaluation procedures in previous studies make it challenging to evaluate cutting-edge models across various datasets and workloads. The suggested framework addresses this by offering uniform assessment measures, mainly macro-averaged F1-score, as well as unified training, validation, and testing divides.

[13]The research gives a complete analysis of false news identification using modern transformer-based models and deep learning approaches. The authors efficiently analyse numerous methods for boosting misinformation classification accuracy, such as BERT, CNN-RNN, and RoBERTa-based architectures. One of the paper's most notable features is its detailed experimental analysis of benchmark datasets and evaluation metrics. The proposed model beats existing machine learning algorithms in terms of both accuracy and performance. Furthermore, the adoption of explainable AI approaches increases the system's transparency and reliability. However, the study might look into other challenges, such as multilingual datasets, computational complexity, and real-time deployment. Overall, the article makes major contributions to fake news detection research and proves the effectiveness of transformer-based models in combating disinformation on social media platforms.

[14]The study combines sophisticated contextual learning with attention processes to propose an efficient transformer-based framework for sentiment trend analysis and fake news identification on Twitter. The authors emphasize the limitations of traditional machine learning algorithms in understanding contextual dependencies and semantic links in social media conversation. The proposed method increases classification accuracy and contextual comprehension by incorporating transformer topologies such as BERT and attention-based mechanisms. According to experimental evaluation using benchmark Twitter datasets, the model surpasses traditional deep learning and machine learning methods in terms of accuracy, precision, recall, and F1-score.The study also shows how transformers can recognize misinformation indications, sarcasm, and subtle grammatical patterns in phony tweets. Additionally, the combination of sentiment analysis and fake news detection offers a comprehensive understanding of public opinion and the dissemination of misleading information on social media platforms. However, the study is limited by its dependence on textual features and lacks multimodal analysis using images or videos that are often associated with misleading information. Overall, the study significantly advances the field of disinformation identification by providing a scalable and context-aware transformer-based approach for social media analytics.

[15]The study "BERT-Based Blended Approach for Fake News Detection"* describes a successful hybrid approach for detecting fake news on social media that employs BERT-based deep learning models. To improve classification accuracy, the authors integrate BERT-CNN and BERT-LSTM models using a Bayesian fusion technique.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

The study is well-organised, with evaluation based on benchmark datasets such as UTK and WELFake. Experimental results reveal that the proposed Bayesian fusion approach outperforms individual models and various existing strategies. The paper's unique fusion methodology and thorough comparison analysis are significant strengths. However, the study might benefit from more datasets and a more in-depth discussion of computational complexity.

[16]It offers a reliable and methodical way to use transformer topologies to enhance fake news identification. The study is notable for its thorough ablation analysis, which assesses the role of individual elements including feedforward layers, positional encoding, and attention mechanisms. This fills a significant void in previous research where models are frequently seen as "black boxes." The authors provide a lightweight yet effective design that greatly decreases parameter size while keeping high performance by combining the best aspects from models such as BERT, RoBERTa, DeBERTa, and DistilBERT. Across benchmark datasets, the model exhibits great accuracy; on structured datasets, it performs quite well, and on social media data, it significantly improves.Furthermore, statistical validation and reproducibility techniques improve the findings' dependability. However, the lack of multimodal analysis limits its usefulness in more complicated real-world circumstances, and the comparatively lower performance on the LIAR dataset suggests problems in processing brief and ambiguous remarks. Overall, the study makes a significant contribution to the creation of effective and scalable NLP-based misinformation detection systems and offers insightful information about transformer optimisation for fake news detection.

[17]The study *"Enhancing Fake News Detection with Transformer Models and Summarisation"* describes a successful method for detecting false news using transformer-based models like BERT, RoBERTa, and XLNet. With an accuracy of 98.39% in identifying fake news, the study proves RoBERTa's superiority. The use of T5-based text summarization, which significantly lowers processing costs and training time while maintaining excellent accuracy, is the paper's primary contribution. In-depth experimental analysis based on benchmark datasets and evaluation metrics is part of the well-organized work. The application of GPT-2 to examine AI-generated false information is another noteworthy example of transformer models' ability to distinguish between fake and authentic news. However, the study does not address multimodal deception like visuals or movies and instead concentrates mostly on text-based analysis. Overall, by showcasing the effectiveness of transformer models in conjunction with summarization techniques, the work significantly advances the field of fake news detection research.

[18]The research describes a transformer-based method to false news detection that uses advanced contextual language models to increase classification accuracy. The authors examine various transformer topologies and demonstrate their usefulness in extracting semantic and contextual information from textual material. According to the experimental data, transformer models outperform typical machine learning algorithms in terms of accuracy, precision, recall, and F1-score. The study emphasises the value of contextual understanding in detecting misinformation on social media sites. However, the study is limited to textual elements and ignores multimodal data such as photos or videos. Overall, the research gives useful information about the use of transformer-based deep learning models for reliable fake news detection.

[19]The research describes an efficient transformer-based strategy to detecting fake news that makes use of powerful contextual language comprehension capabilities. According to the findings, transformer models beat typical machine learning methods in terms of accuracy and contextual interpretation of news information. The authors successfully demonstrate the role of attention mechanisms in detecting misleading patterns. However, the model focuses mostly on textual data and lacks multimodal analysis. Overall, the article considerably improves the reliability and scalability of fake news detection systems.

[20]The study *"BERT-Based Fake News Detection: A Transformer-Driven Approach for Misinformation Classification on Twitter"* describes a powerful deep learning framework for detecting fake news on social media. The study examines various models such as XGBoost, CNN-RNN, BERT, and RoBERTa + GNN, with the suggested RoBERTa + GNN model achieving the greatest accuracy of 98.7%. The study is well-structured, with good experimental evaluations utilising benchmark datasets like FakeNewsNet and PolitiFact. The integration of textual analysis with social propagation aspects, as well as explainable AI approaches like SHAP and LIME, is a significant strength. However, the paper should expand on computational complexity, multilingual applicability, and real-time deployment problems. Overall, it is an important contribution to misinformation detection research, demonstrating the efficacy of transformer-based hybrid models.

[21]An informative summary of how blockchain can enhance security, privacy, and transparency in healthcare systems can be found in the paper Blockchain Technology for Secure Healthcare Systems. The authors describe how decentralised technology is used to safeguard medical information and guarantee safe data exchange between healthcare providers. The study is well-organised, educational, and discusses the advantages and difficulties of using blockchain technology in healthcare. All things considered, it makes a significant contribution to the study of contemporary medical technology.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

[22]the study *"BERT-Based Fake News Detection: A Transformer-Driven Approach for Misinformation Classification on Twitter"* introduces a complete and successful framework for detecting fake news on social media. The study examines various machine learning and deep learning models, such as XGBoost, CNN-RNN, BERT, and RoBERTa + GNN, in order to enhance misinformation classification accuracy. One of the paper's main strengths is its combination of transformer-based text analysis with Graph Neural Networks, which allows the model to capture both textual semantics and social propagation patterns. The proposed RoBERTa + GNN model has the maximum accuracy of 98.7%, beating previous techniques. The paper is well-organised and supported by extensive experimental evaluations of benchmark datasets such as FakeNewsNet, PolitiFact, and Kaggle Fake News.Furthermore, the employment of explainable AI approaches such as SHAP and LIME increases transparency and interpretability. However, the study might expand on computational complexity, linguistic flexibility, and real-time deployment problems. Overall, the article contributes significantly to fake news detection research and proves the efficacy of hybrid transformer-based systems in countering disinformation.

[23]The research gives a complete analysis of false news identification using modern transformer-based models and deep learning approaches. The authors effectively compare various approaches to improving misinformation classification accuracy, including BERT, CNN-RNN, and RoBERTa-based architectures. One of the paper's main features is its extensive experimental study of benchmark datasets and evaluation measures. The suggested model outperforms existing machine learning methods in terms of accuracy and performance. In addition, the use of explainable AI techniques improves the system's transparency and reliability. However, the study could address additional issues such as multilingual datasets, computational complexity, and real-time deployment.

[24]The research study, Hybrid Neural Network Models for Detecting fraudulent News Articles, describes an effective hybrid deep learning model for detecting fraudulent Arabic news articles. To boost classification accuracy, the researchers used CNN and Bi-LSTM algorithms, as well as GloVe and FastText word embedding's. Experimental results demonstrate excellent performance in both binary and multi-class fake news identification challenges. The study is well-organised, technically comprehensive, and makes a substantial contribution to Arabic natural language processing and fake news identification research.




Fig1: Literature Review

The comparison analysis reveals that transformer-based models like Bert, Roberta, and Xlnet outperform traditional machine learning algorithms for sentiment recognition and fabrication.Recent studies concentrate on attention-enhanced models, graph-based transformers, and hybrid transformer designs to improve accuracy and contextual comprehension.

III. FINDINGS

There are still some substantial research gaps in the body of current literature, despite the fact that transformer-based approaches for sentiment analysis and false news identification have made significant progress. One major disadvantage is the lack of unified models that simultaneously do sentiment analysis and bogus tweet identification inside a single framework. Most existing research takes a distinct approach to both objectives, which increases computational complexity and reduces contextual integration between content authenticity and emotional polarity. Furthermore, real-time deployment of transformer-based systems is still limited due to the high computing requirements and latency of large-scale transformer layouts. This restricts their applicability in dynamic social media environments where prompt detection of fraudulent content is essential.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

Another major problem with transformer models is their poor explainability.Even while BERT, RoBERTa, and XLNet are highly accurate designs, their decision-making processes often function as "black boxes," making it difficult to interpret forecasts and build user confidence. Furthermore, present research has not thoroughly investigated multimodal and temporal fusion models that effectively integrate textual, visual, and temporal data for enhanced misinformation analysis. Since photos, videos, and evolving patterns are often used in the dissemination of fake news on social media, relying just on textual components lowers detection efficiency. Moreover, dataset bias and domain adaptation issues continue to affect model generalization. Moreover, dataset bias and domain adaptation issues continue to affect model generalization.

IV. PROPOSED RESEARCH GAP

To overcome the limitations of existing fake news detection techniques, this research proposes a Hybrid Unified Transformer Model with Explainability for detecting phony tweets and analyzing sentiment trends on Twitter. Graph Neural Networks (GNNs), multimodal data fusion, explainable AI techniques, and transformer encoders such as RoBERTa and DeBERTa are all combined in the proposed framework. The algorithm increases processing efficiency and accuracy by simultaneously classifying sentiment and identifying fraudulent tweets using shared contextual representations. All things considered, the proposed framework provides real-time social media analysis with a high-performance, scalable, and understandable solution.

V. CONCLUSION

Transformer-based unified models' increased ability to capture contextual semantics, linguistic relationships, and hidden patterns inside social media text makes them a significant advancement in the fields of sentiment analysis and fraudulent tweet identification on Twitter. Transformer architectures like BERT, RoBERTa, and XLNet employ self-attention mechanisms to comprehend the contextual relationship between words, in contrast to conventional machine learning and deep learning techniques. This enables more precise detection of fake information and emotional polarity in tweets.By concurrently identifying fake news and categorizing sentiment using shared representations, multi-task learning increases model efficiency by decreasing redundancy and boosting generalization capacity. Additionally, transformer-based models can handle noisy and unstructured Twitter data that includes caustic words, hashtags, abbreviations, and emojis—all of which are difficult to process with conventional techniques.

Future studies should therefore concentrate on developing multimodal, scalable, and explainable transformer-based systems that can perform sentiment analysis and real-time misinformation detection. While multimodal learning frameworks that integrate textual, visual, and temporal input can significantly increase detection accuracy and resilience, Explainable Artificial Intelligence (XAI) techniques like SHAP and LIME can enhance model transparency and user confidence. Additionally, the application of Large Language Models (LLMs), federated learning, and Graph Neural Networks (GNNs) may improve cross-domain adaption, propagation analysis, and contextual comprehension. These advancements will aid in the creation of social media monitoring systems that are more practical, intelligent, dependable, and efficient.

REFERENCES

[1] Z. Liu, T. Zhang, K. Yang, P. Thompson, Z. Yu, and S. Ananiadou, “Emotion detection for misinformation : A review,” vol. 107, no. November 2023, 2024.
[2] M. Cheng, S. Wang, X. Yan, T. Yang, and W. Wang, “A COVID-19 Rumor Dataset,” vol. 12, no. May, pp. 1–10, 2021, doi: 10.3389/fpsyg.2021.644801.
[3] B. Pang, L. Lee, H. Rd, and S. Jose, “Thumbs up ? Sentiment Classification using Machine Learning Techniques,” no. July, pp. 79–86, 2002.
[4] J. Yi, T. Nasukawa, R. Bunescu, and W. Niblack, “Sentiment analyzer: Extracting sentiments about a given topic using natural language processing techniques,” Proc. - IEEE Int. Conf. Data Mining, ICDM, pp. 427–434, 2003, doi: 10.1109/icdm.2003.1250949.
[5] L. Zhang and L. Corporation, “Deep Learning for Sentiment Analysis : A Survey”.
[6] B. Pang and L. Lee, “Opinion mining and sentiment analysis,” vol. 2, no. 1, 2008.
[7] A. Vaswani, “Attention Is All You Need,” no. Nips, 2017.
[8] X. Glorot, “Domain Adaptation for Large-Scale Sentiment Classification : A Deep Learning Approach,” no. 1, 2011.
[9] S. Fitria and N. Azizah, “Performance Analysis of Transformer Based Models (BERT , ALBERT and RoBERTa) in Fake News Detection,” pp. 1–6, 2018.
[10] Z. Yang, Z. Dai, Y. Yang, and J. Carbonell, “XLNet : Generalized Autoregressive Pretraining for Language Understanding,” no. NeurIPS, pp. 1–18, 2019.
[11] Y. Liu et al., “RoBERTa: A Robustly Optimized BERT Pretraining Approach,” no. 1, 2019.
[12] F. B. J. Camacho-collados and L. N. L. Espinosa-anke, “T WEET E VAL : Unified Benchmark and Comparative Evaluation for Tweet Classification,” pp. 1644–1650, 2020.
[13] X. Zhou and R. Zafarani, “A Survey of Fake News: Fundamental Theories, Detection Methods, and Opportunities,” 2020.
[14] U. Comments, S. K. Hamed, M. Juzaiddin, A. Aziz, and M. R. Yaakub, “Fake News Detection Model on Social Media by Leveraging Sentiment Analysis of News Content and Emotion Analysis of,” 2023.
[15] F. A. K. E. N. E. W. S. D. Etection, “BERT-BASED BLENDED APPROACH FOR FAKE NEWS DETECTION,” vol. 2, no. 1, pp. 7–15, 2024, doi: 10.54116/jbdai.v2i1.27.

[16] J. Rout and M. Mishra, "Towards Reliable Fake News Detection : Enhanced Attention-Based Transformer Model," pp. 1–22, 2025.
[17] A. Saadi, "Enhancing Fake News Detection with Transformer Models and Summarization," vol. 15, no. 3, pp. 23253–23259, 2025.
[18] C. Kumar, M. Bansal, M. A. Khan, and V. Kaushik, "Graph-augmented transformer ensemble framework for robust and scalable fake news detection in social media ecosystems," pp. 1–31, 2026.
[19] T. Li, Y. Sun, S. Hsu, Y. Li, and R. C. Wong, "Fake News Detection with Heterogeneous Transformer".
[20] S. Raza, D. Paulen-patterson, C. Ding, and C. Street, "Fake News Detection : Comparative Evaluation of BERT-like Models and Large Language Models with Generative AI-Annotated Data," pp. 1–30.
[21] M. C. Kenton, L. Kristina, and J. Devlin, "BERT: Pre-training of Deep Bidirectional Transformers for Language Understanding," no. Mlm, 1953.
[22] R. Uddin, A. Basit, Y. Khan, S. J. Shazib, and S. Hossain, "BERT-Based Fake News Detection : A Transformer-Driven Approach for Misinformation Classification on Twitter," vol. 16, no. 1, pp. 1–13.
[23] J. Chen, Y. Zhang, Y. Pan, P. Xu, and C. Guan, "A Transformer-based deep neural network model for SSVEP classification".
[24] A. Khalil, M. Jarrah, and M. Aldwairi, "Hybrid Neural Network Models for Detecting Fake News Articles," Human-Centric Intell. Syst., vol. 4, no. 1, pp. 136–146, 2024, doi: 10.1007/s44230-023-00055-x.
[25] K. Aalijah, "International Journal of Research Publication and Reviews Leveraging Social Media Analytics for Sustainability Trend Detection in Saudi Arabia ' s Evolving Market," vol. 6, no. 3, pp. 5540–5548, 2025.
[26] M. A. Alonso, D. Vilares, and C. Gómez-rodríguez, "Sentiment Analysis for Fake News Detection," 2021.
[27] D. Amangeldi, A. Usmanova, and P. Shamoi, "Understanding Environmental Posts : Sentiment and Emotion Analysis of Social Media Data," IEEE Access, vol. 12, no. February, pp. 33504–33523, 2024, doi: 10.1109/ACCESS.2024.3371585.
[28] R. Anggrainingsih, G. Mubashar, and H. Amitava, Transformer - based models for combating rumours on microblogging platforms : a review, vol. 57, no. 8. Springer Netherlands, 2024. doi: 10.1007/s10462-024-10837-9.
[29] S. V Balshetwar, A. Rs, and D. J. R, "Fake news detection in social media based on sentiment analysis using classifier techniques Fake news detection in social media based on sentiment analysis using classifier techniques," no. March, 2023, doi: 10.1007/s11042-023-14883-3.
[30] A. Bhardwaj, S. Bharany, and S. Kim, "Heliyon Fake social media news and distorted campaign detection framework using sentiment analysis & machine learning," Heliyon, vol. 10, no. 16, p. e36049, 2024, doi: 10.1016/j.heliyon.2024.e36049.
[31] Z. Boukouvalas and A. Shafer, "Role of Statistics in Detecting Misinformation : A Review of the State of the Art , Open Issues , and Future Research Directions," pp. 27–50, 2024.
[32] Y. Cao, J. R. W. Ii, and D. Shallcross, "Can Large Language Models Detect Misinformation in Scientific News Reporting ?".
[33] K. L. Chandrashekar and S. Darshan, "Twitter Sentiment Analysis Using NLP Models and Real-Time Tweet Fetching," 2025.
[34] P. Feldman, S. Tiwari, C. S. L. Cheah, J. R. Foulds, and S. Pan, "Analyzing COVID-19 Tweets with Transformer-based Language Models," vol. 2, no. Figure 1, pp. 1–6.
[35] M. Gupta, I. Researcher, and U. States, "Understanding Social Media Behavior : A Review of Sentiment , Engagement , and Temporal Trends".
[36] F. Hafeez, M. Hafeez, M. Shaff, B. Imran, A. Qasim, and N. Hussain, "A Comparative Study of Deep Learning and Transformer Models for Twitter Sentiment Analysis," vol. 17, no. April, pp. 85–89, 2026.
[37] S. K. Hamed, M. Juzaiddin, A. Aziz, and M. R. Yaakub, "Fake News Detection Model on Social Media by Leveraging Sentiment Analysis of News Content and Emotion Analysis of Users ' Comments".
[38] M. Islam, M. Abaker, and A. Daud, "Unified Large Language Models for Misinformation Detection in Low-Resource Linguistic Settings".
[39] A. Liu, Q. Sheng, and X. Hu, "Preventing and Detecting Misinformation Generated by Large Language Models," pp. 3001–3004, 2024, doi: 10.1145/3626772.3661377.
[40] M. S. Mredula, N. Dey, S. Rahman, I. Mahmud, and Y. Cho, "A Review on the Trends in Event Detection by Analyzing Social Media Platforms ' Data Media Platforms ' Data".

AUTHOR BIOGRAPHIES


Gurpreet Kaur is a Research Scholar working in the area of transformer-based deep learning, fake news detection, sentiment analysis, and social media analytics. Her research interests include natural language processing, explainable artificial intelligence, graph neural networks, and multimodal learning. She has 16 Years of teaching experience.



Prof. (Dr.) Jagdev Singh Rana is an accomplished academic administrator, professor, researcher, author, and educationist with over two decades of experience in higher education and institutional development. He is presently serving as Registrar and Professor& Dean, School of Science and Engineering, Indus International University, Bathu, Una, Himachal Pradesh, since July 2023. Dr. Rana has received prestigious honours, including the Bharat Vidya Shiromani Award (2019)**,** Star of Asia Education Excellence Award (2019)**,** andInSc Best Principal Award (2021).

He has authored six books, published 16 international and 2 national research papers, holds two patents, and has guided 22 M.Phil and 5 Ph.D. scholars**.** He has also participated in numerous FDPs, conferences, panel discussions, and academic sessions.





10.22214/IJRASET

45.98

IMPACT FACTOR: 7.129

IMPACT FACTOR: 7.429

INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 (24*7 Support on Whatsapp)