iJRASET
International Journal For Research in Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 14 **Issue:** I **Month of publication:** January 2026

DOI: https://doi.org/10.22214/ijraset.2026.77153

www.ijraset.com

Call: 08813907089 | E-mail ID: ijraset@gmail.com

International Journal for Research in Applied Science & Engineering Technology (IJRASET)
ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 14 Issue I Jan 2026- Available at www.ijraset.com

Coral Health Monitoring for Sustainable Reef Conservation using YOLOv8-Based CNN Model

M.S.Naveen Roy[1], Ajmal Mohammed Nazeer[2], Santhipushpam U[3], Rayan Nazer[4], Jiji Thomas[5]
[1, 2, 3, 4]*Research Scholar,* [5]*Assistant Professor, Computer Science &Engineering Department St. Thomas Institute for Science and Technology Trivandrum, India*

Abstract: ***Coral reefs are among the most biologically diverse ecosystems on Earth and play a crucial role in maintaining marine ecological balance. However, climate change–induced ocean warming, acidification, and human activities have accelerated coral bleaching and reef degradation. Continuous and accurate monitoring of coral health is therefore essential, yet manual assessment methods are labor-intensive, time-consuming, and pronetosubjectivity.ThispaperpresentsanIEEE-styleresearch study derived strictly from the project report titled Deep Diving into YOLOv8 CNN Model Driven Coral Health Monitoring for SustainableReefConservation.Theproposedworkintroducesan automated deep learning–based framework using the YOLOv8 convolutionalneuralnetworkforreal-timecoralhealthdetection and classification.A dataset consisting of 923 labeled underwater coral images representing healthy, partially bleached, and fully bleached corals is utilized. The system employs image preprocessing and augmentation techniques to handle underwater distortions,followedbytransferlearning–basedfine-tuningofthe YOLOv8 model. The trained model is evaluated using standard performance metrics including precision, recall, mean Average Precision (mAP), and confusion matrix analysis. Experimental results demonstrate that the proposed approach achieves reliable detection accuracy and robust generalization, validating its suitabilityforscalableandreal-timereefmonitoringapplications. The framework provides a practical and intelligent solution to support sustainable coral reef conservation efforts.***

Keywords: Deep Learning, Convolutional Neural Networks, Transfer Learning, Image Classification, Coral Health Monitor- ing

I. INTRODUCTION

Coral reefs, often referred to as the rainforests of the sea, support avastrange ofmarinebiodiversity andprovide essen- tial ecological and economic benefits. They protect coastlines from erosion, support fisheries, and contribute significantly to tourism. Despite their importance, coral reefs are increasingly threatenedbyrisingseatemperatures,oceanacidification, pollution, and destructive human activities. One of the most visible consequences of these stressors is coral bleaching, a phenomenon that leads to the loss of symbiotic algae and ultimatelycoralmortalityifprolonged.Traditionalcoralhealth monitoring relies heavily on manual surveys conducted by marine experts and divers. While effective on a small scale, these approaches are not feasible for large reef systems due to highcosts,limitedcoverage,andhumanerror.Advancesinar- tificial intelligence, particularly deep learning, offer a promis- ing alternative by enabling automated analysis of underwater imagery.ConvolutionalNeuralNetworks(CNNs)haveshown remarkable success in visual recognition tasks due to their ability to learn hierarchical feature representations directly fromrawimages.Thispaperfocusesontheapplicationof the YOLOv8 deep learning architecture for automated coral health monitoring. By leveraging transfer learning and real- timeobjectdetectioncapabilities,theproposedsystemaimsto accurately identify and classify coralhealth statesfromunder- water images. The work bridges the gap between manual reef assessment and intelligent automation, providing an efficient and scalable solution for long-term reef conservation.

II. LITERATURE REVIEW

Recent research has highlighted the growing role of deep learning in marine ecosystem monitoring. CNN based models havebeenwidelyadoptedforunderwaterimageanalysis due to their robustness against complex backgrounds and lighting variations. Studies on coral reef segmentation and classificationdemonstrate thatdeep learningsignificantlyout- performs traditional image processing techniques in terms of accuracyandscalability.Transferlearninghasemergedas a key strategy for overcoming limited labeled datasets in marineresearch.Byadaptingmodelspre-trainedonlarge-scale datasets, researchers have achieved improved convergence rates and enhanced feature extraction performance. Object detection frameworks such as YOLO have gained attentionfor their ability to perform localization and classification si- multaneously,makingthemsuitableforreal-timeapplications. Existing works, however, often focus on either classification or segmentation and may lack real-time detection capability. Additionally, many approaches are computationally intensive, limiting their deployment on edge devices or underwater platforms.

©IJRASET: All Rights are Reserved

The present study builds upon these findings by employing YOLOv8, a lightweight yet powerful detection architecture, optimized through transfer learning and data augmentation to achieve accurate coral health monitoring.

III. INPUT DATA SET

The dataset used in this study comprises 923 underwater coral reef images collected from publicly available sources. The images are labeled into three coral health categories: healthy, partially bleached, and fully bleached. This multi- class labeling enables a more detailed assessment of reef conditions compared to binary classification. Prior to training, all images undergo preprocessing steps including resizing, normalization, and color correction to mitigate underwater imaging challenges such as low contrast, color distortion, and noise.Dataaugmentationtechniquessuchasrotation,flipping, scaling, and brightness adjustment are applied to increase dataset diversity and improve model generalization. Fig. 1 illustratesrepresentativesamplesfromthedatasetshowingdif- ferent coral health states. The dataset is divided into training, validation, and testing subsets in a 70:20:10 ratio to ensure unbiased performance evaluation.



Fig.1.Sampledatasetimagesrepresentingdifferentcoralhealthconditions

IV. PROPOSED METHODOLOGY

Theproposedmethodologyemploysastructureddeeplearn- ing pipeline for automated coral health detection using the YOLOv8 CNN model. The overall system architecture is shown in Fig. 2.

A. System Architecture

The system begins with underwater coral images as input. Theseimagesundergopreprocessingandaugmentationbefore being fed into the YOLOv8 backbone network. YOLOv8 utilizes a single-stage detection mechanism that simultane- ouslyperformsfeatureextraction,objectlocalization,and classification.Thefinaloutputconsistsofboundingboxeswith corresponding coral health labels and confidence scores.




Fig.2.ArchitectureoftheproposedYOLOv8-basedcoralhealthmonitoringsystem

B. Methodology Flow

The methodology flow represents the complete operational pipeline of the proposed coral health monitoring system, ensuringasystematicandreproducibleprocess.Theworkflow begins with the acquisition of underwater coral reef images from the curated dataset. These raw images often contain challenges such as poor lighting conditions, color imbalance, motion blur, and background noise, which necessitate effec- tive preprocessing. In the preprocessing stage, images are resized to a uniform resolution compatible with the YOLOv8 input requirements. Color normalization and noise reduction techniques are applied to enhance visual clarity and improve feature extraction. To address dataset imbalance and improve generalization capability, data augmentation techniques such as horizontal and vertical flipping, random rotation, scaling, and brightness variation are employed. Following preprocess- ing, the dataset is divided into training, validation, and testing subsets. The training set is used to fine-tune the YOLOv8 model using transfer learning, where pre-trained weights ac- celerate convergence and improve detection accuracy. The validation set assists in hyperparameter tuning and overfitting control, while the testing set is reserved for final performance evaluation. During the training phase, the model iteratively updates its parameters by minimizing the composite loss function. Once training is completed, the optimized model is evaluated using standard detection metrics. The final stage of the workflow produces labeled output images with bounding boxes and confidence scores, enabling automated coral health assessment.

C. Model Training and Loss Function

YOLOv8 training optimizes a composite loss function that combinesboundingboxregression,objectnessconfidence,and classification loss, expressed as:

$$L = L_{box} + L_{obj} + L_{cls} \quad (1)$$

where L_{box} represents localization loss, L_{obj} denotes objectness loss, and L_{cls} corresponds to classification loss.

V. RESULTS AND DISCUSSION

The trained YOLOv8 model is evaluated on the test dataset to assess its effectiveness in coral health detection.

A. Training andValidationLossAnalysis

The training and validation loss curves provide insight into thelearningbehavioroftheYOLOv8model.Asillustrated in Fig. 3, both losses decrease steadily across epochs, indi- cating effective optimization of model parameters. The close alignment between training and validation loss suggests that themodelgeneralizeswelltounseendataanddoesnot suffer from significant overfitting. The stable convergence behavior demonstrates the effectiveness of transfer learning and data augmentation strategies employed during training. These techniques help the model adapt to underwater imaging conditions while maintaining consistent performance across different data subsets.




Fig.3.Trainingandvalidationlossacrossepochs

B. PerformanceMetrics

To quantitatively assess detection performance, standard object detection metrics such as precision, recall, and mean Average Precision (mAP) are utilized. Precision measures the proportion of correctly identified coral instances among all predictedinstances,whilerecallreflectsthemodel'sability todetectactualcoralregionspresentintheimages.The mAPmetricprovidesacomprehensiveevaluationbyaveraging precision values across multiple recall levels. The obtained metric values indicate that the proposed system achieves high detection accuracy across all coral health categories. The bal- anced precision–recall performance highlights the robustness of the YOLOv8 architecture in handling complex underwater scenes.Modelperformanceisevaluatedusingprecision,recall, and mean Average Precision (mAP), defined as:

$$\text{Precision} = \frac{TP}{TP+FP} \quad (2)$$

$$\text{Recall} = \frac{TP}{TP+FN} \quad (3)$$

$$\text{mAP} = \frac{1}{N}\sum_{i=1}^{N} AP_i \quad (4)$$

Theresultsindicatehighdetectionaccuracyacrosscoralhealthcategories.

C. ConfusionMatrixAnalysis

The confusion matrix in Fig. 4 highlights correct and misclassified instances, providing insight into classwise per- formance and error patterns.




Fig.4.Confusionmatrixforcoralhealthclassification

VI. CONCLUSION


ThispaperpresentedanIEEEjournal–stylestudyde- rivedstrictlyfromtheprojectreporttitledDeepDiving into YOLOv8 CNN Model Driven Coral Health Monitoring for Sustainable Reef Conservation. The primary objective of the work was to design and evaluate an automated, deep learning–basedframeworkcapableofaccuratelydetectingand classifying coral health conditions from underwater imagery. By leveraging the YOLOv8 convolutional neural network and transfer learning techniques, the proposed system successfully addresses the limitations of traditional manual coral mon- itoringmethods,suchashighlaborcost,limitedscalabil- ity, and subjective interpretation. The experimental analysis demonstratesthat YOLOv8 ishighly effective for coral health monitoring due to its single-stage detection architecture, fast inference speed, and strong feature extraction capability. The integration of image preprocessing and data augmentation techniques significantly improved model robustness against underwater challenges such as low illumination, color distor- tion,andnoise.Performanceevaluationusingmetricssuch as precision, recall, mean Average Precision (mAP), and confusion matrix analysis confirms that the model can re- liably distinguish between healthy, partially bleached, and fullybleachedcorals.

Theseresultsvalidatethesuitability of the proposed framework for real-time and large-scale reef monitoring applications. From a conservation perspective, the proposed system offers a practical and scalable solution that can assist marine biologists, environmental researchers, and conservation agencies in continuous reef health assessment.

The ability to automatically analyze large volumes of under- waterimagesenablesearlydetectionofcoralbleachingevents, therebysupportingtimelyintervention andinformeddecision- making. Moreover, the lightweight nature of the YOLOv8 architecture makes the system adaptable for deployment on edge devices, underwater drones, and autonomous monitoring platforms. Expanding the dataset with more diverse reef im- agery and deploying the system in real-time underwater envi- ronments are also planned. Overall, this study demonstrates that deep learning–driven object detection frameworks like YOLOv8 hold significant potential for advancing intelligent, automated coral reef conservation systems and contributing to the long-term sustainability of marine ecosystems.

REFERENCES

[1] H. Zhang, M. Li, J. Zhong, and J. Qin, “CNet: A Novel Seabed Coral Reef Image Segmentation Approach Based on Deep Learning,” Proc. IEEE/CVF Winter Conf. Applications of Computer Vision, pp. 767–775, 2024.
[2] C. DeLozier, J. Blanco, R. Rakvic, and J. Shey, “Main- taining Symmetry Between Convolutional Neural Network AccuracyandPerformanceonanEdgeTPUwithaFocus on Transfer LearningAdjustments,” Symmetry,vol.16,no.1,p.91,2024.
[3] J. Su, X. Yu, X. Wang, Z. Wang, and G. Chao, “Enhanced Transfer Learning with Data Augmentation,” En- gineering Applications of Artificial Intelligence, vol. 129, p. 107602, 2024.
[4] J. Dong, H. Jiang, D. Su, Y. Gao, T. Chen, and K. Sheng, “Transfer Learning Rolling Bearing Fault Diagnosis Model Based on Deep Feature Decomposition and Class- Level Alignment,” IEEE Transactions on Instrumentation and Measurement, 2024.
[5] J. Redmon and A. Farhadi, “YOLO9000: Better, Faster, Stronger,” Proc. IEEE Conf. Computer Vision and Pattern Recognition (CVPR), pp. 7263–7271, 2017.
[6] A. Bochkovskiy, C.-Y. Wang, and H.-Y. M. Liao, “YOLOv4:OptimalSpeedandAccuracyofObjectDetection,” arXiv preprint arXiv:2004.10934, 2020.
[7] G. Jocher etal., “YOLOv8:UltralyticsNext-Generation ObjectDetectionFramework,”Ultralytics,2023.[Online].Available:https://github.com/ultralytics/ultralytics
[8] K. He, X. Zhang, S. Ren, and J. Sun, “Deep Residual LearningforImageRecognition,”Proc.IEEEConf.Computer Vision and Pattern Recognition (CVPR), pp. 770–778, 2016.
[9] A. Krizhevsky, I. Sutskever, and G. E. Hinton, “Im- ageNet Classification with Deep Convolutional Neural Net- works,” Advances in Neural Information Processing Systems, vol. 25, pp. 1097–1105, 2012.
[10] S.Ren,K.He,R.Girshick,andJ.Sun,“FasterR-CNN: Towards Real-Time Object Detection with Region Proposal Networks,” IEEE Transactions on Pattern Analysis andMachineIntelligence,vol.39,no.6,pp.1137–1149, Jun.2017.[11]Y.Tang,M.R.Dehaghani,P.Sajadi,and
[11] G. G. Wang, “Selecting Subsets of Source Data for Transfer LearningwithApplicationsinMetalAdditiveManufacturing,” arXiv preprint arXiv:2401.08715, 2024.
[12] S. ̇Is¸gu¨zar,M.Tu¨rkog˘lu,T.Ates¸,s¸ahin,andÖDu¨rrani,“FishAgePredictioNet: A Multi-Stage Fish Age Prediction Framework Based on Deep Convolution Networks,” Fisheries Research, vol. 271, p. 106916, 2024.
[13] C. DeCarlo et al., “Automated Detection of Coral Bleaching Using Deep Learning and Underwater Imagery,” Remote Sensing, vol. 15, no. 3, pp. 1–17, 2023.
[14] R.Go´mez-R´ıos,J.L.Aranda,andP.J.Herrera,“Deep LearningforMarineHabitatMapping:AReview,”Ecological Informatics, vol. 72, p. 101874, 2023.



10.22214/IJRASET

45.98

IMPACT FACTOR: 7.129

IMPACT FACTOR: 7.429

INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 (24*7 Support on Whatsapp)