



IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 12 Issue: III Month of publication: March 2024 DOI: https://doi.org/10.22214/ijraset.2024.59651

www.ijraset.com

Call: 🕥 08813907089 🔰 E-mail ID: ijraset@gmail.com



Crop Analyzer Using Deep Learning and Yolo

Chirag Patil¹, Dhananjay Sutar², Karan Kale³, Raj Salvi⁴, Bindu Ramesh⁵ Vivekanand Education Society's Polytechnic, Chembur

Abstract: This paper presents an AI-driven crop analysis system using deep learning, integrated into a user-friendly web app built with Flask. Convolutional neural networks (CNNs) are used by the model, which was trained on a variety of crop photos, to accurately classify the crop images into categories such as healthy crops and different stages of disease. Crop health may be easily monitored by farmers and agronomists thanks to the user-friendly website. The system's practical applications, such as precision agriculture and disease management, hold promise for enhancing global food security by automating crop disease detection and minimizing losses.

Keywords: Agriculture, Crop disease analysis, Deep learning, Convolutional Neural Networks, Disease detection, Flask framework, Web application, Image classification.

I. INTRODUCTION

Crop diseases can seriously affect agricultural productivity, posing a serious threat to the world's food security. Traditional disease evaluation techniques, which rely on time-consuming physical inspections, frequently prove to be inefficient. In this study, we introduce a unique deep learning-based computational system for evaluating the health of crops. Our system has a user-friendly online interface designed to make submitting cropped photos for automated analysis straightforward.

Convolutional neural network (CNN) architecture that has been painstakingly trained and exposed to a broad dataset spanning a range of crop situations, from robustly healthy to various disease stages, forms the basis of our methodology. Underscoring the model's effectiveness is its amazing potential for precise classification, notably in identifying various disease phases and healthy crop conditions. The system's correctness and dependability have been confirmed through meticulous validation methods. Our study has far-reaching implications for the field of precision agriculture and the effective management of crop diseases. It has the potential to significantly advance efforts for global food security. Our approach attempts to reduce output losses by automating agricultural disease identification and monitoring.

II. LITERATURE REVIEW

Convolutional neural networks (CNNs), a type of deep learning, have demonstrated encouraging results in automating agricultural analysis in recent years. Large volumes of visual data can be processed by these models, which also reliably classify crop states and identify different illnesses. Prior to determining the disease class, it is essential to identify the crop species. Abdul Kadir in his research work has used color features like mean, standard deviation, skewness and kurtosis are made on the pixel values of the leaves. He has unified characteristics as indicated by the grey level co-occurrence matrix (GLCM). functions which identify the texture of an image. It generates a GLCM that produce statistical measures by calculating how frequently pairs of pixels with specific values and in a specified spatial relation occur in an image.[2] Pests and Diseases results in the destruction of crops or part of the plant, which lowers food output and causes food insecurity. Additionally, fewer people in many less developed nations are knowledgeable about diseases and pest management or control. Toxic pathogens, poor disease control, drastic climate changes are one of the key factors.[6]

The implementation of these AI models in web-based applications has been made easier by the use of frameworks such as Flask. Flask, known for its simplicity and flexibility, enables the development of user-friendly interfaces that empower farmers and agricultural experts to easily access and utilize these advanced technologies. While these advancements are promising, it is important to continue exploring and refining deep learning models and their integration into practical applications. Furthermore, a major area of ongoing research interest is comprehending the scalability, reliability, and practical implications of these systems.

A. Dataset Overview

The 'New Plant Diseases' dataset, created by SAMIR BHATTARAI and available on Kaggle, contains roughly 87,000 RGB photos that classify healthy and diseased crop leaves into 38 unique classifications. These photos have been properly organized, making them an invaluable resource for plant pathology and machine learning research.[1]



B. Research and Discoveries

This dataset can be used by researchers to investigate plant disease detection and categorization. Machine learning and computer vision techniques can provide useful insights into early disease identification, assisting in proactive agricultural management practices.

III.PROPOSED METHODOLOGY

A. Utilizing the "New Plant Diseases Dataset" for Research

When it comes to furthering the field of crop disease identification, one useful tool is the "New Plant Diseases Dataset" [1], which can be accessed through Kaggle. This dataset is used as a starting point for research on the use of deep learning methods to the timely and accurate classification of plant diseases.

B. Data Acquisition and Preprocessing

Begin Get the dataset first, making sure it complies with licensing requirements and the right reference is made, from the Kaggle repository. Next, start a thorough data pretreatment step [Fig. 1]. Data cleaning includes scaling photographs to a uniform resolution, normalizing pixel values, and organizing data into organized directories.




Fig. 1 Example of Data Preprocessing

C. Data Augmentation

Utilize data augmentation approaches [Fig. 2] to increase the dataset's diversity and enhance the generalization capacity of the deep learning model. Augmentation techniques like as rotation, flipping, cropping, and color adjustments can be applied methodically to expand the dataset and reduce the probability of overfitting.




Fig. 2 Example of Data Augmentation [4]

D. Data Splitting and Cross-Validation

Divide the dataset strategically into separate training and testing subgroups, following the traditional 80/20 split ratio. Consider including cross-validation approaches as well, especially when dealing with restricted data resources, to thoroughly evaluate model performance.



E. Model Development

YOLO (You Only Look Once) is a real-time algorithm that divides an image into grid cells and predicts bounding boxes and class probabilities directly. It involves designing convolutional neural networks (CNNs) to process input images, integrating grid cell division, predicting bounding boxes, and optimizing loss functions for simultaneous object detection and classification. Considering the number and design of convolutional layers [Fig. 3], filter sizes, pooling layers, and fully connected layers must all be carefully chosen to complement the peculiarities/patterns of the dataset and the goals of the research.




Fig. 3 Example of CNN Layers [4]

F. Model Training and Optimization

Execute the training phase with precision, specifying the optimization algorithm like 'ADAM' and loss function while defining key training parameters [Fig.4]. Monitor the convergence of the model and remain vigilant against overfitting, adjusting hyperparameters like epochs, batch size, etc as necessary.




Fig. 4 Example of Training and Optimization

G. Model Evaluation and Metrics

Evaluate the trained model's performance rigorously using the designated testing dataset. Employ established evaluation metrics, including accuracy, precision, recall, and F1-score [Fig 4], to quantitatively assess the model's classification prowess. The construction of confusion matrices [Fig 5] affords valuable insights into classification outcomes.




Fig. 4 Example of Evaluation Metrices

Fig. 5 Example of Confusion Matrix



F1-Confidence Curve 1.0 Healthy Powdery Rust lealthy all classes 0.70 at 0.326 0.8 0.6 E 0.4 Rust 0.2 0.0 0.2 0.8 1.0 0.4 0.6 Confidence i. Confusion Matrix (Normalized): ii. F1 Curve (Graph): train/dfl_loss train/box_loss train/cls_loss metrics/precision(B) metrics/recall(B) 0.7 results 1.9 0.8 smooth 1.8 0.6 2.0 1.8 0.6 0.5 1.6 1.7 0.4 1.5 0.4 1.6 1.4 0.3 1.5 1.0 0.2 0.2 1.2 1.4 0.1 ò 20 40 val/dfl_loss metrics/mAP50(B) metrics/mAP50-95(B) val/box_loss val/cls_loss 3.00 2.8 15.0 0.4 0.6 2.6 12.5 2.75 0.3 10.0 2.4 2.50 0.4 7.5 0.2 2.2

iii. Loss-Precision-Recall (Graph) of Training and Validation:

40

20

0.2

ŏ

20

40

0.1

0.0

Ò

40

20

2.25

2.00

1.75

ò

5.0

2.5

ŏ

20

40

Model Deployment Ι.

2.0


1.8

Ó

20

40

In instances where deployment is vital, utilization of a robust web framework such as Flask to facilitate model deployment [Fig. 6]. Provide an intuitive user interface so that people may engage with the model and provide photographs for real-time disease classification.





J. Website UI and Features

Currently our website is in prototype phase, so we haven't yet did work on UI part much, but here are some features of our website, firstly on main page we have a simple banner and below it we have 'choose a file' option where we can choose a file from our local system [Fig. 7]. Secondly, we have a predict button beside the that option, which will run the prediction on the input image given, at back-end. After predicting the image, it will show the results whether it is diseased or healthy [Fig. 8]. Also, there will be 2 more options View Doc and Download Doc [Fig. 8]. After clicking the 'Download Doc' button it will open a window, where to save it. [Fig. 9]. After clicking the 'View Doc' button it will open a new window in browser, where it will open the corresponding Doc which contents the information about the Disease [Fig. 10].



Fig. 7 Main Page (Before Predicting)



Fig. 8 After Predicting

and the second s					and the second diversity of th		4		
		\rightarrow This PC \rightarrow Workspace (IE) \rightarrow VESP \rightarrow 6th Sem							
VIP Doc									
VIP Does		Coop Disease Analyzer Using Deep Lear							
VESP		tinal year project front pages							
CPP_Last_Try		log book group9							
Cab Sees	٨.	NEW CRP_NOS_TINAL_YEAR_PROJECT_R_							
303 📫		PROJECT LOG BOOK AO 51+61							
🖿 Exp		Project report format AO 68							
test, ing									
CPE									
	- 1								
 Oscilinve 	_								
Setwork Network									
	Micros								
Hide Folders								Save	Canori
side Folders) Control

Fig. 9 After Clicking on Download Doc

0.15000/www.uku	americke_Un=EAXSROP_Last_TyReden=Occleou	
	What's Rowdey Disease?	
	3. Prodery million is a deputification characteristic plus approach of address or graphs prodering pathonic positions network taken of plants P. Brain in and expensitions with taken straining and the production and taken plants and taken and taken and taken of plants P. maken by Add. Macaparateristic production provide and taken surved plants and taken positional and take and taken and ta	
	Solutions	
	Powdery:	
	>Staking the Socken brackenete baking sodal mixed with water is an effective natural treatment for powdery milders, it also the pirt on the leaf surface, marring as reak non-more tims forwardable for fungal greach.	
	Altern OL News pl. deviced from the reventines, has antifueged properties and can be used to control providey mildes. It dought langed out membranes, loading to their control	
	 -Potasiam Scalaovan: Smala to sodium bicationate, potasiam bicationare is effective against powdery mildew. It disupts the call membrane of the finding is inducing its growth. 	
	>Fungibles: Onenical langic des containing active ingred ems such as myclobranil and sultar are also effective against powdery milder. They inhibit langal growth and spore production, mixing disease severity.	
	Persutant	
	Powdery.	
	> hune for Airfox thune desse follage to improve an circulation around plant, which can help prevent powdey midee by reducing hunkdry levels and drying indiractions quickly.	
	 Watering Practices Water plants early in the day to allow folloge to dry before exeming, reducing the Wathhood of provdery milder development. Zoold control al scambing to loop follogic day. 	
	Hence Infected Plant Material Promptly remove and dispose of any infected plant, parts to prevent the spread of powdery mideer to healthy plants.	
	>Plant behavior. Obose powdery midew-residuat plant valieties when possible. Resistant valieties are less succeptible to infection and may require fewer obernical treatments.	
	Hungsche Applaaten Apply fung odes preventieely on ist the first gan of pendery milden symptoms. Rocke between different diemsch bestements to prevent the development of mosteners in longs populations. A partyclick applications proventively accenting so the memolecture's interviews another long and excellent allow and one of an encourse for anonym.	

Fig. 10 After Clicking on View Doc

- K. Advantages
- 1) This AI is so future proof that we only have to upload new and different crops for keeping update to date.
- 2) This AI predicts the crops health while the Crop is in production period so that our farmers will be able to regain the health back to its normal condition
- 3) Fast crop disease detection of real-time images.
- L. Disadvantages/Limitations
- 1) Farmers would have to go to the fields for capturing the photos.
- 2) Farmers would require to have Laptops to get analysis of the Crops Health.
- 3) The proposed system can only detect the disease if it is present on the leaf and not other parts of the crop such as stem and fruits
- M. Future Improvements
- 1) In future we will build a drone / RC Car to drive this AI model to click live images from the farm to have a great consistency.
- 2) Create an App for communicating with real time farming experts to have a ONE-TO-ONE CHAT and also "MONITOR HEALTH".
- 3) In upcoming times, we will add different Crops and Abroad crops so that this AI will be used by abroad consumers.



N. Future Scope:

In this era of Developing India, Farming is a considered to play a huge role in India. Many of the different crops and grains are being exported out of India to different Aboard countries. Producing a large quantity of crops with same consistence and Quality is mostly required. With increasing population of India, demand of food supply is increasing day by day. Keeping this all things we decided to build this AI Model to help our farmer friends to have a great and healthy yield of crops.

IV.CONCLUSION

This research uses deep learning methods and the Kaggle "New Plant Diseases Dataset" to develop an effective custom CNN model for crop disease identification. Thanks to data augmentation, the model displays exceptional performance measures, including accuracy, precision, recall, and F1-score. The model's simple Flask deployment underscores its potential for real-world use. This study provides a solid basis for future improvements in crop management and global food security.

V. ACKNOWLEDGMENT

We like to convey our gratitude to our mentors for their invaluable guidance. We appreciate the Kaggle community sharing of datasets. Important resources were provided by Vivekanand Education Society's Polytechnic. Finally, also Mr Prashant Kamble who is a Director of CM Electronics for guiding us as our Industrial Mentor We would want to express my sincere gratitude to farmers and stakeholders for their support of our work. This study is evidence of academic cooperation and of our common commitment to finding solutions to agricultural problems.

REFERENCES

- [1] Author, Samir Bhattarai (2018). New Plant Diseases Dataset. Link: https://www.kaggle.com/datasets/vipoooool/new plant-diseases-dataset
- [2] Kadir, A., "A Model of Plant Identification System Using GLCM, Lacunarity and Shen Features," Research Journal of Pharmaceutical, Biological, and Chemical Sciences Vol.5(2) 2014.
- [3] Kulkarni, Omkar. "Crop disease detection using deep learning." 2018 Fourth international conference on computing communication control and automation (ICCUBEA). IEEE, 2018.
- [4] <u>https://pranjal-ostwal.medium.com/data-augmentation-for-computer-vision-b88b818b6010</u>
- $[5] \underline{https://www.parking.net/parking-news/survision/artificial-intelligence-lpr-evolution-or-revolution} \\$
- [6] Mohanty, Sharada P., David P. Hughes, and Marcel Salathé. "Using deep learning for image-based plant disease detection." Frontiers in plant science 7 (2016): 215232.











45.98



IMPACT FACTOR: 7.129







INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 🕓 (24*7 Support on Whatsapp)