



IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 9 Issue: XII Month of publication: December 2021 DOI: https://doi.org/10.22214/ijraset.2021.39725

www.ijraset.com

Call: 🕥 08813907089 🔰 E-mail ID: ijraset@gmail.com



Data Analysis and Sentiment Analysis on Amazon Reviews

Raj Sinha

Department of Information Technology, BIT Sindri, Dhanbad

Abstract: In the present scenario, a person wants ease in their lives, so E-commerce has become a great and admirable involvement in providing the availability of any product at the doorsteps. But how a person can know the efficiency and originality of the product just by looking at the pictures and the details of the product on the websites. To overcome these issues the E-commerce websites have introduced the concept of the Reviews. Reviews are written by the customers who have already purchased it. Studies show that Product reviews are one of the most important points one considers during the purchasing from E-commerce websites like Flipkart, Snapdeal, Amazon and so on.

This paper proposes a model that detects whether the given review is positive, negative, or neutral using the method of sentiment analysis. And using Data Analysis we can find the extension of this paper, we are planning to use a type of sentiment analysis, Opinion Mining which is the research field that predominantly makes automatic systems that will find opinion from the text written in human language. Using opinion mining, we can find whether the given reviews are fake or not. In this paper we have used Amazon food reviews data and based on the rating given by the user we are classifying reviews as positive, negative, or neutral. For positive review ratings given were 4 and 5. For negative review ratings given were 1 and 2. For neutral, rating given was 3. Based on these ratings, we are performing sentiment analysis using Scikit Learn and finding the accuracies of various classification algorithms. We are using Jupyter Notebook for visualization of documents and live coding. Keywords: Data analysis, classification algorithms, data visualization, machine learning

I. INTRODUCTION

In today's world of online shopping, product reviews play an important role in consumers' online shopping activities. Most people go through these reviews before buying any product online. These reviews can be positive or negative or neutral. Therefore, these product reviews can affect any business and they also have the potential to bring along financial losses or profits. Every day a lot of reviews are posted by the customers to put forward their views regarding the product they have bought. Generally, reviews appear in e-commerce web sites and applications like Amazon, Flipkart, etc. Most of the product reviews are posted by real consumers to express their views and share their shopping experience with other people, but fake reviews also appear in the e-business web sites because of financial reasons. This has affected influenced habits everywhere in the world. Data used in this study are online product reviews collected from Kaggle.com. For example, if a customer writes very negative reviews for a mobile phone say I-phone 11 on an apple review website due to its bad service. This review will present a bad impression of the product to its potential customers and damage its business. After the arrival of internet, people have now started buying products online, thanks to the increasing popularity of the World Wide Web. With more and more people becoming comfortable and finding ease in using the internet, an increasing number of people post their reviews, ratings, and comments online. This posting of reviews is also resulting to be highly beneficial for other users who use online platforms to buy products. Hence, this is resulting in an increased number of reviews and thus its impact on the purchase of goods is also increasing. Popular products get hundreds of reviews that make or break their sales and thus hold large importance. Our application, thus, proposes to separate the reviews as positive and negative in order to guarantee more accuracy in the existing system and enhancing the sales of genuine products based on real reviews. We are doing here is to compare the supervised learning algorithms:

- 1) Multinomial Naive Bayes
- 2) Gaussian Naive Bayes
- 3) Support Vector Machine
- 4) Logistic Regression for classifying the review using a dataset of online review from various E-commerce websites. Classification in sentiment analysis is done between two classes:



International Journal for Research in Applied Science & Engineering Technology (IJRASET)

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538 Volume 9 Issue XII Dec 2021- Available at www.ijraset.com

Namely positive or negative.

The sentiments are extracted from the reviews and then classified based on polarity.

Mentions the classification of sentimental analysis in three different levels namely aspect level, sentence level and the document level.

The basis of aspect level is the fact that every review has its own sentiment, and the sentiment analysis distinguishes the sentiment based on specific entities of the aspects.

Similarly, the basis of the sentence level is to put forward the opinion in every sentence. Lastly the document level, finds the sentiment from a document and then categorize that into the class of positive and negative opinions.

This paper aims to classify the database of online reviews based on sentiment using the different approaches for classification. This is the secondary aim (for future work), will be the to categorize these reviews and label them as fake v/s real by the help of all these algorithms and check for the most accurate results. Sample review system using star rating is given below.



See all 256 customer reviews >

Fig. 1 Review / Rating Comparison

II. BACKGROUND

A. Statistical Data

Online reviews have certainly taken the consumers to the level of satisfaction they demand while the choice, from hotels, bars, restaurants, online products and many more. In 2015, The market researchers of GFK carried out research with 3,729 Britons for the Competition and Markets Authority (CMA). The results mentioned that over 54 percent of the middle-aged population relied on the online reviews and influence for the annual consumption of about 2133.48 billion Indian rupees.

But the accessibility to these reviews has opened the path for proliferation. There can be positive reviews that are mentioned in order to promote business whereas the negative ones can be there to ruin them written by the competitors. This makes the reviewing platform susceptible to abuse. According to the Best SEO Companies data.

B. Literature Survey

In this section we are presenting the study of the previous and related work to the field that has used sentiment analysis or any other statistical methods to achieve similar results.

Mentions the matters that are caused due to sentiment analysis. The journal specifically mentions the two issues as the viewpoint and the second one as a way of expressing one's sentiment. The viewpoint signifies that what may be a negative comment to someone it may be a positive comment to others.

The second point signifies that a minor change doesn't change the meaning of a review or comment.

Various websites is depending on the overall rating than the individual review submitted by the purchaser. But there are certain web pages that even allows the text reviews and an elaborated description for the object purchased.

This proposed that the textual reviews are to be categorized on the grounds of their topic or aims. The classification distinguishes the negative versus positive reviews. In general, there are two phases of the Supervised learning method, the first is selecting the review and then the second one is extracting the relevant reviews.

0	
Star Level	General Meaning
☆	I hate it.
**	I don't like it.
$\Delta \Delta \Delta$	It's okay.
****	I like it.
$\Delta \Delta \Delta \Delta \Delta \Delta \Delta$	I love it.

Fig. 2 Meaning of Star Ratings in review system.



C. Dataset Statistics

The dataset we are using is provided on this link: https://kaggle.com/snap/amazon-fine-food-reviews/data

1.	Number of reviews	5,68,454
2.	Number of users	2,56,059
3.	Number of products	74,258
4.	User with > 50 reviews	260
5.	Median Number of words per review	56

D. Data Fields Explanation

The Amazon Fine Food Reviews dataset consists of 568,454 food reviews. This dataset consists of a single CSV file, Reviews.csv. The columns in the table are:

- *1)* Id Unique row number
- 2) Productid unique identifier for the product
- *3)* User Id unique identifier for the user
- 4) Profile Name
- 5) Helpfulness Numerator number of users who found the review helpful
- 6) Helpfulness Denominator number of users who indicated whether they found the review helpful
- 7) Score rating between 1 and 5
- 8) Time timestamp for the review
- 9) Summary brief summary of the review
- 10) Text text of the review

Sample Records look like:

					Reviews.csv - Excel (Unli	ensed Product)			Raj S	Sinha 🍳 🖻	
	Home Insert Page Layout For	mulas Data	Review	View Help	Q Tell me what you w	ant to do					A s
1 3	6 Cut Calibri V 11	× A Ă	= = _	& ab Wrap 1	ext General					AutoSum	Aw O
L e	Copy *		-==	Cr			ti z			Fill -	ZY
aste	Format Painter B I U - 🖽 -	🕭 - A -		🖷 🚈 🗒 Merge	& Center * 🔚 * %	9 €0 .00 .00 →.0	Conditional Format Formatting * Table		Insert Delete Form	at 🖉 Clear -	Sort & Find & Filter * Select *
	pboard 5 Font			Alignment		mber 5	Styles	* styles *	Cells		ting
		0//							Cens	, Lu	ung
NO	ICE Most features are disabled because you	r Office product i	s inactive. Io	use for free, sign in an	id use the Web version.	Activate	Use free at Office.co	om			
1											
A	B C D	E F	G	н	J K	L	M N	0	PQ	R S	т
Id	Productid Userid ProfileNai He	lpfulne Helpfu	Ine Score	Time Sumr	nary Text						
	1 B001E4KF(A3SGXH7/ delmartia	1	1	5 1.3E+09 Good	Qua I have bought set	veral of the Vita	ality canned dog for	d products	and have found the	m all to be of good	quality. The pr
	2 B00813GR A1D87F6Z dll pa	0	0		s Ad Product arrived I						
	3 B000LQOC ABXLMWJ Natalia Cc	1	1		ght" This is a confecti						
	4 B000UA0C A395BORC Karl	3	3		h Me If you are looking						
	5 B006K2ZZ A1UQRSCI Michael D	0	0		taff Great taffy at a g						
	6 B006K2ZZ: ADT0SRK1 Twoapenr	0	0	4 1.34E+09 Nice	Taffy I got a wild hair f	or taffy and ord	dered this five poun	d bag. The t	affy was all very en	jovable with many	flavors: waterm
	7 B006K2ZZ: A1SP2KVK David C. S	0	0	5 1.34E+09 Great	I Jus This saltwater ta	fy had great fla	avors and was very	oft and che	wy. Each candy was	individually wrap	ped well. None
	8 B006K2ZZ A3JRGQVE Pamela G.	0	0	5 1.34E+09 Wond	derfu This taffy is so go	od. It is very se	oft and chewy. The	flavors are a	amazing. I would de	efinitely recomme	nd you buying it
6	9 B000E7L2F A1MZYO9 R. James	1	1	5 1.32E+09 Yay B	arley Right now I'm mo	stly just sprout	ting this so my cats	can eat the p	grass. They love it. I	rotate it around w	ith Wheatgrass
	10 B00171AP A21BT40V Carol A. R	0	0	5 1.35E+09 Healt	hy D This is a very hea	Ithy dog food.	Good for their diges	tion. Also g	ood for small puppi	es. My dog eats he	r required amo
	11 B0001PB9 A3HDKO7 Canadian	1	1	5 1.11E+09 The B	est FI don't know if it	s the cactus or	the tequila or just th	ne unique co	ombination of ingre	dients, but the fla	your of this hot
	12 B0009XLV(A2725IB4Y A Poeng "	4	4	5 1.28E+09 My ca	ts LC One of my boys r	eeded to lose	some weight and th	e other did	n't. I put this food o	on the floor for the	chubby guy, an
	13 B0009XLV(A327PCT2 LT	1	1	1 1.34E+09 My C	ats A My cats have bee	n happily eatir	ng Felidae Platinum	for more th	an two years. I just	got a new bag and	the shape of the
	14 B001GVIS, A18ECVX2 willie "roa	2	2	4 1.29E+09 fresh	and good flavor! thes	e came secure	ly packed they we	re fresh and	d delicious! i love th	ese Twizzlers!	
	15 B001GVISI A2MUGFV Lynrie "Of	4	5	5 1.27E+09 Straw	berr The Strawberry T	wizzlers are my	y guilty pleasure - y	ummy. Six p	ounds will be arour	nd for a while with	my son and I.
	16 B001GVIS, A1CZX3CP Brian A. Le	4	5	5 1.26E+09 Lots of	of tw My daughter love	s twizzlers and	d this shipment of si	x pounds re	ally hit the spot. It's	s exactly what you	would expect
	17 B001GVIS, A3KLWF6\ Erica Neat	0	0	2 1.35E+09 poor	taste I love eating the	n and they are	good for watching 1	V and looki	ng at movies! It is n	ot too sweet. I like	to transfer the
	18 B001GVISLAFKW14U Becca	0	0	5 1.35E+09 Love	it! I am very satisfie	d with my Twiz	zler purchase. I sha	red these w	ith others and we h	nave all enjoyed th	em. I will defin
	19 B001GVIS. A2A9X58G Wolfee1	0	0	5 1.32E+09 GREA	T SW Twizzlers, Strawl	erry my childh	ood favorite candy,	made in Lar	ncaster Pennsylvani	ia by Y & S Candies	Inc. one of the
	20 B001GVIS. A3IV7CL2(Greg	0	0	5 1.32E+09 Home	e del Candy was delive	red very fast a	nd was purchased a	t a reasonab	ole price. I was hom	ne bound and unab	le to get to a sto
-									• •		
	Reviews 🛞										
-	Reviews						. [1]		E	8 E	
<)	Reviews		0	H 🗖 🔁	🔒 🖪 💆 🛙					□ □	09:49

Fig 2: Dataset sample records view in MS Excel



ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538 Volume 9 Issue XII Dec 2021- Available at www.ijraset.com

III. IMPLEMENTATION

A. Problem Description

Motto of the e-commerce websites of introducing review system is to further improve customer satisfaction and online shopping experience. Thus, these websites allow their customer to put forward their reviews on the products listed or purchased by them. With more internet users, a huge number of people are coming forward to write the reviews and post them on the website which is becoming beneficial for other customers. It also decides the profit or loss for any e-commerce merchant. Thus, it has become very important for the seller to get positive reviews for their products. Due to these things, number of reviews is continuously surging. Now any customer can write any opinion text or review, which can draw the individual's attention before buying that product.

B. Methodology

The aim of this paper is to analyse the review data from various websites or e-commerce stores. We will be using weka tool for text classification



Fig.3 Techniques of sentiment analysis



Fig. 4 Sentiment Polarity Categorization Process

We are following a series of steps to achieve the aim of the paper we are submitting: The steps we are involving is diagrammatically mentioned in the figure 3. The textual description for the steps is as follows:

- 1) Collection of the <u>data</u>: To analyse the sentiment value of the review posted by consumers on the e-commerce websites we need a standard dataset. So, in this paper we will be relying on the reviews originally collected from website like Amazon.
- 2) *Pre-processing of the Data:* Exploring the figure 1 we can see the two steps for pre-processing the data and converting it into an appropriate sentiment analysis task. Without this process of pre-processing all we will have an inconsistent set of text that would be impossible to analyse. Mentioning the steps within the pre-processing:



International Journal for Research in Applied Science & Engineering Technology (IJRASET) ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538 Volume 9 Issue XII Dec 2021- Available at www.ijraset.com

- a) String To Word Vector: We are using a filter of Word to Vector for preparing the dataset. To perform this, we will be using a text analysis tool called Weka. As the name suggests the String Value to Vector will convert the reviews which are currently in the form of the text to the Positive or Negative for all single words, depending on whether the word appears in the document or not. This filtration process is used for configuring the different steps of the term extraction. This filtration process is again subdivided in two phases namely Configuration of the tokenizer and specifying the list of stop words. The first step converts the content as a set of features and thus making the document classifiable. The second sub-process contains the list of words to filtrate before sending it to the classifier for training it. Some of those words are commonly used (e.g., "a," "the," "of," "I," "you," "it", "and") but has no significance in terms of meaning or labelling, these types of words are known as Stop Words. This on the other hand creates confusion for the classifier. Removing such words also is beneficial in terms of less utilization of the memory.
- *b)* Selection of Attribute: All the attribute of the dataset does not add significance to the result. Some of them has minimal implication in the accuracy so it is better to remove it than to use it. As we cannot risk the performance of the model therefore we need to use an attribute selection scheme.
- 3) Selection of relevant Features: As mentioned, not all the attributes of feature are relevant to the performance of the model, And why waste time and space on these irrelevant features. So, instead we take a subset of these features that are more likely to be related to the goals of the model we intend to make. In sentiment analysis five features are mostly used in the task of classifying. With different subsets of features used the results can be different from the other features used.
- 4) Algorithm of Sentiment Classification: Sentiment analysis classification have various algorithms which can be applied in various domains like biology, commerce, retails and many more. There are several techniques for classification. Some of them are Naive Bayes, Decision tree, KNN, SVM and genetic algorithm.
- *a) Naïve Bayes (NB):* Naive Bayes algorithm is a classification algorithm based on Bayes' Theorem. It is a group of algorithms where all of them share a common principle, i.e. every pair of features being classified is independent of each other. The fundamental Naive Bayes assumption is that each feature makes an:
- Independent
- Equal contribution to the outcome.
- *b)* Support Vector Machine (SVM): A Support Vector Machine (SVM) is a classification algorithm defined by a separating hyperplane or, given labelled training data (supervised learning), the algorithm outputs an optimal hyperplane which categorizes new examples.
- *c) K-Nearest Neighbor (K-NN):* K-Nearest Neighbors is also a classification algorithm in Machine Learning. It is a part of the supervised learning domain (works on labelled data) and is used in intense application in pattern recognition, data mining and intrusion detection. It is used in real-life scenarios as it is non-parametric, i.e. it does not make any underlying assumptions about the distribution of data.
- *d) K* Star (*K**): K* is an instance-based classifier, i.e. the class of a test instance is based on the class of those training instances similar to it, and determined by the similarity function. It differs from other instance-based learners because it uses an entropy-based distance function.
- e) Decision Tree (DT-J48): It is a decision support tool that uses a tree-like model of decisions and their possible consequences, including chance event outcomes, resource costs, and utility. It is used to display an algorithm that only contains conditional control statements. It is a flowchart like tree structure, here each internal node denotes a test on an attribute, each branch represents an outcome of the test, and each leaf node holds a class label. In this paper we are using few of these techniques 1. Multinomial Naive Bayes, 2. Gaussian Naive Bayes and 3. Logistic Regression for identification and achieving the project goal.
- 5) *Taking the Final Decision:* Now we have trained our model by using the above algorithms, so we need to predict the output of it on the test data set. The results that we obtain has following attributes:
- a) True Positive: The review classed as Positive (P) and are originally true as well comes under this category.
- *b) False Positive:* The review that classifier thinks to be positive (P) but in reality, are not true that is incorrect classification by the classifier.5.3) True Negative: The review classed as negative(N) and are originally true as well comes under this category.
- c) False Negative: The review that classifier thinks to be negative(N) but, are not true that is incorrect classification by the classifier.



International Journal for Research in Applied Science & Engineering Technology (IJRASET) ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538 Volume 9 Issue XII Dec 2021- Available at www.ijraset.com

These categorizes the fake with the real reviews True negative (TN) are events which are real and are effectively labelled as real, True Positive (TP) are events which are fake and are effectively labelled as fake. Respectively, False Positives (FP) refer to Real events being classified as fakes; False Negatives (FN) are fake events incorrectly classified as Real events. The confusion matrix, (1)-(6) shows numerical parameters that could be applied following measures to evaluate the Detection Process (DP) performance. In Table III, the confusion matrix shows the counts of positive and negative predictions obtained with known data, and for each algorithm used in this study there is a different performance evaluation and confusion matrix.

- Fake Positive Reviews Rate = FP/FP+TN
- Fake Negative Reviews Rate = FN/TP+FN
- Real Positive Reviews Rate = TP/TP+FN
- Real Negative Reviews Rate = TN/TN+FP
- Accuracy = TP+TN/TP+TN+FN+FP
- Precision = TP/TP+FP

The confusion matrix is a very important part of our study because we can classify the reviews from datasets whether they are positive or negative reviews. The confusion matrix is applied to each of the algorithms discussed in Step 4.

	REAL	FAKE
REAL	True Negative Reviews (TN)	False Positive Reviews (FP)
FAKE	False Negative Reviews (FN)	True Positive Reviews (TP)

Table.1 Confusion matrix

6) Finally, we compare the results of the different algorithm on the grounds of their accuracy on the same data set of the set of reviews.

IV. RESULTS & DISCUSSION

After analysing the problem and applying visualization techniques and the above algorithms using certain parameters. we came to the following conclusions:

- *1)* Positive reviews are very common.
- 2) Positive reviews are shorter.
- 3) Longer reviews are more helpful.
- 4) Despite being more common and shorter, positive reviews are found more helpful.

We build a confusion matrix and computed various results which include Fake Positive Reviews predictive value, Fake Negative Reviews, predictive value, Real Positive Reviews predictive value, Real Negative Reviews predictive value, accuracy and Precision.



Fig.5 Popular Positive Word Cloud



International Journal for Research in Applied Science & Engineering Technology (IJRASET)

ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538 Volume 9 Issue XII Dec 2021- Available at www.ijraset.com



Fig.6 Popular Negative word Cloud

V. CONCLUSION AND FUTURE WORK

A. Conclusion

In this paper, we applied several machine learning algorithms to analyse a dataset of amazon reviews. We presented sentiment classification algorithms to apply a supervised learning of the on-line reviews located in two different datasets. We studied the accuracy of all algorithms, and how to determine which algorithm is more accurate.

Five supervised learning algorithms to classify sentiment of our datasets have been compared in this paper: Naive Bayes and Logistic Regression

B. Future Work

For future work, we would like to extend this study to use other datasets and use different feature selection methods. Furthermore, we may apply sentiment classification algorithms to detect fake reviews using various tools such as Python and R or R studio,

Statistical Analysis System (SAS), then we will evaluate the performance of our work with some of these tools. We are planning to develop a smart system which automatically checks opinions and classify them into spam and non-spam category and directly sends the notification to the admin about the spam and admin will have the right to block the user.

VI. ACKNOWLEDGMENT

I express my sincere thanks to Asst. Professor Mr. Dinesh Kumar Prabhakar for his constant support, motivation, enlightenment and for providing his valuable insight and expertise on sentiment analysis and Classification Machine Learning Algorithms that greatly helped me in this work.

REFERENCES

- W. Medhat, A. Hassan, and H. Korashy, "Sentiment analysis algorithms and applications: A survey," Ain Shams Engineering Journal, vol. 5, no. 4, 2014, pp. 1093–1113.
- [2] J. Malbon, "Taking fake online consumer reviews seriously," Journal ofConsumer Policy, vol. 36, no. 2, 2013, pp. 139–157.
- [3] P. Kalaivani and K. L. Shunmuganathan, "Sentiment classification of movie reviews by supervised machine learning approaches," IndianJournal of Computer Science and Engineering, vol. 4, no. 4, pp. 285-292, 2013.
- [4] B. Pang and L. Lee, "A sentimental education: Sentiment analysis using subjectivity summarization based on minimum cuts," in Proceedings of the 42nd annual meeting on Association forComputational.
- [5] S. Hassan, M. Rafi, and M. S. Shaikh, "Comparing svm and naive bayes classifiers for text categorization with wikitology as knowledge enrich-ment," in Multitopic Conference (INMIC), 2011 IEEE 14th International.IEEE, 2011, pp. 31–34.
- [6] C.-H. Chu, C.-A. Wang, Y.-C. Chang, Y.-W. Wu, Y.-L.Hsieh, and W.-L. Hsu, "Sentiment analysis on chinese Movie review with distributed keyword vector representation," in Technologies and Applications of Artificial Intelligence (TAAI), 2016 Conference on.IEEE, 2016, pp.84–89
- [7] V. Singh, R. Piryani, A. Uddin, and P. Waila, "Sentiment analysis of movie reviews and blog posts," in Advance Computing Conference(IACC), 2013 IEEE 3rd International.IEEE, 2013, pp. 893–898
- [8] A. Abdel-Hafez and Y. Xu, "A survey of user modelling in social media websites," Computer and Information Science, vol. 6, no. 4, 2013, p. 59
- Analysis product Fang and Justin Zhan published [9] Sentiment using review data bv Xing on Springer Open. https://journalofbigdata.springeropen.com/articles/10.1186/s40537-015-0015-2











45.98



IMPACT FACTOR: 7.129







INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 🕓 (24*7 Support on Whatsapp)