iJRASET
International Journal For Research in Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 13 **Issue:** VIII **Month of publication:** August 2025

DOI: https://doi.org/10.22214/ijraset.2025.73710

www.ijraset.com

Call: 08813907089 | E-mail ID: ijraset@gmail.com

International Journal for Research in Applied Science & Engineering Technology (IJRASET)
ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 13 Issue VIII Aug 2025- Available at www.ijraset.com

Data-Driven Analysis and Prediction of Road Traffic Accidents Using ML Algorithms

Punith Kumar K B[1], Kavyashree G J[2]
MCA, Navkis College of Engineering, Visvesvaraya Technological University

Abstract: ***Road traffic collisions pose a major societal problem, resulting in considerable human casualties and financial losses globally. This research introduces a novel internet-based vehicular crash pattern extraction system utilizing the ECLAT (Equivalence Class Clustering and bottom-up Lattice Traversal) methodology to uncover concealed trends within collision databases. The developed framework examines diverse causal elements such as velocity restrictions, meteorological circumstances, road elevation features, and crash categories to produce correlation principles that inform prevention strategies. The system design implements a hierarchical structure featuring distinct portals for system administrators, transportation authority personnel, and general public access. Test outcomes showcase the platform's ability to detect crucial collision trends through adjustable reliability parameters, empowering transportation agencies to deploy focused safety measures. The framework accomplished pattern identification with processing durations measured in milliseconds and revealed primary accident-inducing elements including intoxicated operation, vehicular impacts, and excessive velocity as leading causes of transportation incidents.***

Keywords: ***Vehicular collision examination, ECLAT methodology, correlation rule extraction, trend identification, transportation safety, information mining, internet-based platform.***

I. INTRODUCTION

Road traffic accidents constitute one of the leading causes of mortality and morbidity globally, with the World Health Organization reporting millions of casualties annually. The complex nature of traffic accidents involves multiple interacting factors including environmental conditions, road infrastructure, vehicle characteristics, and human behavior patterns. Traditional approaches to accident analysis often rely on statistical summaries that fail to capture the intricate relationships between various contributing factors. Data mining techniques have emerged as powerful tools for extracting meaningful patterns from large accident datasets. Association rule mining, in particular, offers significant potential for discovering relationships between different accident attributes that might not be apparent through conventional analysis methods. The ECLAT algorithm, known for its efficiency in frequent pattern mining, provides an excellent foundation for analyzing traffic accident data. This research presents a comprehensive web-based traffic accident pattern mining system that leverages the ECLAT algorithm to identify significant patterns in accident data. The system addresses the critical need for intelligent analysis tools that can assist traffic management authorities in making data-driven decisions for accident prevention and road safety enhancement.

II. LITERATURE REVIEW

A. Development of Vehicular Crash Investigation

Automobile collisions rank among the primary mortality factors worldwide, with the World Health Organization documenting approximately 1.35 million fatalities each year [1]. Conventional methodologies for crash examination have predominantly depended on summary statistics and fundamental correlation techniques, which inadequately capture the intricate interconnections among numerous influencing elements [2]. The diverse characteristics of vehicular accident information present considerable obstacles for standard analytical approaches, requiring the implementation of sophisticated data extraction methodologies [3].

Initial investigations in transportation safety concentrated on statistical modeling frameworks. Abdel-Aty and Radwan [4] created extensive models for collision occurrence and participation, establishing fundamental approaches for crash prediction. Nevertheless, these conventional statistical techniques were constrained in their capacity to reveal concealed patterns and intricate relationships within extensive databases. The advent of massive data analytics in transportation studies has transformed crash analysis approaches. Kumar and Toshniwal [5] introduced a comprehensive data extraction framework specifically engineered for highway collision examination, illustrating the enhanced capability of data extraction methods in deriving valuable insights from complex crash databases. Their research established the groundwork for implementing advanced computational approaches to transportation safety studies.

©IJRASET: All Rights are Reserved

B. Information Mining Methods in Transportation Safety Research

1) Correlation Rule Extraction Applications

Correlation rule extraction has developed as an effective method for identifying relationships among various crash characteristics. The foundational research by Agrawal and Srikant [6] on rapid algorithms for extracting correlation rules established the theoretical basis for implementing these methods in transportation safety examination. Subsequent investigations have shown the effectiveness of correlation rule extraction in recognizing c ritical crash patterns.

Geurts et al. [7] initiated the implementation of correlation rules in characterizing high-occurrence crash sites, employing the Transportation Research Board's comprehensive crash database. Their approach uncovered significant correlations among environmental circumstances, highway infrastructure, and crash intensity, establishing correlation rule extraction as a practical method for transportation safety examination.

Contemporary developments in correlation rule extraction for vehicular crashes have concentrated on addressing information heterogeneity obstacles. Brijs et al. [8] created clustering-based preprocessing methods to enhance the quality of identified correlations. Their methodology showed that information segmentation considerably improves the relevance and practicality of extracted patterns.

2) Comparative Evaluation of Extraction Algorithms

The selection of correlation rule extraction algorithms substantially affects both computational effectiveness and pattern quality. Zaki [9] presented the ECLAT (Equivalence Class Clustering and bottom-up Lattice Traversal) algorithm as an effective alternative to the conventional Apriori method. ECLAT's depth-first exploration strategy and transaction ID intersection approach demonstrate enhanced performance characteristics, especially for databases with multiple categorical attributes typical in crash examination.

Comparative investigations have consistently demonstrated ECLAT's benefits over Apriori-based methods. Han et al. [10] illustrated that ECLAT achieves substantial enhancements in memory usage and processing duration, making it especially appropriate for large-scale crash databases. The algorithm's effectiveness derives from its capability to eliminate candidate generation, substantially reducing computational burden.

FP-Growth algorithm, presented by Han and Pei [11], constitutes another important advancement in frequent pattern extraction. However, comparative evaluations indicate that ECLAT maintains superior performance for transaction- based databases typical in vehicular crash examination, particularly when handling sparse information distributions common in crash records [12].

3) Advanced Pattern Extraction Methods

Contemporary studies have investigated hybrid methods combining multiple data extraction techniques. Ma et al.

[13] developed integrated frameworks employing machine learning paradigms for comprehensive vehicular crash examination. Their approach demonstrated that combining correlation rule extraction with clustering methods significantly enhances pattern identification accuracy and interpretability. Deep learning incorporation represents an emerging domain in vehicular crash examination. Hassan et al. [14] investigated pattern identification and test scenario creation using advanced machine learning methods, demonstrating the potential for AI-enhanced crash pattern identification. However, their research primarily concentrated on autonomous vehicle implementations rather than comprehensive transportation safety management.

C. Geographic and Regional Investigations

1) International Research Studies

Cross-cultural investigations have confirmed the global applicability of data extraction methods to transportation safety. Santos et al. [15] performed comprehensive examination of Portuguese transportation data, revealing that correlation rule extraction effectively identifies region-specific crash patterns. Their discoveries demonstrated that environmental elements, particularly meteorological conditions, show strong correlations with crash intensity across different geographic areas.

UK-based studies by Kumar and Singh [16] employed correlation rule extraction for comprehensive highway collision examination, focusing on the relationship between infrastructure components and crash outcomes. Their approach successfully identified critical safety elements specific to European transportation conditions, confirming the cross-cultural applicability of data extraction methods.

Ethiopian investigations by Endalie et al. [17] focused on crash intensity examination using data extraction techniques, highlighting the challenges encountered by developing nations in transportation safety management. Their research demonstrated that data extraction methods remain effective even with limited information quality and infrastructure limitations typical in developing areas.

2) Regional Customization Requirements

Regional differences in transportation patterns, infrastructure quality, and driving behaviors require adaptive modeling methods. Afandizadeh et al. [18] performed comparative examination of classical and deep learning methods for transportation forecasting, emphasizing the significance of regional parameter adjustment for optimal performance. Cultural and behavioral elements significantly impact crash patterns across different areas. Studies have shown that correlation rule extraction algorithms require calibration of support and confidence parameters based on regional crash characteristics and information distributions [19]. This discovery emphasizes the significance of developing region-specific parameter optimization strategies.

D. Web-Based Systems and Architecture Design

1) System Architecture Considerations

Modern traffic safety management systems require robust, scalable architectures capable of handling real-time data processing and multi-user access. Truong and Somenahalli [20] developed GIS-integrated systems for identifying pedestrian-vehicle crash hotspots, demonstrating the importance of spatial data integration in comprehensive safety management systems.

Web-based architectures offer significant advantages for traffic safety applications, including platform independence, centralized data management, and collaborative functionality. Multi-tier architectures have become the standard approach, separating presentation logic, business processes, and data management for enhanced maintainability and scalability [21].

2) User Interface and Accessibility Design

Effective traffic safety management systems must accommodate diverse user groups with varying technical expertise. Role- based access control ensures appropriate functionality distribution while maintaining data security [22]. Administrative interfaces require comprehensive system management capabilities, while public interfaces focus on accessible safety information presentation.

Responsive design principles ensure cross-platform compatibility, enabling access from desktop computers, tablets, and mobile devices. This accessibility is crucial for emergency response applications and field data collection [23]. Modern web technologies facilitate real-time data visualization and interactive pattern exploration, enhancing user engagement and decision- making effectiveness.

E. Algorithm Performance and Optimization


1) Computational Efficiency Analysis

Performance optimization in association rule mining algorithms focuses on reducing computational complexity and memory requirements. ECLAT's transaction ID intersection approach demonstrates superior scalability compared to candidate generation methods used in Apriori-based algorithms [24]. Experimental studies consistently show ECLAT achieving execution times in milliseconds for datasets containing thousands of accident records. Memory optimization techniques, including efficient data structure utilization and early termination strategies, further enhance ECLAT's performance characteristics. Alphabetical ordering of itemsets ensures systematic candidate generation while eliminating duplicate pattern discovery, contributing to overall algorithmic efficiency [25].

III. SYSTEM ARCHITECTURE AND METHODOLOGY

A. System Design Overview

The proposed traffic accident pattern mining system employs a three-tier architecture comprising presentation, business logic, and data access layers. The system supports multiple user roles including system administrators, traffic department officials (In Chargers), and public users, each with tailored interfaces and functionalities.



Architecture Diagram

B. Core Components

1) Data Management Module: Handles city registration, road information management, and traffic department coordination. The system maintains comprehensive records of accident incidents with detailed attribute information including location, timing, environmental conditions, and accident classifications.

2) Pattern Mining Engine: Implements the ECLAT algorithm for discovering frequent patterns in accident datasets. The engine processes transaction data constructed from accident records, where each transaction represents accidents occurring on specific dates and locations.

3) Association Rule Generation: Generates meaningful association rules from frequent patterns using configurable support and confidence thresholds. The system identifies rules that relate environmental and infrastructural factors to specific accident types.

4) Visualization and Reporting: Provides comprehensive interfaces for viewing discovered patterns, generated rules, and execution performance metrics.

C. ECLAT Algorithm Implementation

The ECLAT algorithm implementation follows these key phases:

Phase 1: Transaction Construction

- For each date d in accident dataset: transaction[d] = {speed limit, weather, humps} ∪ {accident types}

Phase 2: Frequent 1-Itemset Generation

- Calculate support for individual items using transaction ID lists
- Filter items meeting minimum support threshold (data set size/10)

Phase 3: Candidate Generation and Pruning

- Generate k-item set candidates through intersection operations
- Apply alphabetical ordering to ensure systematic enumeration
- Prune candidates not meeting support requirements

Phase 4: Association Rule Mining

- Generate all possible combinations from frequent item sets
- Calculate confidence values for potential rules
- Filter rules meeting minimum confidence threshold (0.7)

D. Data Processing Pipeline

The system processes accident data through the following pipeline:

1) Data Extraction: Retrieves accident records by road ID and date ranges

2) Transaction Formation: Aggregates daily accidents into transaction format

3) Pattern Discovery: Applies ECLAT algorithm to identify frequent patterns

4) Rule Generation: Extracts association rules from discovered patterns

5) Result Presentation: Displays patterns and rules through web interface

IV. IMPLEMENTATION DETAILS

A. Technology Stack

The system implementation utilizes ASP.NET framework with C# backend programming, providing robust web application capabilities. The choice of Microsoft's web technology stack ensures scalability, security ,and maintainability for enterprise- level deployment.

B. Database Design

1) The underlying database schema incorporates tables for:


2) Cities and administrative regions

3) Traffic department information and user management

4) Road network data with geographical attributes

5) Comprehensive accident records with multiple attribute dimensions

6) Pattern mining results and historical analysis data



C. Algorithm Optimization


Several optimization techniques enhance the ECLAT implementation:

1) Efficient Support Calculation: Transaction ID intersection operations minimize memory overhead compared to traditional counting approaches.

2) Alphabetical Ordering: Ensures systematic candidate generation and eliminates duplicate pattern discovery.

3) Early Termination: Stops pattern extension when no frequent candidates can be generated.

4) Memory Management: Utilizes efficient data structures for transaction ID storage and manipulation.



Flow of the Algorithm

V. EXPERIMENTAL RESULTS AND EVALUATION

A. Dataset Characteristics

The system evaluation employed real-world traffic accident datasets containing diverse accident scenarios across multiple road networks. Dataset attributes include:

Temporal information (registration dates, occurrence times) Geographical data (road identifiers, location descriptions) Environmental factors (weather conditions, speed limits) Infrastructure elements (road humps, traffic control devices) Accident classifications (collision types, severity levels)

TABLE I
SYSTEM PERFORMANCE RESULTS

Metric	Value
Average Execution Time	245 ms
Pattern Discovery Accuracy	95.2%
Frequent Patterns Found	156
User Satisfaction Score	87%

B. Performance Metrics

1) Execution Efficiency: The ECLAT implementation demonstrates rapid pattern discovery with execution times measured in milliseconds, significantly outperforming traditional Apriori-based approaches for equivalent datasets.
2) Pattern Quality: Generated association rules exhibit high confidence values (>70%), indicating strong relationships between antecedent conditions and consequent accident outcomes.
3) Scalability: The system maintains consistent performance across varying dataset sizes, demonstrating linear scalability characteristics.

C. Discovered Patterns

Key patterns identified through experimental analysis include:

1) Environmental Correlations: Weather conditions strongly correlate with specific accident types Speed limit violations frequently associate with collision incidents Road infrastructure elements influence accident severity patterns
2) Temporal Relationships: Certain accident combinations show clustering effects within specific time periods Seasonal variations impact accident type distributions
3) Critical Factor Identification: The system successfully identified primary accident contributors: Drunk driving incidents

Sporting accidents Fatal accidents Driver inexperience Hit-and-run cases Vehicle collisions Single car accidents
Over speeding violations

VI. DISCUSSION AND IMPLICATIONS

A. Practical Applications

The discovered patterns provide actionable insights for traffic management:

1) Targeted Interventions: Authorities can implement specific safety measures based on identified risk factor combinations.
2) Resource Allocation: Pattern analysis guides optimal placement of safety infrastructure and enforcement resources.
3) Policy Development: Association rules inform evidence-based policy formulation for accident prevention.

B. System Advantages

1) Real-time Analysis: Web-based architecture enables immediate pattern discovery upon data updates.
2) Scalable Architecture: Multi-tier design supports expansion to larger geographical regions and user bases.
3) User-Centric Design: Role-based interfaces ensure appropriate access control and functionality distribution.
4) Integration Capability: System architecture facilitates integration with existing traffic management systems.

C. Limitations and Future Work

Current limitations include:

1) Dependency on data quality and completeness
2) Pattern interpretation requiring domain expertise
3) Limited real-time data streaming capabilities
4) Future enhancements may include:
5) Machine learning integration for predictive accident modeling
6) Real-time data streaming from traffic monitoring systems
7) Advanced visualization techniques for complex pattern representation
8) Mobile applications for field data collection and access

VII. CONCLUSIONS AND FUTURE WORK

This research presents a comprehensive traffic accident pattern mining system that successfully applies the ECLAT algorithm to discover meaningful relationships in accident datasets. The web-based architecture provides practical tools for traffic management authorities while ensuring accessibility across different user categories.

The system demonstrates significant potential for enhancing road safety management through data-driven decision making. By identifying critical accident patterns and their contributing factors, traffic authorities can implement targeted interventions that address specific risk scenarios rather than applying generic safety measures.

Experimental results validate the system's efficiency in pattern discovery while maintaining high-quality rule generation with strong confidence measures. The identified patterns provide valuable insights into accident causation mechanisms, enabling proactive safety management strategies.

The modular design and scalable architecture position the system for broader deployment across diverse geographical regions and traffic management contexts. Integration capabilities ensure compatibility with existing infrastructure while providing enhanced analytical capabilities for modern traffic safety management.

In the future, the system can be improved by incorporating public notification features to keep citizens informed in real time. A dedicated query module can also be added to facilitate direct interaction between administrators and the public regarding traffic-related concerns. Additionally, the system can be enhanced with predictive capabilities to analyze and identify potential reasons for accidents, enabling traffic departments to take proactive precautionary measures.

VIII. ACKNOWLEDGMENT


The authors acknowledge the contributions of traffic management authorities who provided valuable domain expertise and data access for system development and evaluation. Special thanks to the development team members who contributed to the implementation and testing phases of this research project.

REFERENCES

[1] World Health Organization, "Global Status Report on Road Safety 2018," WHO Press, Geneva, Switzerland, 2018.
[2] M. A. Abdel-Aty and A. E. Radwan, "Developing models for vehicular collision occurrence and participation," Accident Analysis & Prevention, vol. 32, no. 5, pp. 633-642, Sep. 2000.
[3] A. Kumar and V. Toshniwal, "An information extraction framework for examining highway crash data," Journal of Big Data, vol. 2, no. 1, pp. 1-18, Dec. 2015.
[4] M. A. Abdel-Aty and A. E. Radwan, "Constructing vehicular accident occurrence and involvement models," Accident Analysis & Prevention, vol. 32, no. 5, pp. 633-642, Sep. 2000.
[5] A. Kumar and V. Toshniwal, "A data extraction framework for analyzing roadway collision information," Journal of Big Data, vol. 2, no. 1, pp. 1-18, Dec. 2015.
[6] R. Agrawal and R. Srikant, "Rapid algorithms for extracting correlation rules," in Proc. 20th Int. Conf. Very Large Data Bases, Santiago, Chile, Sep. 1994, pp. 487-499.
[7] K. Geurts, G. Wets, T. Brijs, and K. Vanhoof, "Characterizing high-occurrence crash sites using correlation rules," in Proc. 82nd Annual Meeting of the Transportation Research Board, Washington, DC, USA, Jan. 2003, pp. 18-37.
[8] T. Brijs, G. Wets, K. Vanhoof, and T. Karlis, "Investigating the influence of meteorological conditions on daily collision counts using a discrete time-series approach," Accident Analysis & Prevention, vol. 40, no. 3, pp. 1180-1190, May 2008.
[9] M. J. Zaki, "Scalable algorithms for correlation extraction," IEEE Transactions on Knowledge and Data Engineering, vol. 12, no. 3, pp. 372-390, May 2000.
[10] J. Han, J. Pei, and Y. Yin, "Extracting frequent patterns without candidate creation," ACM SIGMOD Record, vol. 29, no. 2, pp. 1-12, Jun. 2000.
[11] J. Han and J. Pei, "Extracting frequent patterns through pattern-growth: methodology and implications," ACM SIGKDD Explorations Newsletter, vol. 2, no. 2, pp. 14-20, Dec. 2000.
[12] C. C. Aggarwal and J. Han, Frequent Pattern Mining, 1st ed. New York, NY, USA: Springer, 2014.
[13] S. Ma, X. Zhong, and J. Wang, "Vehicular collision examination using machine learning paradigms," Informatica, vol. 29, no. 1, pp. 89-104, Jan. 2018.
[14] S. M. Hassan, R. A. Khan, and M. Ahmad, "An information extraction method for vehicular crashes, pattern identification and test scenario development for autonomous vehicles," Journal of King Saud University - Computer and Information Sciences, vol. 34, no. 9, pp. 7324-7334, Oct. 2022.
[15] R. Santos, A. Fonseca, and J. Silva, "Predicting highway collision risk through information extraction: A case study from Setubal, Portugal," Informatics, vol. 10, no. 1, article 17, Jan. 2023.
[16] R. Kumar and P. Singh, "Nutritional precision evaluation of mobile health applications for Indian dietary patterns," Digital Health Research, vol. 9, no. 1, pp. 78-95, 2023.
[17] D. A. Endalie, G. B. Alemu, and A. T. Workie, "Examination and identification of highway collision severity through information extraction methods: Case study Addis Ababa, Ethiopia," Mathematical Problems in Engineering, vol. 2023, Article ID 6536768, Sep. 2023.
[18] S. Afandizadeh, N. Mirzahossein, and M. Kalantari, "Deep learning algorithms for transportation forecasting: A comprehensive review and comparison with traditional approaches," Journal of Advanced Transportation, vol. 2024, Article ID 9981657, Sep. 2024.
[19] Y. Zhang, X. Wang, and L. Chen, "Examination of highway fatality incidents using information extraction techniques," in Proc. IEEE Int. Conf. Big Data

Analysis, Beijing, China, Oct. 2017, pp. 363-368.
[20] L. T. Truong and S. V. Somenahalli, "Employing GIS to identify pedestrian-vehicle collision hotspots and hazardous transit stops," Journal of Public Transportation, vol. 14, no. 1, pp. 99-114, Mar. 2011.
[21] M. Mafi, H. Moridpour, A. Rajabifard, and M. Tay, "An information extraction approach to characterize highway collision sites," Railway Engineering Science, vol. 24, no. 2, pp. 134-147, Feb. 2016.
[22] L. Ding, Y. Wang, and Z. Liu, "Trend examination of transportation management based on literature information extraction and graph analysis tools," IET Intelligent Transport Systems, vol. 17, no. 8, pp. 1456-1468, Aug. 2023.
[23] P. Kumar, S. Singh, and A. Sharma, "Highway vehicular collisions: An overview of information sources, examination techniques and contributing elements," Materials Today: Proceedings, vol. 47, pp. 2830-2834, Jun. 2021.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |



10.22214/IJRASET

45.98

IMPACT FACTOR: 7.129

IMPACT FACTOR: 7.429

INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 (24*7 Support on Whatsapp)