



IJRASET

International Journal For Research in
Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 14 **Issue:** V **Month of publication:** May 2026

DOI: <https://doi.org/10.22214/ijraset.2026.83273>

www.ijraset.com

Call:  08813907089

E-mail ID: ijraset@gmail.com

Deep Learning-Based Blood Group Detection Using Fingerprint

Aishwarya¹, Akshata², Archana³, Ashish⁴, Prof. Padmapriya Patil⁵

^{1, 2, 3, 4} Student, ⁵ Associate Prof., Department of Electronics and Communication Engineering, PDA Engineering College, Kalaburagi, Karnataka, India

Abstract: This project presents an experimental system that uses deep learning techniques to analyze fingerprint images for classification of blood groups. A convolutional neural network (CNN) is used to extract patterns from fingerprint structures such as ridges, loops, and whorls. These extracted features are used for classification into different categories. The study demonstrates the application of artificial intelligence in biometric analysis. However, the system is purely experimental and not intended for medical diagnosis or real-world blood group identification.

Keywords: Deep Learning, Blood Group Detection, Fingerprint Recognition, Convolution Neural Network, Image Processing, Artificial Intelligence, Biometric Identification.

I. INTRODUCTION

Biometric systems are widely used in security and identification systems. Fingerprints are one of the most reliable biometric traits due to their uniqueness. With advancements in deep learning, image-based classification has become more accurate. This project explores whether fingerprint patterns can be used for experimental classification of blood groups using CNN. With the advancement of Artificial Intelligence (AI) and Deep Learning, researchers are exploring non-invasive methods to identify blood groups. Studies show that fingerprint patterns have unique biological characteristics that may be related to a person's blood group. This project proposes a deep learning system that analyzes fingerprint images and predicts the blood group

II. LITERATURE SURVEY

- 1) The utilization of fingerprint-based biometric identification exhibits considerable reliability, making it suitable for diverse applications. This current study introduces an effective approach to determine blood groups through fingerprint analysis. Fingerprint data, characterized by numerous distinctive minutiae features, serves as the basis for predicting blood groups using various techniques of machine learning. The suggested system employs Multiple Linear Regression with Ordinary Least Squares (OLS) and achieves an accuracy of 62%. Future investigations should expand the sample size to enhance result precision and incorporate additional, as-yet-unexplored fingerprint features for a more comprehensive analysis.
- 2) Fingerprints hold significant promise as a robust method of identification. This study delves into the challenge of identifying blood groups and analyzing age- or lifestyle-related diseases such as hypertension, type 2 diabetes, and arthritis through fingerprint analysis. The research examines the correlation between fingerprint patterns and both blood group and individual age to gain insights into potential connections with these health conditions that emerge with aging or lifestyle factors.
- 3) This study provides an effective method for fingerprint recognition and identification based on detail features. The whole process develops systematically, starting with the first stage of pre-processing to remove excess material and improve the clarity of fingerprints. After this, in the second stage, the extraction process is carried out using the content extractor algorithm, focusing especially on endings and fork
- 4) The unique properties of the finger are derived from various types of sensors, such as pattern bumps and dots. The scheme is based on three types of annotations: routing, BGP and Gab or HoG. Directional identifiers define the instruction projection in the foreground of the finger. Meanwhile, BGP and Gab or HoG descriptors provide a representation of fingerprints by encoding many local ridge patterns and local directions around point.

III. PROBLEM STATEMENT

Conventional blood group detection methods require physical blood samples and laboratory testing procedures, which can be inconvenient, time-consuming, and sometimes difficult during emergencies. These methods depend on medical infrastructure and skilled technicians, making them unsuitable for remote locations or urgent medical conditions.

Additionally, invasive blood collection may cause discomfort to patients. Therefore, there is a need for a modern solution that can detect blood groups quickly and safely without using blood samples. This project addresses this problem by using fingerprint biometrics and deep learning technology to predict blood groups efficiently.

IV. OBJECTIVES


- 1) The main objective of this project is to design and develop an intelligent system that can identify blood groups using fingerprint images.
- 2) The project aims to reduce dependency on traditional laboratory testing methods and provide a faster and safer alternative.
- 3) Another objective is to apply deep learning techniques for biometric analysis and medical prediction.
- 4) The system also aims to improve accuracy, reduce testing time, and create a cost-effective solution that can be used in hospitals, emergency situations, and rural healthcare environments.
- 5) Overall, the goal is to develop a smart, automated, and non-invasive blood group detection system.

V. PROPOSED SYSTEM

The proposed system introduces a deep learning-based approach for blood group prediction using fingerprint images. In this system, the user provides a fingerprint image as input instead of a blood sample. The system processes the fingerprint image using image preprocessing techniques to enhance quality and remove noise. A deep learning model, specifically a Convolutional Neural Network (CNN), is trained using labeled fingerprint datasets containing known blood group information. After training, the system can analyze new fingerprint images and automatically predict the blood group. The proposed system provides faster results, reduces human effort, and offers a non-invasive alternative to traditional testing methods.

VI. METHODOLOGY

The methodology of this project consists of several stages. First, fingerprint images are collected from individuals along with their corresponding blood group data. Next, image preprocessing is performed to improve image clarity by converting images into grayscale, resizing them, and removing noise. After preprocessing, important fingerprint features such as ridge patterns and texture details are extracted. These processed images are then used to train a deep learning model, typically a Convolutional Neural Network, which learns the relationship between fingerprint patterns and blood groups. Once the model is trained, it can accept new fingerprint images as input and predict the blood group automatically.




VII. IMPLEMENTATION

The implementation of the Deep Learning Based Blood Group Detection using Fingerprint system involves several stages including data collection, preprocessing, model training, and prediction. Initially, a dataset of fingerprint images is collected from different individuals along with their known blood group information. These fingerprint images serve as input data for training the deep learning model.


In the first stage, image preprocessing is performed to improve the quality of fingerprint images. The collected images are converted into grayscale format, resized into a fixed dimension, and filtered to remove noise and unwanted background information. This preprocessing step helps the system focus on important fingerprint patterns such as ridges and textures.

After preprocessing, feature extraction is carried out automatically using a Convolutional Neural Network (CNN). The CNN model identifies significant fingerprint features such as ridge flow, minutiae points, and texture patterns that may relate to blood group classification



VIII. RESULTS

The model successfully learns fingerprint patterns and provides classification output. The accuracy depends on dataset size and quality. The system is experimental and not medically validated.



IX. CONCLUSION

The project demonstrates how deep learning can be used for biometric image classification. However, fingerprint-based blood group detection is not scientifically validated and should not be used for real-world medical applications.

REFERENCES

- [1] Vijaykumar, Patil N, and D.R.Ingle. "A Novel Approach to Predict Blood Group using Fingerprint Map Reading."2021 6th International Conference for Convergence in Technology (I2CT). IEEE, 2021.
- [2] Patil, Vijaykumar, and D. R. Ingle. "An association between fingerprint patterns with blood group and lifestyle based diseases: a review."Artificial intelligence review 54 (2021): 1803-1839.
- [3] Ali, Mouad MH, et al. "Fingerprint recognition for person identification and verification based on minutiae matching."2016 IEEE 6th international conference on advanced computing (IACC). IEEE, 2016.
- [4] Alshehri, Helala, et al. "Cross-sensor fingerprint matching method based on orientation, gradient, and Gabor-hog descriptors with score level fusion."IEEE Access 6 (2018): 28951-28968.
- [5] Fayrouz, I. Noor Eldin, NoorFarida, and A. H. Irshad. "Relation between fingerprints and different blood groups."Journal of forensic and legal medicine 19.1 (2012): 18-21.
- [6] Pimenta, Sara, Graça Minas, and Filomena Soars. "Spectrophotometric approach for automatic human blood typing."2012 IEEE 2nd Portuguese Meeting in Bioengineering (ENBENG). IEEE, 2012.
- [7] Fernandez, Jose, et al. "A complete blood typing device for automatic agglutination detection based on absorption spectrophotometry."IEEE Transactions on Instrumentation and Measurement 64.1 (2014): 112-119.
- [8] Saponara, Sergio, Abdussalam Elhanashi, and Qinghe Zheng. "Recreating fingerprint images by convolution neural network auto encoder architecture." IEEE Access 9 (2021): 147888-147899.
- [9] Ezeobiesi, Jude, and Bir Bhanu. "Patch based latent fingerprint matching using deep learning."2018 25th IEEE International Conference on Image.



10.22214/IJRASET



45.98



IMPACT FACTOR:
7.129



IMPACT FACTOR:
7.429



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089  (24*7 Support on Whatsapp)