iJRASET
International Journal For Research in Applied Science and Engineering Technology



INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Volume: 13 **Issue:** IV **Month of publication:** April 2025

DOI: https://doi.org/10.22214/ijraset.2025.68555

www.ijraset.com

Call: 08813907089 | E-mail ID: ijraset@gmail.com

International Journal for Research in Applied Science & Engineering Technology (IJRASET)
ISSN: 2321-9653; IC Value: 45.98; SJ Impact Factor: 7.538
Volume 13 Issue IV Apr 2025- Available at www.ijraset.com

Deep Learning Based Enhancement of Social Media Sentiment Analysis

Ayushi Singh[1], Deepshikha Prajapati[2], Divyanshi Dyori[3], Kajal Kumari[4], Dr. Sureshwati[5], Dr. Saumya Chaturvedi[6]
[1, 2, 3, 4, 5]*Department of Computer Applications, Greater Noida Institute of Technology (Engg. Institute), Greater, Noida, India*
[6]*Assistant Professor, Department of computer Applications Greater Noida Institute of Technology (Engg. Institute), Greater Noida, India*

Abstract: ***Users' daily uploads accessibly on Twitter, Facebook, and Instagram where their opinions or feelings are expressed in text, videos, or pictures. Sentiment interpretation within these platforms proves helpful for companies, analysts, or even government leaders. However, the often-imprecise techniques used in sentiment analysis, especially the older, traditional ones, fail to meet expectations—particularly in cases where slang or sarcasm heavily influences the discourse, or as it is known: people's ways of communicating evolve all the time. Our current study is focused on the powerful impact that deep learning can bring toward social media sentiment analysis.***

More sophisticated algorithms like LSTMs and CNNs alongside BERT and other transformer models train on colossal data sets and masters to uncover the actual intended meaning of phrases. That shifts the goal of sentiment analysis from simply identifying the sentiment as positive or negative to achieving a nuanced understanding capable of reasoning to different classifications of sentiments. First, we try to obtain data straight out of social networks. This is followed by a series of clean up actions aimed at data cleaning and treatment.

These data undergo cleansing or thorough cleaning. Then, the data undergo model training through supervised or unsupervised machine learning on a multi-class sentiment system identifying sentiments on seeing displaying words as favorable, unfavorable, neutral or opposing.

Results indicate quite an improvement where this approach has led to the prediction of sentiments beyond detection made possible by automated machine learning alongside manual model building and lexicon-based models, surpassing the previously captured logic-based approaches mark. Deep learning substantially advances the manner in which public opinion is understood or seen. Ultimately helping corporations calibrate their perception of customers' feelings on their offerings or assist government leaders

Keywords: Deep Learning , Sentiment Analysis, Social Media, Natural Language Processing (NLP) Sentiment Enhancement

I. INTRODUCTION

Social media has become a dynamic space, where individuals share their views on a wide range of subjects, from politics and products to brands and global events. It is necessary for companies, decision makers and researchers to understand these opinions equally. This is the place where emotional analysis, or opinion mining, comes into the game - all this is to move through the text data to find out if the emotions are positive, negative or neutral.

However, traditional methods of emotional analysis, as a rule -based systems and machine learning techniques, often struggle to understand the nuances of the language, including the latest trends in satire, slang and nonsense of social media. To deal with these obstacles, deep learning techniques have stepped as a more effective alternative. Models such as LSTM (long short -term memory), CNN (Convolutional Neural Network) and Transformers (such as Burt and GPT) are able to handle the enormous amount of text data and highlight deep relevant meanings.

This research focuses on increasing the analysis of social media through the use of deep learning models. Our goal is to promote the accuracy and effectiveness of emotional classification by utilizing advanced nervous networks and real -time social media data. The study involves collecting data, preparing them, training models and evaluating them to create a strong emotional analysis system.

By refining emotion analysis, the business customer can gain clear insight into the reaction, can monitor political analysts more efficiently, and researchers can detect social trends with more accuracy.

This research adds values to the areas for natural language treatment (NLP) and AI-controlled text analysis, making the feeling more AC to detect AC.

©IJRASET: All Rights are Reserved

II. METHODOLOGY

To increase the analysis of social media using deep learning, our research follows a structured function with several major stages:

A. Data Depot

We collect social media data in real time (Tweets, Facebook posts, YouTube comments) using Web Scraping Technology and API (Twitter API). The dataset contains texts with the related spirit label (positive, negative, neutral) for training and evaluation.

B. Data processing

Since texts on social media contain noise (emojis, slang, errors and special characters), we prepare data to improve the performance of the model:

- Text cleaning: Remove special characters, URL, hashtags and stopover.
- Tokening: Divide the text into different words or expressions.
- Lemmatization/vote: Convert words to their original forms of stability.
- Handling satire and slang: Use emotion -inspecting built -in or external lexicons.

C. Functional Recovery

To convert the text of numerical data for deep learning models, we use:

- Words built -in (Word2vec, gloves, landlord) to capture the meaning in question.
- TF-IDF (Term frequency-inverter document frequency) for statistical significance of words.

D. Model Choice and Training

We use and compare different deep learning models:

- LSTM (long short -term memory): Catch long -term dependence in the text.
- CNN (conventionally neural network): Removes important patterns in sentences.
- Burt (Bidirectional encoder representation from transformer): Remains the meaning of the word based on the full sentence reference.

The model is trained using label data, adaptation of disadvantages Tasks and techniques such as dropout and batch normalization are used to improve generalization.

E. Model Assessment

We use the model performance:

- Accuracy for classification, accurate and recall

III. CONCLUSION

In this research, we focused on improving the accuracy and effectiveness of emotional analysis of social media using deep learning techniques. Social media platforms generate large amounts of users' opinions every second, but traditional spirit analysis methods often struggle with informal and complex nature of social media.

By using advanced deep learning models such as LSTM, CNN and Burt, we could better understand references, emotions and patterns in the user -borne text. These models provided more accurate classification than older machine learning methods.

Our experiments have shown that deep learning to a large extent improves the performance of emotional analysis, making it more reliable for real -world applications such as brand monitoring, customer warning, tracking of opinion and more.

Overall, this research contributes to the Natural Language Processing (NLP) field, and shows how intensive learning can be used to understand human feelings on social media, provides valuable insights into companies, researchers and decision makers.

IV. FUTURE WORK

Although this research has shown that deep education improves emotional analysis on social media data, there are many areas where further development can be done:

A. Multilingual Emotional Analysis

At the moment, most models focus on English text. In future work, we aim to develop models that can handle many languages and even codes (eg Hindi-English), which are very common on Indian social media platforms.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |

B. Sarcasm

Even advanced models are still struggling to understand satire or irony. Future work can focus on building a particular module or using the reference -intelligent model to detect satire more efficiently.

C. Classification

Instead of only positive, negative or neutral, future models can classify specific feelings such as joy, anger, fear, surprise, etc. For more detailed analysis.

D. Real -time Monitoring Dashboard

We plan to create a real -time spirit -dashboard that imagines trends, keyword clouds, emotion results and emotional changes using computer streaming tools and Live monitoring APIs.

E. Integration with stock market or product reviews

This intensive teaching model can be extended to domains such as predicting the stock market, film/product review or political analysis to study the relationship between public spirit and real world.

F. Model Adaptation and Clarity


Future research can also detect light models for fast predictions and models can develop equipment to determine, which can help users understand why a special feeling was predicted.

By searching for these areas, the scope and impact of intensive learning -based emotion analysis can be further expanded, making it more practical and useful in everyday decision - making.

REFERENCES

[1] A. Severyn and A. Moschitti, Twitter Sentiment Analysis with Deep Convolutional Neural Networks, Proceedings of the 38th International ACM SIGIR Conference, 2015. https://doi.org/10.1145/2766462.2767830
[2] Y. Kim, Convolutional Neural Networks for Sentence Classification, EMNLP 2014. https://arxiv.org/abs/1408.5882
[3] J. Devlin, M. Chang, K. Lee, and K. Toutanova, BERT: Pre-training of Deep Bidirectional Transformers for Language Understanding, NAACL 2019. https://arxiv.org/abs/1810.04805
[4] Bo Pang and Lillian Lee, Opinion Mining and Sentiment Analysis, Foundations and Trends in Information Retrieval, Vol. 2, Nos. 1–2 (2008). https://doi.org/10.1561/1500000011
[5] S. Hochreiter and J. Schmidhuber, Long Short-Term Memory, Neural Computation, 9(8):1735–1780, 1997. https://doi.org/10.1162/neco.1997.9.8.1735
[6] R. Socher et al., Recursive Deep Models for Semantic Compositionality Over a Sentiment Treebank, EMNLP 2013. https://aclanthology.org/D13-1170/
[7] S. Kaur, A. Kaur, and A. Arora, Sentiment Analysis of Social Media using Deep Learning Techniques: A Review, International Journal of Advanced Computer Science and Applications (IJACSA), 2020.

©IJRASET: All Rights are Reserved | SJ Impact Factor 7.538 | ISRA Journal Impact Factor 7.894 |



10.22214/IJRASET

45.98

IMPACT FACTOR: 7.129

IMPACT FACTOR: 7.429

INTERNATIONAL JOURNAL FOR RESEARCH

IN APPLIED SCIENCE & ENGINEERING TECHNOLOGY

Call : 08813907089 (24*7 Support on Whatsapp)